| Data Summary           |            |  |  |  |  |
|------------------------|------------|--|--|--|--|
| Number of Strata       | 61         |  |  |  |  |
| Number of Clusters     | 4121       |  |  |  |  |
| Number of Observations | 3407146    |  |  |  |  |
| Sum of Weights         | 7370202.98 |  |  |  |  |

|          | Statistics                                     |           |           |         |              |              |                         |            |            |
|----------|--|-----------|-----------|---------|--------------|--------------|-------------------------|------------|------------|
| Variable | Label  | N         | N Miss    | Minimum | Maximum      | Mean         | Std<br>Error of<br>Mean | f          |            |
| RECNUM   | HCUP record number                             | 3,407,146 | 0         | 3.00    | 6,958,971.00 | 3,480,576.48 | 1,735.34                | 3477174.26 | 3483978.70 |
| AGE      | Age in years at admission                      | 3,390,841 | 16,305    | 0.00    | 20.00        | 4.67         | 0.04                    | 4.59       | 4.75       |
| AGEDAY   | Age in days (when age < 1 year)                | 1,192,445 | 2,214,701 | 0.00    | 364.00       | 13.44        | 0.48                    | 12.50      | 14.39      |
| AGEMONTH | Age in months (when age < 11 years)            | 1,695,354 | 1,711,792 | 0.00    | 131.00       | 9.93         | 0.32                    | 9.30       | 10.57      |
| AMONTH   | Admission month                                | 3,137,975 | 269,171   | 1.00    | 12.00        | 6.47         | 0.01                    | 6.46       | 6.48       |
| ASOURCE  | Admission source (uniform)                     | 774,434   | 2,632,712 | 1.00    | 5.00         | 4.09         | 0.05                    | 3.99       | 4.19       |
| АТУРЕ    | Admission type                                 | 2,964,505 | 442,641   | 1.00    | 6.00         | 3.00         | 0.02                    | 2.96       | 3.04       |
| AWEEKEND | Admission day is a weekend                     | 3,407,146 | 0         | 0.00    | 1.00         | 0.20         | 0.00                    | 0.20       | 0.21       |
| BWT      | Birth weight in grams                          | 360,317   | 3,046,829 | 228.00  | 9,117.00     | 3,226.79     | 15.80                   | 3195.77    | 3257.81    |
| DIED     | Died during hospitalization                    | 3,405,066 | 2,080     | 0.00    | 1.00         | 0.00         | 0.00                    | 0.00       | 0.00       |
| DISPUB04 | Disposition of patient (UB-04 standard coding) | 2,893,223 | 513,923   | 1.00    | 99.00        | 1.67         | 0.02                    | 1.63       | 1.71       |

|             |  |           | Sta       | atistics |         |        |                         |          |          |
|-------------|--|-----------|-----------|----------|---------|--------|-------------------------|----------|----------|
| Variable    | Label  | N         | N Miss    | Minimum  | Maximum | Mean   | Std<br>Error of<br>Mean | 95% CL 1 | for Mean |
| DISPUNIFORM | Disposition of patient (uniform)                     | 3,405,066 | 2,080     | 1.00     | 99.00   | 1.29   | 0.01                    | 1.27     | 1.31     |
| DQTR        | Discharge quarter                                    | 3,404,534 | 2,612     | 1.00     | 4.00    | 2.49   | 0.00                    | 2.49     | 2.49     |
| DQTR_X      | Discharge quarter (as received from source)          | 3,404,534 | 2,612     | 1.00     | 4.00    | 2.49   | 0.00                    | 2.49     | 2.49     |
| DRG         | DRG in effect on discharge date                      | 3,407,146 | 0         | 1.00     | 999.00  | 682.73 | 2.65                    | 677.54   | 687.92   |
| DRG24       | DRG, version 24                                      | 3,407,146 | 0         | 1.00     | 579.00  | 339.59 | 1.16                    | 337.32   | 341.86   |
| DRGVER      | DRG grouper version used on discharge date           | 3,407,146 | 0         | 26.00    | 27.00   | 26.25  | 0.00                    | 26.25    | 26.25    |
| DRG_NoPOA   | DRG in use on discharge date, calculated without POA | 3,407,146 | 0         | 1.00     | 999.00  | 681.33 | 2.67                    | 676.10   | 686.56   |
| DXCCS1      | CCS: diagnosis 1                                     | 3,405,821 | 1,325     | 1.00     | 670.00  | 206.80 | 0.89                    | 205.05   | 208.55   |
| DXCCS2      | CCS: diagnosis 2                                     | 2,998,829 | 408,317   | 1.00     | 670.00  | 170.08 | 1.14                    | 167.85   | 172.31   |
| DXCCS3      | CCS: diagnosis 3                                     | 2,294,116 | 1,113,030 | 1.00     | 670.00  | 184.41 | 1.02                    | 182.41   | 186.41   |
| DXCCS4      | CCS: diagnosis 4                                     | 1,639,019 | 1,768,127 | 1.00     | 670.00  | 191.31 | 0.96                    | 189.42   | 193.20   |
| DXCCS5      | CCS: diagnosis 5                                     | 1,126,855 | 2,280,291 | 1.00     | 670.00  | 195.59 | 0.93                    | 193.76   | 197.41   |
| DXCCS6      | CCS: diagnosis 6                                     | 780,184   | 2,626,962 | 1.00     | 670.00  | 196.96 | 0.93                    | 195.14   | 198.77   |
| DXCCS7      | CCS: diagnosis 7                                     | 551,322   | 2,855,824 | 1.00     | 670.00  | 196.08 | 0.93                    | 194.25   | 197.91   |
| DXCCS8      | CCS: diagnosis 8                                     | 396,606   | 3,010,540 | 1.00     | 670.00  | 194.08 | 0.97                    | 192.19   | 195.98   |
| DXCCS9      | CCS: diagnosis 9                                     | 289,560   | 3,117,586 | 1.00     | 670.00  | 191.09 | 1.00                    | 189.13   | 193.06   |

|          |  |           | Sta       | atistics |         |        |                         |          |         |
|----------|--|-----------|-----------|----------|---------|--------|-------------------------|----------|---------|
| Variable | Label                                  | N         | N Miss    | Minimum  | Maximum | Mean   | Std<br>Error of<br>Mean | 95% CL 1 | or Mean |
| DXCCS10  | CCS: diagnosis 10                      | 183,263   | 3,223,883 | 1.00     | 670.00  | 187.67 | 1.01                    | 185.70   | 189.65  |
| DXCCS11  | CCS: diagnosis 11                      | 137,077   | 3,270,069 | 1.00     | 670.00  | 185.57 | 0.95                    | 183.71   | 187.43  |
| DXCCS12  | CCS: diagnosis 12                      | 105,999   | 3,301,147 | 1.00     | 670.00  | 182.86 | 0.97                    | 180.96   | 184.76  |
| DXCCS13  | CCS: diagnosis 13                      | 82,970    | 3,324,176 | 1.00     | 670.00  | 178.61 | 1.03                    | 176.59   | 180.64  |
| DXCCS14  | CCS: diagnosis 14                      | 64,873    | 3,342,273 | 1.00     | 670.00  | 176.45 | 0.97                    | 174.54   | 178.36  |
| DXCCS15  | CCS: diagnosis 15                      | 50,804    | 3,356,342 | 1.00     | 670.00  | 172.41 | 1.13                    | 170.20   | 174.61  |
| DXCCS16  | CCS: diagnosis 16                      | 32,306    | 3,374,840 | 2.00     | 670.00  | 169.65 | 1.10                    | 167.49   | 171.82  |
| DXCCS17  | CCS: diagnosis 17                      | 25,875    | 3,381,271 | 1.00     | 670.00  | 165.58 | 1.06                    | 163.49   | 167.66  |
| DXCCS18  | CCS: diagnosis 18                      | 21,096    | 3,386,050 | 2.00     | 670.00  | 164.63 | 1.39                    | 161.91   | 167.35  |
| DXCCS19  | CCS: diagnosis 19                      | 14,444    | 3,392,702 | 1.00     | 670.00  | 162.39 | 1.61                    | 159.24   | 165.55  |
| DXCCS20  | CCS: diagnosis 20                      | 11,836    | 3,395,310 | 1.00     | 670.00  | 157.70 | 1.40                    | 154.95   | 160.46  |
| DXCCS21  | CCS: diagnosis 21                      | 9,600     | 3,397,546 | 1.00     | 670.00  | 157.32 | 1.43                    | 154.51   | 160.12  |
| DXCCS22  | CCS: diagnosis 22                      | 7,640     | 3,399,506 | 1.00     | 670.00  | 155.63 | 1.44                    | 152.79   | 158.46  |
| DXCCS23  | CCS: diagnosis 23                      | 6,301     | 3,400,845 | 2.00     | 670.00  | 154.50 | 1.62                    | 151.31   | 157.68  |
| DXCCS24  | CCS: diagnosis 24                      | 5,247     | 3,401,899 | 2.00     | 670.00  | 153.78 | 1.73                    | 150.37   | 157.19  |
| DXCCS25  | CCS: diagnosis 25                      | 4,145     | 3,403,001 | 1.00     | 670.00  | 149.33 | 1.77                    | 145.85   | 152.82  |
| ELECTIVE | Elective versus non-elective admission | 3,399,500 | 7,646     | 0.00     | 1.00    | 0.11   | 0.00                    | 0.10     | 0.11    |

|           |  |           | Sta       | atistics |           |           |                         |          |          |
|-----------|--|-----------|-----------|----------|-----------|-----------|-------------------------|----------|----------|
| Variable  | Label  | N         | N Miss    | Minimum  | Maximum   | Mean      | Std<br>Error of<br>Mean | 95% CL 1 | for Mean |
| E_CCS1    | CCS: E Code 1  | 297,555   | 3,109,591 | 662.00   | 2,621.00  | 2,450.61  | 5.60                    | 2439.63  | 2461.59  |
| E_CCS2    | CCS: E Code 2  | 141,295   | 3,265,851 | 662.00   | 2,621.00  | 2,544.15  | 4.24                    | 2535.84  | 2552.47  |
| E_CCS3    | CCS: E Code 3  | 29,250    | 3,377,896 | 662.00   | 2,621.00  | 2,490.76  | 11.46                   | 2468.28  | 2513.25  |
| E_CCS4    | CCS: E Code 4  | 8,827     | 3,398,319 | 662.00   | 2,621.00  | 2,519.47  | 8.55                    | 2502.70  | 2536.24  |
| FEMALE    | Indicator of sex                                     | 3,377,718 | 29,428    | 0.00     | 1.00      | 0.53      | 0.00                    | 0.52     | 0.53     |
| HCUP_ED   | HCUP Emergency Department service indicator          | 3,407,146 | 0         | 0.00     | 4.00      | 0.42      | 0.01                    | 0.39     | 0.44     |
| HOSPBRTH  | Indicator of birth in this hospital                  | 3,407,146 | 0         | 0.00     | 1.00      | 0.54      | 0.01                    | 0.53     | 0.55     |
| LOS       | Length of stay (cleaned)                             | 3,407,017 | 129       | 0.00     | 365.00    | 3.72      | 0.04                    | 3.65     | 3.79     |
| LOS_X     | Length of stay (as received from source)             | 3,402,417 | 4,729     | 0.00     | 3,412.00  | 3.74      | 0.04                    | 3.67     | 3.81     |
| MDC       | MDC in effect on discharge date                      | 3,407,146 | 0         | 0.00     | 25.00     | 12.75     | 0.05                    | 12.65    | 12.85    |
| MDC24     | MDC, version 24                                      | 3,407,146 | 0         | 0.00     | 25.00     | 12.79     | 0.05                    | 12.69    | 12.89    |
| MDC_NoPOA | MDC in use on discharge date, calculated without POA | 3,407,146 | 0         | 0.00     | 25.00     | 12.79     | 0.05                    | 12.69    | 12.90    |
| MDNUM1_R  | Physician 1 number (re-identified)                   | 1,853,066 | 1,554,080 | 1.00     | 89,805.00 | 32,119.38 | 760.94                  | 30627.26 | 33611.50 |
| MDNUM2_R  | Physician 2 number (re-identified)                   | 1,056,436 | 2,350,710 | 1.00     | 90,605.00 | 32,201.60 | 825.68                  | 30582.41 | 33820.78 |
| NCHRONIC  | Number of chronic conditions                         | 3,407,146 | 0         | 0.00     | 19.00     | 0.59      | 0.01                    | 0.56     | 0.62     |
| NDX       | Number of diagnoses on this record                   | 3,407,146 | 0         | 0.00     | 40.00     | 3.46      | 0.03                    | 3.41     | 3.51     |

|             |  |           | Sta       | atistics |         |        |                         |                 |          |
|-------------|--|-----------|-----------|----------|---------|--------|-------------------------|-----------------|----------|
| Variable    | Label  | N         | N Miss    | Minimum  | Maximum | Mean   | Std<br>Error of<br>Mean | <b>95% CL</b> 1 | for Mean |
| NECODE      | Number of E codes on this record                   | 3,407,146 | 0         | 0.00     | 10.00   | 0.10   | 0.00                    | 0.09            | 0.10     |
| NEOMAT      | Neonatal and/or maternal DX and/or PR              | 3,407,146 | 0         | 0.00     | 3.00    | 1.24   | 0.01                    | 1.22            | 1.27     |
| NPR         | Number of procedures on this record                | 3,407,146 | 0         | 0.00     | 35.00   | 1.09   | 0.01                    | 1.06            | 1.12     |
| ORPROC      | Major operating room procedure indicator           | 3,407,146 | 0         | 0.00     | 1.00    | 0.25   | 0.00                    | 0.25            | 0.25     |
| PAY1        | Primary expected payer (uniform)                   | 3,401,922 | 5,224     | 1.00     | 6.00    | 2.65   | 0.01                    | 2.64            | 2.67     |
| PAY2        | Secondary expected payer (uniform)                 | 633,232   | 2,773,914 | 1.00     | 6.00    | 3.26   | 0.05                    | 3.17            | 3.36     |
| PL_NCHS2006 | Patient Location: NCHS Urban-Rural<br>Code (V2006) | 3,320,779 | 86,367    | 1.00     | 6.00    | 2.62   | 0.03                    | 2.56            | 2.68     |
| PRCCS1      | CCS: procedure 1                                   | 1,990,312 | 1,416,834 | 1.00     | 231.00  | 155.51 | 0.83                    | 153.87          | 157.14   |
| PRCCS2      | CCS: procedure 2                                   | 987,690   | 2,419,456 | 1.00     | 231.00  | 168.01 | 0.96                    | 166.12          | 169.90   |
| PRCCS3      | CCS: procedure 3                                   | 504,626   | 2,902,520 | 1.00     | 231.00  | 152.98 | 1.05                    | 150.93          | 155.04   |
| PRCCS4      | CCS: procedure 4                                   | 276,697   | 3,130,449 | 1.00     | 231.00  | 148.16 | 1.04                    | 146.13          | 150.19   |
| PRCCS5      | CCS: procedure 5                                   | 167,974   | 3,239,172 | 1.00     | 231.00  | 151.38 | 1.20                    | 149.02          | 153.74   |
| PRCCS6      | CCS: procedure 6                                   | 111,997   | 3,295,149 | 1.00     | 231.00  | 154.49 | 1.21                    | 152.12          | 156.86   |
| PRCCS7      | CCS: procedure 7                                   | 62,418    | 3,344,728 | 1.00     | 231.00  | 153.99 | 1.24                    | 151.55          | 156.42   |
| PRCCS8      | CCS: procedure 8                                   | 46,052    | 3,361,094 | 1.00     | 231.00  | 154.11 | 1.41                    | 151.35          | 156.87   |
| PRCCS9      | CCS: procedure 9                                   | 34,674    | 3,372,472 | 1.00     | 231.00  | 153.95 | 1.37                    | 151.27          | 156.64   |

|          |   |           | Sta       | atistics |         |        |                         |          |         |
|----------|---|-----------|-----------|----------|---------|--------|-------------------------|----------|---------|
| Variable | Label                                   | N         | N Miss    | Minimum  | Maximum | Mean   | Std<br>Error of<br>Mean | 95% CL 1 | or Mean |
| PRCCS10  | CCS: procedure 10                       | 24,531    | 3,382,615 | 1.00     | 231.00  | 154.75 | 1.50                    | 151.81   | 157.69  |
| PRCCS11  | CCS: procedure 11                       | 17,655    | 3,389,491 | 1.00     | 231.00  | 155.89 | 1.53                    | 152.89   | 158.89  |
| PRCCS12  | CCS: procedure 12                       | 13,759    | 3,393,387 | 1.00     | 231.00  | 150.37 | 1.78                    | 146.87   | 153.87  |
| PRCCS13  | CCS: procedure 13                       | 10,375    | 3,396,771 | 1.00     | 231.00  | 147.92 | 2.14                    | 143.72   | 152.12  |
| PRCCS14  | CCS: procedure 14                       | 8,094     | 3,399,052 | 1.00     | 231.00  | 151.39 | 1.85                    | 147.75   | 155.03  |
| PRCCS15  | CCS: procedure 15                       | 6,494     | 3,400,652 | 1.00     | 231.00  | 141.13 | 2.98                    | 135.28   | 146.98  |
| PRDAY1   | Number of days from admission to<br>PR1 | 1,848,388 | 1,558,758 | -4.00    | 365.00  | 1.17   | 0.02                    | 1.14     | 1.20    |
| PRDAY2   | Number of days from admission to PR2    | 848,303   | 2,558,843 | -4.00    | 365.00  | 1.52   | 0.03                    | 1.46     | 1.58    |
| PRDAY3   | Number of days from admission to PR3    | 431,933   | 2,975,213 | -4.00    | 365.00  | 2.41   | 0.06                    | 2.30     | 2.53    |
| PRDAY4   | Number of days from admission to PR4    | 235,385   | 3,171,761 | -4.00    | 365.00  | 3.78   | 0.09                    | 3.59     | 3.96    |
| PRDAY5   | Number of days from admission to<br>PR5 | 142,809   | 3,264,337 | -4.00    | 365.00  | 5.26   | 0.14                    | 4.99     | 5.53    |
| PRDAY6   | Number of days from admission to PR6    | 95,059    | 3,312,087 | -4.00    | 365.00  | 6.91   | 0.19                    | 6.53     | 7.29    |
| PRDAY7   | Number of days from admission to PR7    | 52,975    | 3,354,171 | -3.00    | 366.00  | 8.60   | 0.22                    | 8.15     | 9.04    |
| PRDAY8   | Number of days from admission to PR8    | 39,017    | 3,368,129 | -3.00    | 365.00  | 10.31  | 0.27                    | 9.78     | 10.83   |

|          |  |           | Sta       | atistics      |               |           |                         |          |          |
|----------|--|-----------|-----------|---------------|---------------|-----------|-------------------------|----------|----------|
| Variable | Label                                    | N         | N Miss    | Minimum       | Maximum       | Mean      | Std<br>Error of<br>Mean | 95% CL 1 | or Mean  |
| PRDAY9   | Number of days from admission to PR9     | 29,212    | 3,377,934 | -3.00         | 366.00        | 12.13     | 0.30                    | 11.53    | 12.72    |
| PRDAY10  | Number of days from admission to PR10    | 21,902    | 3,385,244 | -3.00         | 361.00        | 13.95     | 0.37                    | 13.22    | 14.67    |
| PRDAY11  | Number of days from admission to<br>PR11 | 15,978    | 3,391,168 | -3.00         | 365.00        | 16.22     | 0.47                    | 15.29    | 17.15    |
| PRDAY12  | Number of days from admission to PR12    | 12,037    | 3,395,109 | -3.00         | 337.00        | 17.29     | 0.54                    | 16.22    | 18.36    |
| PRDAY13  | Number of days from admission to PR13    | 8,987     | 3,398,159 | -3.00         | 347.00        | 20.10     | 0.64                    | 18.85    | 21.35    |
| PRDAY14  | Number of days from admission to PR14    | 6,967     | 3,400,179 | -3.00         | 338.00        | 21.71     | 0.74                    | 20.26    | 23.16    |
| PRDAY15  | Number of days from admission to PR15    | 5,548     | 3,401,598 | -3.00         | 366.00        | 22.40     | 0.92                    | 20.59    | 24.21    |
| RACE     | Race (uniform)                           | 2,885,259 | 521,887   | 1.00          | 6.00          | 2.04      | 0.02                    | 2.00     | 2.07     |
| ТОТСНС   | Total charges (cleaned)                  | 3,342,989 | 64,157    | 100.00        | 1,499,997.00  | 16,817.94 | 404.30                  | 16025.29 | 17610.60 |
| TOTCHG_X | Total charges (as received from source)  | 3,340,754 | 66,392    | -5,136,835.57 | 99,000,453.91 | 18,362.55 | 817.02                  | 16760.73 | 19964.37 |
| TRAN_IN  | Transfer in indicator                    | 3,396,261 | 10,885    | 0.00          | 2.00          | 0.06      | 0.00                    | 0.05     | 0.06     |
| UNCBRTH  | Normal uncomplicated birth in hospital   | 3,407,146 | 0         | 0.00          | 1.00          | 0.38      | 0.00                    | 0.37     | 0.39     |

|             | Statistics   |           |        |          |          |          |                         |                 |          |  |
|-------------|--|-----------|--------|----------|----------|----------|-------------------------|-----------------|----------|--|
| Variable    | Label  | N         | N Miss | Minimum  | Maximum  | Mean     | Std<br>Error of<br>Mean | <b>95% CL</b> 1 | for Mean |  |
| YEAR        | Calendar year  | 3,407,146 | 0      | 2,009.00 | 2,009.00 | 2,009.00 | 0.00                    | 2009.00         | 2009.00  |  |
| ZIPINC_QRTL | Median household income national quartile for patient ZIP Code | 3,327,961 | 79,185 | 1.00     | 4.00     | 2.31     | 0.02                    | 2.28            | 2.35     |  |

| AGE | Frequency | Percent<br>of Total |
|-----|-----------|---------------------|
| •   | 33,186    | 0.45%               |
| 0   | 4,600,709 | 62.42%              |
| 1   | 196,812   | 2.67%               |
| 2   | 200,296   | 2.72%               |
| 3   | 92,329    | 1.25%               |
| 4   | 75,388    | 1.02%               |
| 5   | 69,889    | 0.95%               |
| 6   | 62,856    | 0.85%               |
| 7   | 106,693   | 1.45%               |
| 8   | 54,783    | 0.74%               |
| 9   | 63,982    | 0.87%               |
| 10  | 54,801    | 0.74%               |
| 11  | 56,717    | 0.77%               |
| 12  | 107,938   | 1.46%               |
| 13  | 68,876    | 0.93%               |
| 14  | 84,105    | 1.14%               |
| 15  | 108,646   | 1.47%               |
| 16  | 192,792   | 2.62%               |
| 17  | 196,192   | 2.66%               |
| 18  | 236,993   | 3.22%               |

| AGE | Frequency | Percent<br>of Total |
|-----|-----------|---------------------|
| 19  | 396,066   | 5.37%               |
| 20  | 310,155   | 4.21%               |

| AGEDAY         | Frequency | Percent<br>of Total |
|----------------|-----------|---------------------|
| .: Missing     | 3,847,108 | 52.20%              |
| 0 days         | 3,097,548 | 42.03%              |
| 1 day          | 17,972    | 0.24%               |
| 2 days         | 7,606     | 0.10%               |
| 3 days         | 12,715    | 0.17%               |
| 4 days         | 13,716    | 0.19%               |
| 5 days         | 9,350     | 0.13%               |
| 6 days         | 6,012     | 0.08%               |
| 7 days         | 4,379     | 0.06%               |
| 8 days         | 3,368     | 0.05%               |
| 9 days         | 2,901     | 0.04%               |
| 10 days        | 2,908     | 0.04%               |
| 11 - 30 days   | 52,535    | 0.71%               |
| 31 - 60 days   | 65,516    | 0.89%               |
| 61 - 90 days   | 39,634    | 0.54%               |
| 91 - 120 days  | 28,625    | 0.39%               |
| 121 - 150 days | 24,661    | 0.33%               |
| 151 - 180 days | 21,712    | 0.29%               |
| 181 - 210 days | 20,264    | 0.27%               |
| 211 - 240 days | 19,159    | 0.26%               |

| AGEDAY         | Frequency | Percent<br>of Total |
|----------------|-----------|---------------------|
| 241 - 270 days | 17,689    | 0.24%               |
| 271 - 300 days | 17,899    | 0.24%               |
| 301 - 330 days | 17,700    | 0.24%               |
| 331 - 364 days | 19,225    | 0.26%               |

| HCUP Weighted Summary Statistics Report: KID 2009 - Core File |
|---|
| Weighted Frequency Distribution for AGEMONTH                  |

| AGEMONTH       | Frequency | Percent<br>of Total |
|----------------|-----------|---------------------|
| .: Missing     | 3,089,633 | 41.92%              |
| .A: Invalid    | 10,898    | 0.15%               |
| 0 months       | 3,252,092 | 44.12%              |
| 1 month        | 67,523    | 0.92%               |
| 2 months       | 41,044    | 0.56%               |
| 3 months       | 29,393    | 0.40%               |
| 4 months       | 25,219    | 0.34%               |
| 5 months       | 22,397    | 0.30%               |
| 6 months       | 20,503    | 0.28%               |
| 7 months       | 19,428    | 0.26%               |
| 8 months       | 18,090    | 0.25%               |
| 9 months       | 18,320    | 0.25%               |
| 10 months      | 18,018    | 0.24%               |
| 11 months      | 17,253    | 0.23%               |
| 12 months      | 17,512    | 0.24%               |
| 13 - 24 months | 160,278   | 2.17%               |
| 25 - 36 months | 103,815   | 1.41%               |
| 37 - 48 months | 77,025    | 1.05%               |
| 49 - 60 months | 63,675    | 0.86%               |
| 61 - 72 months | 59,735    | 0.81%               |

| AGEMONTH         | Frequency | Percent<br>of Total |
|------------------|-----------|---------------------|
| 73 - 84 months   | 53,420    | 0.72%               |
| 85 - 96 months   | 48,806    | 0.66%               |
| 97 - 108 months  | 47,135    | 0.64%               |
| 109 - 120 months | 46,356    | 0.63%               |
| 121 - 131 months | 42,634    | 0.58%               |

| AMONTH       | Frequency | Percent<br>of Total |
|--------------|-----------|---------------------|
| .: Missing   | 586,893   | 7.96%               |
| 1: January   | 585,781   | 7.95%               |
| 2: February  | 555,346   | 7.54%               |
| 3: March     | 590,281   | 8.01%               |
| 4: April     | 561,575   | 7.62%               |
| 5: May       | 553,930   | 7.52%               |
| 6: June      | 550,932   | 7.48%               |
| 7: July      | 566,433   | 7.69%               |
| 8: August    | 570,403   | 7.74%               |
| 9: September | 582,211   | 7.90%               |
| 10: October  | 576,338   | 7.82%               |
| 11: November | 533,855   | 7.24%               |
| 12: December | 556,223   | 7.55%               |

| ASOURCE  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| .: Missing                                     | 5,812,152 | 78.86%              |
| .A: Invalid                                    | 99        | 0.00%               |
| 1: Emergency department                        | 300,813   | 4.08%               |
| 2: Another hospital                            | 48,439    | 0.66%               |
| <b>3:</b> Other health facility, including LTC | 33,228    | 0.45%               |
| 4: Court/law enforcement                       | 534       | 0.01%               |
| 5: Routine, birth, and other                   | 1,174,938 | 15.94%              |

| ASOURCEUB92                                   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| Blank/invalid                                 | 6,883,102 | 93.39%              |
| 1: Physician referral                         | 275,150   | 3.73%               |
| 2: Clinic referral                            | 23,044    | 0.31%               |
| 3: HMO referral                               | 2,284     | 0.03%               |
| 4: Transfer from a hospital                   | 23,837    | 0.32%               |
| 5: Transfer from a Skilled Nursing Facility   | 11,877    | 0.16%               |
| 6: Transfer from another health care facility | 14,375    | 0.20%               |
| 7: Emergency Room                             | 135,763   | 1.84%               |
| 8: Court/law enforcement                      | 266       | 0.00%               |
| A: Transfer from a Critical Access Hospital   | <= 50     | *.**%               |
| B: Transfer from another Home Health Agency   | <= 50     | *.**%               |
| C: Readmission to same Home Health Agency     | <= 50     | *.**%               |
| D: Transfer within hospital                   | 476       | 0.01%               |

| ASOURCE_X | Frequency | Percent<br>of Total |
|-----------|-----------|---------------------|
| Blank     | 5,783,324 | 78.47%              |
| Non-blank | 1,586,879 | 21.53%              |

| АТУРЕ              | Frequency | Percent<br>of Total |
|--------------------|-----------|---------------------|
| .: Missing         | 935,938   | 12.70%              |
| .A: Invalid        | <= 50     | *.**%               |
| 1: Emergency       | 1,345,893 | 18.26%              |
| 2: Urgent          | 863,447   | 11.72%              |
| <b>3: Elective</b> | 720,916   | 9.78%               |
| 4: Newborn         | 3,459,560 | 46.94%              |
| 5: Trauma center   | 42,174    | 0.57%               |
| 6: Other           | 2,225     | 0.03%               |

| AWEEKEND           | Frequency | Percent<br>of Total |
|--------------------|-----------|---------------------|
| 0: Monday-Friday   | 5,861,864 | 79.53%              |
| 1: Saturday-Sunday | 1,508,339 | 20.47%              |

| DIED                       | Frequency | Percent<br>of Total |
|----------------------------|-----------|---------------------|
| .: Missing                 | 814       | 0.01%               |
| .A: Invalid                | 2,118     | 0.03%               |
| 0: Did not die in hospital | 7,340,897 | 99.60%              |
| 1: Died in hospital        | 26,374    | 0.36%               |

| DISPUB04  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| .: Missing  | 1,083,058 | 14.70%              |
| .A: Invalid   | 2,116     | 0.03%               |
| 1: Routine  | 5,890,741 | 79.93%              |
| 2: Short-term hospital  | 77,280    | 1.05%               |
| 3: Skilled Nursing Facility   | 4,060     | 0.06%               |
| 4: Intermediate Care Facility   | 2,059     | 0.03%               |
| 5: Another type of health care institution not defined elsewhere        | 30,903    | 0.42%               |
| 6: Home health care   | 203,760   | 2.76%               |
| 7: Against medical advice   | 13,910    | 0.19%               |
| 8: Home IV provider   | 611       | 0.01%               |
| 20: Died in hospital  | 22,445    | 0.30%               |
| 21: Discharged/transferred to court law enforcement                     | 272       | 0.00%               |
| 40: Died at home  | <= 50     | *.**%               |
| 41: Died in a medical facility  | 71        | 0.00%               |
| 43: Federal health facility   | 159       | 0.00%               |
| 50: Hospice - home  | 1,645     | 0.02%               |
| 51: Hospice - medical facility  | 634       | 0.01%               |
| 61: This institution to a swing bed                                     | 337       | 0.00%               |
| 62: Another rehab facility including distinct rehab units of a hospital | 7,894     | 0.11%               |
| 63: Long term care hospital swing bed                                   | 1,738     | 0.02%               |

| DISPUB04   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 64: Nursing facility certified under Medicaid but not Medicare           | 196       | 0.00%               |
| 65: Psychiatric hospital or psychiatric distinct part unit of a hospital | 19,049    | 0.26%               |
| 66: Critical Access Hospital   | 450       | 0.01%               |
| 70: Another type of health care institution not defined elsewhere        | 6,727     | 0.09%               |
| 99: Discharged alive, destination unknown                                | 79        | 0.00%               |

| DISPUNIFORM                               | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| .: Missing                                | 814       | 0.01%               |
| .A: Invalid                               | 2,118     | 0.03%               |
| 1: Discharged to home or self care        | 6,919,378 | 93.88%              |
| 2: Transfer: short-term hospital          | 125,359   | 1.70%               |
| 5: Transfer: other type of facility       | 52,444    | 0.71%               |
| 6: Home health care                       | 226,521   | 3.07%               |
| 7: Against medical advice                 | 16,234    | 0.22%               |
| 20: Died in hospital                      | 26,374    | 0.36%               |
| 99: Discharged alive, destination unknown | 963       | 0.01%               |

| HCUP Weighted Summary Statistics Report: KID 2009 - Core File |
|---|
| Weighted Frequency Distribution for DQTR                      |

| DQTR              | Frequency | Percent<br>of Total |
|-------------------|-----------|---------------------|
| •                 | 3,454     | 0.05%               |
| 1: First quarter  | 1,876,606 | 25.46%              |
| 2: Second quarter | 1,810,344 | 24.56%              |
| 3: Third quarter  | 1,861,133 | 25.25%              |
| 4: Fourth quarter | 1,818,665 | 24.68%              |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 1: CRANIOTOMY AGE >17 W CC                              | 1,109     | 0.02%               |
| 2: CRANIOTOMY AGE >17 W/O CC                            | 1,167     | 0.02%               |
| 3: CRANIOTOMY AGE 0-17                                  | 23,287    | 0.32%               |
| 6: CARPAL TUNNEL RELEASE                                | <= 50     | *.**%               |
| 7: PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC   | 1,914     | 0.03%               |
| 8: PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W/O CC | 2,545     | 0.03%               |
| 9: SPINAL DISORDERS & INJURIES                          | 766       | 0.01%               |
| 10: NERVOUS SYSTEM NEOPLASMS W CC                       | 1,061     | 0.01%               |
| 11: NERVOUS SYSTEM NEOPLASMS W/O CC                     | 731       | 0.01%               |
| 12: DEGENERATIVE NERVOUS SYSTEM DISORDERS               | 2,008     | 0.03%               |
| 13: MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA              | 1,431     | 0.02%               |
| 14: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION      | 1,843     | 0.03%               |
| 15: NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT | 85        | 0.00%               |
| 16: NONSPECIFIC CEREBROVASCULAR DISORDERS W CC          | 630       | 0.01%               |
| 17: NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC        | 638       | 0.01%               |
| 18: CRANIAL & PERIPHERAL NERVE DISORDERS W CC           | 757       | 0.01%               |
| 19: CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC         | 1,265     | 0.02%               |
| 21: VIRAL MENINGITIS                                    | 12,197    | 0.17%               |
| 22: HYPERTENSIVE ENCEPHALOPATHY                         | 127       | 0.00%               |
| 23: NONTRAUMATIC STUPOR & COMA                          | 1,142     | 0.02%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 26: SEIZURE & HEADACHE AGE 0-17                        | 78,589    | 1.07%               |
| 27: TRAUMATIC STUPOR & COMA, COMA >1 HR                | 4,249     | 0.06%               |
| 28: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC   | 911       | 0.01%               |
| 29: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W/O CC | 1,413     | 0.02%               |
| 30: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17       | 14,688    | 0.20%               |
| 31: CONCUSSION AGE >17 W CC                            | 1,172     | 0.02%               |
| 32: CONCUSSION AGE >17 W/O CC                          | 1,559     | 0.02%               |
| 33: CONCUSSION AGE 0-17                                | 7,365     | 0.10%               |
| 34: OTHER DISORDERS OF NERVOUS SYSTEM W CC             | 4,286     | 0.06%               |
| 35: OTHER DISORDERS OF NERVOUS SYSTEM W/O CC           | 5,580     | 0.08%               |
| 36: RETINAL PROCEDURES                                 | 78        | 0.00%               |
| 37: ORBITAL PROCEDURES                                 | 1,281     | 0.02%               |
| 38: PRIMARY IRIS PROCEDURES                            | <= 50     | *.**%               |
| 39: LENS PROCEDURES WITH OR WITHOUT VITRECTOMY         | 114       | 0.00%               |
| 40: EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17        | 70        | 0.00%               |
| 41: EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17       | 977       | 0.01%               |
| 42: INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS  | 678       | 0.01%               |
| 43: HYPHEMA  | 224       | 0.00%               |
| 44: ACUTE MAJOR EYE INFECTIONS                         | 3,514     | 0.05%               |
| 45: NEUROLOGICAL EYE DISORDERS                         | 827       | 0.01%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 46: OTHER DISORDERS OF THE EYE AGE >17 W CC                          | 206       | 0.00%               |
| 47: OTHER DISORDERS OF THE EYE AGE >17 W/O CC                        | 257       | 0.00%               |
| 48: OTHER DISORDERS OF THE EYE AGE 0-17                              | 4,935     | 0.07%               |
| 49: MAJOR HEAD & NECK PROCEDURES                                     | 583       | 0.01%               |
| 50: SIALOADENECTOMY  | 238       | 0.00%               |
| 51: SALIVARY GLAND PROCEDURES EXCEPT SIALOADENECTOMY                 | 141       | 0.00%               |
| 52: CLEFT LIP & PALATE REPAIR  | 5,238     | 0.07%               |
| 53: SINUS & MASTOID PROCEDURES AGE >17                               | 229       | 0.00%               |
| 54: SINUS & MASTOID PROCEDURES AGE 0-17                              | 1,166     | 0.02%               |
| 55: MISCELLANEOUS EAR, NOSE, MOUTH & THROAT PROCEDURES               | 3,278     | 0.04%               |
| 56: RHINOPLASTY  | 537       | 0.01%               |
| 57: T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17  | 1,233     | 0.02%               |
| 58: T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17 | 4,631     | 0.06%               |
| 59: TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17                   | 322       | 0.00%               |
| 60: TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17                  | 8,437     | 0.11%               |
| 61: MYRINGOTOMY W TUBE INSERTION AGE >17                             | <= 50     | *.**%               |
| 62: MYRINGOTOMY W TUBE INSERTION AGE 0-17                            | 7,166     | 0.10%               |
| 63: OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES                  | 9,025     | 0.12%               |
| 64: EAR, NOSE, MOUTH & THROAT MALIGNANCY                             | 107       | 0.00%               |
| 65: DYSEQUILIBRIUM   | 607       | 0.01%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 66: EPISTAXIS   | 399       | 0.01%               |
| 67: EPIGLOTTITIS  | 179       | 0.00%               |
| 68: OTITIS MEDIA & URI AGE >17 W CC                       | 2,521     | 0.03%               |
| 69: OTITIS MEDIA & URI AGE >17 W/O CC                     | 2,507     | 0.03%               |
| 70: OTITIS MEDIA & URI AGE 0-17                           | 65,588    | 0.89%               |
| 71: LARYNGOTRACHEITIS                                     | 14,926    | 0.20%               |
| 72: NASAL TRAUMA & DEFORMITY                              | 718       | 0.01%               |
| 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17     | 625       | 0.01%               |
| 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17    | 8,806     | 0.12%               |
| 75: MAJOR CHEST PROCEDURES                                | 10,528    | 0.14%               |
| 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC                | 2,008     | 0.03%               |
| 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC              | 727       | 0.01%               |
| 78: PULMONARY EMBOLISM                                    | 1,378     | 0.02%               |
| 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC   | 2,494     | 0.03%               |
| 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC | 872       | 0.01%               |
| 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17       | 13,588    | 0.18%               |
| 82: RESPIRATORY NEOPLASMS                                 | 378       | 0.01%               |
| 83: MAJOR CHEST TRAUMA W CC                               | 336       | 0.00%               |
| 84: MAJOR CHEST TRAUMA W/O CC                             | 208       | 0.00%               |
| 85: PLEURAL EFFUSION W CC                                 | 800       | 0.01%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 86: PLEURAL EFFUSION W/O CC   | 173       | 0.00%               |
| 87: PULMONARY EDEMA & RESPIRATORY FAILURE                             | 3,113     | 0.04%               |
| 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE                             | 2,250     | 0.03%               |
| 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC                          | 5,064     | 0.07%               |
| 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC                        | 1,993     | 0.03%               |
| 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17                              | 170,847   | 2.32%               |
| 92: INTERSTITIAL LUNG DISEASE W CC                                    | 1,298     | 0.02%               |
| 93: INTERSTITIAL LUNG DISEASE W/O CC                                  | 597       | 0.01%               |
| 94: PNEUMOTHORAX W CC   | 2,548     | 0.03%               |
| 95: PNEUMOTHORAX W/O CC   | 5,305     | 0.07%               |
| 96: BRONCHITIS & ASTHMA AGE >17 W CC                                  | 2,598     | 0.04%               |
| 97: BRONCHITIS & ASTHMA AGE >17 W/O CC                                | 4,047     | 0.05%               |
| 98: BRONCHITIS & ASTHMA AGE 0-17                                      | 266,257   | 3.61%               |
| 99: RESPIRATORY SIGNS & SYMPTOMS W CC                                 | 4,525     | 0.06%               |
| 100: RESPIRATORY SIGNS & SYMPTOMS W/O CC                              | 7,490     | 0.10%               |
| 101: OTHER RESPIRATORY SYSTEM DIAGNOSES W CC                          | 4,752     | 0.06%               |
| 102: OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC                        | 4,265     | 0.06%               |
| 103: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM               | 488       | 0.01%               |
| 104: CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W CARDIAC CATH   | 419       | 0.01%               |
| 105: CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH | 4,195     | 0.06%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 108: OTHER CARDIOTHORACIC PROCEDURES                                | 11,619    | 0.16%               |
| 110: MAJOR CARDIOVASCULAR PROCEDURES W CC                           | 5,202     | 0.07%               |
| 111: MAJOR CARDIOVASCULAR PROCEDURES W/O CC                         | 1,616     | 0.02%               |
| 113: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE   | <= 50     | *.**%               |
| 114: UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS          | <= 50     | *.**%               |
| 117: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT           | 157       | 0.00%               |
| 118: CARDIAC PACEMAKER DEVICE REPLACEMENT                           | 189       | 0.00%               |
| 119: VEIN LIGATION & STRIPPING                                      | 98        | 0.00%               |
| 120: OTHER CIRCULATORY SYSTEM O.R. PROCEDURES                       | 373       | 0.01%               |
| 121: CIRCULATORY DISORDERS W AMI & MAJOR COMP, DISCHARGED ALIVE     | 55        | 0.00%               |
| 122: CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE   | 147       | 0.00%               |
| 123: CIRCULATORY DISORDERS W AMI, EXPIRED                           | <= 50     | *.**%               |
| 124: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG   | 818       | 0.01%               |
| 125: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG | 1,551     | 0.02%               |
| 126: ACUTE & SUBACUTE ENDOCARDITIS                                  | 250       | 0.00%               |
| 127: HEART FAILURE & SHOCK  | 1,616     | 0.02%               |
| 128: DEEP VEIN THROMBOPHLEBITIS                                     | 83        | 0.00%               |
| 129: CARDIAC ARREST, UNEXPLAINED                                    | 302       | 0.00%               |
| 130: PERIPHERAL VASCULAR DISORDERS W CC                             | 1,193     | 0.02%               |
| 131: PERIPHERAL VASCULAR DISORDERS W/O CC                           | 1,067     | 0.01%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 132: ATHEROSCLEROSIS W CC                                   | 54        | 0.00%               |
| 133: ATHEROSCLEROSIS W/O CC                                 | 74        | 0.00%               |
| 134: HYPERTENSION   | 1,264     | 0.02%               |
| 135: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC   | 57        | 0.00%               |
| 136: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W/O CC | <= 50     | *.**%               |
| 137: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17       | 3,519     | 0.05%               |
| 138: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC         | 2,437     | 0.03%               |
| 139: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC       | 3,567     | 0.05%               |
| 140: ANGINA PECTORIS  | <= 50     | *.**%               |
| 141: SYNCOPE & COLLAPSE W CC                                | 2,101     | 0.03%               |
| 142: SYNCOPE & COLLAPSE W/O CC                              | 3,979     | 0.05%               |
| 143: CHEST PAIN   | 1,975     | 0.03%               |
| 144: OTHER CIRCULATORY SYSTEM DIAGNOSES W CC                | 10,694    | 0.15%               |
| 145: OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC              | 2,295     | 0.03%               |
| 146: RECTAL RESECTION W CC                                  | 466       | 0.01%               |
| 147: RECTAL RESECTION W/O CC                                | 1,044     | 0.01%               |
| 149: MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC            | 4,387     | 0.06%               |
| 150: PERITONEAL ADHESIOLYSIS W CC                           | 1,878     | 0.03%               |
| 151: PERITONEAL ADHESIOLYSIS W/O CC                         | 1,815     | 0.02%               |
| 152: MINOR SMALL & LARGE BOWEL PROCEDURES W CC              | 816       | 0.01%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 153: MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC                | 1,553     | 0.02%               |
| 155: STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W/O CC   | 310       | 0.00%               |
| 156: STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 0-17         | 17,374    | 0.24%               |
| 157: ANAL & STOMAL PROCEDURES W CC                              | 1,035     | 0.01%               |
| 158: ANAL & STOMAL PROCEDURES W/O CC                            | 2,178     | 0.03%               |
| 159: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC   | 57        | 0.00%               |
| 160: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC | 108       | 0.00%               |
| 161: INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC          | <= 50     | *.**%               |
| 162: INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W/O CC        | 132       | 0.00%               |
| 163: HERNIA PROCEDURES AGE 0-17                                 | 4,562     | 0.06%               |
| 164: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC             | 6,758     | 0.09%               |
| 165: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC           | 18,123    | 0.25%               |
| 166: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC           | 7,516     | 0.10%               |
| 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC         | 69,260    | 0.94%               |
| 168: MOUTH PROCEDURES W CC                                      | 887       | 0.01%               |
| 169: MOUTH PROCEDURES W/O CC                                    | 1,825     | 0.02%               |
| 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC                | 1,374     | 0.02%               |
| 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC              | 1,689     | 0.02%               |
| 172: DIGESTIVE MALIGNANCY W CC                                  | 170       | 0.00%               |
| 173: DIGESTIVE MALIGNANCY W/O CC                                | <= 50     | *.**%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 174: G.I. HEMORRHAGE W CC  | 3,135     | 0.04%               |
| 175: G.I. HEMORRHAGE W/O CC  | 2,631     | 0.04%               |
| 176: COMPLICATED PEPTIC ULCER                                      | 535       | 0.01%               |
| 177: UNCOMPLICATED PEPTIC ULCER W CC                               | 258       | 0.00%               |
| 178: UNCOMPLICATED PEPTIC ULCER W/O CC                             | 377       | 0.01%               |
| 179: INFLAMMATORY BOWEL DISEASE                                    | 10,353    | 0.14%               |
| 180: G.I. OBSTRUCTION W CC   | 4,107     | 0.06%               |
| 181: G.I. OBSTRUCTION W/O CC                                       | 6,158     | 0.08%               |
| 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC   | 6,531     | 0.09%               |
| 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC | 6,977     | 0.09%               |
| 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17       | 94,467    | 1.28%               |
| 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17  | 1,380     | 0.02%               |
| 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 | 6,574     | 0.09%               |
| 187: DENTAL EXTRACTIONS & RESTORATIONS                             | 1,381     | 0.02%               |
| 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC                 | 1,324     | 0.02%               |
| 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC               | 1,009     | 0.01%               |
| 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17                     | 15,218    | 0.21%               |
| 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC                       | 717       | 0.01%               |
| 192: PANCREAS, LIVER & SHUNT PROCEDURES W/O CC                     | 289       | 0.00%               |
| 193: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC | 349       | 0.00%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 194: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC | 280       | 0.00%               |
| 195: CHOLECYSTECTOMY W C.D.E. W CC                                   | 101       | 0.00%               |
| 196: CHOLECYSTECTOMY W C.D.E. W/O CC                                 | 133       | 0.00%               |
| 197: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC           | 285       | 0.00%               |
| 198: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC         | 311       | 0.00%               |
| 199: HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY               | 120       | 0.00%               |
| 200: HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY           | 294       | 0.00%               |
| 201: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES                 | 140       | 0.00%               |
| 202: CIRRHOSIS & ALCOHOLIC HEPATITIS                                 | 198       | 0.00%               |
| 203: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS                  | 247       | 0.00%               |
| 204: DISORDERS OF PANCREAS EXCEPT MALIGNANCY                         | 9,068     | 0.12%               |
| 205: DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC              | 3,251     | 0.04%               |
| 206: DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W/O CC            | 2,687     | 0.04%               |
| 207: DISORDERS OF THE BILIARY TRACT W CC                             | 2,291     | 0.03%               |
| 208: DISORDERS OF THE BILIARY TRACT W/O CC                           | 2,566     | 0.03%               |
| 210: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC          | 1,067     | 0.01%               |
| 211: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC        | 1,655     | 0.02%               |
| 212: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17              | 17,526    | 0.24%               |
| 213: AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS   | 457       | 0.01%               |
| 216: BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE          | 1,757     | 0.02%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 217: WND DEBRID & SKN GRFT EXCEPT HAND,FOR MUSCSKELET & CONN TISS DIS | 2,788     | 0.04%               |
| 218: LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR AGE >17 W CC     | 1,229     | 0.02%               |
| 219: LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR AGE >17 W/O CC   | 4,090     | 0.06%               |
| 220: LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR AGE 0-17         | 23,338    | 0.32%               |
| 223: MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W CC    | 922       | 0.01%               |
| 224: SHOULDER,ELBOW OR FOREARM PROC,EXC MAJOR JOINT PROC, W/O CC      | 6,621     | 0.09%               |
| 225: FOOT PROCEDURES  | 2,763     | 0.04%               |
| 226: SOFT TISSUE PROCEDURES W CC                                      | 2,059     | 0.03%               |
| 227: SOFT TISSUE PROCEDURES W/O CC                                    | 4,838     | 0.07%               |
| 228: MAJOR THUMB OR JOINT PROC,OR OTH HAND OR WRIST PROC W CC         | 651       | 0.01%               |
| 229: HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC              | 2,249     | 0.03%               |
| 230: LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR       | 1,397     | 0.02%               |
| 232: ARTHROSCOPY  | 99        | 0.00%               |
| 233: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC               | 2,628     | 0.04%               |
| 234: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC             | 5,024     | 0.07%               |
| 235: FRACTURES OF FEMUR   | 3,897     | 0.05%               |
| 236: FRACTURES OF HIP & PELVIS  | 1,717     | 0.02%               |
| 237: SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH          | 360       | 0.00%               |
| 238: OSTEOMYELITIS  | 2,698     | 0.04%               |
| 239: PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY  | 1,469     | 0.02%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 240: CONNECTIVE TISSUE DISORDERS W CC                             | 4,213     | 0.06%               |
| 241: CONNECTIVE TISSUE DISORDERS W/O CC                           | 5,811     | 0.08%               |
| 242: SEPTIC ARTHRITIS   | 856       | 0.01%               |
| 243: MEDICAL BACK PROBLEMS  | 6,787     | 0.09%               |
| 244: BONE DISEASES & SPECIFIC ARTHROPATHIES W CC                  | 323       | 0.00%               |
| 245: BONE DISEASES & SPECIFIC ARTHROPATHIES W/O CC                | 299       | 0.00%               |
| 246: NON-SPECIFIC ARTHROPATHIES                                   | 364       | 0.00%               |
| 247: SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE     | 3,186     | 0.04%               |
| 248: TENDONITIS, MYOSITIS & BURSITIS                              | 4,543     | 0.06%               |
| 249: AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE        | 644       | 0.01%               |
| 250: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W CC    | 157       | 0.00%               |
| 251: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W/O CC  | 360       | 0.00%               |
| 252: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 0-17        | 3,342     | 0.05%               |
| 253: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W CC   | 373       | 0.01%               |
| 254: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W/O CC | 655       | 0.01%               |
| 255: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE 0-17       | 5,162     | 0.07%               |
| 256: OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES   | 3,308     | 0.04%               |
| 257: TOTAL MASTECTOMY FOR MALIGNANCY W CC                         | <= 50     | *.**%               |
| 258: TOTAL MASTECTOMY FOR MALIGNANCY W/O CC                       | <= 50     | *.**%               |
| 260: SUBTOTAL MASTECTOMY FOR MALIGNANCY W/O CC                    | <= 50     | *.**%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 261: BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION     | 400       | 0.01%               |
| 262: BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY                 | 119       | 0.00%               |
| 263: SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W CC           | 759       | 0.01%               |
| 264: SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W/O CC         | 1,428     | 0.02%               |
| 265: SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W CC   | 460       | 0.01%               |
| 266: SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/O CC | 1,904     | 0.03%               |
| 267: PERIANAL & PILONIDAL PROCEDURES                                   | 756       | 0.01%               |
| 268: SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES             | 420       | 0.01%               |
| 269: OTHER SKIN, SUBCUT TISS & BREAST PROC W CC                        | 1,877     | 0.03%               |
| 270: OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC                      | 4,350     | 0.06%               |
| 271: SKIN ULCERS   | 611       | 0.01%               |
| 272: MAJOR SKIN DISORDERS W CC   | 1,124     | 0.02%               |
| 273: MAJOR SKIN DISORDERS W/O CC                                       | 1,362     | 0.02%               |
| 274: MALIGNANT BREAST DISORDERS W CC                                   | <= 50     | *.**%               |
| 276: NON-MALIGNANT BREAST DISORDERS                                    | 1,490     | 0.02%               |
| 277: CELLULITIS AGE >17 W CC   | 2,957     | 0.04%               |
| 278: CELLULITIS AGE >17 W/O CC   | 6,939     | 0.09%               |
| 279: CELLULITIS AGE 0-17   | 67,207    | 0.91%               |
| 280: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W CC             | 1,039     | 0.01%               |
| 281: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O CC           | 1,454     | 0.02%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 282: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17              | 5,747     | 0.08%               |
| 283: MINOR SKIN DISORDERS W CC                                      | 2,304     | 0.03%               |
| 284: MINOR SKIN DISORDERS W/O CC                                    | 4,954     | 0.07%               |
| 285: AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DISORDERS | <= 50     | *.**%               |
| 286: ADRENAL & PITUITARY PROCEDURES                                 | 1,053     | 0.01%               |
| 287: SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS | <= 50     | *.**%               |
| 288: O.R. PROCEDURES FOR OBESITY                                    | 1,635     | 0.02%               |
| 289: PARATHYROID PROCEDURES   | 102       | 0.00%               |
| 290: THYROID PROCEDURES   | 1,481     | 0.02%               |
| 291: THYROGLOSSAL PROCEDURES  | 410       | 0.01%               |
| 292: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC                 | 277       | 0.00%               |
| 293: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC               | 135       | 0.00%               |
| 295: DIABETES AGE 0-35  | 48,074    | 0.65%               |
| 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC            | 2,186     | 0.03%               |
| 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC          | 2,146     | 0.03%               |
| 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17                | 96,230    | 1.31%               |
| 299: INBORN ERRORS OF METABOLISM                                    | 3,053     | 0.04%               |
| 300: ENDOCRINE DISORDERS W CC                                       | 2,167     | 0.03%               |
| 301: ENDOCRINE DISORDERS W/O CC                                     | 1,638     | 0.02%               |
| 302: KIDNEY TRANSPLANT  | 1,090     | 0.01%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM            | 779       | 0.01%               |
| 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC   | 4,430     | 0.06%               |
| 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC | 7,438     | 0.10%               |
| 306: PROSTATECTOMY W CC                                   | <= 50     | *.**%               |
| 308: MINOR BLADDER PROCEDURES W CC                        | 508       | 0.01%               |
| 309: MINOR BLADDER PROCEDURES W/O CC                      | 336       | 0.00%               |
| 310: TRANSURETHRAL PROCEDURES W CC                        | 1,150     | 0.02%               |
| 311: TRANSURETHRAL PROCEDURES W/O CC                      | 519       | 0.01%               |
| 312: URETHRAL PROCEDURES, AGE >17 W CC                    | <= 50     | *.**%               |
| 313: URETHRAL PROCEDURES, AGE >17 W/O CC                  | 56        | 0.00%               |
| 314: URETHRAL PROCEDURES, AGE 0-17                        | 261       | 0.00%               |
| 315: OTHER KIDNEY & URINARY TRACT PROCEDURES              | 1,164     | 0.02%               |
| 316: RENAL FAILURE  | 4,611     | 0.06%               |
| 317: ADMIT FOR RENAL DIALYSIS                             | 119       | 0.00%               |
| 318: KIDNEY & URINARY TRACT NEOPLASMS W CC                | 157       | 0.00%               |
| 319: KIDNEY & URINARY TRACT NEOPLASMS W/O CC              | 85        | 0.00%               |
| 320: KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC       | 4,703     | 0.06%               |
| 321: KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC     | 4,874     | 0.07%               |
| 322: KIDNEY & URINARY TRACT INFECTIONS AGE 0-17           | 47,884    | 0.65%               |
| 323: URINARY STONES W CC, &/OR ESW LITHOTRIPSY            | 3,286     | 0.04%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 324: URINARY STONES W/O CC  | 1,653     | 0.02%               |
| 325: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W CC           | 89        | 0.00%               |
| 326: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W/O CC         | 67        | 0.00%               |
| 327: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17               | 979       | 0.01%               |
| 328: URETHRAL STRICTURE AGE >17 W CC                                | <= 50     | *.**%               |
| 329: URETHRAL STRICTURE AGE >17 W/O CC                              | <= 50     | *.**%               |
| 330: URETHRAL STRICTURE AGE 0-17                                    | <= 50     | *.**%               |
| 331: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC            | 1,207     | 0.02%               |
| 332: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC          | 449       | 0.01%               |
| 333: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17                | 7,673     | 0.10%               |
| 334: MAJOR MALE PELVIC PROCEDURES W CC                              | <= 50     | *.**%               |
| 335: MAJOR MALE PELVIC PROCEDURES W/O CC                            | <= 50     | *.**%               |
| 338: TESTES PROCEDURES, FOR MALIGNANCY                              | 152       | 0.00%               |
| 339: TESTES PROCEDURES, NON-MALIGNANCY AGE >17                      | 330       | 0.00%               |
| 340: TESTES PROCEDURES, NON-MALIGNANCY AGE 0-17                     | 1,868     | 0.03%               |
| 341: PENIS PROCEDURES   | 1,015     | 0.01%               |
| 342: CIRCUMCISION AGE >17   | <= 50     | *.**%               |
| 343: CIRCUMCISION AGE 0-17  | 258       | 0.00%               |
| 344: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY  | 61        | 0.00%               |
| 345: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXCEPT FOR MALIGNANCY | <= 50     | *.**%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 346: MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W CC                     | <= 50     | *.**%               |
| 347: MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W/O CC                   | <= 50     | *.**%               |
| 350: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM                   | 1,723     | 0.02%               |
| 352: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES                       | 652       | 0.01%               |
| 353: PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY | <= 50     | *.**%               |
| 354: UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC         | <= 50     | *.**%               |
| 355: UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC       | <= 50     | *.**%               |
| 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES           | 63        | 0.00%               |
| 357: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY        | 321       | 0.00%               |
| 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC                  | 1,585     | 0.02%               |
| 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC                | 5,643     | 0.08%               |
| 360: VAGINA, CERVIX & VULVA PROCEDURES                              | 2,845     | 0.04%               |
| 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION                    | 425       | 0.01%               |
| 362: ENDOSCOPIC TUBAL INTERRUPTION                                  | <= 50     | *.**%               |
| 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY                | <= 50     | *.**%               |
| 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY                          | 179       | 0.00%               |
| 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES               | 435       | 0.01%               |
| 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC                    | <= 50     | *.**%               |
| 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC                  | <= 50     | *.**%               |
| 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM                         | 5,546     | 0.08%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS       | 4,855     | 0.07%               |
| 370: CESAREAN SECTION W CC  | 46,616    | 0.63%               |
| 371: CESAREAN SECTION W/O CC                                      | 103,770   | 1.41%               |
| 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES                    | 61,049    | 0.83%               |
| 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES                  | 398,419   | 5.41%               |
| 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C                    | 1,651     | 0.02%               |
| 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C          | 222       | 0.00%               |
| 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE      | 9,180     | 0.12%               |
| 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE        | 2,309     | 0.03%               |
| 378: ECTOPIC PREGNANCY  | 2,043     | 0.03%               |
| 379: THREATENED ABORTION  | 15,361    | 0.21%               |
| 380: ABORTION W/O D&C   | 3,110     | 0.04%               |
| 381: ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY          | 2,533     | 0.03%               |
| 382: FALSE LABOR  | 1,545     | 0.02%               |
| 383: OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS           | 42,198    | 0.57%               |
| 384: OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS         | 6,427     | 0.09%               |
| 385: NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 68,640    | 0.93%               |
| 386: EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 90,958    | 1.23%               |
| 387: PREMATURITY W MAJOR PROBLEMS                                 | 76,149    | 1.03%               |
| 388: PREMATURITY W/O MAJOR PROBLEMS                               | 195,394   | 2.65%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 389: FULL TERM NEONATE W MAJOR PROBLEMS                            | 174,510   | 2.37%               |
| 390: NEONATE W OTHER SIGNIFICANT PROBLEMS                          | 704,406   | 9.56%               |
| 391: NORMAL NEWBORN  | 2,861,880 | 38.83%              |
| 392: SPLENECTOMY AGE >17   | 280       | 0.00%               |
| 393: SPLENECTOMY AGE 0-17  | 985       | 0.01%               |
| 394: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS   | 1,629     | 0.02%               |
| 395: RED BLOOD CELL DISORDERS AGE >17                              | 10,229    | 0.14%               |
| 396: RED BLOOD CELL DISORDERS AGE 0-17                             | 25,661    | 0.35%               |
| 397: COAGULATION DISORDERS   | 8,664     | 0.12%               |
| 398: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC                 | 3,955     | 0.05%               |
| 399: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC               | 6,983     | 0.09%               |
| 401: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC          | 368       | 0.00%               |
| 402: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC        | 423       | 0.01%               |
| 403: LYMPHOMA & NON-ACUTE LEUKEMIA W CC                            | 738       | 0.01%               |
| 404: LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC                          | 683       | 0.01%               |
| 405: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17              | 5,890     | 0.08%               |
| 406: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W CC   | 290       | 0.00%               |
| 407: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W/O CC | 146       | 0.00%               |
| 408: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R.PROC      | 472       | 0.01%               |
| 409: RADIOTHERAPY  | 166       | 0.00%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 410: CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS | 30,662    | 0.42%               |
| 411: HISTORY OF MALIGNANCY W/O ENDOSCOPY                    | <= 50     | *.**%               |
| 413: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC   | 292       | 0.00%               |
| 414: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC | 184       | 0.00%               |
| 417: SEPTICEMIA AGE 0-17                                    | 15,714    | 0.21%               |
| 418: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS              | 5,778     | 0.08%               |
| 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC                   | 637       | 0.01%               |
| 420: FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC                 | 366       | 0.00%               |
| 421: VIRAL ILLNESS AGE >17                                  | 2,810     | 0.04%               |
| 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17       | 60,529    | 0.82%               |
| 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES        | 4,728     | 0.06%               |
| 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS | 185       | 0.00%               |
| 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION   | 5,300     | 0.07%               |
| 426: DEPRESSIVE NEUROSES                                    | 27,052    | 0.37%               |
| 427: NEUROSES EXCEPT DEPRESSIVE                             | 12,718    | 0.17%               |
| 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL             | 6,163     | 0.08%               |
| 429: ORGANIC DISTURBANCES & MENTAL RETARDATION              | 2,928     | 0.04%               |
| 430: PSYCHOSES  | 145,453   | 1.97%               |
| 431: CHILDHOOD MENTAL DISORDERS                             | 18,637    | 0.25%               |
| 432: OTHER MENTAL DISORDER DIAGNOSES                        | 1,303     | 0.02%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA               | 1,465     | 0.02%               |
| 439: SKIN GRAFTS FOR INJURIES                                 | 734       | 0.01%               |
| 440: WOUND DEBRIDEMENTS FOR INJURIES                          | 1,154     | 0.02%               |
| 441: HAND PROCEDURES FOR INJURIES                             | 1,071     | 0.01%               |
| 442: OTHER O.R. PROCEDURES FOR INJURIES W CC                  | 3,000     | 0.04%               |
| 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC                | 4,162     | 0.06%               |
| 444: TRAUMATIC INJURY AGE >17 W CC                            | 407       | 0.01%               |
| 445: TRAUMATIC INJURY AGE >17 W/O CC                          | 751       | 0.01%               |
| 446: TRAUMATIC INJURY AGE 0-17                                | 3,971     | 0.05%               |
| 447: ALLERGIC REACTIONS AGE >17                               | 399       | 0.01%               |
| 448: ALLERGIC REACTIONS AGE 0-17                              | 2,589     | 0.04%               |
| 449: POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC          | 9,218     | 0.13%               |
| 450: POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O CC        | 6,801     | 0.09%               |
| 451: POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17              | 25,738    | 0.35%               |
| 452: COMPLICATIONS OF TREATMENT W CC                          | 3,041     | 0.04%               |
| 453: COMPLICATIONS OF TREATMENT W/O CC                        | 2,052     | 0.03%               |
| 454: OTHER INJURY, POISONING & TOXIC EFFECT DIAG W CC         | 3,758     | 0.05%               |
| 455: OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O CC       | 3,140     | 0.04%               |
| 461: O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES | 2,264     | 0.03%               |
| 462: REHABILITATION   | 6,195     | 0.08%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 463: SIGNS & SYMPTOMS W CC   | 2,865     | 0.04%               |
| 464: SIGNS & SYMPTOMS W/O CC   | 3,992     | 0.05%               |
| 465: AFTERCARE W HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS            | <= 50     | *.**%               |
| 466: AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS          | 1,234     | 0.02%               |
| 467: OTHER FACTORS INFLUENCING HEALTH STATUS                             | 6,356     | 0.09%               |
| 468: EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS           | 7,910     | 0.11%               |
| 469: PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS                  | 52        | 0.00%               |
| 470: UNGROUPABLE   | 7,816     | 0.11%               |
| 471: BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY          | 53        | 0.00%               |
| 473: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17                     | 625       | 0.01%               |
| 476: PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS           | <= 50     | *.**%               |
| 477: NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS       | 4,750     | 0.06%               |
| 479: OTHER VASCULAR PROCEDURES W/O CC                                    | 740       | 0.01%               |
| 480: LIVER TRANSPLANT AND/OR INTESTINAL TRANSPLANT                       | 629       | 0.01%               |
| 481: BONE MARROW TRANSPLANT  | 2,637     | 0.04%               |
| 482: TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSES                        | 481       | 0.01%               |
| 484: CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA                          | 923       | 0.01%               |
| 485: LIMB REATTACHMENT, HIP & FEMUR PROC FOR MULTIPLE SIGNIFICANT TRAUMA | 2,306     | 0.03%               |
| 486: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA               | 5,782     | 0.08%               |
| 487: OTHER MULTIPLE SIGNIFICANT TRAUMA                                   | 7,206     | 0.10%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 488: HIV W EXTENSIVE O.R. PROCEDURE                                      | <= 50     | *.**%               |
| 489: HIV W MAJOR RELATED CONDITION                                       | 668       | 0.01%               |
| 490: HIV W OR W/O OTHER RELATED CONDITION                                | 247       | 0.00%               |
| 491: MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITY       | 71        | 0.00%               |
| 492: CHEMO W ACUTE LEUKEMIA AS SDX OR W USE OF HIGH DOSE CHEMO AGENT     | 9,966     | 0.14%               |
| 493: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC                        | 5,600     | 0.08%               |
| 494: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC                      | 10,775    | 0.15%               |
| 495: LUNG TRANSPLANT   | 79        | 0.00%               |
| 496: COMBINED ANTERIOR/POSTERIOR SPINAL FUSION                           | 648       | 0.01%               |
| 497: SPINAL FUSION EXCEPT CERVICAL W CC                                  | 882       | 0.01%               |
| 498: SPINAL FUSION EXCEPT CERVICAL W/O CC                                | 1,303     | 0.02%               |
| 499: BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W CC                    | 489       | 0.01%               |
| 500: BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC                  | 1,697     | 0.02%               |
| 501: KNEE PROCEDURES W PDX OF INFECTION W CC                             | 226       | 0.00%               |
| 502: KNEE PROCEDURES W PDX OF INFECTION W/O CC                           | 497       | 0.01%               |
| 503: KNEE PROCEDURES W/O PDX OF INFECTION                                | 3,287     | 0.04%               |
| 504: EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W SKIN GRAFT   | 356       | 0.00%               |
| 505: EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W/O SKIN GRAFT | 59        | 0.00%               |
| 506: FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC OR SIG TRAUMA    | 543       | 0.01%               |
| 507: FULL THICKNESS BURN W SKIN GRFT OR INHAL INJ W/O CC OR SIG TRAUMA   | 1,587     | 0.02%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 508: FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ W CC OR SIG TRAUMA  | 155       | 0.00%               |
| 509: FULL THICKNESS BURN W/O SKIN GRFT OR INH INJ W/O CC OR SIG TRAUMA  | 686       | 0.01%               |
| 510: NON-EXTENSIVE BURNS W CC OR SIGNIFICANT TRAUMA                     | 977       | 0.01%               |
| 511: NON-EXTENSIVE BURNS W/O CC OR SIGNIFICANT TRAUMA                   | 7,405     | 0.10%               |
| 512: SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT                            | <= 50     | *.**%               |
| 513: PANCREAS TRANSPLANT  | <= 50     | *.**%               |
| 515: CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH                     | 505       | 0.01%               |
| 518: PERCUTANEOUS CARDIOVASC PROC W/O CORONARY ARTERY STENT OR AMI      | 3,306     | 0.04%               |
| 519: CERVICAL SPINAL FUSION W CC  | 324       | 0.00%               |
| 520: CERVICAL SPINAL FUSION W/O CC                                      | 508       | 0.01%               |
| 521: ALCOHOL/DRUG ABUSE OR DEPENDENCE W CC                              | 2,283     | 0.03%               |
| 522: ALCOHOL/DRUG ABUSE OR DEPENDENCE W REHABILITATION THERAPY W/O CC   | 2,217     | 0.03%               |
| 523: ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY W/O CC | 9,371     | 0.13%               |
| 524: TRANSIENT ISCHEMIA   | 288       | 0.00%               |
| 525: OTHER HEART ASSIST SYSTEM IMPLANT                                  | <= 50     | *.**%               |
| 528: INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE                  | <= 50     | *.**%               |
| 529: VENTRICULAR SHUNT PROCEDURES W CC                                  | 581       | 0.01%               |
| 530: VENTRICULAR SHUNT PROCEDURES W/O CC                                | 230       | 0.00%               |
| 531: SPINAL PROCEDURES W CC   | 2,496     | 0.03%               |
| 532: SPINAL PROCEDURES W/O CC   | 4,213     | 0.06%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 533: EXTRACRANIAL PROCEDURES W CC  | 62        | 0.00%               |
| 534: EXTRACRANIAL PROCEDURES W/O CC                                      | 80        | 0.00%               |
| 535: CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK                 | <= 50     | *.**%               |
| 536: CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK               | 84        | 0.00%               |
| 537: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXCEPT HIP & FEMUR W CC    | 1,580     | 0.02%               |
| 538: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXCEPT HIP & FEMUR W/O CC  | 3,419     | 0.05%               |
| 539: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W CC                     | 380       | 0.01%               |
| 540: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W/O CC                   | 202       | 0.00%               |
| 541: ECMO OR TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK W MAJ O.R. | 5,342     | 0.07%               |
| 542: TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK W/O MAJ O.R.       | 2,211     | 0.03%               |
| 543: CRANIOTOMY W MAJOR DEVICE IMPLANT OR ACUTE COMPLEX CNS PDX          | 224       | 0.00%               |
| 544: MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY          | 740       | 0.01%               |
| 545: REVISION OF HIP OR KNEE REPLACEMENT                                 | 137       | 0.00%               |
| 546: SPINAL FUSION EXC CERV WITH CURVATURE OF THE SPINE OR MALIG         | 8,810     | 0.12%               |
| 548: CORONARY BYPASS W CARDIAC CATH W/O MAJOR CV DX                      | <= 50     | *.**%               |
| 549: CORONARY BYPASS W/O CARDIAC CATH W MAJOR CV DX                      | <= 50     | *.**%               |
| 550: CORONARY BYPASS W/O CARDIAC CATH W/O MAJOR CV DX                    | <= 50     | *.**%               |
| 551: PERMANENT CARDIAC PACEMAKER IMPL W MAJ CV DX OR AICD LEAD OR GNRTR  | 213       | 0.00%               |
| 552: OTHER PERMANENT CARDIAC PACEMAKER IMPLANT W/O MAJOR CV DX           | 667       | 0.01%               |
| 553: OTHER VASCULAR PROCEDURES W CC W MAJOR CV DX                        | 433       | 0.01%               |

| DRG24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 554: OTHER VASCULAR PROCEDURES W CC W/O MAJOR CV DX                      | 1,048     | 0.01%               |
| 555: PERCUTANEOUS CARDIOVASCULAR PROC W MAJOR CV DX                      | 416       | 0.01%               |
| 556: PERCUTANEOUS CARDIOVASC PROC W NON-DRUG-ELUTING STENT W/O MAJ CV DX | 61        | 0.00%               |
| 557: PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W MAJOR CV DX | <= 50     | *.**%               |
| 558: PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W/O MAJ CV DX | <= 50     | *.**%               |
| 559: ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT                | <= 50     | *.**%               |
| 560: BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM                | 3,072     | 0.04%               |
| 561: NON-BACTERIAL INFECTIONS OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS  | 3,014     | 0.04%               |
| 562: SEIZURE AGE >17 W CC  | 2,894     | 0.04%               |
| 563: SEIZURE AGE >17 W/O CC  | 5,178     | 0.07%               |
| 564: HEADACHES AGE >17   | 2,667     | 0.04%               |
| 565: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS      | 8,235     | 0.11%               |
| 566: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS      | 9,136     | 0.12%               |
| 567: STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W CC W MAJOR GI DX      | 188       | 0.00%               |
| 568: STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W CC W/O MAJOR GI DX    | 204       | 0.00%               |
| 569: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC W MAJOR GI DX             | 4,594     | 0.06%               |
| 570: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC W/O MAJOR GI DX           | 3,069     | 0.04%               |
| 571: MAJOR ESOPHAGEAL DISORDERS  | 939       | 0.01%               |
| 572: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS          | 12,649    | 0.17%               |
| 573: MAJOR BLADDER PROCEDURES  | 1,214     | 0.02%               |

| DRG24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 574: MAJOR HEMATOLOGIC/IMMUNOLOGIC DIAG EXC SICKLE CELL CRISIS & COAGUL | 16,850    | 0.23%               |
| 575: SEPTICEMIA W MV 96+ HOURS AGE >17                                  | 286       | 0.00%               |
| 576: SEPTICEMIA W/O MV 96+ HOURS AGE >17                                | 3,999     | 0.05%               |
| 577: CAROTID ARTERY STENT PROCEDURE                                     | <= 50     | *.**%               |
| 578: INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE                   | 2,683     | 0.04%               |
| 579: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROCEDURE        | 2,773     | 0.04%               |

| DRGVER | Frequency | Percent<br>of Total |
|--------|-----------|---------------------|
| 26     | 5,551,538 | 75.32%              |
| 27     | 1,818,665 | 24.68%              |

| DX1                    | Frequency | Percent<br>of Total |
|------------------------|-----------|---------------------|
| Blank                  | 1,364     | 0.02%               |
| Valid DX               | 7,368,232 | 99.97%              |
| Inconsistent DX (incn) | 93        | 0.00%               |
| Invalid DX (invl)      | 514       | 0.01%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| .: Missing  | 1,364     | 0.02%               |
| A: Invalid diagnosis                                      | 514       | 0.01%               |
| C: Inconsistent   | 93        | 0.00%               |
| 1: Tuberculosis   | 690       | 0.01%               |
| 2: Septicemia (except in labor)                           | 21,913    | 0.30%               |
| 3: Bacterial infection; unspecified site                  | 4,022     | 0.05%               |
| 4: Mycoses  | 1,229     | 0.02%               |
| 5: HIV infection  | 794       | 0.01%               |
| 6: Hepatitis  | 1,537     | 0.02%               |
| 7: Viral infection  | 35,033    | 0.48%               |
| 8: Other infections; including parasitic                  | 2,617     | 0.04%               |
| 9: Sexually transmitted infections (not HIV or hepatitis) | 843       | 0.01%               |
| 10: Immunizations and screening for infectious disease    | 315       | 0.00%               |
| 11: Cancer of head and neck                               | 255       | 0.00%               |
| 12: Cancer of esophagus                                   | <= 50     | *.**%               |
| 13: Cancer of stomach                                     | <= 50     | *.**%               |
| 14: Cancer of colon                                       | 106       | 0.00%               |
| 15: Cancer of rectum and anus                             | <= 50     | *.**%               |
| 16: Cancer of liver and intrahepatic bile duct            | 495       | 0.01%               |
| 17: Cancer of pancreas                                    | 53        | 0.00%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 18: Cancer of other GI organs; peritoneum       | 384       | 0.01%               |
| 19: Cancer of bronchus; lung                    | 89        | 0.00%               |
| 20: Cancer; other respiratory and intrathoracic | <= 50     | *.**%               |
| 21: Cancer of bone and connective tissue        | 2,787     | 0.04%               |
| 22: Melanomas of skin                           | <= 50     | *.**%               |
| 23: Other non-epithelial cancer of skin         | 69        | 0.00%               |
| 24: Cancer of breast                            | <= 50     | *.**%               |
| 25: Cancer of uterus                            | <= 50     | *.**%               |
| 26: Cancer of cervix                            | <= 50     | *.**%               |
| 27: Cancer of ovary                             | 319       | 0.00%               |
| 28: Cancer of other female genital organs       | <= 50     | *.**%               |
| 29: Cancer of prostate                          | <= 50     | *.**%               |
| 30: Cancer of testis                            | 288       | 0.00%               |
| 31: Cancer of other male genital organs         | <= 50     | *.**%               |
| 32: Cancer of bladder                           | <= 50     | *.**%               |
| 33: Cancer of kidney and renal pelvis           | 958       | 0.01%               |
| 35: Cancer of brain and nervous system          | 4,329     | 0.06%               |
| 36: Cancer of thyroid                           | 810       | 0.01%               |
| 37: Hodgkin`s disease                           | 964       | 0.01%               |
| 38: Non-Hodgkin`s lymphoma                      | 1,326     | 0.02%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 39: Leukemias   | 7,728     | 0.10%               |
| 40: Multiple myeloma                                      | <= 50     | *.**%               |
| 41: Cancer; other and unspecified primary                 | 1,985     | 0.03%               |
| 42: Secondary malignancies                                | 1,939     | 0.03%               |
| 43: Malignant neoplasm without specification of site      | 55        | 0.00%               |
| 44: Neoplasms of unspecified nature or uncertain behavior | 2,937     | 0.04%               |
| 45: Maintenance chemotherapy; radiotherapy                | 41,364    | 0.56%               |
| 46: Benign neoplasm of uterus                             | 87        | 0.00%               |
| 47: Other and unspecified benign neoplasm                 | 9,362     | 0.13%               |
| 48: Thyroid disorders                                     | 1,412     | 0.02%               |
| 49: Diabetes mellitus without complication                | 9,102     | 0.12%               |
| 50: Diabetes mellitus with complications                  | 40,176    | 0.55%               |
| 51: Other endocrine disorders                             | 3,586     | 0.05%               |
| 52: Nutritional deficiencies                              | 1,451     | 0.02%               |
| 53: Disorders of lipid metabolism                         | <= 50     | *.**%               |
| 54: Gout and other crystal arthropathies                  | <= 50     | *.**%               |
| 55: Fluid and electrolyte disorders                       | 85,278    | 1.16%               |
| 56: Cystic fibrosis                                       | 7,258     | 0.10%               |
| 57: Immunity disorders                                    | 719       | 0.01%               |
| 58: Other nutritional; endocrine; and metabolic disorders | 17,805    | 0.24%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 59: Deficiency and other anemia   | 9,540     | 0.13%               |
| 60: Acute posthemorrhagic anemia  | 414       | 0.01%               |
| 61: Sickle cell anemia  | 29,039    | 0.39%               |
| 62: Coagulation and hemorrhagic disorders   | 9,032     | 0.12%               |
| 63: Diseases of white blood cells   | 15,435    | 0.21%               |
| 64: Other hematologic conditions  | 554       | 0.01%               |
| 76: Meningitis (except that caused by tuberculosis or sexually transmitted disease)   | 15,397    | 0.21%               |
| 77: Encephalitis (except that caused by tuberculosis or sexually transmitted disease) | 1,946     | 0.03%               |
| 78: Other CNS infection and poliomyelitis   | 1,035     | 0.01%               |
| 79: Parkinson`s disease   | <= 50     | *.**%               |
| 80: Multiple sclerosis  | 757       | 0.01%               |
| 81: Other hereditary and degenerative nervous system conditions                       | 5,533     | 0.08%               |
| 82: Paralysis   | 2,415     | 0.03%               |
| 83: Epilepsy; convulsions   | 78,865    | 1.07%               |
| 84: Headache; including migraine  | 9,840     | 0.13%               |
| 85: Coma; stupor; and brain damage  | 1,452     | 0.02%               |
| 86: Cataract  | <= 50     | *.**%               |
| 87: Retinal detachments; defects; vascular occlusion; and retinopathy                 | 804       | 0.01%               |
| 88: Glaucoma  | <= 50     | *.**%               |
| 89: Blindness and vision defects  | 349       | 0.00%               |

| DXCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 90: Inflammation; infection of eye (except that caused by tuberculosis or sexually transmitteddisease)                 | 7,709     | 0.10%               |
| 91: Other eye disorders  | 1,189     | 0.02%               |
| 92: Otitis media and related conditions  | 9,110     | 0.12%               |
| 93: Conditions associated with dizziness or vertigo  | 619       | 0.01%               |
| 94: Other ear and sense organ disorders  | 2,580     | 0.04%               |
| 95: Other nervous system disorders   | 16,655    | 0.23%               |
| 96: Heart valve disorders  | 1,147     | 0.02%               |
| 97: Peri-; endo-; and myocarditis; cardiomyopathy (except that caused by tuberculosis or sexually transmitted disease) | 3,683     | 0.05%               |
| 98: Essential hypertension   | 1,018     | 0.01%               |
| 99: Hypertension with complications and secondary hypertension   | 2,367     | 0.03%               |
| 100: Acute myocardial infarction   | 232       | 0.00%               |
| 101: Coronary atherosclerosis and other heart disease  | 137       | 0.00%               |
| 102: Nonspecific chest pain  | 2,074     | 0.03%               |
| 103: Pulmonary heart disease   | 2,152     | 0.03%               |
| 104: Other and ill-defined heart disease   | 145       | 0.00%               |
| 105: Conduction disorders  | 1,739     | 0.02%               |
| 106: Cardiac dysrhythmias  | 7,153     | 0.10%               |
| 107: Cardiac arrest and ventricular fibrillation   | 532       | 0.01%               |
| 108: Congestive heart failure; nonhypertensive   | 2,114     | 0.03%               |
| 109: Acute cerebrovascular disease   | 2,959     | 0.04%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 110: Occlusion or stenosis of precerebral arteries                                  | 51        | 0.00%               |
| 111: Other and ill-defined cerebrovascular disease                                  | 676       | 0.01%               |
| 112: Transient cerebral ischemia  | 289       | 0.00%               |
| 113: Late effects of cerebrovascular disease  | 190       | 0.00%               |
| 114: Peripheral and visceral atherosclerosis  | 894       | 0.01%               |
| 115: Aortic; peripheral; and visceral artery aneurysms                              | 273       | 0.00%               |
| 116: Aortic and peripheral arterial embolism or thrombosis                          | 139       | 0.00%               |
| 117: Other circulatory disease  | 6,849     | 0.09%               |
| 118: Phlebitis; thrombophlebitis and thromboembolism                                | 2,275     | 0.03%               |
| 119: Varicose veins of lower extremity  | <= 50     | *.**%               |
| 120: Hemorrhoids  | 210       | 0.00%               |
| 121: Other diseases of veins and lymphatics   | 430       | 0.01%               |
| 122: Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 176,145   | 2.39%               |
| 123: Influenza  | 42,059    | 0.57%               |
| 124: Acute and chronic tonsillitis  | 19,598    | 0.27%               |
| 125: Acute bronchitis   | 124,823   | 1.69%               |
| 126: Other upper respiratory infections   | 46,108    | 0.63%               |
| 127: Chronic obstructive pulmonary disease and bronchiectasis                       | 4,963     | 0.07%               |
| 128: Asthma   | 143,641   | 1.95%               |
| 129: Aspiration pneumonitis; food/vomitus   | 6,757     | 0.09%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 130: Pleurisy; pneumothorax; pulmonary collapse         | 10,062    | 0.14%               |
| 131: Respiratory failure; insufficiency; arrest (adult) | 13,638    | 0.19%               |
| 132: Lung disease due to external agents                | 383       | 0.01%               |
| 133: Other lower respiratory disease                    | 16,671    | 0.23%               |
| 134: Other upper respiratory disease                    | 10,407    | 0.14%               |
| 135: Intestinal infection                               | 33,509    | 0.45%               |
| 136: Disorders of teeth and jaw                         | 8,912     | 0.12%               |
| 137: Diseases of mouth; excluding dental                | 4,530     | 0.06%               |
| 138: Esophageal disorders                               | 17,019    | 0.23%               |
| 139: Gastroduodenal ulcer (except hemorrhage)           | 973       | 0.01%               |
| 140: Gastritis and duodenitis                           | 6,165     | 0.08%               |
| 141: Other disorders of stomach and duodenum            | 6,208     | 0.08%               |
| 142: Appendicitis and other appendiceal conditions      | 105,104   | 1.43%               |
| 143: Abdominal hernia                                   | 5,191     | 0.07%               |
| 144: Regional enteritis and ulcerative colitis          | 12,480    | 0.17%               |
| 145: Intestinal obstruction without hernia              | 14,853    | 0.20%               |
| 146: Diverticulosis and diverticulitis                  | 357       | 0.00%               |
| 147: Anal and rectal conditions                         | 3,316     | 0.04%               |
| 148: Peritonitis and intestinal abscess                 | 1,699     | 0.02%               |
| 149: Biliary tract disease                              | 20,504    | 0.28%               |

| DXCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 151: Other liver diseases                              | 2,906     | 0.04%               |
| 152: Pancreatic disorders (not diabetes)               | 10,796    | 0.15%               |
| 153: Gastrointestinal hemorrhage                       | 5,553     | 0.08%               |
| 154: Noninfectious gastroenteritis                     | 22,816    | 0.31%               |
| 155: Other gastrointestinal disorders                  | 19,459    | 0.26%               |
| 156: Nephritis; nephrosis; renal sclerosis             | 4,115     | 0.06%               |
| 157: Acute and unspecified renal failure               | 3,246     | 0.04%               |
| 158: Chronic renal failure                             | 1,316     | 0.02%               |
| 159: Urinary tract infections                          | 57,766    | 0.78%               |
| 160: Calculus of urinary tract                         | 6,444     | 0.09%               |
| 161: Other diseases of kidney and ureters              | 8,646     | 0.12%               |
| 162: Other diseases of bladder and urethra             | 1,447     | 0.02%               |
| 163: Genitourinary symptoms and ill-defined conditions | 1,449     | 0.02%               |
| 164: Hyperplasia of prostate                           | <= 50     | *.**%               |
| 165: Inflammatory conditions of male genital organs    | 1,701     | 0.02%               |
| 166: Other male genital disorders                      | 2,503     | 0.03%               |
| 167: Nonmalignant breast conditions                    | 1,957     | 0.03%               |
| 168: Inflammatory diseases of female pelvic organs     | 7,700     | 0.10%               |
| 169: Endometriosis                                     | 449       | 0.01%               |
| 170: Prolapse of female genital organs                 | <= 50     | *.**%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 171: Menstrual disorders  | 1,647     | 0.02%               |
| 172: Ovarian cyst   | 5,239     | 0.07%               |
| 173: Menopausal disorders   | <= 50     | *.**%               |
| 174: Female infertility   | <= 50     | *.**%               |
| 175: Other female genital disorders   | 2,633     | 0.04%               |
| 176: Contraceptive and procreative management   | <= 50     | *.**%               |
| 177: Spontaneous abortion   | 2,531     | 0.03%               |
| 178: Induced abortion   | 712       | 0.01%               |
| 179: Postabortion complications   | 366       | 0.00%               |
| 180: Ectopic pregnancy  | 2,043     | 0.03%               |
| 181: Other complications of pregnancy   | 101,532   | 1.38%               |
| 182: Hemorrhage during pregnancy; abruptio placenta; placenta previa                              | 5,438     | 0.07%               |
| 183: Hypertension complicating pregnancy; childbirth and the puerperium                           | 38,370    | 0.52%               |
| 184: Early or threatened labor  | 41,088    | 0.56%               |
| 185: Prolonged pregnancy  | 47,379    | 0.64%               |
| 186: Diabetes or abnormal glucose tolerance complicating pregnancy; childbirth; or the puerperium | 6,195     | 0.08%               |
| 187: Malposition; malpresentation   | 18,473    | 0.25%               |
| 188: Fetopelvic disproportion; obstruction  | 14,662    | 0.20%               |
| 189: Previous C-section   | 26,037    | 0.35%               |
| 190: Fetal distress and abnormal forces of labor  | 36,688    | 0.50%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 191: Polyhydramnios and other problems of amniotic cavity   | 31,076    | 0.42%               |
| 192: Umbilical cord complication  | 30,431    | 0.41%               |
| 193: OB-related trauma to perineum and vulva  | 128,699   | 1.75%               |
| 194: Forceps delivery   | 5,461     | 0.07%               |
| 195: Other complications of birth; puerperium affecting management of mother                                    | 108,357   | 1.47%               |
| 196: Normal pregnancy and/or delivery   | 46,682    | 0.63%               |
| 197: Skin and subcutaneous tissue infections  | 83,637    | 1.13%               |
| 198: Other inflammatory condition of skin   | 2,487     | 0.03%               |
| 199: Chronic ulcer of skin  | 1,223     | 0.02%               |
| 200: Other skin disorders   | 2,613     | 0.04%               |
| 201: Infective arthritis and osteomyelitis (except that caused by tuberculosis or sexually transmitted disease) | 8,607     | 0.12%               |
| 202: Rheumatoid arthritis and related disease   | 805       | 0.01%               |
| 203: Osteoarthritis   | 256       | 0.00%               |
| 204: Other non-traumatic joint disorders  | 3,487     | 0.05%               |
| 205: Spondylosis; intervertebral disc disorders; other back problems  | 4,346     | 0.06%               |
| 206: Osteoporosis   | 63        | 0.00%               |
| 207: Pathological fracture  | 933       | 0.01%               |
| 208: Acquired foot deformities  | 1,551     | 0.02%               |
| 209: Other acquired deformities   | 6,254     | 0.08%               |
| 210: Systemic lupus erythematosus and connective tissue disorders   | 3,692     | 0.05%               |

| DXCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 211: Other connective tissue disease                                 | 10,016    | 0.14%               |
| 212: Other bone disease and musculoskeletal deformities              | 14,604    | 0.20%               |
| 213: Cardiac and circulatory congenital anomalies                    | 30,868    | 0.42%               |
| 214: Digestive congenital anomalies                                  | 20,007    | 0.27%               |
| 215: Genitourinary congenital anomalies                              | 6,719     | 0.09%               |
| 216: Nervous system congenital anomalies                             | 5,953     | 0.08%               |
| 217: Other congenital anomalies                                      | 35,174    | 0.48%               |
| 218: Liveborn  | 4,016,947 | 54.50%              |
| 219: Short gestation; low birth weight; and fetal growth retardation | 22,223    | 0.30%               |
| 220: Intrauterine hypoxia and birth asphyxia                         | 1,524     | 0.02%               |
| 221: Respiratory distress syndrome                                   | 10,909    | 0.15%               |
| 222: Hemolytic jaundice and perinatal jaundice                       | 44,656    | 0.61%               |
| 223: Birth trauma  | 840       | 0.01%               |
| 224: Other perinatal conditions                                      | 80,856    | 1.10%               |
| 225: Joint disorders and dislocations; trauma-related                | 3,594     | 0.05%               |
| 226: Fracture of neck of femur (hip)                                 | 2,528     | 0.03%               |
| 227: Spinal cord injury  | 1,486     | 0.02%               |
| 228: Skull and face fractures  | 14,996    | 0.20%               |
| 229: Fracture of upper limb  | 27,748    | 0.38%               |
| 230: Fracture of lower limb  | 31,617    | 0.43%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 231: Other fractures                                      | 10,327    | 0.14%               |
| 232: Sprains and strains                                  | 2,285     | 0.03%               |
| 233: Intracranial injury                                  | 33,503    | 0.45%               |
| 234: Crushing injury or internal injury                   | 20,561    | 0.28%               |
| 235: Open wounds of head; neck; and trunk                 | 8,573     | 0.12%               |
| 236: Open wounds of extremities                           | 8,314     | 0.11%               |
| 237: Complication of device; implant or graft             | 33,961    | 0.46%               |
| 238: Complications of surgical procedures or medical care | 28,161    | 0.38%               |
| 239: Superficial injury; contusion                        | 5,044     | 0.07%               |
| 240: Burns  | 12,104    | 0.16%               |
| 241: Poisoning by psychotropic agents                     | 11,499    | 0.16%               |
| 242: Poisoning by other medications and drugs             | 23,072    | 0.31%               |
| 243: Poisoning by nonmedicinal substances                 | 4,049     | 0.05%               |
| 244: Other injuries and conditions due to external causes | 20,982    | 0.28%               |
| 245: Syncope  | 5,634     | 0.08%               |
| 246: Fever of unknown origin                              | 31,506    | 0.43%               |
| 247: Lymphadenitis  | 10,563    | 0.14%               |
| 248: Gangrene   | <= 50     | *.**%               |
| 249: Shock  | 111       | 0.00%               |
| 250: Nausea and vomiting                                  | 5,743     | 0.08%               |

| DXCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 251: Abdominal pain  | 19,090    | 0.26%               |
| 252: Malaise and fatigue   | 937       | 0.01%               |
| 253: Allergic reactions  | 6,713     | 0.09%               |
| 254: Rehabilitation care; fitting of prostheses; and adjustment of devices                 | 7,274     | 0.10%               |
| 255: Administrative/social admission   | 456       | 0.01%               |
| 256: Medical examination/evaluation  | 2,814     | 0.04%               |
| 257: Other aftercare   | 2,031     | 0.03%               |
| 258: Other screening for suspected conditions (not mental disorders or infectious disease) | 1,277     | 0.02%               |
| 259: Residual codes; unclassified  | 10,123    | 0.14%               |
| 650: Adjustment disorders  | 11,687    | 0.16%               |
| 651: Anxiety disorders   | 7,974     | 0.11%               |
| 652: Attention-deficit, conduct, and disruptive behavior disorders                         | 15,152    | 0.21%               |
| 653: Delirium, dementia, and amnestic and other cognitive disorders                        | 971       | 0.01%               |
| 654: Developmental disorders   | 403       | 0.01%               |
| 655: Disorders usually diagnosed in infancy, childhood, or adolescence                     | 3,501     | 0.05%               |
| 656: Impulse control disorders, NEC  | 6,207     | 0.08%               |
| 657: Mood disorders  | 146,005   | 1.98%               |
| 658: Personality disorders   | 908       | 0.01%               |
| 659: Schizophrenia and other psychotic disorders   | 21,311    | 0.29%               |
| 660: Alcohol-related disorders   | 4,705     | 0.06%               |

| DXCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 661: Substance-related disorders                                      | 16,327    | 0.22%               |
| 662: Suicide and intentional self-inflicted injury                    | 387       | 0.01%               |
| 663: Screening and history of mental health and substance abuse codes | 223       | 0.00%               |
| 670: Miscellaneous disorders  | 9,451     | 0.13%               |

| ECODE1            | Frequency | Percent<br>of Total |
|-------------------|-----------|---------------------|
| Blank             | 6,932,646 | 94.06%              |
| Valid DX          | 437,452   | 5.94%               |
| Invalid DX (invl) | 106       | 0.00%               |

| ELECTIVE                  | Frequency | Percent<br>of Total |
|---------------------------|-----------|---------------------|
| .: Missing                | 12,174    | 0.17%               |
| .A: Invalid               | <= 50     | *.**%               |
| 0: Non-elective admission | 6,570,255 | 89.15%              |
| 1: Elective admission     | 787,724   | 10.69%              |

| E_CCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| .: Missing   | 6,932,646 | 94.06%              |
| A: Invalid diagnosis                               | 106       | 0.00%               |
| 662: Suicide and intentional self-inflicted injury | 36,220    | 0.49%               |
| 2601: E Codes: Cut/pierceb                         | 8,551     | 0.12%               |
| 2602: E Codes: Drowning/submersion                 | 2,241     | 0.03%               |
| 2603: E Codes: Fall                                | 54,638    | 0.74%               |
| 2604: E Codes: Fire/burn                           | 11,276    | 0.15%               |
| 2605: E Codes: Firearm                             | 7,964     | 0.11%               |
| 2606: E Codes: Machinery                           | 887       | 0.01%               |
| 2607: E Codes: Motor vehicle traffic (MVT)         | 44,087    | 0.60%               |
| 2608: E Codes: Pedal cyclist; not MVT              | 6,275     | 0.09%               |
| 2609: E Codes: Pedestrian; not MVT                 | 775       | 0.01%               |
| 2610: E Codes: Transport; not MVT                  | 11,241    | 0.15%               |
| 2611: E Codes: Natural/environment                 | 12,047    | 0.16%               |
| 2612: E Codes: Overexertion                        | 3,012     | 0.04%               |
| 2613: E Codes: Poisoning                           | 22,253    | 0.30%               |
| 2614: E Codes: Struck by; against                  | 21,975    | 0.30%               |
| 2615: E Codes: Suffocation                         | 2,996     | 0.04%               |
| 2616: E Codes: Adverse effects of medical care     | 76,094    | 1.03%               |
| 2617: E Codes: Adverse effects of medical drugs    | 64,758    | 0.88%               |

| E_CCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 2618: E Codes: Other specified and classifiable | 17,749    | 0.24%               |
| 2619: E Codes: Other specified; NEC             | 8,399     | 0.11%               |
| 2620: E Codes: Unspecified                      | 14,074    | 0.19%               |
| 2621: E Codes: Place of occurrence              | 9,940     | 0.13%               |

| FEMALE           | Frequency | Percent<br>of Total |
|------------------|-----------|---------------------|
| .: Missing       | 56,725    | 0.77%               |
| .A: Invalid      | 105       | 0.00%               |
| .C: Inconsistent | 761       | 0.01%               |
| 0: Male          | 3,466,231 | 47.03%              |
| 1: Female        | 3,846,380 | 52.19%              |

| HCUP_ED   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 0: Record does not meet any HCUP Emergency Department criteria                        | 5,753,617 | 78.07%              |
| 1: Emergency Department revenue code on record  | 966,147   | 13.11%              |
| 2: Positive Emergency Department charge (when revenue center codes are not available) | 252,711   | 3.43%               |
| 3: Emergency Department CPT procedure code on record                                  | 487       | 0.01%               |
| 4: Emergency Department admission source  | 397,242   | 5.39%               |

| HOSPBRTH | Frequency | Percent<br>of Total |
|----------|-----------|---------------------|
| 0        | 3,380,676 | 45.87%              |
| 1        | 3,989,527 | 54.13%              |

| HOSPST | Frequency | Percent<br>of Total |
|--------|-----------|---------------------|
| AR     | 89,141    | 1.21%               |
| AZ     | 176,637   | 2.40%               |
| CA     | 924,223   | 12.54%              |
| со     | 119,486   | 1.62%               |
| СТ     | 65,809    | 0.89%               |
| FL     | 512,909   | 6.96%               |
| GA     | 187,142   | 2.54%               |
| HI     | 22,775    | 0.31%               |
| IA     | 70,766    | 0.96%               |
| IL     | 319,287   | 4.33%               |
| IN     | 159,511   | 2.16%               |
| KS     | 71,566    | 0.97%               |
| KY     | 130,711   | 1.77%               |
| LA     | 147,207   | 2.00%               |
| MA     | 145,004   | 1.97%               |
| MD     | 147,014   | 1.99%               |
| ME     | 11,048    | 0.15%               |
| MI     | 162,694   | 2.21%               |
| MN     | 131,977   | 1.79%               |
| МО     | 179,442   | 2.43%               |

| HOSPST | Frequency | Percent<br>of Total |
|--------|-----------|---------------------|
| MT     | 21,265    | 0.29%               |
| NC     | 269,096   | 3.65%               |
| NE     | 34,064    | 0.46%               |
| NH     | 21,370    | 0.29%               |
| NJ     | 192,349   | 2.61%               |
| NM     | 44,721    | 0.61%               |
| NV     | 62,551    | 0.85%               |
| NY     | 464,406   | 6.30%               |
| ОН     | 309,489   | 4.20%               |
| ОК     | 112,081   | 1.52%               |
| OR     | 80,863    | 1.10%               |
| PA     | 288,486   | 3.91%               |
| RI     | 23,828    | 0.32%               |
| SC     | 106,244   | 1.44%               |
| SD     | 17,731    | 0.24%               |
| TN     | 179,866   | 2.44%               |
| ТХ     | 808,551   | 10.97%              |
| UT     | 89,225    | 1.21%               |
| VA     | 119,447   | 1.62%               |
| VT     | 9,869     | 0.13%               |

| HOSPST | Frequency | Percent<br>of Total |
|--------|-----------|---------------------|
| WA     | 145,808   | 1.98%               |
| WI     | 129,979   | 1.76%               |
| WV     | 54,350    | 0.74%               |
| WY     | 10,216    | 0.14%               |

| LOS              | Frequency | Percent<br>of Total |
|------------------|-----------|---------------------|
| .C: Inconsistent | 194       | 0.00%               |
| 0 days           | 143,388   | 1.95%               |
| 1 day            | 1,364,401 | 18.51%              |
| 2 days           | 3,060,344 | 41.52%              |
| 3 days           | 1,323,766 | 17.96%              |
| 4 days           | 521,616   | 7.08%               |
| 5 days           | 208,572   | 2.83%               |
| 6 days           | 133,844   | 1.82%               |
| 7 days           | 108,453   | 1.47%               |
| 8 days           | 69,076    | 0.94%               |
| 9 days           | 50,766    | 0.69%               |
| 10 days          | 43,837    | 0.59%               |
| 11 - 30 days     | 250,118   | 3.39%               |
| 31 - 60 days     | 59,859    | 0.81%               |
| 61 - 90 days     | 18,621    | 0.25%               |
| 91 - 120 days    | 7,868     | 0.11%               |
| 121 - 150 days   | 2,837     | 0.04%               |
| 151 - 180 days   | 1,161     | 0.02%               |
| 181 - 210 days   | 620       | 0.01%               |
| 211 - 240 days   | 361       | 0.00%               |

| LOS            | Frequency | Percent<br>of Total |
|----------------|-----------|---------------------|
| 241 - 270 days | 187       | 0.00%               |
| 271 - 300 days | 133       | 0.00%               |
| 301 - 330 days | 75        | 0.00%               |
| 331 - 365 days | 107       | 0.00%               |

| MDC24   | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 0: PRINCIPAL DX CAN NOT BE ASSIGNED TO MDC                                  | 7,816     | 0.11%               |
| 1: DISEASES & DISORDERS OF THE NERVOUS SYSTEM                               | 203,189   | 2.76%               |
| 2: DISEASES & DISORDERS OF THE EYE  | 13,392    | 0.18%               |
| 3: DISEASES & DISORDERS OF THE EAR, NOSE, MOUTH & THROAT                    | 152,460   | 2.07%               |
| 4: DISEASES & DISORDERS OF THE RESPIRATORY SYSTEM                           | 542,308   | 7.36%               |
| 5: DISEASES & DISORDERS OF THE CIRCULATORY SYSTEM                           | 73,069    | 0.99%               |
| 6: DISEASES & DISORDERS OF THE DIGESTIVE SYSTEM                             | 318,590   | 4.32%               |
| 7: DISEASES & DISORDERS OF THE HEPATOBILIARY SYSTEM & PANCREAS              | 40,371    | 0.55%               |
| 8: DISEASES & DISORDERS OF THE MUSCULOSKELETAL SYSTEM & CONN TISSUE         | 159,561   | 2.16%               |
| 9: DISEASES & DISORDERS OF THE SKIN, SUBCUTANEOUS TISSUE & BREAST           | 110,870   | 1.50%               |
| 10: ENDOCRINE, NUTRITIONAL & METABOLIC DISEASES & DISORDERS                 | 162,525   | 2.21%               |
| 11: DISEASES & DISORDERS OF THE KIDNEY & URINARY TRACT                      | 97,305    | 1.32%               |
| 12: DISEASES & DISORDERS OF THE MALE REPRODUCTIVE SYSTEM                    | 6,294     | 0.09%               |
| 13: DISEASES & DISORDERS OF THE FEMALE REPRODUCTIVE SYSTEM                  | 22,358    | 0.30%               |
| 14: PREGNANCY, CHILDBIRTH & THE PUERPERIUM                                  | 696,822   | 9.45%               |
| 15: NEWBORNS & OTHER NEONATES WITH CONDTN ORIG IN PERINATAL PERIOD          | 4,173,350 | 56.62%              |
| 16: DISEASES & DISORDERS OF BLOOD, BLOOD FORMING ORGANS, IMMUNOLOG DISORD   | 76,825    | 1.04%               |
| 17: MYELOPROLIFERATIVE DISEASES & DISORDERS, POORLY DIFFERENTIATED NEOPLASM | 52,786    | 0.72%               |
| 18: INFECTIOUS & PARASITIC DISEASES, SYSTEMIC OR UNSPECIFIED SITES          | 100,619   | 1.37%               |
| 19: MENTAL DISEASES & DISORDERS   | 219,747   | 2.98%               |

| MDC24  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 20: ALCOHOL/DRUG USE & ALCOHOL/DRUG INDUCED ORGANIC MENTAL DISORDERS | 15,350    | 0.21%               |
| 21: INJURIES, POISONINGS & TOXIC EFFECTS OF DRUGS                    | 72,582    | 0.98%               |
| 22: BURNS  | 11,872    | 0.16%               |
| 23: FACTORS INFLUENCING HLTH STAT & OTHR CONTACTS WITH HLTH SERVCS   | 22,942    | 0.31%               |
| 24: MULTIPLE SIGNIFICANT TRAUMA                                      | 16,237    | 0.22%               |
| 25: HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS                          | 960       | 0.01%               |

| MDNUM1_R   | Frequency | Percent<br>of Total |
|------------|-----------|---------------------|
| .: Missing | 3,386,578 | 45.95%              |
| Valid      | 3,983,625 | 54.05%              |

| MDNUM2_R   | Frequency | Percent<br>of Total |
|------------|-----------|---------------------|
| .: Missing | 5,119,177 | 69.46%              |
| Valid      | 2,251,026 | 30.54%              |

| NCHRONIC | Frequency | Percent<br>of Total |
|----------|-----------|---------------------|
| 0        | 5,159,818 | 70.01%              |
| 1        | 1,202,429 | 16.31%              |
| 2        | 468,225   | 6.35%               |
| 3        | 249,554   | 3.39%               |
| 4        | 138,090   | 1.87%               |
| 5        | 74,734    | 1.01%               |
| 6        | 39,083    | 0.53%               |
| 7        | 19,932    | 0.27%               |
| 8        | 9,704     | 0.13%               |
| 9        | 4,731     | 0.06%               |
| 10       | 2,238     | 0.03%               |
| 11       | 920       | 0.01%               |
| 12       | 434       | 0.01%               |
| 13       | 190       | 0.00%               |
| 14       | 74        | 0.00%               |
| 15       | <= 50     | *.**%               |
| 16       | <= 50     | *.**%               |
| 17       | <= 50     | *.**%               |
| 18       | <= 50     | *.**%               |
| 19       | <= 50     | *.**%               |

| NDX | Frequency | Percent<br>of Total |
|-----|-----------|---------------------|
| 0   | 1,358     | 0.02%               |
| 1   | 1,406,993 | 19.09%              |
| 2   | 2,057,022 | 27.91%              |
| 3   | 1,382,743 | 18.76%              |
| 4   | 859,064   | 11.66%              |
| 5   | 525,217   | 7.13%               |
| 6   | 335,852   | 4.56%               |
| 7   | 225,122   | 3.05%               |
| 8   | 155,279   | 2.11%               |
| 9   | 155,173   | 2.11%               |
| 10  | 66,874    | 0.91%               |
| 11  | 44,978    | 0.61%               |
| 12  | 33,455    | 0.45%               |
| 13  | 26,227    | 0.36%               |
| 14  | 20,603    | 0.28%               |
| 15  | 26,739    | 0.36%               |
| 16  | 9,427     | 0.13%               |
| 17  | 6,993     | 0.09%               |
| 18  | 9,788     | 0.13%               |
| 19  | 3,837     | 0.05%               |

| NDX | Frequency | Percent<br>of Total |
|-----|-----------|---------------------|
| 20  | 3,250     | 0.04%               |
| 21  | 2,858     | 0.04%               |
| 22  | 1,969     | 0.03%               |
| 23  | 1,557     | 0.02%               |
| 24  | 1,617     | 0.02%               |
| 25  | 4,267     | 0.06%               |
| 26  | 309       | 0.00%               |
| 27  | 245       | 0.00%               |
| 28  | 252       | 0.00%               |
| 29  | 239       | 0.00%               |
| 30  | 526       | 0.01%               |
| 31  | 363       | 0.00%               |
| 32  | <= 50     | *.**%               |
| 33  | <= 50     | *.**%               |
| 34  | <= 50     | *.**%               |
| 35  | <= 50     | *.**%               |
| 40  | <= 50     | *.**%               |

| HCUP Weighted S<br>Weighted | • | tatistics Rep<br>y Distribut |         |  |
|-----------------------------|---|------------------------------|---------|--|
|                             |   |                              | Dorcont |  |

| NECODE | Frequency | Percent<br>of Total |
|--------|-----------|---------------------|
| 0      | 6,932,646 | 94.06%              |
| 1      | 231,574   | 3.14%               |
| 2      | 162,665   | 2.21%               |
| 3      | 30,277    | 0.41%               |
| 4      | 11,065    | 0.15%               |
| 5      | 1,242     | 0.02%               |
| 6      | 526       | 0.01%               |
| 7      | 120       | 0.00%               |
| 8      | 84        | 0.00%               |
| 9      | <= 50     | *.**%               |
| 10     | <= 50     | *.**%               |

| NEOMAT                      | Frequency | Percent<br>of Total |
|-----------------------------|-----------|---------------------|
| 0: Not neonatal or maternal | 2,450,102 | 33.24%              |
| 1: Maternal                 | 700,505   | 9.50%               |
| 2: Neonatal                 | 4,219,192 | 57.25%              |
| 3: Neonatal and maternal    | 404       | 0.01%               |

| NPR | Frequency | Percent<br>of Total |
|-----|-----------|---------------------|
| 0   | 3,113,257 | 42.24%              |
| 1   | 2,415,774 | 32.78%              |
| 2   | 1,051,264 | 14.26%              |
| 3   | 386,153   | 5.24%               |
| 4   | 159,788   | 2.17%               |
| 5   | 81,407    | 1.10%               |
| 6   | 72,676    | 0.99%               |
| 7   | 23,492    | 0.32%               |
| 8   | 16,506    | 0.22%               |
| 9   | 14,729    | 0.20%               |
| 10  | 9,741     | 0.13%               |
| 11  | 5,561     | 0.08%               |
| 12  | 4,828     | 0.07%               |
| 13  | 3,274     | 0.04%               |
| 14  | 2,290     | 0.03%               |
| 15  | 5,036     | 0.07%               |
| 16  | 812       | 0.01%               |
| 17  | 545       | 0.01%               |
| 18  | 460       | 0.01%               |
| 19  | 481       | 0.01%               |

| NPR | Frequency | Percent<br>of Total |
|-----|-----------|---------------------|
| 20  | 353       | 0.00%               |
| 21  | 829       | 0.01%               |
| 22  | 132       | 0.00%               |
| 23  | 93        | 0.00%               |
| 24  | 103       | 0.00%               |
| 25  | 322       | 0.00%               |
| 26  | <= 50     | *.**%               |
| 27  | <= 50     | *.**%               |
| 28  | <= 50     | *.**%               |
| 29  | <= 50     | *.**%               |
| 30  | 160       | 0.00%               |
| 31  | <= 50     | *.**%               |
| 35  | <= 50     | *.**%               |

| ORPROC   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 0: No major operating room procedure on record | 5,525,179 | 74.97%              |
| 1: Major operating room procedure on record    | 1,845,024 | 25.03%              |

| PAY1                 | Frequency | Percent<br>of Total |
|----------------------|-----------|---------------------|
| .: Missing           | 11,522    | 0.16%               |
| .A: Invalid          | 355       | 0.00%               |
| 1: Medicare          | 18,194    | 0.25%               |
| 2: Medicaid          | 3,566,754 | 48.39%              |
| 3: Private insurance | 3,197,997 | 43.39%              |
| 4: Self-pay          | 322,652   | 4.38%               |
| 5: No charge         | 19,740    | 0.27%               |
| 6: Other             | 232,989   | 3.16%               |

| PAY1_X    | Frequency | Percent<br>of Total |
|-----------|-----------|---------------------|
| Blank     | 11,618    | 0.16%               |
| Non-blank | 7,358,585 | 99.84%              |

| PAY2                 | Frequency | Percent<br>of Total |
|----------------------|-----------|---------------------|
| .: Missing           | 5,994,950 | 81.34%              |
| .A: Invalid          | 73,566    | 1.00%               |
| 1: Medicare          | 4,361     | 0.06%               |
| 2: Medicaid          | 469,135   | 6.37%               |
| 3: Private insurance | 168,581   | 2.29%               |
| 4: Self-pay          | 574,527   | 7.80%               |
| 5: No charge         | 10,938    | 0.15%               |
| 6: Other             | 74,146    | 1.01%               |

| PAY2_X    | Frequency | Percent<br>of Total |
|-----------|-----------|---------------------|
| Blank     | 5,547,365 | 75.27%              |
| Non-blank | 1,822,838 | 24.73%              |

| PL_NCHS2006            | Frequency | Percent<br>of Total |
|------------------------|-----------|---------------------|
| .: Missing             | 165,265   | 2.24%               |
| 1: Large Central Metro | 2,363,568 | 32.07%              |
| 2: Large Fringe Metro  | 1,553,008 | 21.07%              |
| 3: Medium Metro        | 1,424,255 | 19.32%              |
| 4: Small Metro         | 649,443   | 8.81%               |
| 5: Micropolitan        | 760,862   | 10.32%              |
| 6: Noncore             | 453,803   | 6.16%               |

| PointOfOriginUB04                               | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| Blank/invalid                                   | 1,678,838 | 22.78%              |
| 1: Non-health care facility point of origin     | 1,074,608 | 14.58%              |
| 2: Clinic                                       | 116,750   | 1.58%               |
| 4: Transfer from a hospital                     | 200,554   | 2.72%               |
| 5: Transfer from a Skilled Nursing Facility     | 3,115,028 | 42.27%              |
| 6: Transfer from another health care facility   | 39,690    | 0.54%               |
| 7: Emergency Room                               | 1,133,468 | 15.38%              |
| 8: Court/law enforcement                        | 6,032     | 0.08%               |
| B: Transfer from another Home Health Agency     | <= 50     | *.**%               |
| C: Readmission to same Home Health Agency       | <= 50     | *.**%               |
| D: Transfer from one distinct unit to another   | 5,031     | 0.07%               |
| E: Transfer from Ambulatory Surgery Center      | 97        | 0.00%               |
| F: Transfer from hospice and under hospice plan | 55        | 0.00%               |

| PR1                    | Frequency | Percent<br>of Total |
|------------------------|-----------|---------------------|
| Blank                  | 3,113,747 | 42.25%              |
| Valid PR               | 4,255,854 | 57.74%              |
| Inconsistent PR (incn) | 516       | 0.01%               |
| Invalid PR (invl)      | 86        | 0.00%               |

| PRCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| .: Missing  | 3,113,747 | 42.25%              |
| A: Invalid procedure  | 86        | 0.00%               |
| C: Inconsistent   | 516       | 0.01%               |
| 1: Incision and excision of CNS   | 11,072    | 0.15%               |
| 2: Insertion; replacement; or removal of extracranial ventricular shunt       | 11,063    | 0.15%               |
| 3: Laminectomy; excision intervertebral disc                                  | 3,857     | 0.05%               |
| 4: Diagnostic spinal tap  | 99,916    | 1.36%               |
| 5: Insertion of catheter or spinal stimulator and injection into spinal canal | 3,969     | 0.05%               |
| 6: Decompression peripheral nerve   | 225       | 0.00%               |
| 7: Other diagnostic nervous system procedures                                 | 703       | 0.01%               |
| 8: Other non-OR or closed therapeutic nervous system procedures               | 1,803     | 0.02%               |
| 9: Other OR therapeutic nervous system procedures                             | 18,597    | 0.25%               |
| 10: Thyroidectomy; partial or complete  | 1,502     | 0.02%               |
| 11: Diagnostic endocrine procedures   | 128       | 0.00%               |
| 12: Other therapeutic endocrine procedures                                    | 1,958     | 0.03%               |
| 13: Corneal transplant  | <= 50     | *.**%               |
| 14: Glaucoma procedures   | 66        | 0.00%               |
| 15: Lens and cataract procedures  | 133       | 0.00%               |
| 16: Repair of retinal tear; detachment  | 140       | 0.00%               |
| 17: Destruction of lesion of retina and choroid                               | 486       | 0.01%               |

| PRCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 18: Diagnostic procedures on eye                                   | 155       | 0.00%               |
| 19: Other therapeutic procedures on eyelids; conjunctiva; cornea   | 2,503     | 0.03%               |
| 20: Other intraocular therapeutic procedures                       | 348       | 0.00%               |
| 21: Other extraocular muscle and orbit therapeutic procedures      | 1,103     | 0.01%               |
| 22: Tympanoplasty  | 204       | 0.00%               |
| 23: Myringotomy  | 3,675     | 0.05%               |
| 24: Mastoidectomy  | 269       | 0.00%               |
| 25: Diagnostic procedures on ear                                   | 80        | 0.00%               |
| 26: Other therapeutic ear procedures                               | 2,959     | 0.04%               |
| 27: Control of epistaxis   | 379       | 0.01%               |
| 28: Plastic procedures on nose                                     | 1,060     | 0.01%               |
| 29: Dental procedures  | 2,114     | 0.03%               |
| 30: Tonsillectomy and/or adenoidectomy                             | 14,926    | 0.20%               |
| 31: Diagnostic procedures on nose; mouth and pharynx               | 1,033     | 0.01%               |
| 32: Other non-OR therapeutic procedures on nose; mouth and pharynx | 7,509     | 0.10%               |
| 33: Other OR therapeutic procedures on nose; mouth and pharynx     | 17,601    | 0.24%               |
| 34: Tracheostomy; temporary and permanent                          | 3,187     | 0.04%               |
| 35: Tracheoscopy and laryngoscopy with biopsy                      | 4,353     | 0.06%               |
| 36: Lobectomy or pneumonectomy                                     | 3,778     | 0.05%               |
| 37: Diagnostic bronchoscopy and biopsy of bronchus                 | 6,036     | 0.08%               |

| PRCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 38: Other diagnostic procedures on lung and bronchus   | 565       | 0.01%               |
| 39: Incision of pleura; thoracentesis; chest drainage  | 9,251     | 0.13%               |
| 40: Other diagnostic procedures of respiratory tract and mediastinum                             | 836       | 0.01%               |
| 41: Other non-OR therapeutic procedures on respiratory system                                    | 1,403     | 0.02%               |
| 42: Other OR Rx procedures on respiratory system and mediastinum                                 | 11,505    | 0.16%               |
| 43: Heart valve procedures   | 5,258     | 0.07%               |
| 44: Coronary artery bypass graft (CABG)  | <= 50     | *.**%               |
| 45: Percutaneous transluminal coronary angioplasty (PTCA)  | 220       | 0.00%               |
| 47: Diagnostic cardiac catheterization; coronary arteriography                                   | 2,853     | 0.04%               |
| 48: Insertion; revision; replacement; removal of cardiac pacemaker or cardioverter/defibrillator | 1,966     | 0.03%               |
| 49: Other OR heart procedures  | 15,572    | 0.21%               |
| 50: Extracorporeal circulation auxiliary to open heart procedures                                | 1,730     | 0.02%               |
| 51: Endarterectomy; vessel of head and neck  | <= 50     | *.**%               |
| 52: Aortic resection; replacement or anastomosis   | 1,266     | 0.02%               |
| 53: Varicose vein stripping; lower limb  | <= 50     | *.**%               |
| 54: Other vascular catheterization; not heart  | 55,706    | 0.76%               |
| 55: Peripheral vascular bypass   | 159       | 0.00%               |
| 56: Other vascular bypass and shunt; not heart   | 2,856     | 0.04%               |
| 57: Creation; revision and removal of arteriovenous fistula or vessel-to-vessel cannula for di a | 312       | 0.00%               |
| 58: Hemodialysis   | 2,588     | 0.04%               |

| PRCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 59: Other OR procedures on vessels of head and neck           | 1,085     | 0.01%               |
| 60: Embolectomy and endarterectomy of lower limbs             | 59        | 0.00%               |
| 61: Other OR procedures on vessels other than head and neck   | 12,560    | 0.17%               |
| 62: Other diagnostic cardiovascular procedures                | 814       | 0.01%               |
| 63: Other non-OR therapeutic cardiovascular procedures        | 1,488     | 0.02%               |
| 64: Bone marrow transplant                                    | 2,615     | 0.04%               |
| 65: Bone marrow biopsy  | 5,094     | 0.07%               |
| 66: Procedures on spleen                                      | 2,033     | 0.03%               |
| 67: Other therapeutic procedures; hemic and lymphatic system  | 3,257     | 0.04%               |
| 69: Esophageal dilatation                                     | 483       | 0.01%               |
| 70: Upper gastrointestinal endoscopy; biopsy                  | 20,597    | 0.28%               |
| 71: Gastrostomy; temporary and permanent                      | 4,982     | 0.07%               |
| 72: Colostomy; temporary and permanent                        | 1,124     | 0.02%               |
| 73: Ileostomy and other enterostomy                           | 853       | 0.01%               |
| 74: Gastrectomy; partial and total                            | 231       | 0.00%               |
| 75: Small bowel resection                                     | 4,507     | 0.06%               |
| 76: Colonoscopy and biopsy                                    | 6,082     | 0.08%               |
| 77: Proctoscopy and anorectal biopsy                          | 1,532     | 0.02%               |
| 78: Colorectal resection                                      | 6,492     | 0.09%               |
| 79: Local excision of large intestine lesion (not endoscopic) | <= 50     | *.**%               |

| PRCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 80: Appendectomy   | 103,207   | 1.40%               |
| 81: Hemorrhoid procedures                                | 94        | 0.00%               |
| 82: Endoscopic retrograde cannulation of pancreas (ERCP) | 382       | 0.01%               |
| 83: Biopsy of liver                                      | 2,389     | 0.03%               |
| 84: Cholecystectomy and common duct exploration          | 19,319    | 0.26%               |
| 85: Inguinal and femoral hernia repair                   | 4,944     | 0.07%               |
| 86: Other hernia repair                                  | 2,764     | 0.04%               |
| 87: Laparoscopy (GI only)                                | 1,874     | 0.03%               |
| 88: Abdominal paracentesis                               | 3,512     | 0.05%               |
| 89: Exploratory laparotomy                               | 1,711     | 0.02%               |
| 90: Excision; lysis peritoneal adhesions                 | 3,768     | 0.05%               |
| 91: Peritoneal dialysis                                  | 1,048     | 0.01%               |
| 92: Other bowel diagnostic procedures                    | 527       | 0.01%               |
| 93: Other non-OR upper GI therapeutic procedures         | 6,018     | 0.08%               |
| 94: Other OR upper GI therapeutic procedures             | 20,954    | 0.28%               |
| 95: Other non-OR lower GI therapeutic procedures         | 2,565     | 0.03%               |
| 96: Other OR lower GI therapeutic procedures             | 12,109    | 0.16%               |
| 97: Other gastrointestinal diagnostic procedures         | 544       | 0.01%               |
| 98: Other non-OR gastrointestinal therapeutic procedures | 2,721     | 0.04%               |
| 99: Other OR gastrointestinal therapeutic procedures     | 10,011    | 0.14%               |

| PRCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 100: Endoscopy and endoscopic biopsy of the urinary tract             | 649       | 0.01%               |
| 101: Transurethral excision; drainage; or removal urinary obstruction | 1,867     | 0.03%               |
| 102: Ureteral catheterization   | 1,960     | 0.03%               |
| 103: Nephrotomy and nephrostomy                                       | 1,166     | 0.02%               |
| 104: Nephrectomy; partial or complete                                 | 2,637     | 0.04%               |
| 105: Kidney transplant  | 1,119     | 0.02%               |
| 106: Genitourinary incontinence procedures                            | 56        | 0.00%               |
| 107: Extracorporeal lithotripsy; urinary                              | 186       | 0.00%               |
| 108: Indwelling catheter  | 1,265     | 0.02%               |
| 109: Procedures on the urethra  | 1,459     | 0.02%               |
| 110: Other diagnostic procedures of urinary tract                     | 2,828     | 0.04%               |
| 111: Other non-OR therapeutic procedures of urinary tract             | 2,492     | 0.03%               |
| 112: Other OR therapeutic procedures of urinary tract                 | 11,560    | 0.16%               |
| 113: Transurethral resection of prostate (TURP)                       | <= 50     | *.**%               |
| 114: Open prostatectomy   | <= 50     | *.**%               |
| 115: Circumcision   | 1,010,458 | 13.71%              |
| 116: Diagnostic procedures; male genital                              | <= 50     | *.**%               |
| 117: Other non-OR therapeutic procedures; male genital                | 680       | 0.01%               |
| 118: Other OR therapeutic procedures; male genital                    | 3,739     | 0.05%               |
| 119: Oophorectomy; unilateral and bilateral                           | 2,876     | 0.04%               |

| PRCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 120: Other operations on ovary   | 3,958     | 0.05%               |
| 121: Ligation or occlusion of fallopian tubes                              | 67        | 0.00%               |
| 122: Removal of ectopic pregnancy  | 1,191     | 0.02%               |
| 123: Other operations on fallopian tubes                                   | 795       | 0.01%               |
| 124: Hysterectomy; abdominal and vaginal                                   | 235       | 0.00%               |
| 125: Other excision of cervix and uterus                                   | 390       | 0.01%               |
| 126: Abortion (termination of pregnancy)                                   | 154       | 0.00%               |
| 127: Dilatation and curettage (D&C); aspiration after delivery or abortion | 4,008     | 0.05%               |
| 128: Diagnostic dilatation and curettage (D&C)                             | 330       | 0.00%               |
| 129: Repair of cystocele and rectocele; obliteration of vaginal vault      | <= 50     | *.**%               |
| 130: Other diagnostic procedures; female organs                            | 274       | 0.00%               |
| 131: Other non-OR therapeutic procedures; female organs                    | 608       | 0.01%               |
| 132: Other OR therapeutic procedures; female organs                        | 4,913     | 0.07%               |
| 133: Episiotomy  | 41,849    | 0.57%               |
| 134: Cesarean section  | 150,139   | 2.04%               |
| 135: Forceps; vacuum; and breech delivery                                  | 33,851    | 0.46%               |
| 136: Artificial rupture of membranes to assist delivery                    | 11,692    | 0.16%               |
| 137: Other procedures to assist delivery                                   | 257,965   | 3.50%               |
| 138: Diagnostic amniocentesis  | 518       | 0.01%               |
| 139: Fetal monitoring  | 9,750     | 0.13%               |

1,956

310

707

13,484

3,267

0.03%

0.00%

0.01%

0.18%

0.04%

| Weighted Frequency Distribution for PRCCS1   |           |                     |
|--|-----------|---------------------|
| PRCCS1   | Frequency | Percent<br>of Total |
| 140: Repair of current obstetric laceration  | 108,699   | 1.47%               |
| 141: Other therapeutic obstetrical procedures  | 1,478     | 0.02%               |
| 142: Partial excision bone   | 4,436     | 0.06%               |
| 143: Bunionectomy or repair of toe deformities                                       | 151       | 0.00%               |
| 144: Treatment; facial fracture or dislocation                                       | 5,754     | 0.08%               |
| 145: Treatment; fracture or dislocation of radius and ulna                           | 10,142    | 0.14%               |
| 146: Treatment; fracture or dislocation of hip and femur                             | 19,036    | 0.26%               |
| 147: Treatment; fracture or dislocation of lower extremity (other than hip or femur) | 17,119    | 0.23%               |
| 148: Other fracture and dislocation procedure  | 18,654    | 0.25%               |
| 149: Arthroscopy   | 1,170     | 0.02%               |
| 150: Division of joint capsule; ligament or cartilage                                | 859       | 0.01%               |
| 151: Excision of semilunar cartilage of knee   | 206       | 0.00%               |
| 152: Arthroplasty knee   | 1,403     | 0.02%               |
| 153: Hip replacement; total and partial  | 662       | 0.01%               |
| 154: Arthroplasty other than hip or knee   | 613       | 0.01%               |

#### HCUP Weighted Summary Statistics Report: KID 2009 - Core File Weighted Frequency Distribution for PRCCS1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

156: Injections and aspirations of muscles; tendons; bursa; joints and soft tissue

159: Other diagnostic procedures on musculoskeletal system

**155: Arthrocentesis** 

158: Spinal fusion

157: Amputation of lower extremity

| PRCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 160: Other therapeutic procedures on muscles and tendons           | 14,167    | 0.19%               |
| 161: Other OR therapeutic procedures on bone                       | 11,526    | 0.16%               |
| 162: Other OR therapeutic procedures on joints                     | 6,190     | 0.08%               |
| 163: Other non-OR therapeutic procedures on musculoskeletal system | 356       | 0.00%               |
| 164: Other OR therapeutic procedures on musculoskeletal system     | 7,141     | 0.10%               |
| 165: Breast biopsy and other diagnostic procedures on breast       | 59        | 0.00%               |
| 166: Lumpectomy; quadrantectomy of breast                          | 133       | 0.00%               |
| 167: Mastectomy  | <= 50     | *.**%               |
| 168: Incision and drainage; skin and subcutaneous tissue           | 36,333    | 0.49%               |
| 169: Debridement of wound; infection or burn                       | 10,658    | 0.14%               |
| 170: Excision of skin lesion                                       | 1,511     | 0.02%               |
| 171: Suture of skin and subcutaneous tissue                        | 8,257     | 0.11%               |
| 172: Skin graft  | 7,350     | 0.10%               |
| 173: Other diagnostic procedures on skin and subcutaneous tissue   | 1,229     | 0.02%               |
| 174: Other non-OR therapeutic procedures on skin and breast        | 14,026    | 0.19%               |
| 175: Other OR therapeutic procedures on skin and breast            | 3,322     | 0.05%               |
| 176: Other organ transplantation                                   | 1,145     | 0.02%               |
| 177: Computerized axial tomography (CT) scan head                  | 7,086     | 0.10%               |
| 178: CT scan chest   | 1,381     | 0.02%               |
| 179: CT scan abdomen   | 4,673     | 0.06%               |

| PRCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 180: Other CT scan  | 1,863     | 0.03%               |
| 181: Myelogram  | <= 50     | *.**%               |
| 183: Routine chest X-ray  | 567       | 0.01%               |
| 184: Intraoperative cholangiogram                                 | <= 50     | *.**%               |
| 185: Upper gastrointestinal X-ray                                 | 944       | 0.01%               |
| 186: Lower gastrointestinal X-ray                                 | 160       | 0.00%               |
| 187: Intravenous pyelogram  | 109       | 0.00%               |
| 188: Cerebral arteriogram   | 1,083     | 0.01%               |
| 189: Contrast aortogram   | 76        | 0.00%               |
| 190: Contrast arteriogram of femoral and lower extremity arteries | 71        | 0.00%               |
| 191: Arterio- or venogram (not heart and head)                    | 672       | 0.01%               |
| 192: Diagnostic ultrasound of head and neck                       | 868       | 0.01%               |
| 193: Diagnostic ultrasound of heart (echocardiogram)              | 8,835     | 0.12%               |
| 194: Diagnostic ultrasound of gastrointestinal tract              | 179       | 0.00%               |
| 195: Diagnostic ultrasound of urinary tract                       | 1,860     | 0.03%               |
| 196: Diagnostic ultrasound of abdomen or retroperitoneum          | 3,035     | 0.04%               |
| 197: Other diagnostic ultrasound                                  | 2,065     | 0.03%               |
| 198: Magnetic resonance imaging                                   | 14,277    | 0.19%               |
| 199: Electroencephalogram (EEG)                                   | 4,854     | 0.07%               |
| 200: Nonoperative urinary system measurements                     | <= 50     | *.**%               |

| HCUP Weighted Summary Statistics Report: KID 2009 - Core File |
|---|
| Weighted Frequency Distribution for PRCCS1                    |

| PRCCS1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| 201: Cardiac stress tests   | 84        | 0.00%               |
| 202: Electrocardiogram  | 719       | 0.01%               |
| 203: Electrographic cardiac monitoring                              | 551       | 0.01%               |
| 204: Swan-Ganz catheterization for monitoring                       | <= 50     | *.**%               |
| 205: Arterial blood gases   | 1,148     | 0.02%               |
| 206: Microscopic examination (bacterial smear; culture; toxicology) | 734       | 0.01%               |
| 207: Radioisotope bone scan   | 197       | 0.00%               |
| 208: Radioisotope pulmonary scan                                    | 55        | 0.00%               |
| 209: Radioisotope scan and function studies                         | 423       | 0.01%               |
| 210: Other radioisotope scan  | 315       | 0.00%               |
| 211: Therapeutic radiology for cancer treatment                     | 795       | 0.01%               |
| 212: Diagnostic physical therapy                                    | 302       | 0.00%               |
| 213: Physical therapy exercises; manipulation; and other procedures | 3,758     | 0.05%               |
| 214: Traction; splints; and other wound care                        | 5,831     | 0.08%               |
| 215: Other physical therapy and rehabilitation                      | 2,750     | 0.04%               |
| 216: Respiratory intubation and mechanical ventilation              | 151,741   | 2.06%               |
| 217: Other respiratory therapy                                      | 35,294    | 0.48%               |
| 218: Psychological and psychiatric evaluation and therapy           | 13,229    | 0.18%               |
| 219: Alcohol and drug rehabilitation/detoxification                 | 10,530    | 0.14%               |
| 220: Ophthalmologic and otologic diagnosis and treatment            | 188,987   | 2.56%               |

| PRCCS1   | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| 221: Nasogastric tube  | 3,925     | 0.05%               |
| 222: Blood transfusion   | 32,276    | 0.44%               |
| 223: Enteral and parenteral nutrition                                  | 42,226    | 0.57%               |
| 224: Cancer chemotherapy   | 39,232    | 0.53%               |
| 225: Conversion of cardiac rhythm                                      | 1,639     | 0.02%               |
| 226: Other diagnostic radiology and related techniques                 | 8,187     | 0.11%               |
| 227: Other diagnostic procedures (interview; evaluation; consultation) | 26,627    | 0.36%               |
| 228: Prophylactic vaccinations and inoculations                        | 914,224   | 12.40%              |
| 229: Nonoperative removal of foreign body                              | 2,131     | 0.03%               |
| 230: Extracorporeal shock wave other than urinary                      | <= 50     | *.**%               |
| 231: Other therapeutic procedures                                      | 190,484   | 2.58%               |

| HCUP Weighted Summary Statistics Report: KID 2009 - Core File |
|---|
| Weighted Frequency Distribution for PRDAY1                    |

| PRDAY1           | <b>F</b>  | Percent  |
|------------------|-----------|----------|
| PKDAYI           | Frequency | of Total |
| .: Missing       | 3,417,090 | 46.36%   |
| .C: Inconsistent | 2,950     | 0.04%    |
| -4 days          | <= 50     | *.**%    |
| -3 days          | 481       | 0.01%    |
| -2 days          | 1,387     | 0.02%    |
| -1 day           | 15,910    | 0.22%    |
| 0 days           | 1,891,179 | 25.66%   |
| 1 day            | 1,213,308 | 16.46%   |
| 2 days           | 519,216   | 7.04%    |
| 3 days           | 134,449   | 1.82%    |
| 4 days           | 47,250    | 0.64%    |
| 5 days           | 24,406    | 0.33%    |
| 6 - 30 days      | 91,502    | 1.24%    |
| 31 - 60 days     | 7,463     | 0.10%    |
| 61 - 90 days     | 2,191     | 0.03%    |
| 91 - 210 days    | 1,241     | 0.02%    |
| 211 - 330 days   | 63        | 0.00%    |
| 331 - 368 days   | 69        | 0.00%    |

| RACE                      | Frequency | Percent<br>of Total |
|---------------------------|-----------|---------------------|
| .: Missing                | 1,182,583 | 16.05%              |
| .A: Invalid               | 1,457     | 0.02%               |
| 1: White                  | 3,158,226 | 42.85%              |
| 2: Black                  | 986,825   | 13.39%              |
| 3: Hispanic               | 1,423,563 | 19.32%              |
| 4: Asian/Pacific Islander | 219,636   | 2.98%               |
| 5: Native American        | 60,068    | 0.82%               |
| 6: Other                  | 337,845   | 4.58%               |

| тотснб                | Frequency | Percent<br>of Total |
|-----------------------|-----------|---------------------|
| .: Missing            | 133,365   | 1.81%               |
| .A: Invalid           | 2,899     | 0.04%               |
| .C: Inconsistent      | 4,398     | 0.06%               |
| \$100- \$1,000        | 199,751   | 2.71%               |
| \$1,001- \$5,000      | 3,511,251 | 47.64%              |
| \$5,001- \$10,000     | 1,324,626 | 17.97%              |
| \$10,001- \$50,000    | 1,775,362 | 24.09%              |
| \$50,001- \$100,000   | 225,647   | 3.06%               |
| \$100,001- \$200,000  | 110,629   | 1.50%               |
| \$200,001- \$300,000  | 35,019    | 0.48%               |
| \$300,001- \$400,000  | 16,702    | 0.23%               |
| \$400,001- \$500,000  | 9,550     | 0.13%               |
| \$500,001-\$1,000,000 | 16,955    | 0.23%               |
| Over \$1,000,000      | 4,048     | 0.05%               |

| TRAN_IN  | Frequency | Percent<br>of Total |
|--|-----------|---------------------|
| .: ASOURCE and POO missing or invalid  | 17,440    | 0.24%               |
| 0: Not a transfer  | 7,024,207 | 95.31%              |
| 1: Transferred in from a different acute care hospital [ATYPE NE 4 & (ASOURCE=2 or POO=4)]   | 249,151   | 3.38%               |
| 2: Transferred in from another type of health facility [ATYPE NE 4 & (ASOURCE=3 or POO=5,6)] | 79,405    | 1.08%               |

| UNCBRTH | Frequency | Percent<br>of Total |
|---------|-----------|---------------------|
| 0       | 4,556,986 | 61.83%              |
| 1       | 2,813,217 | 38.17%              |

| YEAR | Frequency | Percent<br>of Total |
|------|-----------|---------------------|
| 2009 | 7,370,203 | 100.0%              |

| ZIPINC_QRTL        | Frequency | Percent<br>of Total |
|--------------------|-----------|---------------------|
| Α                  | 486       | 0.01%               |
| .: Missing         | 157,517   | 2.14%               |
| 1: First quartile  | 2,221,828 | 30.15%              |
| 2: Second quartile | 1,894,704 | 25.71%              |
| 3: Third quartile  | 1,697,696 | 23.03%              |
| 4: Fourth quartile | 1,397,971 | 18.97%              |