



## Summary of REQUIRED Laboratory Tests and LOINC

Please identify the vendor or internal operation that reports each of the lab tests listed below as identified on the instructions.

- C = CLH
- D = DLS
- I = In-house
- O = Outside Facility (none of the three above, specify lab or vendor)

Hospital/Vendor Completing Report: \_\_\_\_\_

	Lab Test	Lab Test Name	LOINC	Units	Vendor
<b>Chemistry</b>	Albumin	Albumin	1751-7	g/dL	
	Alkaline phosphatase	Alkaline phosphatase	6768-6	U/L;units/L	
	Blood urea nitrogen (BUN)	Urea nitrogen	3094-0	mg/dL	
	Bilirubin (total)	Bilirubin	1975-2	mg/dL	
	Calcium	Calcium	17861-6	mg/dL	
	Chloride	Chloride	2075-0	mmol/L	
	Creatine kinase-MB	Creatine kinase.MB	13969-1	ng/mL;ug/L	
	Creatinine	Creatinine	2160-0	mg/dL	
	Glucose	Glucose	2345-7	mg/dL	
	Gamma glutamyl transferase	Gamma glutamyl transferase	2324-2	U/L;units/L	
	Potassium	Potassium	2823-3	mmol/L	
	Phosphate	Phosphate	2777-1	mg/dL	
	BNP	Natriuretic peptide.B	30934-4	pg/mL	
	Sodium	Sodium	2951-2	mmol/L	
	Troponin I	Troponin I.cardiac	10839-9	ug/L;ng/mL	
	SGOT	Aspartate aminotransferase	1920-8	U/L;units/L	
SGPT	Alanine aminotransferase	1742-6	U/L;units/L		
<b>Blood Gas</b>	pO2	Oxygen	2703-7	mm Hg	
	pCO2	Carbon dioxide	2019-8	mm Hg	
	pH	pH	2744-1		
	Base excess	Base excess	1925-7	mmol/L	
	Bicarbonate	Bicarbonate	1960-4	mmol/L	
	<b>Hematology</b>	Hemoglobin	Hemoglobin	718-7	g/dL
Hematocrit		Hematocrit	4544-3	L/L;%	
Partial thromboplastin time (PTT)		Coagulation surface induced	14979-9	Sec	
Prothrombin time (PT)		Coagulation tissue factor induced	5902-2	Sec	
INR		Coagulation tissue factor induced.INR	34714-6	INR(POC)	
Platelet count		Platelets	777-3	10 <sup>9</sup> /L	
White blood count (WBC)		Leukocytes	6690-2	10 <sup>3</sup> /uL	
<b>Microbiology</b>	Blood culture		600-7		
	Urine culture		630-4		
	Sputum culture		6460-0		