

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| CMR_AIDS : Acquired immune deficiency syndrome | 28,037,034 | 0 | 0.00 | 1.00 | 0.00 | 0.06 |
| CMR_ALCOHOL : Alcohol abuse | 28,037,034 | 0 | 0.00 | 1.00 | 0.02 | 0.15 |
| CMR_AUTOIMMUNE : Autoimmune conditions | 28,037,034 | 0 | 0.00 | 1.00 | 0.01 | 0.11 |
| CMR_CANCER_LEUK : Leukemia | 28,037,034 | 0 | 0.00 | 1.00 | 0.00 | 0.04 |
| CMR_CANCER_LYMPH : Lymphoma | 28,037,034 | 0 | 0.00 | 1.00 | 0.00 | 0.05 |
| CMR_CANCER_METS : Metastatic cancer | 28,037,034 | 0 | 0.00 | 1.00 | 0.01 | 0.08 |
| CMR_CANCER_NSITU : Solid tumor without metastasis, in situ | 28,037,034 | 0 | 0.00 | 1.00 | 0.00 | 0.01 |
| CMR_CANCER_SOLID : Solid tumor without metastasis, malignant | 28,037,034 | 0 | 0.00 | 1.00 | 0.01 | 0.09 |
| CMR_DEMENTIA : Dementia | 28,037,034 | 0 | 0.00 | 1.00 | 0.02 | 0.15 |
| CMR_DEPRESS : Depression | 28,037,034 | 0 | 0.00 | 1.00 | 0.05 | 0.22 |
| CMR_DIAB_CX : Diabetes with chronic complications | 28,037,034 | 0 | 0.00 | 1.00 | 0.06 | 0.24 |
| CMR_DIAB_UNCX : Diabetes without chronic complications | 28,037,034 | 0 | 0.00 | 1.00 | 0.07 | 0.26 |
| CMR_DRUG_ABUSE : Drug abuse | 28,037,034 | 0 | 0.00 | 1.00 | 0.02 | 0.15 |
| CMR_HTN_CX : Hypertension, complicated | 28,037,034 | 0 | 0.00 | 1.00 | 0.07 | 0.26 |
| CMR_HTN_UNCX : Hypertension, uncomplicated | 28,037,034 | 0 | 0.00 | 1.00 | 0.20 | 0.40 |
| CMR_LUNG_CHRONIC : Chronic pulmonary disease | 28,037,034 | 0 | 0.00 | 1.00 | 0.10 | 0.30 |
| CMR_OBESE : Obesity | 28,037,034 | 0 | 0.00 | 1.00 | 0.05 | 0.23 |
| CMR_PERIVASC : Peripheral vascular disease | 28,037,034 | 0 | 0.00 | 1.00 | 0.02 | 0.13 |
| CMR_THYROID_HYPO : Hypothyroidism | 28,037,034 | 0 | 0.00 | 1.00 | 0.04 | 0.20 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|---|------------|-----------|------|------|------|------------|
| CMR_THYROID_OTH : Other thyroid disorders | 28,037,034 | 0 | 0.00 | 1.00 | 0.00 | 0.07 |
| DXCCSR_BLD001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.33 |
| DXCCSR_BLD002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_BLD003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.13 | 0.61 |
| DXCCSR_BLD004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.30 |
| DXCCSR_BLD005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.12 |
| DXCCSR_BLD006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.40 |
| DXCCSR_BLD007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.39 |
| DXCCSR_BLD008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_BLD009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_BLD010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_CIR001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.20 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_CIR002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_CIR003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.33 |
| DXCCSR_CIR004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_CIR005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.35 |
| DXCCSR_CIR006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_CIR007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.60 | 1.20 |
| DXCCSR_CIR008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.23 | 0.79 |
| DXCCSR_CIR009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.23 |
| DXCCSR_CIR010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_CIR011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.23 | 0.79 |
| DXCCSR_CIR012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.11 | 0.50 |
| DXCCSR_CIR013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_CIR014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.28 |
| DXCCSR_CIR015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_CIR016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.06 | 0.43 |
| DXCCSR_CIR017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.17 | 0.68 |
| DXCCSR_CIR018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_CIR019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.16 | 0.66 |
| DXCCSR_CIR020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.18 |
| DXCCSR_CIR021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_CIR022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_CIR023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |
| DXCCSR_CIR024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_CIR025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.24 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_CIR026 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR026 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.32 |
| DXCCSR_CIR027 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR027 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_CIR028 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR028 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_CIR029 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR029 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |
| DXCCSR_CIR030 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR030 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_CIR031 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR031 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.34 |
| DXCCSR_CIR032 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR032 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.26 |
| DXCCSR_CIR033 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR033 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.20 |
| DXCCSR_CIR034 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR034 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_CIR035 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR035 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_CIR036 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR036 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_CIR037 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR037 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_CIR038 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR038 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_CIR039 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR039 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.21 |
| DXCCSR_DIG001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_DIG002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.21 |
| DXCCSR_DIG003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_DIG004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.22 | 0.78 |
| DXCCSR_DIG005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_DIG006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_DIG007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.24 |
| DXCCSR_DIG008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_DIG009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_DIG010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.30 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_DIG011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |
| DXCCSR_DIG012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_DIG013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.26 |
| DXCCSR_DIG014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |
| DXCCSR_DIG015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_DIG016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_DIG017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.26 |
| DXCCSR_DIG018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_DIG019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.39 |
| DXCCSR_DIG020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.20 |
| DXCCSR_DIG021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.26 |
| DXCCSR_DIG022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.21 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_DIG023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_DIG024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.11 |
| DXCCSR_DIG025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.08 | 0.47 |
| DXCCSR_EAR001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.18 |
| DXCCSR_EAR002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_EAR003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_EAR004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_EAR005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_EAR006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.20 |
| DXCCSR_END001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.15 | 0.66 |
| DXCCSR_END002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.22 | 0.78 |
| DXCCSR_END003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.18 | 0.70 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_END004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_END005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.38 | 0.99 |
| DXCCSR_END006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_END007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.25 |
| DXCCSR_END008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.34 |
| DXCCSR_END009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.16 | 0.68 |
| DXCCSR_END010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.39 | 1.01 |
| DXCCSR_END011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.29 | 0.87 |
| DXCCSR_END012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_END013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.12 |
| DXCCSR_END014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_END015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.23 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_END016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.07 | 0.46 |
| DXCCSR_END017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_EXT001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.35 |
| DXCCSR_EXT002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_EXT003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.20 | 0.74 |
| DXCCSR_EXT004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_EXT005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_EXT006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_EXT007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.06 | 0.43 |
| DXCCSR_EXT008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_EXT009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_EXT010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_EXT011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_EXT012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.23 |
| DXCCSR_EXT013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.32 |
| DXCCSR_EXT014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_EXT015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_EXT016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.07 | 0.46 |
| DXCCSR_EXT017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_EXT018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.24 |
| DXCCSR_EXT019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.07 | 0.45 |
| DXCCSR_EXT020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.51 | 1.12 |
| DXCCSR_EXT021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_EXT022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.27 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_EXT023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_EXT024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_EXT025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.29 |
| DXCCSR_EXT026 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT026 | 28,037,034 | 0 | 0.00 | 3.00 | 0.16 | 0.68 |
| DXCCSR_EXT027 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT027 | 28,037,034 | 0 | 0.00 | 3.00 | 0.24 | 0.82 |
| DXCCSR_EXT028 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT028 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.29 |
| DXCCSR_EXT029 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT029 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_EXT030 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT030 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_EYE001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_EYE002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_EYE003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_EYE004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_EYE005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_EYE006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_EYE007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_EYE008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_EYE009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_EYE010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.25 |
| DXCCSR_EYE011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_EYE012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_FAC001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_FAC002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_FAC003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.21 |
| DXCCSR_FAC004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_FAC005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_FAC006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_FAC007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_FAC008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_FAC009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.23 | 0.80 |
| DXCCSR_FAC010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.31 |
| DXCCSR_FAC011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_FAC012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.24 |
| DXCCSR_FAC013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.18 |
| DXCCSR_FAC014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_FAC015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_FAC016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.41 | 1.02 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_FAC017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_FAC018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_FAC019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.37 |
| DXCCSR_FAC020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.33 |
| DXCCSR_FAC021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.63 | 1.22 |
| DXCCSR_FAC022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.14 | 0.62 |
| DXCCSR_FAC023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_FAC024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_FAC025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC025 | 28,037,034 | 0 | 0.00 | 3.00 | 1.02 | 1.42 |
| DXCCSR_GEN001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_GEN002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.12 | 0.58 |
| DXCCSR_GEN003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.17 | 0.68 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_GEN004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.12 | 0.55 |
| DXCCSR_GEN005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.23 |
| DXCCSR_GEN006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.35 |
| DXCCSR_GEN007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_GEN008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |
| DXCCSR_GEN009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.27 |
| DXCCSR_GEN010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_GEN011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_GEN012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.37 |
| DXCCSR_GEN013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_GEN014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_GEN015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_GEN016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_GEN017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_GEN018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |
| DXCCSR_GEN019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_GEN020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_GEN021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.11 |
| DXCCSR_GEN022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.18 |
| DXCCSR_GEN023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.28 |
| DXCCSR_GEN024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_GEN025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_GEN026 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN026 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_INF001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_INF002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.29 |
| DXCCSR_INF003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.10 | 0.48 |
| DXCCSR_INF004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_INF005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INF006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_INF007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.26 |
| DXCCSR_INF008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.11 | 0.53 |
| DXCCSR_INF009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_INF010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.12 |
| DXCCSR_INF011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INF012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.28 |
| DXCCSR_INJ001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_INJ002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_INJ003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |
| DXCCSR_INJ004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.21 |
| DXCCSR_INJ005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_INJ006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_INJ007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.11 |
| DXCCSR_INJ008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_INJ009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INJ010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.12 |
| DXCCSR_INJ011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.25 |
| DXCCSR_INJ012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.27 |
| DXCCSR_INJ013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_INJ014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INJ015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_INJ017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.10 | 0.48 |
| DXCCSR_INJ018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_INJ019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.11 |
| DXCCSR_INJ020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.11 |
| DXCCSR_INJ021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_INJ022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_INJ023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_INJ024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.29 |
| DXCCSR_INJ025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_INJ026 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ026 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.12 |
| DXCCSR_INJ027 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ027 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.29 |
| DXCCSR_INJ028 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ028 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.34 |
| DXCCSR_INJ029 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ029 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_INJ030 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ030 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.25 |
| DXCCSR_INJ031 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ031 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.25 |
| DXCCSR_INJ032 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ032 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_INJ033 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ033 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.12 |
| DXCCSR_INJ034 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ034 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.11 |
| DXCCSR_INJ035 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ035 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_INJ036 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ036 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_INJ037 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ037 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_INJ038 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ038 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INJ039 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ039 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_INJ040 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ040 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_INJ041 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ041 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_INJ042 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ042 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_INJ043 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ043 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INJ044 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ044 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ045 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ045 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INJ046 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ046 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ047 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ047 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_INJ048 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ048 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_INJ049 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ049 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_INJ050 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ050 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_INJ051 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ051 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ052 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ052 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_INJ053 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ053 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ054 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ054 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_INJ055 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ055 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ056 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ056 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_INJ057 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ057 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ058 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ058 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ059 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ059 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ060 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ060 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ061 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ061 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_INJ062 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ062 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ063 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ063 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ064 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ064 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INJ065 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ065 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_INJ066 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ066 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_INJ067 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ067 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ068 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ068 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ069 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ069 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ070 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ070 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ071 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ071 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ072 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ072 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_INJ073 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ073 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_INJ074 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ074 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_INJ075 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ075 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_INJ076 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ076 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_MAL001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_MAL002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_MAL003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_MAL004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_MAL005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_MAL006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_MAL007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_MAL008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_MAL009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_MAL010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_MBD001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.34 |
| DXCCSR_MBD002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.16 | 0.67 |
| DXCCSR_MBD003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.39 |
| DXCCSR_MBD004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.12 |
| DXCCSR_MBD005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.21 | 0.76 |
| DXCCSR_MBD006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_MBD007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.31 |
| DXCCSR_MBD008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.12 |
| DXCCSR_MBD009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_MBD010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_MBD011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_MBD012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.31 |
| DXCCSR_MBD013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.15 |
| DXCCSR_MBD014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.33 |
| DXCCSR_MBD017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.08 | 0.45 |
| DXCCSR_MBD018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.27 |
| DXCCSR_MBD019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.35 |
| DXCCSR_MBD020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.12 |
| DXCCSR_MBD021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.32 |
| DXCCSR_MBD022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_MBD023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_MBD024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.45 | 1.07 |
| DXCCSR_MBD025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_MBD026 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD026 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.18 |
| DXCCSR_MBD027 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD027 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_MBD028 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD028 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_MBD029 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD029 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_MBD030 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD030 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_MBD031 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD031 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_MBD032 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD032 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_MBD033 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD033 | 28,037,034 | 0 | 0.00 | 0.00 | 0.00 | 0.00 |
| DXCCSR_MBD034 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD034 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_MUS001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_MUS002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_MUS003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.25 |

(Continued)

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_MUS004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_MUS005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_MUS006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.09 | 0.50 |
| DXCCSR_MUS007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_MUS008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_MUS009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.11 |
| DXCCSR_MUS010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.17 | 0.64 |
| DXCCSR_MUS011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.08 | 0.45 |
| DXCCSR_MUS012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_MUS013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.27 |
| DXCCSR_MUS014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_MUS015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_MUS016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_MUS017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_MUS018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_MUS019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_MUS020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_MUS021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_MUS022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_MUS023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_MUS024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_MUS025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.35 |
| DXCCSR_MUS026 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS026 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_MUS027 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS027 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_MUS028 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS028 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_MUS029 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS029 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_MUS030 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS030 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_MUS031 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS031 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_MUS032 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS032 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_MUS033 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS033 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.28 |
| DXCCSR_MUS034 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS034 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_MUS035 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS035 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_MUS036 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS036 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_MUS037 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS037 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_MUS038 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS038 | 28,037,034 | 0 | 0.00 | 3.00 | 0.07 | 0.40 |
| DXCCSR_NEO001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_NEO002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NEO003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_NEO013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_NEO014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_NEO016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_NEO018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NEO019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.16 |
| DXCCSR_NEO023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NEO025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_NEO026 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO026 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO027 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO027 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO028 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO028 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO029 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO029 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO030 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO030 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.12 |
| DXCCSR_NEO031 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO031 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO032 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO032 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NEO033 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO033 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_NEO034 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO034 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO035 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO035 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NEO036 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO036 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO037 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO037 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |

(Continued)

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_NEO038 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO038 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO039 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO039 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.12 |
| DXCCSR_NEO040 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO040 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO041 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO041 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO042 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO042 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_NEO043 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO043 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_NEO044 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO044 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO045 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO045 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_NEO046 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO046 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO047 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO047 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO048 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO048 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_NEO049 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO049 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |

(Continued)

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_NEO050 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO050 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO051 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO051 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_NEO052 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO052 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO053 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO053 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO054 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO054 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_NEO055 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO055 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.00 |
| DXCCSR_NEO056 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO056 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO057 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO057 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NEO058 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO058 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_NEO059 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO059 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NEO060 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO060 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_NEO061 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO061 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_NEO062 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO062 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_NEO063 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO063 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_NEO064 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO064 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_NEO065 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO065 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_NEO066 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO066 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NEO067 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO067 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO068 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO068 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_NEO069 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO069 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_NEO070 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO070 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.25 |
| DXCCSR_NEO071 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO071 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_NEO072 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO072 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_NEO073 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO073 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_NEO074 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO074 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_NVS001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NVS002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NVS003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NVS004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.20 |
| DXCCSR_NVS005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_NVS006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.25 |
| DXCCSR_NVS007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.12 |
| DXCCSR_NVS008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_NVS009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.06 | 0.40 |
| DXCCSR_NVS010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.11 | 0.52 |
| DXCCSR_NVS011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.08 | 0.47 |

(Continued)

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_NV012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_NV013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.13 |
| DXCCSR_NV014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_NV015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.36 |
| DXCCSR_NV016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.10 | 0.54 |
| DXCCSR_NV017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_NV018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_NV019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.10 | 0.53 |
| DXCCSR_NV020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.09 | 0.50 |
| DXCCSR_NV021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_NV022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NV022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PNL001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_PNL002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_PNL003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PNL004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PNL005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PNL006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_PNL007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_PNL008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PNL009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_PNL010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PNL011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PNL012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_PNL013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_PNL014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_PNL015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PRG001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PRG002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.08 | 0.48 |
| DXCCSR_PRG003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_PRG004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_PRG005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_PRG006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_PRG007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_PRG008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.10 |
| DXCCSR_PRG009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.10 |
| DXCCSR_PRG010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |

(Continued)

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_PRG011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_PRG012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_PRG013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_PRG014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.05 |
| DXCCSR_PRG015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_PRG016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |
| DXCCSR_PRG017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_PRG018 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG018 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |
| DXCCSR_PRG019 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG019 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_PRG020 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG020 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_PRG021 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG021 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_PRG022 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG022 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.04 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_PRG023 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG023 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.14 |
| DXCCSR_PRG024 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG024 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.11 |
| DXCCSR_PRG025 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG025 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.01 |
| DXCCSR_PRG026 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG026 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.12 |
| DXCCSR_PRG027 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG027 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_PRG028 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG028 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.26 |
| DXCCSR_PRG029 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG029 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_PRG030 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG030 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.20 |
| DXCCSR_RSP001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.17 |
| DXCCSR_RSP002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.09 | 0.50 |
| DXCCSR_RSP003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.18 |
| DXCCSR_RSP004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.08 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_RSP005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_RSP006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.07 | 0.37 |
| DXCCSR_RSP007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.23 |
| DXCCSR_RSP008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.17 | 0.68 |
| DXCCSR_RSP009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.16 | 0.66 |
| DXCCSR_RSP010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.19 |
| DXCCSR_RSP011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.04 | 0.33 |
| DXCCSR_RSP012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.10 | 0.54 |
| DXCCSR_RSP013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.07 |
| DXCCSR_RSP014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_RSP015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.03 |
| DXCCSR_RSP016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.24 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

*HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements*

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_RSP017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.09 |
| DXCCSR_SKN001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.06 | 0.37 |
| DXCCSR_SKN002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.26 |
| DXCCSR_SKN003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.26 |
| DXCCSR_SKN004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.22 |
| DXCCSR_SKN005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.01 | 0.11 |
| DXCCSR_SKN006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.06 |
| DXCCSR_SKN007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.20 |
| DXCCSR_SYM001 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM001 | 28,037,034 | 0 | 0.00 | 3.00 | 0.03 | 0.28 |
| DXCCSR_SYM002 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM002 | 28,037,034 | 0 | 0.00 | 3.00 | 0.06 | 0.41 |
| DXCCSR_SYM003 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM003 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.27 |
| DXCCSR_SYM004 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM004 | 28,037,034 | 0 | 0.00 | 3.00 | 0.15 | 0.63 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|--------|------|------|------|---------|
| DXCCSR_SYM005 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM005 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.25 |
| DXCCSR_SYM006 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM006 | 28,037,034 | 0 | 0.00 | 3.00 | 0.22 | 0.72 |
| DXCCSR_SYM007 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM007 | 28,037,034 | 0 | 0.00 | 3.00 | 0.06 | 0.42 |
| DXCCSR_SYM008 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM008 | 28,037,034 | 0 | 0.00 | 3.00 | 0.02 | 0.21 |
| DXCCSR_SYM009 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM009 | 28,037,034 | 0 | 0.00 | 3.00 | 0.00 | 0.02 |
| DXCCSR_SYM010 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM010 | 28,037,034 | 0 | 0.00 | 3.00 | 0.16 | 0.65 |
| DXCCSR_SYM011 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM011 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.39 |
| DXCCSR_SYM012 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM012 | 28,037,034 | 0 | 0.00 | 3.00 | 0.12 | 0.58 |
| DXCCSR_SYM013 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM013 | 28,037,034 | 0 | 0.00 | 3.00 | 0.19 | 0.70 |
| DXCCSR_SYM014 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM014 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.36 |
| DXCCSR_SYM015 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM015 | 28,037,034 | 0 | 0.00 | 3.00 | 0.05 | 0.38 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Min | Max | Mean | Std Dev |
|--|------------|-----------|------|------|------|------------|
| DXCCSR_SYM016 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM016 | 28,037,034 | 0 | 0.00 | 3.00 | 0.10 | 0.53 |
| DXCCSR_SYM017 : Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM017 | 28,037,034 | 0 | 0.00 | 3.00 | 0.15 | 0.64 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_AIDS***

| CMR_AIDS | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,921,886 | 99.59 |
| 1: Comorbidity is present | 115,148 | 0.41 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_ALCOHOL***

| CMR_ALCOHOL | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,414,737 | 97.78 |
| 1: Comorbidity is present | 622,297 | 2.22 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_AUTOIMMUNE***

| CMR_AUTOIMMUNE | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,704,900 | 98.82 |
| 1: Comorbidity is present | 332,134 | 1.18 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_CANCER_LEUK***

| CMR_CANCER_LEUK | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,988,154 | 99.83 |
| 1: Comorbidity is present | 48,880 | 0.17 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_CANCER_LYMPH***

| CMR_CANCER_LYMPH | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,975,842 | 99.78 |
| 1: Comorbidity is present | 61,192 | 0.22 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_CANCER_METS***

| CMR_CANCER_METS | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,837,674 | 99.29 |
| 1: Comorbidity is present | 199,360 | 0.71 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_CANCER_NSITU***

| CMR_CANCER_NSITU | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 28,035,016 | 99.99 |
| 1: Comorbidity is present | 2,018 | 0.01 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_CANCER_SOLID***

| CMR_CANCER_SOLID | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,796,886 | 99.14 |
| 1: Comorbidity is present | 240,148 | 0.86 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_DEMENTIA***

| CMR_DEMENTIA | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,385,484 | 97.68 |
| 1: Comorbidity is present | 651,550 | 2.32 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_DEPRESS***

| CMR_DEPRESS | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 26,570,788 | 94.77 |
| 1: Comorbidity is present | 1,466,246 | 5.23 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_DIAB_CX***

| CMR_DIAB_CX | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 26,390,719 | 94.13 |
| 1: Comorbidity is present | 1,646,315 | 5.87 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_DIAB_UNCX***

| CMR_DIAB_UNCX | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 25,996,681 | 92.72 |
| 1: Comorbidity is present | 2,040,353 | 7.28 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_DRUG_ABUSE***

| CMR_DRUG_ABUSE | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,374,209 | 97.64 |
| 1: Comorbidity is present | 662,825 | 2.36 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_HTN_CX***

| CMR_HTN_CX | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 26,007,174 | 92.76 |
| 1: Comorbidity is present | 2,029,860 | 7.24 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_HTN_UNCX***

| CMR_HTN_UNCX | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 22,487,887 | 80.21 |
| 1: Comorbidity is present | 5,549,147 | 19.79 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_LUNG_CHRONIC***

| CMR_LUNG_CHRONIC | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 25,158,111 | 89.73 |
| 1: Comorbidity is present | 2,878,923 | 10.27 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_OBESE***

| CMR_OBESE | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 26,534,298 | 94.64 |
| 1: Comorbidity is present | 1,502,736 | 5.36 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_PERIVASC***

| CMR_PERIVASC | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,582,571 | 98.38 |
| 1: Comorbidity is present | 454,463 | 1.62 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_THYROID_HYPO***

| CMR_THYROID_HYPO | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 26,828,323 | 95.69 |
| 1: Comorbidity is present | 1,208,711 | 4.31 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_THYROID_OTH***

| CMR_THYROID_OTH | Frequency | Percent |
|-------------------------------|------------------|----------------|
| 0: Comorbidity is not present | 27,905,481 | 99.53 |
| 1: Comorbidity is present | 131,553 | 0.47 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for CMR_VERSION***

| CMR_VERSION | Frequency | Percent |
|--------------------|------------------|----------------|
| 2022.1 | 28,037,034 | 100.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

**HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for DXCCSR_DEFAULT_DX1**

| DXCCSR_Default_DX1 | Frequency | Percent |
|---|------------------|----------------|
| BLDnnn: Diseases of the Blood and Blood Forming Organs and Certain Disorders Involving the Immune Mechanism | 182,031 | 0.65 |
| CIRnnn: Diseases of the Circulatory System | 2,581,042 | 9.21 |
| DIGnnn: Diseases of the Digestive System | 2,084,086 | 7.43 |
| EARnnn: Diseases of the Ear and Mastoid Process | 343,467 | 1.23 |
| ENDnnn: Endocrine, Nutritional and Metabolic Diseases | 622,659 | 2.22 |
| EYEenn: Diseases of the Eye and Adnexa | 216,195 | 0.77 |
| FACnnn: Factors Influencing Health Status and Contact with Health Services | 731,051 | 2.61 |
| GENnnn: Diseases of the Genitourinary System | 1,723,216 | 6.15 |
| INFnnn: Certain Infectious and Parasitic Diseases | 1,725,745 | 6.16 |
| INJnnn: Injury, Poisoning and Certain Other Consequences of External Causes | 5,085,485 | 18.14 |
| InvlDX: Invalid principal/first-listed diagnosis | 179 | 0.00 |
| MALnnn: Congenital Malformations, Deformations and Chromosomal Abnormalities | 11,258 | 0.04 |
| MBDnnn: Mental, Behavioral and Neurodevelopmental Disorders | 1,420,986 | 5.07 |
| MUSnnn: Diseases of the Musculoskeletal System and Connective Tissue | 1,780,661 | 6.35 |
| NEOenn: Neoplasms | 173,052 | 0.62 |
| NVSnnn: Diseases of the Nervous System | 1,113,949 | 3.97 |
| NoDX1: Missing principal/first-listed diagnosis | 7,815 | 0.03 |
| PNLnnn: Certain Conditions Originating in the Perinatal Period | 36,533 | 0.13 |
| PRGnnn: Pregnancy, Childbirth and the Puerperium | 860,422 | 3.07 |
| RSPnnn: Diseases of the Respiratory System | 2,530,588 | 9.03 |
| SKNnnn: Diseases of the Skin and Subcutaneous Tissue | 859,660 | 3.07 |
| SYMnnn: Symptoms, Signs and Abnormal Clinical and Laboratory Findings, Not Elsewhere Classified | 3,928,228 | 14.01 |
| XXX000: Unacceptable principal diagnosis | 1,157 | 0.00 |
| XXX111: Unacceptable first-listed diagnosis | 17,569 | 0.06 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NEDS 2020 DX_PR_GRPS File
Frequency Distribution for DXCCSR_VERSION***

| DXCCSR_VERSION | Frequency | Percent |
|-----------------------|------------------|----------------|
| 2022.1 | 28,037,034 | 100.00 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***