

HCUP Summary Statistics Report: NIS 1996 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	524650	129557	1.00	7.00	3.96	1.83
AGE : I:Age in years at admission	654053	154	0.00	124.00	46.77	28.36
AGEDAY : I:Age in days (when < 1 year)	84028	570179	0.00	364.00	15.26	55.10
AMONTH : I:Admission month	654207	0	1.00	12.00	6.45	3.47
ASOURCE : I:Admission source	632201	22006	1.00	5.00	3.35	1.92
ATYPE : I:Admission type	567067	87140	1.00	6.00	2.09	1.08
DCCHPR1 : I:CCHPR: principal diagnosis	653987	220	1.00	260.00	146.40	65.01
DIED : I:Died during hospitalization	653969	238	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	653969	238	1.00	20.00	2.19	3.27
DQTR : I:Discharge quarter	654207	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	654207	0	1.00	495.00	260.18	139.85
DRG10 : I:DRG, Version 10	654207	0	1.00	492.00	257.96	138.37
DRGVER : I:DRG grouper version used on disch date	654207	0	13.00	14.00	13.25	0.43
DSNDX : I:Max number of diagnoses from source	654207	0	9.00	30.00	15.23	7.97
DSNPR : I:Max number of procedures from source	654207	0	6.00	30.00	12.10	6.41
DSNUM : I:Data source ID number	654207	0	2.00	20.00	8.59	5.88
DSTYPE : I:Data source type	654207	0	1.00	2.00	1.19	0.39
DXSYS : I:Diagnosis coding system	654207	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	654113	94	0.00	1.00	0.00	0.01
DXV2 : I:Validity flag: diagnosis 2	571293	82914	0.00	1.00	0.00	0.01
DXV3 : I:Validity flag: diagnosis 3	464816	189391	0.00	1.00	0.00	0.01
DXV4 : I:Validity flag: diagnosis 4	371747	282460	0.00	1.00	0.00	0.01
DXV5 : I:Validity flag: diagnosis 5	290751	363456	0.00	1.00	0.00	0.01
DXV6 : I:Validity flag: diagnosis 6	218330	435877	0.00	1.00	0.00	0.01
DXV7 : I:Validity flag: diagnosis 7	164077	490130	0.00	1.00	0.00	0.01
DXV8 : I:Validity flag: diagnosis 8	120789	533418	0.00	1.00	0.00	0.01
DXV9 : I:Validity flag: diagnosis 9	86026	568181	0.00	1.00	0.00	0.01
DXV10 : I:Validity flag: diagnosis 10	39921	614286	0.00	1.00	0.00	0.01
DXV11 : I:Validity flag: diagnosis 11	14817	639390	0.00	1.00	0.00	0.01
DXV12 : I:Validity flag: diagnosis 12	10423	643784	0.00	1.00	0.00	0.01
DXV13 : I:Validity flag: diagnosis 13	7258	646949	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	5272	648935	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	3732	650475	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	654207	0	4005.00	55175.00	24744.98	15352.58

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	580192	74015	4001.00	55141.00	22647.61	14715.49
LOS : I:Length of stay (cleaned)	652536	1671	0.00	28745.00	5.07	37.80
LOS_X : I:Length of stay (uncleaned)	654207	0	-57.00	28745.00	5.07	37.88
MDC : I:MDC in effect on discharge date	654207	0	0.00	25.00	9.80	5.68
MDC10 : I:MDC, Version 10	654207	0	0.00	25.00	9.80	5.68
NDX : I:Number of diagnoses on this discharge	654207	0	0.00	30.00	4.63	2.92
NEOMAT : I:Neonatal and/or maternal DX and/or PR	654207	0	0.00	3.00	0.36	0.68
NPR : I:Number of procedures on this discharge	654207	0	0.00	25.00	1.42	1.77
PAY1 : I:Primary expected payer, uniform	651726	2481	1.00	6.00	2.25	1.19
PAY1_N : I:Primary expected payer, nonuniform	613047	41160	1.00	12.00	2.98	2.22
PAY2 : I:Secondary expected payer, uniform	184939	469268	1.00	6.00	3.28	0.99
PAY2_N : I:Secondary expected payer, nonuniform	171052	483155	1.00	12.00	4.43	2.01
PCCHPR1 : I:CCHPR: principal procedure	402367	251840	1.00	231.00	122.48	61.89
PRDAY1 : I:No. of days from admission to PR1	346411	307796	-4.00	1699.00	1.36	5.19
PROCESS : I:HCUP-3 discharge processing ID number	654207	0	9.604E10	9.6551E10	9.6247E10	153765887
PRSYS : I:Procedure coding system	647670	6537	1.00	3.00	1.00	0.03
PRV1 : I:Validity flag: principal procedure	402550	251657	0.00	1.00	0.00	0.02
PRV2 : I:Validity flag: procedure 2	229792	424415	0.00	1.00	0.00	0.03
PRV3 : I:Validity flag: procedure 3	131320	522887	0.00	1.00	0.00	0.04
PRV4 : I:Validity flag: procedure 4	70763	583444	0.00	1.00	0.00	0.03
PRV5 : I:Validity flag: procedure 5	40930	613277	0.00	1.00	0.00	0.03
PRV6 : I:Validity flag: procedure 6	24365	629842	0.00	1.00	0.00	0.03
PRV7 : I:Validity flag: procedure 7	10246	643961	0.00	1.00	0.00	0.01
PRV8 : I:Validity flag: procedure 8	6665	647542	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	4314	649893	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	2907	651300	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	1406	652801	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	1053	653154	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	729	653478	0.00	1.00	0.00	0.06
PRV14 : I:Validity flag: procedure 14	548	653659	0.00	1.00	0.02	0.14
PRV15 : I:Validity flag: procedure 15	392	653815	0.00	1.00	0.00	0.05
RACE : I:Race	526452	127755	1.00	6.00	1.46	0.94
SEQ : I:HCUP-3 record sequence number	654207	0	4.006E11	5.5176E12	2.4746E12	1.5353E12
SEQ_SID : I:HCUP-3 SID record sequence number	654207	0	4.007E11	5.5144E12	2.4692E12	1.5374E12

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
SEX : I:Sex	654160	47	1.00	2.00	1.59	0.49
TOTCHG : I:Total charges (cleaned)	641321	12886	1.00	1399159.0	10764.82	21072.51
TOTCHG_X : I:Total charges (from data source)	643021	11186	-1110.00	2942501.0	10810.07	21531.75
YEAR : Calendar year	654207	0	96.00	96.00	96.00	0.00
ZIPINC4 : I:Median income-pt's zip code-4 categs	624800	29407	1.00	4.00	2.41	1.23
ZIPINC8 : I:Median income-pt's zip code-8 categs	574363	79844	1.00	8.00	4.61	1.92
D10CWT_U : H:10% sample discharge wght in universe	654207	0	19.36	246.65	53.31	16.35

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	121985	18.65
B	7572	1.16
1	50285	7.69
2	89120	13.62
3	88164	13.48
4	84064	12.85
5	81799	12.50
6	79457	12.15
7	51761	7.91

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	11	0.00
A	17	0.00
C	126	0.02
0	84028	12.84
1	4348	0.66
2	2438	0.37
3	1982	0.30
4	1596	0.24
5	1465	0.22
6	1323	0.20
7	1193	0.18
8	1103	0.17
9	1079	0.16
10	1088	0.17
11	1096	0.17
12	1297	0.20
13	1426	0.22
14	1859	0.28
15	2528	0.39
16	3298	0.50
17	4227	0.65
18	4790	0.73
19	5631	0.86
20	5749	0.88
21	5838	0.89
22	6136	0.94
23	6077	0.93
24	6320	0.97
25	7059	1.08
26	7205	1.10
27	7659	1.17
28	7478	1.14
29	7631	1.17
30	7857	1.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8136	1.24
32	8589	1.31
33	8010	1.22
34	7727	1.18
35	7521	1.15
36	7113	1.09
37	7468	1.14
38	6599	1.01
39	6443	0.98
40	6288	0.96
41	6049	0.92
42	6382	0.98
43	5780	0.88
44	5674	0.87
45	5688	0.87
46	5622	0.86
47	6219	0.95
48	5778	0.88
49	6302	0.96
50	5181	0.79
51	5193	0.79
52	5898	0.90
53	5982	0.91
54	5782	0.88
55	5644	0.86
56	5619	0.86
57	6182	0.94
58	5725	0.88
59	5903	0.90
60	6285	0.96
61	6375	0.97
62	6894	1.05
63	6852	1.05
64	7069	1.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	7972	1.22
66	8393	1.28
67	9164	1.40
68	9291	1.42
69	9559	1.46
70	9665	1.48
71	10261	1.57
72	11110	1.70
73	10265	1.57
74	10895	1.67
75	10725	1.64
76	10504	1.61
77	10628	1.62
78	9993	1.53
79	9235	1.41
80	9113	1.39
81	8987	1.37
82	8998	1.38
83	8094	1.24
84	7338	1.12
85	7460	1.14
86	6034	0.92
87	5387	0.82
88	4830	0.74
89	4166	0.64
90	3494	0.53
91	2802	0.43
92	2276	0.35
93	1814	0.28
94	1380	0.21
95	1150	0.18
96	762	0.12
97	497	0.08
98	372	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	265	0.04
100	179	0.03
101	88	0.01
102	46	0.01
103	36	0.01
104	17	0.00
105	<= 10	**. **
106	<= 10	**. **
107	<= 10	**. **
108	<= 10	**. **
110	<= 10	**. **
111	<= 10	**. **
114	<= 10	**. **
115	<= 10	**. **
124	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	570038	87.13
.A: Invalid	15	0.00
.C: Inconsistent	126	0.02
0 days	73020	11.16
1 day	438	0.07
2 days	178	0.03
3 days	277	0.04
4 days	287	0.04
5 days	204	0.03
6 days	140	0.02
7 days	110	0.02
8 days	82	0.01
9 days	79	0.01
10 days	63	0.01
11 - 30 days	1304	0.20
31 - 60 days	1654	0.25
61 - 90 days	989	0.15
91 - 120 days	793	0.12
121 - 150 days	715	0.11
151 - 180 days	648	0.10
181 - 210 days	607	0.09
211 - 240 days	510	0.08
241 - 270 days	503	0.08
271 - 300 days	477	0.07
301 - 330 days	478	0.07
331 - 364 days	472	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	57791	8.83
2: February	53991	8.25
3: March	56319	8.61
4: April	55216	8.44
5: May	55005	8.41
6: June	51757	7.91
7: July	54336	8.31
8: August	53473	8.17
9: September	52904	8.09
10: October	55649	8.51
11: November	52421	8.01
12: December	55345	8.46

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	5356	0.82
.A: Invalid	32	0.00
.B: Unavailable from Source	16618	2.54
1: Emergency Department	236725	36.19
2: Another Hospital	22871	3.50
3: Other Health Facility, incl. LTC	11871	1.81
4: Court/Law Enforcement	856	0.13
5: Routine, Birth, and Other	359878	55.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ATYPE	Frequency	Percent of Total
.: Missing	2512	0.38
.A: Invalid	12	0.00
.B: Unavail from Source	84616	12.93
1: Emergency	224210	34.27
2: Urgent	139026	21.25
3: Elective	139607	21.34
4: Newborn	58064	8.88
5: Delivery	4952	0.76
6: Other	1208	0.18

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	74	0.01
A	146	0.02
1	269	0.04
2	7740	1.18
3	274	0.04
4	307	0.05
5	2547	0.39
6	435	0.07
7	1857	0.28
8	342	0.05
9	122	0.02
10	16	0.00
11	626	0.10
12	239	0.04
13	444	0.07
14	2169	0.33
15	932	0.14
16	227	0.03
17	581	0.09
18	345	0.05
19	2908	0.44
20	66	0.01
21	205	0.03
22	96	0.01
23	155	0.02
24	2304	0.35
25	802	0.12
26	673	0.10
27	503	0.08
28	146	0.02
29	2037	0.31
30	33	0.01
31	11	0.00
32	937	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	566	0.09
34	51	0.01
35	657	0.10
36	382	0.06
37	113	0.02
38	994	0.15
39	765	0.12
40	352	0.05
41	182	0.03
42	5084	0.78
43	193	0.03
44	810	0.12
45	5056	0.77
46	4217	0.64
47	2985	0.46
48	718	0.11
49	194	0.03
50	7532	1.15
51	728	0.11
52	334	0.05
53	13	0.00
54	181	0.03
55	8939	1.37
56	101	0.02
57	30	0.00
58	917	0.14
59	1840	0.28
60	172	0.03
61	1480	0.23
62	888	0.14
63	808	0.12
64	144	0.02
65	<= 10	**.**
66	5264	0.80

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	4404	0.67
68	2513	0.38
69	10463	1.60
70	4767	0.73
71	1130	0.17
72	1246	0.19
73	377	0.06
74	2701	0.41
75	<= 10	**.**
76	793	0.12
77	147	0.02
78	105	0.02
79	334	0.05
80	359	0.05
81	694	0.11
82	399	0.06
83	4131	0.63
84	1028	0.16
85	291	0.04
86	113	0.02
87	289	0.04
88	119	0.02
89	49	0.01
90	395	0.06
91	232	0.04
92	364	0.06
93	1005	0.15
94	179	0.03
95	2031	0.31
96	1730	0.26
97	1517	0.23
98	772	0.12
99	4504	0.69
100	13751	2.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	26251	4.01
102	9676	1.48
103	1574	0.24
104	123	0.02
105	1142	0.17
106	10558	1.61
107	381	0.06
108	17968	2.75
109	12007	1.84
110	3216	0.49
111	443	0.07
112	3611	0.55
113	13	0.00
114	2624	0.40
115	1636	0.25
116	1055	0.16
117	1636	0.25
118	3485	0.53
119	287	0.04
120	482	0.07
121	201	0.03
122	22388	3.42
123	253	0.04
124	722	0.11
125	3675	0.56
126	1711	0.26
127	9799	1.50
128	7969	1.22
129	3142	0.48
130	1917	0.29
131	3621	0.55
132	161	0.02
133	3016	0.46
134	961	0.15

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2241	0.34
136	571	0.09
137	286	0.04
138	2935	0.45
139	1036	0.16
140	2599	0.40
141	806	0.12
142	4088	0.62
143	2965	0.45
144	1313	0.20
145	5059	0.77
146	4179	0.64
147	823	0.13
148	355	0.05
149	8893	1.36
150	1190	0.18
151	1480	0.23
152	3645	0.56
153	5902	0.90
154	2351	0.36
155	2904	0.44
156	219	0.03
157	1612	0.25
158	551	0.08
159	7257	1.11
160	3496	0.53
161	826	0.13
162	631	0.10
163	600	0.09
164	2265	0.35
165	437	0.07
166	291	0.04
167	563	0.09
168	1544	0.24

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1633	0.25
170	3001	0.46
171	1357	0.21
172	1116	0.17
173	178	0.03
174	22	0.00
175	2050	0.31
176	68	0.01
177	536	0.08
178	245	0.04
179	74	0.01
180	745	0.11
181	6485	0.99
182	1121	0.17
183	3320	0.51
184	5257	0.80
185	1920	0.29
186	1451	0.22
187	2960	0.45
188	2738	0.42
189	5097	0.78
190	8025	1.23
191	3914	0.60
192	5059	0.77
193	13212	2.02
194	1965	0.30
195	7340	1.12
196	10717	1.64
197	6074	0.93
198	170	0.03
199	1416	0.22
200	246	0.04
201	1255	0.19
202	480	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	7759	1.19
204	692	0.11
205	9950	1.52
206	42	0.01
207	1362	0.21
208	151	0.02
209	566	0.09
210	324	0.05
211	2012	0.31
212	1657	0.25
213	680	0.10
214	359	0.05
215	210	0.03
216	111	0.02
217	834	0.13
218	72587	11.10
219	435	0.07
220	23	0.00
221	126	0.02
222	722	0.11
223	20	0.00
224	1023	0.16
225	1164	0.18
226	6568	1.00
227	245	0.04
228	1070	0.16
229	2652	0.41
230	5168	0.79
231	3148	0.48
232	1625	0.25
233	3299	0.50
234	1947	0.30
235	1037	0.16
236	1159	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	9044	1.38
238	6436	0.98
239	932	0.14
240	832	0.13
241	1260	0.19
242	2449	0.37
243	508	0.08
244	1575	0.24
245	3476	0.53
246	1195	0.18
247	354	0.05
248	1022	0.16
249	133	0.02
250	584	0.09
251	2814	0.43
252	249	0.04
253	369	0.06
254	6430	0.98
255	109	0.02
256	331	0.05
257	1492	0.23
258	13	0.00
259	801	0.12
260	<= 10	**.**

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	180	0.03
.A: Invalid	58	0.01
0: Did not Die in Hospital	637443	97.44
1: Died in Hospital	16526	2.53

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DISP	Frequency	Percent of Total
.	180	0.03
A	58	0.01
1	503664	76.99
2	15703	2.40
3	37164	5.68
4	5132	0.78
5	24374	3.73
6	45992	7.03
7	5414	0.83
20	16526	2.53

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	167615	25.62
2: Second Quarter	162651	24.86
3: Third Quarter	160145	24.48
4: Fourth Quarter	163796	25.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	2036	0.31
2	348	0.05
3	335	0.05
4	506	0.08
5	2972	0.45
6	24	0.00
7	353	0.05
8	222	0.03
9	156	0.02
10	921	0.14
11	187	0.03
12	1065	0.16
13	423	0.06
14	10808	1.65
15	4154	0.63
16	379	0.06
17	118	0.02
18	841	0.13
19	409	0.06
20	578	0.09
21	491	0.08
22	92	0.01
23	235	0.04
24	2471	0.38
25	1668	0.25
26	1109	0.17
27	489	0.07
28	666	0.10
29	422	0.06
30	394	0.06
31	209	0.03
32	216	0.03
33	135	0.02
34	837	0.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	353	0.05
36	319	0.05
37	130	0.02
38	<= 10	**.*
39	97	0.01
40	73	0.01
41	19	0.00
42	331	0.05
43	31	0.00
44	205	0.03
45	122	0.02
46	134	0.02
47	84	0.01
48	80	0.01
49	148	0.02
50	177	0.03
51	23	0.00
52	123	0.02
53	255	0.04
54	53	0.01
55	187	0.03
56	81	0.01
57	143	0.02
58	128	0.02
59	48	0.01
60	189	0.03
61	11	0.00
62	83	0.01
63	810	0.12
64	166	0.03
65	960	0.15
66	261	0.04
67	64	0.01
68	557	0.09

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
69	353	0.05
70	915	0.14
71	372	0.06
72	63	0.01
73	293	0.04
74	144	0.02
75	1838	0.28
76	1408	0.22
77	143	0.02
78	1214	0.19
79	6086	0.93
80	311	0.05
81	225	0.03
82	2495	0.38
83	305	0.05
84	124	0.02
85	629	0.10
86	56	0.01
87	1898	0.29
88	10403	1.59
89	12236	1.87
90	1695	0.26
91	3228	0.49
92	406	0.06
93	82	0.01
94	701	0.11
95	356	0.05
96	2528	0.39
97	2386	0.36
98	5473	0.84
99	1026	0.16
100	821	0.13
101	863	0.13
102	430	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	28	0.00
104	1049	0.16
105	951	0.15
106	4007	0.61
107	2802	0.43
108	515	0.08
110	2154	0.33
111	277	0.04
112	9845	1.50
113	1134	0.17
114	278	0.04
115	310	0.05
116	2279	0.35
117	108	0.02
118	171	0.03
119	91	0.01
120	954	0.15
121	4743	0.72
122	3776	0.58
123	1062	0.16
124	5616	0.86
125	3155	0.48
126	260	0.04
127	18073	2.76
128	548	0.08
129	152	0.02
130	3155	0.48
131	1169	0.18
132	5095	0.78
133	279	0.04
134	1282	0.20
135	282	0.04
136	61	0.01
137	73	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	5930	0.91
139	2494	0.38
140	4344	0.66
141	2351	0.36
142	1359	0.21
143	8024	1.23
144	2835	0.43
145	431	0.07
146	399	0.06
147	92	0.01
148	5280	0.81
149	882	0.13
150	901	0.14
151	364	0.06
152	193	0.03
153	154	0.02
154	1282	0.20
155	385	0.06
156	255	0.04
157	433	0.07
158	441	0.07
159	602	0.09
160	619	0.09
161	388	0.06
162	306	0.05
163	119	0.02
164	479	0.07
165	667	0.10
166	540	0.08
167	2304	0.35
168	92	0.01
169	73	0.01
170	524	0.08
171	137	0.02

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
172	1166	0.18
173	115	0.02
174	7106	1.09
175	929	0.14
176	548	0.08
177	426	0.07
178	215	0.03
179	986	0.15
180	2722	0.42
181	945	0.14
182	8316	1.27
183	4446	0.68
184	2262	0.35
185	359	0.05
186	103	0.02
187	72	0.01
188	2427	0.37
189	600	0.09
190	291	0.04
191	607	0.09
192	72	0.01
193	296	0.05
194	41	0.01
195	311	0.05
196	58	0.01
197	3448	0.53
198	3264	0.50
199	80	0.01
200	83	0.01
201	63	0.01
202	1571	0.24
203	1026	0.16
204	3077	0.47
205	1104	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	198	0.03
207	1216	0.19
208	657	0.10
209	10216	1.56
210	3720	0.57
211	893	0.14
212	343	0.05
213	250	0.04
214	2829	0.43
215	5534	0.85
216	243	0.04
217	1214	0.19
218	1169	0.18
219	2112	0.32
220	467	0.07
221	275	0.04
222	932	0.14
223	1101	0.17
224	822	0.13
225	504	0.08
226	301	0.05
227	554	0.08
228	167	0.03
229	279	0.04
230	144	0.02
231	857	0.13
232	66	0.01
233	244	0.04
234	255	0.04
235	321	0.05
236	1551	0.24
237	89	0.01
238	310	0.05
239	1868	0.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	551	0.08
241	266	0.04
242	158	0.02
243	3756	0.57
244	520	0.08
245	350	0.05
246	52	0.01
247	536	0.08
248	455	0.07
249	466	0.07
250	163	0.02
251	157	0.02
252	117	0.02
253	756	0.12
254	542	0.08
255	201	0.03
256	307	0.05
257	858	0.13
258	744	0.11
259	177	0.03
260	289	0.04
261	514	0.08
262	48	0.01
263	982	0.15
264	171	0.03
265	226	0.03
266	253	0.04
267	33	0.01
268	164	0.03
269	420	0.06
270	327	0.05
271	680	0.10
272	185	0.03
273	80	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	105	0.02
275	14	0.00
276	99	0.02
277	2986	0.46
278	1676	0.26
279	493	0.08
280	630	0.10
281	569	0.09
282	166	0.03
283	242	0.04
284	217	0.03
285	194	0.03
286	182	0.03
287	236	0.04
288	210	0.03
289	251	0.04
290	946	0.14
291	23	0.00
292	145	0.02
293	16	0.00
294	3238	0.49
295	1388	0.21
296	6298	0.96
297	1189	0.18
298	2284	0.35
299	90	0.01
300	623	0.10
301	231	0.04
302	270	0.04
303	721	0.11
304	667	0.10
305	461	0.07
306	286	0.04
307	67	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	304	0.05
309	163	0.02
310	984	0.15
311	617	0.09
312	63	0.01
313	32	0.00
314	<= 10	**. **
315	846	0.13
316	2559	0.39
317	46	0.01
318	190	0.03
319	17	0.00
320	4901	0.75
321	1180	0.18
322	845	0.13
323	1143	0.17
324	1284	0.20
325	219	0.03
326	96	0.01
327	21	0.00
328	27	0.00
329	<= 10	**. **
330	<= 10	**. **
331	1489	0.23
332	265	0.04
333	137	0.02
334	818	0.13
335	524	0.08
336	1487	0.23
337	944	0.14
338	103	0.02
339	109	0.02
340	76	0.01
341	223	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	<= 10	**.*
343	<= 10	**.*
344	121	0.02
345	46	0.01
346	156	0.02
347	<= 10	**.*
348	101	0.02
349	28	0.00
350	350	0.05
351	<= 10	**.*
352	54	0.01
353	232	0.04
354	470	0.07
355	501	0.08
356	1465	0.22
357	426	0.07
358	4202	0.64
359	7589	1.16
360	831	0.13
361	221	0.03
362	<= 10	**.*
363	214	0.03
364	194	0.03
365	238	0.04
366	212	0.03
367	39	0.01
368	793	0.12
369	621	0.09
370	4524	0.69
371	10312	1.58
372	6774	1.04
373	46836	7.16
374	3405	0.52
375	71	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
376	743	0.11
377	144	0.02
378	745	0.11
379	2296	0.35
380	434	0.07
381	666	0.10
382	372	0.06
383	3750	0.57
384	1030	0.16
385	1504	0.23
386	1212	0.19
387	2230	0.34
388	1851	0.28
389	6379	0.98
390	17939	2.74
391	43759	6.69
392	195	0.03
393	39	0.01
394	143	0.02
395	2877	0.44
396	485	0.07
397	795	0.12
398	944	0.14
399	215	0.03
400	372	0.06
401	237	0.04
402	89	0.01
403	1341	0.20
404	197	0.03
405	74	0.01
406	128	0.02
407	41	0.01
408	132	0.02
409	314	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
410	4273	0.65
411	<= 10	**. **
412	<= 10	**. **
413	357	0.05
414	53	0.01
415	1755	0.27
416	6488	0.99
417	487	0.07
418	1109	0.17
419	580	0.09
420	156	0.02
421	691	0.11
422	1284	0.20
423	560	0.09
424	136	0.02
425	903	0.14
426	2011	0.31
427	902	0.14
428	413	0.06
429	1985	0.30
430	15793	2.41
431	582	0.09
432	75	0.01
433	1180	0.18
434	2024	0.31
435	4405	0.67
436	650	0.10
437	1316	0.20
439	61	0.01
440	385	0.06
441	128	0.02
442	701	0.11
443	373	0.06
444	196	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
445	218	0.03
446	61	0.01
447	225	0.03
448	30	0.00
449	2309	0.35
450	1131	0.17
451	712	0.11
452	802	0.12
453	272	0.04
454	276	0.04
455	316	0.05
456	23	0.00
457	15	0.00
458	228	0.03
459	47	0.01
460	453	0.07
461	466	0.07
462	6288	0.96
463	472	0.07
464	154	0.02
465	71	0.01
466	849	0.13
467	662	0.10
468	2567	0.39
469	69	0.01
470	496	0.08
471	335	0.05
472	18	0.00
473	403	0.06
475	3568	0.55
476	151	0.02
477	1226	0.19
478	3448	0.53
479	664	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
480	80	0.01
481	219	0.03
482	342	0.05
483	1574	0.24
484	55	0.01
485	242	0.04
486	573	0.09
487	512	0.08
488	207	0.03
489	2386	0.36
490	596	0.09
491	340	0.05
492	388	0.06

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
13	490411	74.96
14	163796	25.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
9	59329	9.07
10	315043	48.16
11	31612	4.83
15	8300	1.27
16	52121	7.97
17	50791	7.76
30	137011	20.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
6	221897	33.92
8	23781	3.64
10	160306	24.50
15	111212	17.00
21	84616	12.93
25	44823	6.85
30	7572	1.16

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
2	50791	7.76
3	121983	18.65
4	84616	12.93
5	59329	9.07
6	16169	2.47
7	37588	5.75
8	8485	1.30
9	15443	2.36
10	23781	3.64
11	19708	3.01
12	8300	1.27
13	39262	6.00
14	22154	3.39
15	6839	1.05
16	52121	7.97
17	28205	4.31
18	7572	1.16
19	16618	2.54
20	35243	5.39

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	531722	81.28
2	122485	18.72

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	74	0.01
Valid DX	654133	99.99

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	74	0.01
C	20	0.00
0	653967	99.96
1	146	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	15443	2.36
CA	84616	12.93
CO	8300	1.27
CT	7572	1.16
FL	121983	18.65
IA	19708	3.01
IL	59329	9.07
KS	16618	2.54
MA	16169	2.47
MD	52121	7.97
MO	28205	4.31
NJ	23781	3.64
NY	50791	7.76
OR	6839	1.05
PA	39262	6.00
SC	22154	3.39
TN	35243	5.39
WA	8485	1.30
WI	37588	5.75

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
.	74015	11.31
04001	135	0.02
04003	210	0.03
04005	985	0.15
04007	181	0.03
04013	10753	1.64
04017	390	0.06
04019	2670	0.41
04021	119	0.02
06001	996	0.15
06007	716	0.11
06009	144	0.02
06013	458	0.07
06015	285	0.04
06019	2632	0.40
06021	29	0.00
06023	1275	0.19
06025	1241	0.19
06027	165	0.03
06029	1976	0.30
06031	487	0.07
06033	245	0.04
06037	22878	3.50
06039	834	0.13
06041	230	0.04
06055	919	0.14
06059	9176	1.40
06061	1235	0.19
06063	73	0.01
06065	4189	0.64
06067	5926	0.91
06071	5911	0.90
06073	10374	1.59
06075	261	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
06077	3002	0.46
06079	660	0.10
06081	381	0.06
06083	924	0.14
06085	1490	0.23
06087	1309	0.20
06091	<= 10	**. **
06093	337	0.05
06097	2085	0.32
06099	<= 10	**. **
06101	994	0.15
06107	416	0.06
06109	182	0.03
06111	164	0.03
08001	558	0.09
08015	115	0.02
08031	1606	0.25
08037	263	0.04
08043	350	0.05
08059	2230	0.34
08065	87	0.01
08071	131	0.02
08075	204	0.03
08083	253	0.04
08085	321	0.05
08087	277	0.04
08089	300	0.05
08095	18	0.00
08097	175	0.03
08099	162	0.02
08101	1031	0.16
08103	27	0.00
08107	138	0.02
08125	54	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
09001	2402	0.37
09003	3971	0.61
09005	317	0.05
09013	410	0.06
09015	472	0.07
12001	2714	0.41
12003	30	0.00
12005	1294	0.20
12007	67	0.01
12009	4089	0.63
12011	12254	1.87
12013	42	0.01
12015	2066	0.32
12017	1458	0.22
12019	1100	0.17
12023	681	0.10
12025	16850	2.58
12027	267	0.04
12031	9328	1.43
12033	3535	0.54
12035	173	0.03
12037	50	0.01
12039	45	0.01
12045	56	0.01
12047	55	0.01
12051	104	0.02
12053	1730	0.26
12055	1265	0.19
12057	5457	0.83
12059	97	0.01
12061	1452	0.22
12063	477	0.07
12069	988	0.15
12071	4613	0.71

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12073	3302	0.50
12075	86	0.01
12079	38	0.01
12083	1551	0.24
12087	734	0.11
12089	206	0.03
12091	657	0.10
12093	389	0.06
12095	7154	1.09
12097	883	0.13
12099	9717	1.49
12101	965	0.15
12103	11021	1.68
12105	3528	0.54
12107	681	0.10
12109	909	0.14
12111	754	0.12
12113	531	0.08
12115	4463	0.68
12117	663	0.10
12121	32	0.00
12123	86	0.01
12125	31	0.00
12127	1033	0.16
12131	101	0.02
12133	131	0.02
17007	161	0.02
17029	687	0.11
17031	31145	4.76
17043	4564	0.70
17045	84	0.01
17051	118	0.02
17053	130	0.02
17061	22	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17067	119	0.02
17069	73	0.01
17077	870	0.13
17089	1336	0.20
17091	942	0.14
17095	423	0.06
17097	212	0.03
17099	517	0.08
17105	256	0.04
17109	393	0.06
17111	1260	0.19
17115	838	0.13
17119	1328	0.20
17121	1017	0.16
17125	55	0.01
17141	103	0.02
17143	4311	0.66
17147	34	0.01
17165	147	0.02
17167	4497	0.69
17177	612	0.09
17179	72	0.01
17183	34	0.01
17185	111	0.02
17195	626	0.10
17199	624	0.10
17201	1608	0.25
19001	35	0.01
19003	48	0.01
19011	21	0.00
19013	939	0.14
19019	42	0.01
19025	187	0.03
19027	301	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19029	192	0.03
19035	107	0.02
19041	266	0.04
19043	71	0.01
19045	614	0.09
19049	55	0.01
19057	725	0.11
19059	157	0.02
19067	128	0.02
19075	18	0.00
19077	39	0.01
19085	62	0.01
19087	128	0.02
19089	46	0.01
19103	2545	0.39
19109	56	0.01
19111	643	0.10
19113	2570	0.39
19119	43	0.01
19123	197	0.03
19125	132	0.02
19131	68	0.01
19143	52	0.01
19145	61	0.01
19149	106	0.02
19151	28	0.00
19153	3165	0.48
19155	525	0.08
19157	248	0.04
19163	2071	0.32
19165	105	0.02
19167	15	0.00
19169	971	0.15
19175	146	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19179	610	0.09
19185	73	0.01
19193	1097	0.17
24001	954	0.15
24003	4616	0.71
24005	27671	4.23
24009	635	0.10
24019	370	0.06
24021	1478	0.23
24023	336	0.05
24025	670	0.10
24029	283	0.04
24031	7778	1.19
24033	2055	0.31
24037	627	0.10
24039	57	0.01
24041	865	0.13
24043	1558	0.24
24045	1976	0.30
24047	192	0.03
25003	1989	0.30
25005	635	0.10
25007	153	0.02
25009	659	0.10
25013	3896	0.60
25015	784	0.12
25017	1439	0.22
25021	1385	0.21
25023	682	0.10
25025	608	0.09
25027	3939	0.60
29001	637	0.10
29007	516	0.08
29019	645	0.10

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

HOSPSTCO	Frequency	Percent of Total
29031	972	0.15
29037	118	0.02
29039	92	0.01
29047	834	0.13
29049	140	0.02
29051	564	0.09
29071	194	0.03
29073	46	0.01
29075	78	0.01
29077	2533	0.39
29093	82	0.01
29095	503	0.08
29097	3027	0.46
29099	769	0.12
29109	195	0.03
29113	157	0.02
29145	181	0.03
29155	327	0.05
29161	774	0.12
29165	351	0.05
29167	318	0.05
29171	40	0.01
29177	118	0.02
29181	65	0.01
29183	2063	0.32
29189	11024	1.69
29195	218	0.03
29207	90	0.01
29213	497	0.08
29221	37	0.01
34003	4041	0.62
34005	517	0.08
34007	6687	1.02
34009	990	0.15

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34013	4170	0.64
34017	1672	0.26
34021	1077	0.16
34025	1796	0.27
34029	1504	0.23
34033	545	0.08
34037	782	0.12
36001	<= 10	**.**
36003	344	0.05
36005	4303	0.66
36009	149	0.02
36013	1309	0.20
36017	187	0.03
36027	2558	0.39
36029	4759	0.73
36031	102	0.02
36047	7866	1.20
36053	361	0.06
36055	3407	0.52
36059	2826	0.43
36061	5632	0.86
36063	1094	0.17
36065	1250	0.19
36067	1389	0.21
36069	300	0.05
36071	108	0.02
36075	792	0.12
36077	1335	0.20
36081	1384	0.21
36083	925	0.14
36087	333	0.05
36089	68	0.01
36097	152	0.02
36101	590	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
36103	3348	0.51
36105	733	0.11
36111	977	0.15
36117	553	0.08
36119	1651	0.25
41007	374	0.06
41011	766	0.12
41017	188	0.03
41019	703	0.11
41023	43	0.01
41033	344	0.05
41035	740	0.11
41039	2553	0.39
41047	305	0.05
41051	113	0.02
41059	225	0.03
41061	227	0.03
41065	258	0.04
42003	11369	1.74
42005	685	0.10
42011	2598	0.40
42013	102	0.02
42017	993	0.15
42021	817	0.12
42029	1858	0.28
42031	379	0.06
42033	511	0.08
42035	17	0.00
42041	199	0.03
42043	3298	0.50
42045	1318	0.20
42049	62	0.01
42057	118	0.02
42061	352	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42065	232	0.04
42071	1193	0.18
42077	470	0.07
42079	209	0.03
42081	147	0.02
42085	368	0.06
42091	4852	0.74
42097	132	0.02
42101	4083	0.62
42105	269	0.04
42107	910	0.14
42115	181	0.03
42119	635	0.10
42129	905	0.14
53001	18	0.00
53005	110	0.02
53007	123	0.02
53009	548	0.08
53011	1814	0.28
53019	39	0.01
53025	85	0.01
53027	461	0.07
53033	2244	0.34
53043	60	0.01
53049	57	0.01
53053	1352	0.21
53061	174	0.03
53063	909	0.14
53071	404	0.06
53075	87	0.01
55003	396	0.06
55005	96	0.01
55013	67	0.01
55015	62	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55017	111	0.02
55019	92	0.01
55021	165	0.03
55025	5848	0.89
55027	198	0.03
55033	174	0.03
55035	1652	0.25
55039	973	0.15
55043	337	0.05
55045	389	0.06
55055	420	0.06
55059	1276	0.20
55061	29	0.00
55071	191	0.03
55079	9531	1.46
55081	116	0.02
55083	74	0.01
55085	501	0.08
55087	1865	0.29
55091	62	0.01
55093	116	0.02
55095	51	0.01
55097	507	0.08
55101	1236	0.19
55103	164	0.03
55105	1585	0.24
55107	111	0.02
55109	225	0.03
55111	474	0.07
55115	285	0.04
55117	724	0.11
55119	115	0.02
55121	37	0.01
55125	52	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55127	386	0.06
55129	155	0.02
55131	191	0.03
55133	3108	0.48
55135	182	0.03
55137	45	0.01
55139	1016	0.16
55141	2198	0.34

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.C: Inconsistent	1671	0.26
0 days	13107	2.00
1 day	123273	18.84
2 days	138941	21.24
3 days	96259	14.71
4 days	64759	9.90
5 days	46006	7.03
6 days	34022	5.20
7 days	27901	4.26
8 days	19770	3.02
9 days	14364	2.20
10 days	11280	1.72
11 - 30 days	55650	8.51
31 - 60 days	5700	0.87
61 - 90 days	956	0.15
91 - 120 days	274	0.04
121 - 150 days	111	0.02
151 - 180 days	49	0.01
181 - 210 days	25	0.00
211 - 240 days	27	0.00
241 - 270 days	<= 10	**. **
271 - 300 days	<= 10	**. **
301 - 330 days	<= 10	**. **
331 - 365 days	<= 10	**. **
368	<= 10	**. **
372	<= 10	**. **
377	<= 10	**. **
384	<= 10	**. **
397	<= 10	**. **
403	<= 10	**. **
407	<= 10	**. **
445	<= 10	**. **
447	<= 10	**. **
454	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
461	<= 10	**. **
482	<= 10	**. **
493	<= 10	**. **
498	<= 10	**. **
502	<= 10	**. **
551	<= 10	**. **
553	<= 10	**. **
561	<= 10	**. **
617	<= 10	**. **
687	<= 10	**. **
708	<= 10	**. **
754	<= 10	**. **
808	<= 10	**. **
876	<= 10	**. **
893	<= 10	**. **
897	<= 10	**. **
1094	<= 10	**. **
1229	<= 10	**. **
1386	<= 10	**. **
1758	<= 10	**. **
2196	<= 10	**. **
2418	<= 10	**. **
2491	<= 10	**. **
3371	<= 10	**. **
5229	<= 10	**. **
28745	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	356	0.05
1	37703	5.76
2	1659	0.25
3	7701	1.18
4	64042	9.79
5	108572	16.60
6	51840	7.92
7	17395	2.66
8	49953	7.64
9	13565	2.07
10	17826	2.72
11	20219	3.09
12	5201	0.80
13	18322	2.80
14	82168	12.56
15	74953	11.46
16	5828	0.89
17	8580	1.31
18	13168	2.01
19	22801	3.49
20	9657	1.48
21	8356	1.28
22	794	0.12
23	8969	1.37
24	1384	0.21
25	3195	0.49

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	227860	34.83
Non-Blank	426347	65.17

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	73	0.01
1	82777	12.65
2	106494	16.28
3	93090	14.23
4	81009	12.38
5	72426	11.07
6	54258	8.29
7	43285	6.62
8	34768	5.31
9	46106	7.05
10	25103	3.84
11	4395	0.67
12	3165	0.48
13	1986	0.30
14	1540	0.24
15	2358	0.36
16	641	0.10
17	202	0.03
18	147	0.02
19	92	0.01
20	65	0.01
21	53	0.01
22	52	0.01
23	28	0.00
24	27	0.00
25	39	0.01
26	<= 10	**. **
27	12	0.00
28	<= 10	**. **
29	<= 10	**. **
30	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	495379	75.72
1: Maternal	83204	12.72
2: Neonatal	75587	11.55
3: Neonatal and Maternal	37	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	251436	38.43
1	172968	26.44
2	98476	15.05
3	60562	9.26
4	29835	4.56
5	16564	2.53
6	14120	2.16
7	3581	0.55
8	2351	0.36
9	1407	0.22
10	1501	0.23
11	353	0.05
12	324	0.05
13	180	0.03
14	157	0.02
15	220	0.03
16	43	0.01
17	30	0.00
18	20	0.00
19	15	0.00
20	15	0.00
21	42	0.01
22	<= 10	**,**
24	<= 10	**,**
25	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
.: Missing	2297	0.35
.A: Invalid	184	0.03
1: Medicare	236400	36.14
2: Medicaid	115502	17.66
3: Private Insurance	244958	37.44
4: Self-pay	31885	4.87
5: No Charge	1095	0.17
6: Other	21886	3.35

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	40976	6.26
A	184	0.03
1	221840	33.91
2	108586	16.60
3	32675	4.99
4	109500	16.74
5	89020	13.61
6	30045	4.59
7	1095	0.17
8	<= 10	**,**
9	4074	0.62
10	2524	0.39
11	5915	0.90
12	7769	1.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	250050	38.22
C	29191	4.46
.: Missing	189855	29.02
.A: Invalid	172	0.03
1: Medicare	5718	0.87
2: Medicaid	23829	3.64
3: Private Insurance	88900	13.59
4: Self-pay	56074	8.57
5: No Charge	241	0.04
6: Other	10177	1.56

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	206099	31.50
A	172	0.03
B	250050	38.22
C	26834	4.10
1	5256	0.80
2	21247	3.25
3	29853	4.56
4	46545	7.11
5	6663	1.02
6	55711	8.52
7	241	0.04
8	<= 10	**,**
9	201	0.03
10	312	0.05
11	574	0.09
12	4448	0.68

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	251639	38.46
A	201	0.03
1	1424	0.22
2	531	0.08
3	6609	1.01
4	4811	0.74
5	926	0.14
6	82	0.01
7	287	0.04
8	240	0.04
9	1203	0.18
10	973	0.15
11	38	0.01
12	538	0.08
13	53	0.01
14	104	0.02
15	146	0.02
16	175	0.03
17	23	0.00
18	21	0.00
19	387	0.06
20	318	0.05
21	140	0.02
22	36	0.01
23	124	0.02
24	73	0.01
25	<= 10	**.**
26	241	0.04
27	351	0.05
28	199	0.03
29	224	0.03
30	413	0.06
31	125	0.02
32	242	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1282	0.20
34	1307	0.20
35	567	0.09
36	1194	0.18
37	3228	0.49
38	276	0.04
39	3335	0.51
40	328	0.05
41	287	0.04
42	802	0.12
43	1484	0.23
44	7054	1.08
45	8790	1.34
46	<= 10	**,**
47	12415	1.90
48	3650	0.56
49	1224	0.19
50	14	0.00
51	2891	0.44
52	854	0.13
53	74	0.01
54	4071	0.62
55	1988	0.30
56	225	0.03
57	1219	0.19
58	2920	0.45
59	110	0.02
60	361	0.06
61	3660	0.56
62	833	0.13
63	972	0.15
64	182	0.03
65	1222	0.19
66	402	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	939	0.14
69	214	0.03
70	11649	1.78
71	1819	0.28
72	198	0.03
73	135	0.02
74	403	0.06
75	897	0.14
76	4509	0.69
77	282	0.04
78	4784	0.73
79	25	0.00
80	4237	0.65
81	280	0.04
82	732	0.11
83	502	0.08
84	7644	1.17
85	970	0.15
86	1636	0.25
87	370	0.06
88	1149	0.18
89	511	0.08
90	1206	0.18
91	392	0.06
92	122	0.02
93	1735	0.27
94	1561	0.24
95	1207	0.18
96	2020	0.31
97	274	0.04
98	1059	0.16
99	1806	0.28
100	1246	0.19
101	1765	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
102	607	0.09
103	495	0.08
104	784	0.12
105	276	0.04
106	949	0.15
107	102	0.02
108	251	0.04
109	418	0.06
110	404	0.06
111	420	0.06
112	983	0.15
113	2924	0.45
114	1314	0.20
115	20391	3.12
116	73	0.01
117	89	0.01
118	585	0.09
119	1340	0.20
120	612	0.09
121	1266	0.19
122	442	0.07
123	218	0.03
124	10595	1.62
125	626	0.10
126	66	0.01
127	847	0.13
128	287	0.04
129	855	0.13
130	157	0.02
131	149	0.02
132	1065	0.16
133	13302	2.03
134	14807	2.26
135	7085	1.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
136	1370	0.21
137	20687	3.16
138	156	0.02
139	1168	0.18
140	11138	1.70
141	180	0.03
142	763	0.12
143	83	0.01
144	540	0.08
145	1055	0.16
146	5434	0.83
147	3481	0.53
148	1459	0.22
149	88	0.01
150	77	0.01
151	152	0.02
152	5914	0.90
153	5388	0.82
154	1174	0.18
155	574	0.09
156	109	0.02
157	2032	0.31
158	1896	0.29
159	416	0.06
160	1885	0.29
161	699	0.11
162	1124	0.17
163	157	0.02
164	685	0.10
165	100	0.02
166	544	0.08
167	1663	0.25
168	1222	0.19
169	4097	0.63

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
170	473	0.07
171	1355	0.21
172	660	0.10
173	247	0.04
174	2523	0.39
175	867	0.13
176	134	0.02
177	5556	0.85
178	538	0.08
179	1614	0.25
180	327	0.05
181	203	0.03
182	28	0.00
183	225	0.03
184	13	0.00
185	308	0.05
186	79	0.01
187	522	0.08
188	716	0.11
189	282	0.04
190	260	0.04
191	612	0.09
192	565	0.09
193	4441	0.68
194	238	0.04
195	592	0.09
196	1118	0.17
197	1392	0.21
198	1634	0.25
199	413	0.06
200	12	0.00
201	1543	0.24
202	660	0.10
203	1952	0.30

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
204	361	0.06
205	1547	0.24
206	177	0.03
207	323	0.05
208	690	0.11
209	638	0.10
210	53	0.01
211	1470	0.22
212	255	0.04
213	2952	0.45
214	753	0.12
215	944	0.14
216	8848	1.35
217	3328	0.51
218	2627	0.40
219	7457	1.14
220	42	0.01
221	575	0.09
222	3963	0.61
223	911	0.14
224	5029	0.77
225	1385	0.21
226	1012	0.15
227	946	0.14
228	5718	0.87
229	102	0.02
230	<= 10	**.**
231	7300	1.12

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PR1	Frequency	Percent of Total
Blank	251639	38.46
Valid PR	402568	61.54

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	223176	34.11
.B: Unavail from Source	84432	12.91
.C: Inconsistent	188	0.03
-4 days	<= 10	**.*
-3 days	77	0.01
-2 days	210	0.03
-1 day	1699	0.26
0 days	195123	29.83
1 day	70842	10.83
2 days	27047	4.13
3 days	15196	2.32
4 days	9775	1.49
5 days	6279	0.96
6 - 30 days	19501	2.98
31 - 60 days	535	0.08
61 - 90 days	86	0.01
91 - 120 days	17	0.00
121 - 150 days	<= 10	**.*
151 - 180 days	<= 10	**.*
181 - 210 days	<= 10	**.*
271 - 300 days	<= 10	**.*
366	<= 10	**.*
367	<= 10	**.*
399	<= 10	**.*
407	<= 10	**.*
588	<= 10	**.*
1096	<= 10	**.*
1699	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
.	6537	1.00
1	647509	98.98
3	161	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	251639	38.46
C	18	0.00
0	402349	61.50
1	201	0.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	17854	2.73
.A: Invalid	<= 10	**.*
.B: Unavail from Source	109896	16.80
1: White	385901	58.99
2: Black	74552	11.40
3: Hispanic	48054	7.35
4: Asian/Pacific Islander	7700	1.18
5: Native American	2001	0.31
6: Other	8244	1.26

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	21	0.00
C	26	0.00
1	270567	41.36
2	383593	58.63

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	414113	63.30
Non-Blank	240094	36.70

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	11219	1.71
.A: Invalid	<= 10	**. **
.C: Inconsistent	1664	0.25
\$ 1- \$ 9	<= 10	**. **
\$11- \$19	<= 10	**. **
\$25- \$1,000	47113	7.20
\$1,001- \$5,000	236855	36.20
\$5,001- \$10,000	168991	25.83
\$10,001- \$50,000	171881	26.27
\$50,001- \$100,000	11981	1.83
\$100,001- \$200,000	3376	0.52
\$200,001- \$300,000	680	0.10
\$300,001- \$400,000	204	0.03
\$400,001- \$500,000	95	0.01
\$500,001-\$1,000,000	124	0.02
1031551	<= 10	**. **
1050830	<= 10	**. **
1076692	<= 10	**. **
1140475	<= 10	**. **
1167845	<= 10	**. **
1246586	<= 10	**. **
1331345	<= 10	**. **
1399159	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
96	654207	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	29407	4.50
1: \$0-\$25,000	211032	32.26
2: \$25,001-\$30,000	130984	20.02
3: \$30,001-\$35,000	96927	14.82
4: \$35,001+	185857	28.41

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC8	Frequency	Percent of Total
.: Missing	79844	12.20
1: \$0-\$15,000	18352	2.81
2: \$15,001-\$20,000	53275	8.14
3: \$20,001-\$25,000	116326	17.78
4: \$25,001-\$30,000	116896	17.87
5: \$30,001-\$35,000	92669	14.17
6: \$35,001-\$40,000	64581	9.87
7: \$40,001-\$45,000	42946	6.56
8: \$45,001+	69318	10.60

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	654053	Sum Weights	654053
Mean	46.7680815	Sum Observations	30588804
Std Deviation	28.358255	Variance	804.190627
Skewness	-0.2484615	Kurtosis	-1.1434472
Uncorrected SS	1956562166	Corrected SS	525982488
Coeff Variation	60.6359169	Std Error Mean	0.03506493

Basic Statistical Measures			
Location		Variability	
Mean	46.76808	Std Deviation	28.35826
Median	49.00000	Variance	804.19063
Mode	0.00000	Range	124.00000
		Interquartile Range	47.00000

Tests for Location: $\mu_0=0$				
Test	Statistic		p Value	
Student's t	t	1333.756	Pr > t 	<.0001
Sign	M	285012.5	Pr >= M 	<.0001
Signed Rank	S	8.123E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	124
99%	93
95%	86
90%	82
75% Q3	72
50% Median	49
25% Q1	25
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	11	0.00	7.14
A	17	0.00	11.04
C	126	0.02	81.82
Total	154	0.02	100.00

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	652536	Sum Weights	652536
Mean	5.06543547	Sum Observations	3305379
Std Deviation	37.8018155	Variance	1428.97725
Skewness	680.272267	Kurtosis	512766.224
Uncorrected SS	949200857	Corrected SS	932457673
Coeff Variation	746.269807	Std Error Mean	0.04679618

Basic Statistical Measures			
Location		Variability	
Mean	5.065435	Std Deviation	37.80182
Median	3.000000	Variance	1429
Mode	2.000000	Range	28745
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	108.2446	Pr > t 	<.0001
Sign	M	319714.5	Pr >= M 	<.0001
Signed Rank	S	1.022E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	28745
99%	32
95%	15
90%	10
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	1671	0.26	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	654207	Sum Weights	654207
Mean	5.06839578	Sum Observations	3315780
Std Deviation	37.8820214	Variance	1435.04755
Skewness	674.494806	Kurtosis	507150.245
Uncorrected SS	955622400	Corrected SS	938816715
Coeff Variation	747.416402	Std Error Mean	0.04683554

Basic Statistical Measures			
Location		Variability	
Mean	5.068396	Std Deviation	37.88202
Median	3.000000	Variance	1435
Mode	2.000000	Range	28802
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	108.2169	Pr > t 	<.0001
Sign	M	320512	Pr >= M 	<.0001
Signed Rank	S	1.027E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	28745
99%	32
95%	15
90%	10
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-57

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	641321	Sum Weights	641321
Mean	10764.8199	Sum Observations	6903705065
Std Deviation	21072.5059	Variance	444050505
Skewness	14.1046637	Kurtosis	408.699065
Uncorrected SS	3.59096E14	Corrected SS	2.84778E14
Coeff Variation	195.753446	Std Error Mean	26.31349

Basic Statistical Measures			
Location		Variability	
Mean	10764.82	Std Deviation	21073
Median	5773.00	Variance	444050505
Mode	1900.00	Range	1399158
		Interquartile Range	8586

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	409.0989	Pr > t 	<.0001
Sign	M	320660.5	Pr >= M 	<.0001
Signed Rank	S	1.028E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1399159
99%	83056
95%	34244
90%	22423
75% Q3	11493
50% Median	5773
25% Q1	2907
10%	1304
5%	780

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	436
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	11219	1.71	87.06
A	3	0.00	0.02
C	1664	0.25	12.91
Total	12886	1.97	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	643021	Sum Weights	643021
Mean	10810.0738	Sum Observations	6951104494
Std Deviation	21531.7462	Variance	463616094
Skewness	17.5034319	Kurtosis	923.208889
Uncorrected SS	3.73256E14	Corrected SS	2.98114E14
Coeff Variation	199.18223	Std Error Mean	26.8513839

Basic Statistical Measures			
Location		Variability	
Mean	10810.07	Std Deviation	21532
Median	5779.00	Variance	463616094
Mode	1900.00	Range	2943611
		Interquartile Range	8628

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	402.5891	Pr > t 	<.0001
Sign	M	321508.5	Pr >= M 	<.0001
Signed Rank	S	1.034E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2942501.00
99%	83402.00
95%	34408.00
90%	22569.60
75% Q3	11531.00
50% Median	5779.00
25% Q1	2903.29
10%	1295.79
5%	772.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	426.60
0% Min	-1110.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	11185	1.71	99.99
A	1	0.00	0.01
Total	11186	1.71	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.