

HCUP Summary Statistics Report: NIS 2012 - Severity File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|---|-----------|--------|---------------|---------------|---------------|---------------|
| HOSP_NIS : NIS hospital number | 7,296,968 | 0 | 10,002.00 | 90,539.00 | 50,527.87 | 24,496.52 |
| KEY_NIS : NIS record number | 7,296,968 | 0 | 10,000,001.00 | 90,984,195.00 | 50,710,327.94 | 24,465,833.11 |
| APRDRG : All Patient Refined DRG | 7,296,968 | 0 | 1.00 | 956.00 | 400.71 | 234.42 |
| APRDRG_Risk_Mortality : All Patient Refined DRG: Risk of Mortality Subclass | 7,296,968 | 0 | 0.00 | 4.00 | 1.63 | 0.88 |
| APRDRG_Severity : All Patient Refined DRG: Severity of Illness Subclass | 7,296,968 | 0 | 0.00 | 4.00 | 1.96 | 0.89 |
| CM_AIDS : AHRQ comorbidity measure: Acquired immune deficiency syndrome | 7,296,968 | 0 | 0.00 | 1.00 | 0.00 | 0.04 |
| CM_ALCOHOL : AHRQ comorbidity measure: Alcohol abuse | 7,296,968 | 0 | 0.00 | 1.00 | 0.04 | 0.20 |
| CM_ANEMDEF : AHRQ comorbidity measure: Deficiency anemias | 7,296,968 | 0 | 0.00 | 1.00 | 0.15 | 0.35 |
| CM_ARTH : AHRQ comorbidity measure: Rheumatoid arthritis/collagen vascular diseases | 7,296,968 | 0 | 0.00 | 1.00 | 0.02 | 0.15 |
| CM_BLDLOSS : AHRQ comorbidity measure: Chronic blood loss anemia | 7,296,968 | 0 | 0.00 | 1.00 | 0.02 | 0.14 |
| CM_CHF : AHRQ comorbidity measure: Congestive heart failure | 7,296,968 | 0 | 0.00 | 1.00 | 0.07 | 0.25 |

(Continued)

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NIS 2012 - Severity File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|-----------|--------|---------|---------|------|---------|
| CM_CHRNLUNG : AHRQ comorbidity measure: Chronic pulmonary disease | 7,296,968 | 0 | 0.00 | 1.00 | 0.16 | 0.36 |
| CM_COAG : AHRQ comorbidity measure: Coagulopathy | 7,296,968 | 0 | 0.00 | 1.00 | 0.04 | 0.20 |
| CM_DEPRESS : AHRQ comorbidity measure: Depression | 7,296,968 | 0 | 0.00 | 1.00 | 0.09 | 0.29 |
| CM_DM : AHRQ comorbidity measure: Diabetes, uncomplicated | 7,296,968 | 0 | 0.00 | 1.00 | 0.16 | 0.37 |
| CM_DMCX : AHRQ comorbidity measure: Diabetes with chronic complications | 7,296,968 | 0 | 0.00 | 1.00 | 0.04 | 0.19 |
| CM_DRUG : AHRQ comorbidity measure: Drug abuse | 7,296,968 | 0 | 0.00 | 1.00 | 0.04 | 0.19 |
| CM_HTN_C : AHRQ comorbidity measure: Hypertension (combine uncomplicated and complicated) | 7,296,968 | 0 | 0.00 | 1.00 | 0.41 | 0.49 |
| CM_HYPOTHY : AHRQ comorbidity measure: Hypothyroidism | 7,296,968 | 0 | 0.00 | 1.00 | 0.10 | 0.29 |
| CM_LIVER : AHRQ comorbidity measure: Liver disease | 7,296,968 | 0 | 0.00 | 1.00 | 0.03 | 0.16 |
| CM_LYMPH : AHRQ comorbidity measure: Lymphoma | 7,296,968 | 0 | 0.00 | 1.00 | 0.01 | 0.08 |
| CM_LYTES : AHRQ comorbidity measure: Fluid and electrolyte disorders | 7,296,968 | 0 | 0.00 | 1.00 | 0.20 | 0.40 |

(Continued)

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NIS 2012 - Severity File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|-----------|--------|---------|---------|------|---------|
| CM_METS : AHRQ comorbidity measure: Metastatic cancer | 7,296,968 | 0 | 0.00 | 1.00 | 0.02 | 0.13 |
| CM_NEURO : AHRQ comorbidity measure: Other neurological disorders | 7,296,968 | 0 | 0.00 | 1.00 | 0.06 | 0.25 |
| CM_OBESE : AHRQ comorbidity measure: Obesity | 7,296,968 | 0 | 0.00 | 1.00 | 0.10 | 0.30 |
| CM_PARA : AHRQ comorbidity measure: Paralysis | 7,296,968 | 0 | 0.00 | 1.00 | 0.02 | 0.14 |
| CM_PERIVASC : AHRQ comorbidity measure: Peripheral vascular disorders | 7,296,968 | 0 | 0.00 | 1.00 | 0.05 | 0.21 |
| CM_PSYCH : AHRQ comorbidity measure: Psychoses | 7,296,968 | 0 | 0.00 | 1.00 | 0.04 | 0.20 |
| CM_PULMCIRC : AHRQ comorbidity measure: Pulmonary circulation disorders | 7,296,968 | 0 | 0.00 | 1.00 | 0.02 | 0.13 |
| CM_RENLFAIL : AHRQ comorbidity measure: Renal failure | 7,296,968 | 0 | 0.00 | 1.00 | 0.10 | 0.30 |
| CM_TUMOR : AHRQ comorbidity measure: Solid tumor without metastasis | 7,296,968 | 0 | 0.00 | 1.00 | 0.02 | 0.13 |
| CM_ULCER : AHRQ comorbidity measure: Peptic ulcer disease excluding bleeding | 7,296,968 | 0 | 0.00 | 1.00 | 0.00 | 0.02 |

(Continued)

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NIS 2012 - Severity File
Means of Continuous Data Elements***

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|---|-----------|--------|---------|---------|------|---------|
| CM_VALVE : AHRQ comorbidity measure: Valvular disease | 7,296,968 | 0 | 0.00 | 1.00 | 0.03 | 0.17 |
| CM_WGHTLOSS : AHRQ comorbidity measure: Weight loss | 7,296,968 | 0 | 0.00 | 1.00 | 0.04 | 0.19 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 1: Liver transplant &/or intestinal transplant | 1,186 | 0.02% |
| 2: Heart &/or lung transplant | 851 | 0.01% |
| 3: Bone marrow transplant | 3,459 | 0.05% |
| 4: Tracheostomy w MV 96+ hours w extensive procedure or ECMO | 8,127 | 0.11% |
| 5: Tracheostomy w MV 96+ hours w/o extensive procedure | 8,019 | 0.11% |
| 6: Pancreas transplant | 195 | 0.00% |
| 20: Craniotomy for trauma | 4,704 | 0.06% |
| 21: Craniotomy except for trauma | 22,803 | 0.31% |
| 22: Ventricular shunt procedures | 5,496 | 0.08% |
| 23: Spinal procedures | 7,223 | 0.10% |
| 24: Extracranial vascular procedures | 25,579 | 0.35% |
| 26: Other nervous system & related procedures | 5,091 | 0.07% |
| 40: Spinal disorders & injuries | 1,593 | 0.02% |
| 41: Nervous system malignancy | 9,295 | 0.13% |
| 42: Degenerative nervous system disorders exc mult sclerosis | 18,428 | 0.25% |
| 43: Multiple sclerosis & other demyelinating diseases | 5,598 | 0.08% |
| 44: Intracranial hemorrhage | 16,814 | 0.23% |
| 45: CVA & precerebral occlusion w infarct | 85,463 | 1.17% |
| 46: Nonspecific CVA & precerebral occlusion w/o infarct | 3,700 | 0.05% |
| 47: Transient ischemia | 34,099 | 0.47% |
| 48: Peripheral, cranial & autonomic nerve disorders | 19,955 | 0.27% |
| 49: Bacterial & tuberculous infections of nervous system | 2,746 | 0.04% |
| 50: Non-bacterial infections of nervous system exc viral meningitis | 3,550 | 0.05% |
| 51: Viral meningitis | 5,017 | 0.07% |
| 52: Nontraumatic stupor & coma | 22,307 | 0.31% |
| 53: Seizure | 56,457 | 0.77% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 54: Migraine & other headaches | 17,371 | 0.24% |
| 55: Head trauma w coma >1 hr or hemorrhage | 19,946 | 0.27% |
| 56: Brain contusion/laceration & complicated skull Fx, coma < 1 hr or no coma | 3,454 | 0.05% |
| 57: Concussion, closed skull Fx nos,uncomplicated intracranial injury, coma < 1 hr or no coma | 8,935 | 0.12% |
| 58: Other disorders of nervous system | 24,128 | 0.33% |
| 70: Orbital procedures | 1,038 | 0.01% |
| 73: Eye procedures except orbit | 1,231 | 0.02% |
| 80: Acute major eye infections | 1,874 | 0.03% |
| 82: Eye disorders except major infections | 5,328 | 0.07% |
| 89: Major cranial/facial bone procedures | 3,469 | 0.05% |
| 90: Major larynx & trachea procedures | 1,013 | 0.01% |
| 91: Other major head & neck procedures | 1,553 | 0.02% |
| 92: Facial bone procedures except major cranial/facial bone procedures | 4,804 | 0.07% |
| 93: Sinus & mastoid procedures | 1,102 | 0.02% |
| 95: Cleft lip & palate repair | 1,737 | 0.02% |
| 97: Tonsil & adenoid procedures | 4,321 | 0.06% |
| 98: Other ear, nose, mouth & throat procedures | 5,994 | 0.08% |
| 110: Ear, nose, mouth, throat, cranial/facial malignancies | 2,144 | 0.03% |
| 111: Vertigo & other labyrinth disorders | 12,422 | 0.17% |
| 113: Infections of upper respiratory tract | 21,457 | 0.29% |
| 114: Dental & oral diseases & injuries | 6,691 | 0.09% |
| 115: Other ear, nose, mouth,throat & cranial/facial diagnoses | 12,730 | 0.17% |
| 120: Major respiratory & chest procedures | 12,705 | 0.17% |
| 121: Other respiratory & chest procedures | 15,799 | 0.22% |
| 130: Respiratory system diagnosis w ventilator support 96+ hours | 13,927 | 0.19% |
| 131: Cystic fibrosis - pulmonary disease | 3,922 | 0.05% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 132: BPD & oth chronic respiratory diseases arising in perinatal period | 1,120 | 0.02% |
| 133: Pulmonary edema & respiratory failure | 60,419 | 0.83% |
| 134: Pulmonary embolism | 35,234 | 0.48% |
| 135: Major chest & respiratory trauma | 11,987 | 0.16% |
| 136: Respiratory malignancy | 18,841 | 0.26% |
| 137: Major respiratory infections & inflammations | 50,512 | 0.69% |
| 138: Bronchiolitis & RSV pneumonia | 23,895 | 0.33% |
| 139: Other pneumonia | 179,370 | 2.46% |
| 140: Chronic obstructive pulmonary disease | 154,587 | 2.12% |
| 141: Asthma | 47,052 | 0.64% |
| 142: Interstitial & alveolar lung diseases | 6,624 | 0.09% |
| 143: Other respiratory diagnoses except signs, symptoms & minor diagnoses | 24,193 | 0.33% |
| 144: Respiratory signs, symptoms & minor diagnoses | 31,768 | 0.44% |
| 160: Major cardiothoracic repair of heart anomaly | 1,315 | 0.02% |
| 161: Cardiac defibrillator & heart assist implant | 14,589 | 0.20% |
| 162: Cardiac valve procedures w cardiac catheterization | 5,152 | 0.07% |
| 163: Cardiac valve procedures w/o cardiac catheterization | 15,611 | 0.21% |
| 165: Coronary bypass w cardiac cath or percutaneous cardiac procedure | 18,381 | 0.25% |
| 166: Coronary bypass w/o cardiac cath or percutaneous cardiac procedure | 14,499 | 0.20% |
| 167: Other cardiothoracic procedures | 3,202 | 0.04% |
| 169: Major thoracic & abdominal vascular procedures | 6,962 | 0.10% |
| 170: Permanent cardiac pacemaker implant w AMI, heart failure or shock | 1,225 | 0.02% |
| 171: Perm cardiac pacemaker implant w/o AMI, heart failure or shock | 22,520 | 0.31% |
| 173: Other vascular procedures | 43,579 | 0.60% |
| 174: Percutaneous cardiovascular procedures w AMI | 55,140 | 0.76% |
| 175: Percutaneous cardiovascular procedures w/o AMI | 61,111 | 0.84% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|--|-----------|------------------|
| 176: Cardiac pacemaker & defibrillator device replacement | 1,914 | 0.03% |
| 177: Cardiac pacemaker & defibrillator revision except device replacement | 3,171 | 0.04% |
| 180: Other circulatory system procedures | 4,806 | 0.07% |
| 190: Acute myocardial infarction | 53,099 | 0.73% |
| 191: Cardiac catheterization w circ disord exc ischemic heart disease | 29,332 | 0.40% |
| 192: Cardiac catheterization for ischemic heart disease | 40,605 | 0.56% |
| 193: Acute & subacute endocarditis | 1,804 | 0.02% |
| 194: Heart failure | 171,198 | 2.35% |
| 196: Cardiac arrest | 2,714 | 0.04% |
| 197: Peripheral & other vascular disorders | 44,381 | 0.61% |
| 198: Angina pectoris & coronary atherosclerosis | 50,981 | 0.70% |
| 199: Hypertension | 21,158 | 0.29% |
| 200: Cardiac structural & valvular disorders | 3,606 | 0.05% |
| 201: Cardiac arrhythmia & conduction disorders | 114,712 | 1.57% |
| 203: Chest pain | 46,913 | 0.64% |
| 204: Syncope & collapse | 49,490 | 0.68% |
| 205: Cardiomyopathy | 1,093 | 0.01% |
| 206: Malfunction, reaction, complication of cardiac/vasc device or procedure | 8,015 | 0.11% |
| 207: Other circulatory system diagnoses | 18,657 | 0.26% |
| 220: Major stomach, esophageal & duodenal procedures | 14,894 | 0.20% |
| 221: Major small & large bowel procedures | 70,046 | 0.96% |
| 222: Other stomach, esophageal & duodenal procedures | 6,281 | 0.09% |
| 223: Other small & large bowel procedures | 11,227 | 0.15% |
| 224: Peritoneal adhesiolysis | 7,381 | 0.10% |
| 225: Appendectomy | 47,418 | 0.65% |
| 226: Anal procedures | 6,282 | 0.09% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 227: Hernia procedures except inguinal, femoral & umbilical | 17,773 | 0.24% |
| 228: Inguinal, femoral & umbilical hernia procedures | 7,610 | 0.10% |
| 229: Other digestive system & abdominal procedures | 6,531 | 0.09% |
| 240: Digestive malignancy | 13,142 | 0.18% |
| 241: Peptic ulcer & gastritis | 46,071 | 0.63% |
| 242: Major esophageal disorders | 5,927 | 0.08% |
| 243: Other esophageal disorders | 20,446 | 0.28% |
| 244: Diverticulitis & diverticulosis | 47,239 | 0.65% |
| 245: Inflammatory bowel disease | 16,372 | 0.22% |
| 246: Gastrointestinal vascular insufficiency | 9,513 | 0.13% |
| 247: Intestinal obstruction | 52,620 | 0.72% |
| 248: Major gastrointestinal & peritoneal infections | 33,523 | 0.46% |
| 249: Non-bacterial gastroenteritis, nausea & vomiting | 68,798 | 0.94% |
| 251: Abdominal pain | 27,465 | 0.38% |
| 252: Malfunction, reaction & complication of GI device or procedure | 12,834 | 0.18% |
| 253: Other & unspecified gastrointestinal hemorrhage | 43,923 | 0.60% |
| 254: Other digestive system diagnoses | 59,965 | 0.82% |
| 260: Major pancreas, liver & shunt procedures | 7,516 | 0.10% |
| 261: Major biliary tract procedures | 1,472 | 0.02% |
| 262: Cholecystectomy except laparoscopic | 6,715 | 0.09% |
| 263: Laparoscopic cholecystectomy | 60,830 | 0.83% |
| 264: Other hepatobiliary, pancreas & abdominal procedures | 2,016 | 0.03% |
| 279: Hepatic coma & other major acute liver disorders | 19,940 | 0.27% |
| 280: Alcoholic liver disease | 12,554 | 0.17% |
| 281: Malignancy of hepatobiliary system & pancreas | 12,434 | 0.17% |
| 282: Disorders of pancreas except malignancy | 52,520 | 0.72% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 283: Other disorders of the liver | 14,704 | 0.20% |
| 284: Disorders of gallbladder & biliary tract | 22,949 | 0.31% |
| 301: Hip joint replacement | 92,368 | 1.27% |
| 302: Knee joint replacement | 137,328 | 1.88% |
| 303: Dorsal & lumbar fusion proc for curvature of back | 3,781 | 0.05% |
| 304: Dorsal & lumbar fusion proc except for curvature of back | 48,438 | 0.66% |
| 305: Amputation of lower limb except toes | 9,337 | 0.13% |
| 308: Hip & femur procedures for trauma except joint replacement | 43,135 | 0.59% |
| 309: Hip & femur procedures for non-trauma except joint replacement | 8,000 | 0.11% |
| 310: Intervertebral disc excision & decompression | 34,296 | 0.47% |
| 312: Skin graft, except hand, for musculoskeletal & connective tissue diagnoses | 1,498 | 0.02% |
| 313: Knee & lower leg procedures except foot | 38,411 | 0.53% |
| 314: Foot & toe procedures | 15,635 | 0.21% |
| 315: Shoulder, upper arm & forearm procedures | 34,688 | 0.48% |
| 316: Hand & wrist procedures | 5,528 | 0.08% |
| 317: Tendon, muscle & other soft tissue procedures | 9,400 | 0.13% |
| 320: Other musculoskeletal system & connective tissue procedures | 8,101 | 0.11% |
| 321: Cervical spinal fusion & other back/neck proc exc disc excis/decomp | 36,300 | 0.50% |
| 340: Fracture of femur | 6,109 | 0.08% |
| 341: Fracture of pelvis or dislocation of hip | 8,630 | 0.12% |
| 342: Fractures & dislocations except femur, pelvis & back | 15,763 | 0.22% |
| 343: Musculoskeletal malignancy & pathol fracture d/t musckel malig | 6,126 | 0.08% |
| 344: Osteomyelitis, septic arthritis & other musculoskeletal infections | 9,874 | 0.14% |
| 346: Connective tissue disorders | 9,493 | 0.13% |
| 347: Other back & neck disorders, fractures & injuries | 40,901 | 0.56% |
| 349: Malfunction, reaction, complic of orthopedic device or procedure | 6,350 | 0.09% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 351: Other musculoskeletal system & connective tissue diagnoses | 34,051 | 0.47% |
| 361: Skin graft for skin & subcutaneous tissue diagnoses | 5,234 | 0.07% |
| 362: Mastectomy procedures | 13,186 | 0.18% |
| 363: Breast procedures except mastectomy | 3,229 | 0.04% |
| 364: Other skin, subcutaneous tissue & related procedures | 12,849 | 0.18% |
| 380: Skin ulcers | 10,512 | 0.14% |
| 381: Major skin disorders | 3,410 | 0.05% |
| 382: Malignant breast disorders | 1,688 | 0.02% |
| 383: Cellulitis & other bacterial skin infections | 115,762 | 1.59% |
| 384: Contusion, open wound & other trauma to skin & subcutaneous tissue | 13,027 | 0.18% |
| 385: Other skin, subcutaneous tissue & breast disorders | 9,565 | 0.13% |
| 401: Pituitary & adrenal procedures | 3,139 | 0.04% |
| 403: Procedures for obesity | 24,757 | 0.34% |
| 404: Thyroid, parathyroid & thyroglossal procedures | 10,233 | 0.14% |
| 405: Other procedures for endocrine, nutritional & metabolic disorders | 1,725 | 0.02% |
| 420: Diabetes | 64,955 | 0.89% |
| 421: Malnutrition, failure to thrive & other nutritional disorders | 7,873 | 0.11% |
| 422: Hypovolemia & related electrolyte disorders | 30,681 | 0.42% |
| 423: Inborn errors of metabolism | 1,638 | 0.02% |
| 424: Other endocrine disorders | 14,584 | 0.20% |
| 425: Electrolyte disorders except hypovolemia related | 43,912 | 0.60% |
| 440: Kidney transplant | 3,078 | 0.04% |
| 441: Major bladder procedures | 3,267 | 0.04% |
| 442: Kidney & urinary tract procedures for malignancy | 9,287 | 0.13% |
| 443: Kidney & urinary tract procedures for nonmalignancy | 14,270 | 0.20% |
| 444: Renal dialysis access device procedure only | 5,233 | 0.07% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|--|-----------|------------------|
| 445: Other bladder procedures | 1,883 | 0.03% |
| 446: Urethral & transurethral procedures | 14,698 | 0.20% |
| 447: Other kidney, urinary tract & related procedures | 6,279 | 0.09% |
| 460: Renal failure | 103,547 | 1.42% |
| 461: Kidney & urinary tract malignancy | 2,148 | 0.03% |
| 462: Nephritis & nephrosis | 1,789 | 0.02% |
| 463: Kidney & urinary tract infections | 110,313 | 1.51% |
| 465: Urinary stones & acquired upper urinary tract obstruction | 18,906 | 0.26% |
| 466: Malfunction, reaction, complic of genitourinary device or proc | 23,384 | 0.32% |
| 468: Other kidney & urinary tract diagnoses, signs & symptoms | 23,873 | 0.33% |
| 480: Major male pelvic procedures | 12,395 | 0.17% |
| 481: Penis procedures | 1,369 | 0.02% |
| 482: Transurethral prostatectomy | 6,508 | 0.09% |
| 483: Testes & scrotal procedures | 1,095 | 0.02% |
| 484: Other male reproductive system & related procedures | 1,794 | 0.02% |
| 500: Malignancy, male reproductive system | 1,034 | 0.01% |
| 501: Male reproductive system diagnoses except malignancy | 7,496 | 0.10% |
| 510: Pelvic evisceration, radical hysterectomy & other radical GYN procs | 2,275 | 0.03% |
| 511: Uterine & adnexa procedures for ovarian & adnexal malignancy | 2,984 | 0.04% |
| 512: Uterine & adnexa procedures for non-ovarian & non-adnexal malig | 5,362 | 0.07% |
| 513: Uterine & adnexa procedures for non-malignancy except leiomyoma | 41,346 | 0.57% |
| 514: Female reproductive system reconstructive procedures | 6,662 | 0.09% |
| 517: Dilation & curettage for non-obstetric diagnoses | 1,141 | 0.02% |
| 518: Other female reproductive system & related procedures | 4,060 | 0.06% |
| 519: Uterine & adnexa procedures for leiomyoma | 22,673 | 0.31% |
| 530: Female reproductive system malignancy | 3,132 | 0.04% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|--|-----------|------------------|
| 531: Female reproductive system infections | 5,075 | 0.07% |
| 532: Menstrual & other female reproductive system disorders | 5,938 | 0.08% |
| 540: Cesarean delivery | 250,846 | 3.44% |
| 541: Vaginal delivery w sterilization &/or D&C | 14,402 | 0.20% |
| 542: Vaginal delivery w complicating procedures exc sterilization &/or D&C | 1,495 | 0.02% |
| 544: D&C, aspiration curettage or hysterotomy for obstetric diagnoses | 3,577 | 0.05% |
| 545: Ectopic pregnancy procedure | 3,222 | 0.04% |
| 546: Other O.R. proc for obstetric diagnoses except delivery diagnoses | 2,074 | 0.03% |
| 560: Vaginal delivery | 485,449 | 6.65% |
| 561: Postpartum & post abortion diagnoses w/o procedure | 11,111 | 0.15% |
| 563: Threatened abortion | 11,646 | 0.16% |
| 564: Abortion w/o D&C, aspiration curettage or hysterotomy | 3,022 | 0.04% |
| 565: False labor | 1,255 | 0.02% |
| 566: Other antepartum diagnoses | 40,779 | 0.56% |
| 580: Neonate, transferred <5 days old, not born here | 464 | 0.01% |
| 581: Neonate, transferred < 5 days old, born here | 10,919 | 0.15% |
| 583: Neonate w ECMO | 194 | 0.00% |
| 588: Neonate bwt <1500g w major procedure | 998 | 0.01% |
| 589: Neonate bwt <500g or GA <24 weeks | 3,175 | 0.04% |
| 591: Neonate birthwt 500-749g w/o major procedure | 958 | 0.01% |
| 593: Neonate birthwt 750-999g w/o major procedure | 2,055 | 0.03% |
| 602: Neonate bwt 1000-1249g w resp dist synd/oth maj resp or maj anom | 1,698 | 0.02% |
| 603: Neonate birthwt 1000-1249g w or w/o other significant condition | 1,007 | 0.01% |
| 607: Neonate bwt 1250-1499g w resp dist synd/oth maj resp or maj anom | 1,745 | 0.02% |
| 608: Neonate bwt 1250-1499g w or w/o other significant condition | 1,349 | 0.02% |
| 609: Neonate bwt 1500-2499g w major procedure | 623 | 0.01% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 611: Neonate birthwt 1500-1999g w major anomaly | 1,328 | 0.02% |
| 612: Neonate bwt 1500-1999g w resp dist synd/oth maj resp cond | 2,671 | 0.04% |
| 613: Neonate birthwt 1500-1999g w congenital/perinatal infection | 653 | 0.01% |
| 614: Neonate bwt 1500-1999g w or w/o other significant condition | 7,115 | 0.10% |
| 621: Neonate bwt 2000-2499g w major anomaly | 1,521 | 0.02% |
| 622: Neonate bwt 2000-2499g w resp dist synd/oth maj resp cond | 2,788 | 0.04% |
| 623: Neonate bwt 2000-2499g w congenital/perinatal infection | 1,135 | 0.02% |
| 625: Neonate bwt 2000-2499g w other significant condition | 3,741 | 0.05% |
| 626: Neonate bwt 2000-2499g, normal newborn or neonate w other problem | 21,624 | 0.30% |
| 630: Neonate birthwt >2499g w major cardiovascular procedure | 782 | 0.01% |
| 631: Neonate birthwt >2499g w other major procedure | 1,300 | 0.02% |
| 633: Neonate birthwt >2499g w major anomaly | 10,046 | 0.14% |
| 634: Neonate, birthwt >2499g w resp dist synd/oth maj resp cond | 7,835 | 0.11% |
| 636: Neonate birthwt >2499g w congenital/perinatal infection | 6,882 | 0.09% |
| 639: Neonate birthwt >2499g w other significant condition | 16,285 | 0.22% |
| 640: Neonate birthwt >2499g, normal newborn or neonate w other problem | 671,174 | 9.20% |
| 650: Splenectomy | 1,401 | 0.02% |
| 651: Other procedures of blood & blood-forming organs | 1,324 | 0.02% |
| 660: Major hematologic/immunologic diag exc sickle cell crisis & coagul | 20,846 | 0.29% |
| 661: Coagulation & platelet disorders | 6,287 | 0.09% |
| 662: Sickle cell anemia crisis | 16,809 | 0.23% |
| 663: Other anemia & disorders of blood & blood-forming organs | 48,984 | 0.67% |
| 680: Major O.R. procedures for lymphatic/hematopoietic/other neoplasms | 3,605 | 0.05% |
| 681: Other O.R. procedures for lymphatic/hematopoietic/other neoplasms | 4,755 | 0.07% |
| 690: Acute leukemia | 5,169 | 0.07% |
| 691: Lymphoma, myeloma & non-acute leukemia | 8,815 | 0.12% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 692: Radiotherapy | 706 | 0.01% |
| 693: Chemotherapy | 31,632 | 0.43% |
| 694: Lymphatic & other malignancies & neoplasms of uncertain behavior | 5,780 | 0.08% |
| 710: Infectious & parasitic diseases including HIV w O.R. procedure | 23,571 | 0.32% |
| 711: Post-op, post-trauma, other device infections w O.R. procedure | 11,256 | 0.15% |
| 720: Septicemia & disseminated infections | 197,609 | 2.71% |
| 721: Post-operative, post-traumatic, other device infections | 31,751 | 0.44% |
| 722: Fever | 14,109 | 0.19% |
| 723: Viral illness | 9,930 | 0.14% |
| 724: Other infectious & parasitic diseases | 8,902 | 0.12% |
| 740: Mental illness diagnosis w O.R. procedure | 405 | 0.01% |
| 750: Schizophrenia | 58,671 | 0.80% |
| 751: Major depressive disorders & other/unspecified psychoses | 87,478 | 1.20% |
| 752: Disorders of personality & impulse control | 847 | 0.01% |
| 753: Bipolar disorders | 76,864 | 1.05% |
| 754: Depression except major depressive disorder | 24,402 | 0.33% |
| 755: Adjustment disorders & neuroses except depressive diagnoses | 8,236 | 0.11% |
| 756: Acute anxiety & delirium states | 8,337 | 0.11% |
| 757: Organic mental health disturbances | 12,226 | 0.17% |
| 758: Childhood behavioral disorders | 4,658 | 0.06% |
| 759: Eating disorders | 868 | 0.01% |
| 760: Other mental health disorders | 2,023 | 0.03% |
| 770: Drug & alcohol abuse or dependence, left against medical advice | 8,686 | 0.12% |
| 772: Alcohol & drug dependence w rehab or rehab/detox therapy | 6,372 | 0.09% |
| 773: Opioid abuse & dependence | 19,566 | 0.27% |
| 774: Cocaine abuse & dependence | 4,393 | 0.06% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG

| APRDRG | Frequency | Percent of Total |
|---|-----------|------------------|
| 775: Alcohol abuse & dependence | 39,105 | 0.54% |
| 776: Other drug abuse & dependence | 6,361 | 0.09% |
| 791: O.R. procedure for other complications of treatment | 10,435 | 0.14% |
| 811: Allergic reactions | 5,641 | 0.08% |
| 812: Poisoning of medicinal agents | 48,069 | 0.66% |
| 813: Other complications of treatment | 15,709 | 0.22% |
| 815: Other injury, poisoning & toxic effect diagnoses | 3,769 | 0.05% |
| 816: Toxic effects of non-medicinal substances | 12,069 | 0.17% |
| 841: Extensive 3rd degree burns w skin graft | 225 | 0.00% |
| 842: Full thickness burns w skin graft | 1,629 | 0.02% |
| 843: Extensive 3rd degree or full thickness burns w/o skin graft | 725 | 0.01% |
| 844: Partial thickness burns w or w/o skin graft | 3,703 | 0.05% |
| 850: Procedure w diag of rehab, aftercare or oth contact w health service | 4,056 | 0.06% |
| 860: Rehabilitation | 79,040 | 1.08% |
| 861: Signs, symptoms & other factors influencing health status | 37,926 | 0.52% |
| 862: Other aftercare & convalescence | 3,832 | 0.05% |
| 863: Neonatal aftercare | 676 | 0.01% |
| 890: HIV w multiple major HIV related conditions | 4,214 | 0.06% |
| 892: HIV w major HIV related condition | 4,743 | 0.06% |
| 893: HIV w multiple significant HIV related conditions | 1,099 | 0.02% |
| 894: HIV w one signif HIV cond or w/o signif related cond | 3,099 | 0.04% |
| 910: Craniotomy for multiple significant trauma | 675 | 0.01% |
| 911: Extensive abdominal/thoracic procedures for mult significant trauma | 2,659 | 0.04% |
| 912: Musculoskeletal & other procedures for multiple significant trauma | 7,478 | 0.10% |
| 930: Multiple significant trauma w/o O.R. procedure | 6,512 | 0.09% |
| 950: Extensive procedure unrelated to principal diagnosis | 8,864 | 0.12% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG***

| APRDRG | Frequency | Percent of Total |
|--|------------------|-------------------------|
| 951: Moderately extensive procedure unrelated to principal diagnosis | 16,634 | 0.23% |
| 952: Nonextensive procedure unrelated to principal diagnosis | 9,743 | 0.13% |
| 955: Principal diagnosis invalid as discharge diagnosis | 121 | 0.00% |
| 956: Ungroupable | 9,829 | 0.13% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG_RISK_MORTALITY***

| APRDRG_Risk_Mortality | Frequency | Percent of Total |
|---------------------------------|------------------|-------------------------|
| 0: No class specified | 9,950 | 0.14% |
| 1: Minor likelihood of dying | 4,318,747 | 59.19% |
| 2: Moderate likelihood of dying | 1,634,098 | 22.39% |
| 3: Major likelihood of dying | 1,004,502 | 13.77% |
| 4: Extreme likelihood of dying | 329,671 | 4.52% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for APRDRG_SEVERITY***

| APRDRG_Severity | Frequency | Percent of Total |
|---|-----------|------------------|
| 0: No class specified | 9,950 | 0.14% |
| 1: Minor loss of function (includes cases with no comorbidity or complications) | 2,594,469 | 35.56% |
| 2: Moderate loss of function | 2,740,523 | 37.56% |
| 3: Major loss of function | 1,550,668 | 21.25% |
| 4: Extreme loss of function | 401,358 | 5.50% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_AIDS

| CM_AIDS | Frequency | Percent of Total |
|-------------------------------|-----------|------------------|
| 0: Comorbidity is not present | 7,283,321 | 99.81% |
| 1: Comorbidity is present | 13,647 | 0.19% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_ALCOHOL

| CM_ALCOHOL | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,005,244 | 96.00% |
| 1: Comorbidity is present | 291,724 | 4.00% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_ANEMDEF

| CM_ANEMDEF | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,222,204 | 85.27% |
| 1: Comorbidity is present | 1,074,764 | 14.73% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

***HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_ARTH***

| CM_ARTH | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,131,925 | 97.74% |
| 1: Comorbidity is present | 165,043 | 2.26% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_BLDLOSS

| CM_BLDLOSS | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,143,954 | 97.90% |
| 1: Comorbidity is present | 153,014 | 2.10% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_CHF

| CM_CHF | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,790,346 | 93.06% |
| 1: Comorbidity is present | 506,622 | 6.94% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_CHRNLUNG

| CM_CHRNLUNG | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,150,744 | 84.29% |
| 1: Comorbidity is present | 1,146,224 | 15.71% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_COAG

| CM_COAG | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,993,465 | 95.84% |
| 1: Comorbidity is present | 303,503 | 4.16% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_DEPRESS

| CM_DEPRESS | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,625,650 | 90.80% |
| 1: Comorbidity is present | 671,318 | 9.20% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_DM

| CM_DM | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,135,911 | 84.09% |
| 1: Comorbidity is present | 1,161,057 | 15.91% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_DMCX

| CM_DMCX | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,023,413 | 96.25% |
| 1: Comorbidity is present | 273,555 | 3.75% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_DRUG

| CM_DRUG | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,020,521 | 96.21% |
| 1: Comorbidity is present | 276,447 | 3.79% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_HTN_C

| CM_HTN_C | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 4,279,664 | 58.65% |
| 1: Comorbidity is present | 3,017,304 | 41.35% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_HYPOTHY

| CM_HYPOTHY | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,594,879 | 90.38% |
| 1: Comorbidity is present | 702,089 | 9.62% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_LIVER

| CM_LIVER | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,114,369 | 97.50% |
| 1: Comorbidity is present | 182,599 | 2.50% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_LYMPH

| CM_LYMPH | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,249,474 | 99.35% |
| 1: Comorbidity is present | 47,494 | 0.65% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_LYTES

| CM_LYTES | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 5,843,575 | 80.08% |
| 1: Comorbidity is present | 1,453,393 | 19.92% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_METS

| CM_METS | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,163,412 | 98.17% |
| 1: Comorbidity is present | 133,556 | 1.83% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_NEURO

| CM_NEURO | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,824,994 | 93.53% |
| 1: Comorbidity is present | 471,974 | 6.47% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_OBESE

| CM_OBESE | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,578,994 | 90.16% |
| 1: Comorbidity is present | 717,974 | 9.84% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_PARA

| CM_PARA | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,142,193 | 97.88% |
| 1: Comorbidity is present | 154,775 | 2.12% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_PERIVASC

| CM_PERIVASC | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,944,303 | 95.17% |
| 1: Comorbidity is present | 352,665 | 4.83% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_PSYCH

| CM_PSYCH | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,007,954 | 96.04% |
| 1: Comorbidity is present | 289,014 | 3.96% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_PULMCIRC

| CM_PULMCIRC | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,166,049 | 98.21% |
| 1: Comorbidity is present | 130,919 | 1.79% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_RENLFAIL

| CM_RENLFAIL | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 6,578,701 | 90.16% |
| 1: Comorbidity is present | 718,267 | 9.84% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_TUMOR

| CM_TUMOR | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,173,526 | 98.31% |
| 1: Comorbidity is present | 123,442 | 1.69% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_ULCER

| CM_ULCER | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,295,014 | 99.97% |
| 1: Comorbidity is present | 1,954 | 0.03% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_VALVE

| CM_VALVE | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,080,251 | 97.03% |
| 1: Comorbidity is present | 216,717 | 2.97% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 2012 - Severity File
Frequency Distribution for CM_WGHTLOSS

| CM_WGHTLOSS | Frequency | Percent of Total |
|-------------------------------|------------------|-------------------------|
| 0: Comorbidity is not present | 7,009,759 | 96.06% |
| 1: Comorbidity is present | 287,209 | 3.94% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***