

**HCUP Summary Statistics Report: NRD 2016 Core File
Means of Continuous Data Elements**

07:51 Monday, July 23, 2018 1

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|------------|--------|-----------|-----------|-----------|----------|
| AGE : Age in years at admission | 17,197,683 | 0 | 0.00 | 90.00 | 53.62 | 24.43 |
| AWEEKEND : Admission day is a weekend | 17,197,600 | 83 | 0.00 | 1.00 | 0.21 | 0.40 |
| DIED : Died during hospitalization | 17,185,997 | 11,686 | 0.00 | 1.00 | 0.02 | 0.14 |
| DISCWT : Weight to discharges in AHA universe | 17,197,683 | 0 | 1.07 | 25.83 | 2.07 | 1.36 |
| DISPUNIFORM : Disposition of patient (uniform) | 17,185,997 | 11,686 | 1.00 | 99.00 | 2.78 | 3.51 |
| DMONTH : Discharge month | 17,197,683 | 0 | 1.00 | 12.00 | 6.49 | 3.46 |
| DQTR : Discharge quarter | 17,197,683 | 0 | 1.00 | 4.00 | 2.49 | 1.12 |
| DRG : DRG in effect on discharge date | 17,197,683 | 0 | 1.00 | 999.00 | 530.96 | 270.84 |
| DRGVER : DRG grouper version used on discharge date | 17,197,683 | 0 | 33.00 | 34.00 | 33.25 | 0.43 |
| DRG_NoPOA : DRG in use on discharge date, calculated without POA | 17,197,683 | 0 | 1.00 | 999.00 | 530.82 | 270.76 |
| ELECTIVE : Elective versus non-elective admission | 17,178,243 | 19,440 | 0.00 | 1.00 | 0.21 | 0.41 |
| FEMALE : Indicator of sex | 17,197,683 | 0 | 0.00 | 1.00 | 0.57 | 0.49 |
| HCUP_ED : HCUP Emergency Department service indicator | 17,197,683 | 0 | 0.00 | 4.00 | 1.00 | 1.18 |
| HOSP_NRD : NRD hospital identifier | 17,197,683 | 0 | 31,001.00 | 34,538.00 | 32,733.46 | 1,020.07 |
| LOS : Length of stay (cleaned) | 17,196,560 | 1,123 | 0.00 | 365.00 | 4.88 | 7.40 |
| MDC : MDC in effect on discharge date | 17,197,683 | 0 | 0.00 | 25.00 | 9.76 | 5.65 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

**HCUP Summary Statistics Report: NRD 2016 Core File
Means of Continuous Data Elements**

07:51 Monday, July 23, 2018 2

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|------------|------------|----------|-----------|-----------|----------|
| MDC_NoPOA : MDC in use on discharge date, calculated without POA | 17,197,683 | 0 | 0.00 | 25.00 | 9.76 | 5.65 |
| I10_NDX : ICD-10-CM Number of diagnoses on this record | 17,197,683 | 0 | 0.00 | 35.00 | 11.20 | 6.85 |
| I10_NECAUSE : ICD-10-CM Number of External cause codes on this record | 17,197,683 | 0 | 0.00 | 4.00 | 0.25 | 0.69 |
| I10_NPR : ICD-10-PCS Number of procedures on this record | 17,197,683 | 0 | 0.00 | 15.00 | 1.68 | 2.18 |
| NRD_DaysToEvent : Timing variable used to identify days between admissions | 17,197,600 | 83 | 6,577.00 | 31,697.00 | 17,619.30 | 3,478.69 |
| NRD_STRATUM : NRD stratum used for weighting | 17,197,683 | 0 | 301.00 | 397.00 | 343.62 | 28.16 |
| PAY1 : Primary expected payer (uniform) | 17,174,205 | 23,478 | 1.00 | 6.00 | 2.03 | 1.17 |
| PL_NCHS : Patient Location: NCHS Urban-Rural Code | 17,135,542 | 62,141 | 1.00 | 6.00 | 2.60 | 1.49 |
| PRDAY1 : Number of days from admission to I10_PR1 | 10,641,118 | 6,556,565 | -4.00 | 365.00 | 1.42 | 4.05 |
| PRDAY2 : Number of days from admission to I10_PR2 | 6,654,874 | 10,542,809 | -4.00 | 365.00 | 1.70 | 4.54 |
| PRDAY3 : Number of days from admission to I10_PR3 | 4,063,931 | 13,133,752 | -4.00 | 365.00 | 2.07 | 5.34 |
| PRDAY4 : Number of days from admission to I10_PR4 | 2,441,299 | 14,756,384 | -4.00 | 365.00 | 2.77 | 6.62 |
| PRDAY5 : Number of days from admission to I10_PR5 | 1,500,787 | 15,696,896 | -4.00 | 365.00 | 3.41 | 7.61 |
| PRDAY6 : Number of days from admission to I10_PR6 | 980,244 | 16,217,439 | -4.00 | 365.00 | 4.13 | 8.86 |
| PRDAY7 : Number of days from admission to I10_PR7 | 563,020 | 16,634,663 | -4.00 | 365.00 | 4.94 | 10.25 |

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

**HCUP Summary Statistics Report: NRD 2016 Core File
Means of Continuous Data Elements**

07:51 Monday, July 23, 2018 3

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|------------|------------|----------|---------------|-----------|-----------|
| PRDAY8 : Number of days from admission to I10_PR8 | 399,651 | 16,798,032 | -4.00 | 365.00 | 5.94 | 12.07 |
| PRDAY9 : Number of days from admission to I10_PR9 | 293,064 | 16,904,619 | -4.00 | 365.00 | 6.46 | 12.42 |
| PRDAY10 : Number of days from admission to I10_PR10 | 219,320 | 16,978,363 | -4.00 | 365.00 | 7.59 | 14.96 |
| PRDAY11 : Number of days from admission to I10_PR11 | 161,943 | 17,035,740 | -4.00 | 365.00 | 8.28 | 14.93 |
| PRDAY12 : Number of days from admission to I10_PR12 | 125,255 | 17,072,428 | -4.00 | 365.00 | 8.84 | 16.33 |
| PRDAY13 : Number of days from admission to I10_PR13 | 97,071 | 17,100,612 | -4.00 | 365.00 | 9.73 | 17.77 |
| PRDAY14 : Number of days from admission to I10_PR14 | 76,019 | 17,121,664 | -4.00 | 365.00 | 10.16 | 17.47 |
| PRDAY15 : Number of days from admission to I10_PR15 | 51,506 | 17,146,177 | -4.00 | 365.00 | 11.76 | 21.29 |
| REHABTRANSFER : A combined record involving rehab transfer | 17,197,683 | 0 | 0.00 | 1.00 | 0.00 | 0.05 |
| RESIDENT : Patient State is the same as Hospital State | 17,197,683 | 0 | 0.00 | 1.00 | 0.96 | 0.21 |
| TOTCHG : Total charges (cleaned) | 16,827,116 | 370,567 | 100.00 | 10,000,000.00 | 51,982.79 | 94,835.81 |
| YEAR : Calendar year | 17,197,683 | 0 | 2,016.00 | 2,016.00 | 2,016.00 | 0.00 |
| ZIPINC_QRTL : Median household income national quartile for patient ZIP Code | 16,951,404 | 246,279 | 1.00 | 4.00 | 2.36 | 1.11 |
| DXVER : Diagnosis Version | 17,197,683 | 0 | 10.00 | 10.00 | 10.00 | 0.00 |
| PRVER : Procedure Version | 17,197,683 | 0 | 10.00 | 10.00 | 10.00 | 0.00 |

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for AGE***

| AGE | Frequency | Percent of Total |
|------------|------------------|-------------------------|
| 0 | 886,955 | 5.16% |
| 1 | 44,299 | 0.26% |
| 2 | 29,187 | 0.17% |
| 3 | 23,416 | 0.14% |
| 4 | 21,121 | 0.12% |
| 5 | 20,178 | 0.12% |
| 6 | 18,830 | 0.11% |
| 7 | 18,024 | 0.10% |
| 8 | 17,913 | 0.10% |
| 9 | 17,872 | 0.10% |
| 10 | 17,714 | 0.10% |
| 11 | 18,403 | 0.11% |
| 12 | 21,379 | 0.12% |
| 13 | 24,918 | 0.14% |
| 14 | 29,517 | 0.17% |
| 15 | 35,745 | 0.21% |
| 16 | 43,835 | 0.25% |
| 17 | 53,092 | 0.31% |
| 18 | 78,023 | 0.45% |
| 19 | 102,677 | 0.60% |
| 20 | 120,507 | 0.70% |
| 21 | 135,970 | 0.79% |
| 22 | 151,792 | 0.88% |
| 23 | 163,201 | 0.95% |
| 24 | 176,212 | 1.02% |
| 25 | 190,360 | 1.11% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for AGE***

| AGE | Frequency | Percent of Total |
|------------|------------------|-------------------------|
| 26 | 200,237 | 1.16% |
| 27 | 204,636 | 1.19% |
| 28 | 209,511 | 1.22% |
| 29 | 212,253 | 1.23% |
| 30 | 216,475 | 1.26% |
| 31 | 218,110 | 1.27% |
| 32 | 210,619 | 1.22% |
| 33 | 207,301 | 1.21% |
| 34 | 199,733 | 1.16% |
| 35 | 189,728 | 1.10% |
| 36 | 178,065 | 1.04% |
| 37 | 161,542 | 0.94% |
| 38 | 149,311 | 0.87% |
| 39 | 140,727 | 0.82% |
| 40 | 132,001 | 0.77% |
| 41 | 128,133 | 0.75% |
| 42 | 125,865 | 0.73% |
| 43 | 130,370 | 0.76% |
| 44 | 137,839 | 0.80% |
| 45 | 152,570 | 0.89% |
| 46 | 156,242 | 0.91% |
| 47 | 158,689 | 0.92% |
| 48 | 163,573 | 0.95% |
| 49 | 173,240 | 1.01% |
| 50 | 190,471 | 1.11% |
| 51 | 205,763 | 1.20% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for AGE***

| AGE | Frequency | Percent of Total |
|------------|------------------|-------------------------|
| 52 | 220,887 | 1.28% |
| 53 | 230,454 | 1.34% |
| 54 | 239,279 | 1.39% |
| 55 | 249,896 | 1.45% |
| 56 | 257,121 | 1.50% |
| 57 | 262,457 | 1.53% |
| 58 | 268,996 | 1.56% |
| 59 | 276,447 | 1.61% |
| 60 | 278,662 | 1.62% |
| 61 | 280,260 | 1.63% |
| 62 | 281,039 | 1.63% |
| 63 | 279,659 | 1.63% |
| 64 | 279,245 | 1.62% |
| 65 | 294,197 | 1.71% |
| 66 | 290,627 | 1.69% |
| 67 | 296,623 | 1.72% |
| 68 | 307,864 | 1.79% |
| 69 | 326,915 | 1.90% |
| 70 | 267,755 | 1.56% |
| 71 | 268,184 | 1.56% |
| 72 | 278,721 | 1.62% |
| 73 | 293,247 | 1.71% |
| 74 | 271,113 | 1.58% |
| 75 | 257,607 | 1.50% |
| 76 | 251,982 | 1.47% |
| 77 | 249,191 | 1.45% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for AGE

| AGE | Frequency | Percent of Total |
|------------|------------------|-------------------------|
| 78 | 244,959 | 1.42% |
| 79 | 236,441 | 1.37% |
| 80 | 230,896 | 1.34% |
| 81 | 226,853 | 1.32% |
| 82 | 215,158 | 1.25% |
| 83 | 212,108 | 1.23% |
| 84 | 206,292 | 1.20% |
| 85 | 200,560 | 1.17% |
| 86 | 191,397 | 1.11% |
| 87 | 178,226 | 1.04% |
| 88 | 167,724 | 0.98% |
| 89 | 153,136 | 0.89% |
| 90 | 661,361 | 3.85% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for A WEEKEND***

| A WEEKEND | Frequency | Percent of Total |
|--------------------|------------------|-------------------------|
| .: Missing | 83 | 0.00% |
| 0: Monday-Friday | 13,666,434 | 79.47% |
| 1: Saturday-Sunday | 3,531,166 | 20.53% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DIED***

| DIED | Frequency | Percent of Total |
|----------------------------|------------------|-------------------------|
| .: Missing | 11,226 | 0.07% |
| .A: Invalid | 460 | 0.00% |
| 0: Did not die in hospital | 16,818,835 | 97.80% |
| 1: Died in hospital | 367,162 | 2.13% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DISPUNIFORM***

| DISPUNIFORM | Frequency | Percent of Total |
|---|------------------|-------------------------|
| .: Missing | 11,226 | 0.07% |
| .A: Invalid | 460 | 0.00% |
| 1: Discharged to home or self care | 11,623,834 | 67.59% |
| 2: Transfer: short-term hospital | 139,324 | 0.81% |
| 5: Transfer: other type of facility | 2,361,940 | 13.73% |
| 6: Home health care | 2,443,258 | 14.21% |
| 7: Against medical advice | 247,863 | 1.44% |
| 20: Died in hospital | 367,162 | 2.13% |
| 99: Discharged alive, destination unknown | 2,616 | 0.02% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DMONTH***

| DMONTH | Frequency | Percent of Total |
|---------------|------------------|-------------------------|
| 1: January | 1,436,718 | 8.35% |
| 2: February | 1,401,595 | 8.15% |
| 3: March | 1,512,122 | 8.79% |
| 4: April | 1,437,406 | 8.36% |
| 5: May | 1,429,299 | 8.31% |
| 6: June | 1,415,547 | 8.23% |
| 7: July | 1,417,530 | 8.24% |
| 8: August | 1,445,166 | 8.40% |
| 9: September | 1,414,775 | 8.23% |
| 10: October | 1,419,117 | 8.25% |
| 11: November | 1,376,441 | 8.00% |
| 12: December | 1,491,967 | 8.68% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DQTR***

| DQTR | Frequency | Percent of Total |
|-------------------|------------------|-------------------------|
| 1: First quarter | 4,350,435 | 25.30% |
| 2: Second quarter | 4,282,252 | 24.90% |
| 3: Third quarter | 4,277,471 | 24.87% |
| 4: Fourth quarter | 4,287,525 | 24.93% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRGVER***

| DRGVER | Frequency | Percent of Total |
|--------------------------|------------------|-------------------------|
| 33: Effective 10/01/2015 | 12,911,941 | 75.08% |
| 34: Effective 10/01/2016 | 4,285,742 | 24.92% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 1: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM W MCC | 3,345 | 0.02% |
| 2: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM W/O MCC | 501 | 0.00% |
| 3: ECMO OR TRACH W MV >96 HRS OR PDX EXC FACE, MOUTH & NECK W MAJ O.R. | 27,137 | 0.16% |
| 4: TRACH W MV >96 HRS OR PDX EXC FACE, MOUTH & NECK W/O MAJ O.R. | 18,651 | 0.11% |
| 5: LIVER TRANSPLANT W MCC OR INTESTINAL TRANSPLANT | 2,666 | 0.02% |
| 6: LIVER TRANSPLANT W/O MCC | 1,086 | 0.01% |
| 7: LUNG TRANSPLANT | 761 | 0.00% |
| 8: SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 365 | 0.00% |
| 10: PANCREAS TRANSPLANT | 80 | 0.00% |
| 11: TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSES W MCC | 2,775 | 0.02% |
| 12: TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSES W CC | 3,268 | 0.02% |
| 13: TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSES W/O CC/MCC | 1,409 | 0.01% |
| 14: ALLOGENEIC BONE MARROW TRANSPLANT | 3,924 | 0.02% |
| 16: AUTOLOGOUS BONE MARROW TRANSPLANT W CC/MCC | 5,158 | 0.03% |
| 17: AUTOLOGOUS BONE MARROW TRANSPLANT W/O CC/MCC | 473 | 0.00% |
| 20: INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE W MCC | 3,122 | 0.02% |
| 21: INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE W CC | 1,154 | 0.01% |
| 22: INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE W/O CC/MCC | 471 | 0.00% |
| 23: CRANIO W MAJOR DEV IMPL/ACUTE COMPLEX CNS PDX W MCC OR CHEMO IMPLANT | 11,572 | 0.07% |
| 24: CRANIO W MAJOR DEV IMPL/ACUTE COMPLEX CNS PDX W/O MCC | 4,361 | 0.03% |
| 25: CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES W MCC | 29,110 | 0.17% |
| 26: CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES W CC | 15,913 | 0.09% |
| 27: CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES W/O CC/MCC | 23,498 | 0.14% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 28: SPINAL PROCEDURES W MCC | 2,744 | 0.02% |
| 29: SPINAL PROCEDURES W CC OR SPINAL NEUROSTIMULATORS | 7,303 | 0.04% |
| 30: SPINAL PROCEDURES W/O CC/MCC | 6,015 | 0.03% |
| 31: VENTRICULAR SHUNT PROCEDURES W MCC | 1,785 | 0.01% |
| 32: VENTRICULAR SHUNT PROCEDURES W CC | 3,864 | 0.02% |
| 33: VENTRICULAR SHUNT PROCEDURES W/O CC/MCC | 3,666 | 0.02% |
| 34: CAROTID ARTERY STENT PROCEDURE W MCC | 698 | 0.00% |
| 35: CAROTID ARTERY STENT PROCEDURE W CC | 1,941 | 0.01% |
| 36: CAROTID ARTERY STENT PROCEDURE W/O CC/MCC | 2,992 | 0.02% |
| 37: EXTRACRANIAL PROCEDURES W MCC | 3,545 | 0.02% |
| 38: EXTRACRANIAL PROCEDURES W CC | 11,855 | 0.07% |
| 39: EXTRACRANIAL PROCEDURES W/O CC/MCC | 27,847 | 0.16% |
| 40: PERIPH/CRANIAL NERVE & OTHER NERV SYST PROC W MCC | 4,956 | 0.03% |
| 41: PERIPH/CRANIAL NERVE & OTHER NERV SYST PROC W CC OR PERIPH NEUROSTIM | 6,959 | 0.04% |
| 42: PERIPH/CRANIAL NERVE & OTHER NERV SYST PROC W/O CC/MCC | 4,465 | 0.03% |
| 52: SPINAL DISORDERS & INJURIES W CC/MCC | 2,822 | 0.02% |
| 53: SPINAL DISORDERS & INJURIES W/O CC/MCC | 869 | 0.01% |
| 54: NERVOUS SYSTEM NEOPLASMS W MCC | 17,823 | 0.10% |
| 55: NERVOUS SYSTEM NEOPLASMS W/O MCC | 10,162 | 0.06% |
| 56: DEGENERATIVE NERVOUS SYSTEM DISORDERS W MCC | 20,067 | 0.12% |
| 57: DEGENERATIVE NERVOUS SYSTEM DISORDERS W/O MCC | 80,893 | 0.47% |
| 58: MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA W MCC | 1,432 | 0.01% |
| 59: MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA W CC | 5,676 | 0.03% |
| 60: MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA W/O CC/MCC | 7,561 | 0.04% |
| 61: ACUTE ISCHEMIC STROKE W USE OF THROMBOLYTIC AGENT W MCC | 4,615 | 0.03% |
| 62: ACUTE ISCHEMIC STROKE W USE OF THROMBOLYTIC AGENT W CC | 10,631 | 0.06% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 63: ACUTE ISCHEMIC STROKE W USE OF THROMBOLYTIC AGENT W/O CC/MCC | 2,914 | 0.02% |
| 64: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W MCC | 76,674 | 0.45% |
| 65: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W CC OR TPA IN 24 HRS | 119,239 | 0.69% |
| 66: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION W/O CC/MCC | 53,832 | 0.31% |
| 67: NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT W MCC | 802 | 0.00% |
| 68: NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT W/O MCC | 4,407 | 0.03% |
| 69: TRANSIENT ISCHEMIA | 64,257 | 0.37% |
| 70: NONSPECIFIC CEREBROVASCULAR DISORDERS W MCC | 15,476 | 0.09% |
| 71: NONSPECIFIC CEREBROVASCULAR DISORDERS W CC | 18,096 | 0.11% |
| 72: NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC/MCC | 6,636 | 0.04% |
| 73: CRANIAL & PERIPHERAL NERVE DISORDERS W MCC | 8,062 | 0.05% |
| 74: CRANIAL & PERIPHERAL NERVE DISORDERS W/O MCC | 33,867 | 0.20% |
| 75: VIRAL MENINGITIS W CC/MCC | 2,208 | 0.01% |
| 76: VIRAL MENINGITIS W/O CC/MCC | 3,495 | 0.02% |
| 77: HYPERTENSIVE ENCEPHALOPATHY W MCC | 2,031 | 0.01% |
| 78: HYPERTENSIVE ENCEPHALOPATHY W CC | 3,086 | 0.02% |
| 79: HYPERTENSIVE ENCEPHALOPATHY W/O CC/MCC | 1,453 | 0.01% |
| 80: NONTRAUMATIC STUPOR & COMA W MCC | 707 | 0.00% |
| 81: NONTRAUMATIC STUPOR & COMA W/O MCC | 1,214 | 0.01% |
| 82: TRAUMATIC STUPOR & COMA, COMA >1 HR W MCC | 5,468 | 0.03% |
| 83: TRAUMATIC STUPOR & COMA, COMA >1 HR W CC | 6,625 | 0.04% |
| 84: TRAUMATIC STUPOR & COMA, COMA >1 HR W/O CC/MCC | 7,166 | 0.04% |
| 85: TRAUMATIC STUPOR & COMA, COMA <1 HR W MCC | 10,619 | 0.06% |
| 86: TRAUMATIC STUPOR & COMA, COMA <1 HR W CC | 18,629 | 0.11% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 87: TRAUMATIC STUPOR & COMA, COMA <1 HR W/O CC/MCC | 19,239 | 0.11% |
| 88: CONCUSSION W MCC | 980 | 0.01% |
| 89: CONCUSSION W CC | 3,331 | 0.02% |
| 90: CONCUSSION W/O CC/MCC | 3,974 | 0.02% |
| 91: OTHER DISORDERS OF NERVOUS SYSTEM W MCC | 17,899 | 0.10% |
| 92: OTHER DISORDERS OF NERVOUS SYSTEM W CC | 29,049 | 0.17% |
| 93: OTHER DISORDERS OF NERVOUS SYSTEM W/O CC/MCC | 18,082 | 0.11% |
| 94: BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM W MCC | 2,166 | 0.01% |
| 95: BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM W CC | 2,623 | 0.02% |
| 96: BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM W/O CC/MCC | 1,910 | 0.01% |
| 97: NON-BACTERIAL INFECT OF NERVOUS SYS EXC VIRAL MENINGITIS W MCC | 3,338 | 0.02% |
| 98: NON-BACTERIAL INFECT OF NERVOUS SYS EXC VIRAL MENINGITIS W CC | 3,508 | 0.02% |
| 99: NON-BACTERIAL INFECT OF NERVOUS SYS EXC VIRAL MENINGITIS W/O CC/MCC | 3,457 | 0.02% |
| 100: SEIZURES W MCC | 33,705 | 0.20% |
| 101: SEIZURES W/O MCC | 98,435 | 0.57% |
| 102: HEADACHES W MCC | 3,004 | 0.02% |
| 103: HEADACHES W/O MCC | 35,640 | 0.21% |
| 113: ORBITAL PROCEDURES W CC/MCC | 1,205 | 0.01% |
| 114: ORBITAL PROCEDURES W/O CC/MCC | 786 | 0.00% |
| 115: EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 1,740 | 0.01% |
| 116: INTRAOCULAR PROCEDURES W CC/MCC | 715 | 0.00% |
| 117: INTRAOCULAR PROCEDURES W/O CC/MCC | 724 | 0.00% |
| 121: ACUTE MAJOR EYE INFECTIONS W CC/MCC | 1,212 | 0.01% |
| 122: ACUTE MAJOR EYE INFECTIONS W/O CC/MCC | 985 | 0.01% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 123: NEUROLOGICAL EYE DISORDERS | 5,541 | 0.03% |
| 124: OTHER DISORDERS OF THE EYE W MCC | 1,180 | 0.01% |
| 125: OTHER DISORDERS OF THE EYE W/O MCC | 6,999 | 0.04% |
| 129: MAJOR HEAD & NECK PROCEDURES W CC/MCC OR MAJOR DEVICE | 3,429 | 0.02% |
| 130: MAJOR HEAD & NECK PROCEDURES W/O CC/MCC | 2,321 | 0.01% |
| 131: CRANIAL/FACIAL PROCEDURES W CC/MCC | 4,835 | 0.03% |
| 132: CRANIAL/FACIAL PROCEDURES W/O CC/MCC | 7,402 | 0.04% |
| 133: OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES W CC/MCC | 6,465 | 0.04% |
| 134: OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES W/O CC/MCC | 10,059 | 0.06% |
| 135: SINUS & MASTOID PROCEDURES W CC/MCC | 568 | 0.00% |
| 136: SINUS & MASTOID PROCEDURES W/O CC/MCC | 321 | 0.00% |
| 137: MOUTH PROCEDURES W CC/MCC | 2,349 | 0.01% |
| 138: MOUTH PROCEDURES W/O CC/MCC | 1,944 | 0.01% |
| 139: SALIVARY GLAND PROCEDURES | 1,079 | 0.01% |
| 146: EAR, NOSE, MOUTH & THROAT MALIGNANCY W MCC | 1,412 | 0.01% |
| 147: EAR, NOSE, MOUTH & THROAT MALIGNANCY W CC | 1,850 | 0.01% |
| 148: EAR, NOSE, MOUTH & THROAT MALIGNANCY W/O CC/MCC | 747 | 0.00% |
| 149: DYSEQUILIBRIUM | 24,550 | 0.14% |
| 150: EPISTAXIS W MCC | 1,055 | 0.01% |
| 151: EPISTAXIS W/O MCC | 3,904 | 0.02% |
| 152: OTITIS MEDIA & URI W MCC | 5,341 | 0.03% |
| 153: OTITIS MEDIA & URI W/O MCC | 32,662 | 0.19% |
| 154: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES W MCC | 2,393 | 0.01% |
| 155: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES W CC | 7,475 | 0.04% |
| 156: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES W/O CC/MCC | 5,956 | 0.03% |
| 157: DENTAL & ORAL DISEASES W MCC | 2,702 | 0.02% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 158: DENTAL & ORAL DISEASES W CC | 8,640 | 0.05% |
| 159: DENTAL & ORAL DISEASES W/O CC/MCC | 5,789 | 0.03% |
| 163: MAJOR CHEST PROCEDURES W MCC | 16,734 | 0.10% |
| 164: MAJOR CHEST PROCEDURES W CC | 24,069 | 0.14% |
| 165: MAJOR CHEST PROCEDURES W/O CC/MCC | 16,026 | 0.09% |
| 166: OTHER RESP SYSTEM O.R. PROCEDURES W MCC | 20,791 | 0.12% |
| 167: OTHER RESP SYSTEM O.R. PROCEDURES W CC | 15,518 | 0.09% |
| 168: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC/MCC | 6,446 | 0.04% |
| 175: PULMONARY EMBOLISM W MCC | 29,634 | 0.17% |
| 176: PULMONARY EMBOLISM W/O MCC | 56,888 | 0.33% |
| 177: RESPIRATORY INFECTIONS & INFLAMMATIONS W MCC | 63,710 | 0.37% |
| 178: RESPIRATORY INFECTIONS & INFLAMMATIONS W CC | 38,330 | 0.22% |
| 179: RESPIRATORY INFECTIONS & INFLAMMATIONS W/O CC/MCC | 11,436 | 0.07% |
| 180: RESPIRATORY NEOPLASMS W MCC | 21,860 | 0.13% |
| 181: RESPIRATORY NEOPLASMS W CC | 17,779 | 0.10% |
| 182: RESPIRATORY NEOPLASMS W/O CC/MCC | 2,040 | 0.01% |
| 183: MAJOR CHEST TRAUMA W MCC | 5,656 | 0.03% |
| 184: MAJOR CHEST TRAUMA W CC | 12,877 | 0.07% |
| 185: MAJOR CHEST TRAUMA W/O CC/MCC | 4,540 | 0.03% |
| 186: PLEURAL EFFUSION W MCC | 11,133 | 0.06% |
| 187: PLEURAL EFFUSION W CC | 9,667 | 0.06% |
| 188: PLEURAL EFFUSION W/O CC/MCC | 2,680 | 0.02% |
| 189: PULMONARY EDEMA & RESPIRATORY FAILURE | 161,298 | 0.94% |
| 190: CHRONIC OBSTRUCTIVE PULMONARY DISEASE W MCC | 152,527 | 0.89% |
| 191: CHRONIC OBSTRUCTIVE PULMONARY DISEASE W CC | 108,326 | 0.63% |
| 192: CHRONIC OBSTRUCTIVE PULMONARY DISEASE W/O CC/MCC | 64,410 | 0.37% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 193: SIMPLE PNEUMONIA & PLEURISY W MCC | 133,410 | 0.78% |
| 194: SIMPLE PNEUMONIA & PLEURISY W CC | 160,950 | 0.94% |
| 195: SIMPLE PNEUMONIA & PLEURISY W/O CC/MCC | 74,158 | 0.43% |
| 196: INTERSTITIAL LUNG DISEASE W MCC | 8,217 | 0.05% |
| 197: INTERSTITIAL LUNG DISEASE W CC | 4,615 | 0.03% |
| 198: INTERSTITIAL LUNG DISEASE W/O CC/MCC | 2,081 | 0.01% |
| 199: PNEUMOTHORAX W MCC | 6,740 | 0.04% |
| 200: PNEUMOTHORAX W CC | 15,449 | 0.09% |
| 201: PNEUMOTHORAX W/O CC/MCC | 7,561 | 0.04% |
| 202: BRONCHITIS & ASTHMA W CC/MCC | 76,273 | 0.44% |
| 203: BRONCHITIS & ASTHMA W/O CC/MCC | 70,719 | 0.41% |
| 204: RESPIRATORY SIGNS & SYMPTOMS | 17,513 | 0.10% |
| 205: OTHER RESPIRATORY SYSTEM DIAGNOSES W MCC | 9,432 | 0.05% |
| 206: OTHER RESPIRATORY SYSTEM DIAGNOSES W/O MCC | 18,610 | 0.11% |
| 207: RESPIRATORY SYSTEM DIAGNOSIS W VENTILATOR SUPPORT >96 HOURS | 25,218 | 0.15% |
| 208: RESPIRATORY SYSTEM DIAGNOSIS W VENTILATOR SUPPORT <96 HOURS | 48,980 | 0.28% |
| 208: RESPIRATORY SYSTEM DIAGNOSIS W VENTILATOR SUPPORT <=96 HOURS | 16,627 | 0.10% |
| 215: OTHER HEART ASSIST SYSTEM IMPLANT | 1,163 | 0.01% |
| 216: CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W CARD CATH W MCC | 10,885 | 0.06% |
| 217: CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W CARD CATH W CC | 4,516 | 0.03% |
| 218: CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W CARD CATH W/O CC/MCC | 720 | 0.00% |
| 219: CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W/O CARD CATH W MCC | 21,591 | 0.13% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 220: CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W/O CARD CATH W CC | 26,420 | 0.15% |
| 221: CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROC W/O CARD CATH W/O CC/MCC | 5,510 | 0.03% |
| 222: CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK W MCC | 1,773 | 0.01% |
| 223: CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK W/O MCC | 1,188 | 0.01% |
| 224: CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK W MCC | 2,698 | 0.02% |
| 225: CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK W/O MCC | 2,427 | 0.01% |
| 226: CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH W MCC | 4,901 | 0.03% |
| 227: CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH W/O MCC | 9,130 | 0.05% |
| 228: OTHER CARDIOTHORACIC PROCEDURES W MCC | 5,229 | 0.03% |
| 229: OTHER CARDIOTHORACIC PROCEDURES W CC | 3,460 | 0.02% |
| 229: OTHER CARDIOTHORACIC PROCEDURES W/O MCC | 1,989 | 0.01% |
| 230: OTHER CARDIOTHORACIC PROCEDURES W/O CC/MCC | 1,381 | 0.01% |
| 231: CORONARY BYPASS W PTCA W MCC | 1,491 | 0.01% |
| 232: CORONARY BYPASS W PTCA W/O MCC | 1,205 | 0.01% |
| 233: CORONARY BYPASS W CARDIAC CATH W MCC | 15,156 | 0.09% |
| 234: CORONARY BYPASS W CARDIAC CATH W/O MCC | 23,671 | 0.14% |
| 235: CORONARY BYPASS W/O CARDIAC CATH W MCC | 12,935 | 0.08% |
| 236: CORONARY BYPASS W/O CARDIAC CATH W/O MCC | 28,811 | 0.17% |
| 239: AMPUTATION FOR CIRC SYS DISORDERS EXC UPPER LIMB & TOE W MCC | 8,185 | 0.05% |
| 240: AMPUTATION FOR CIRC SYS DISORDERS EXC UPPER LIMB & TOE W CC | 9,123 | 0.05% |
| 241: AMPUTATION FOR CIRC SYS DISORDERS EXC UPPER LIMB & TOE W/O CC/MCC | 1,079 | 0.01% |
| 242: PERMANENT CARDIAC PACEMAKER IMPLANT W MCC | 14,938 | 0.09% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 243: PERMANENT CARDIAC PACEMAKER IMPLANT W CC | 23,929 | 0.14% |
| 244: PERMANENT CARDIAC PACEMAKER IMPLANT W/O CC/MCC | 18,546 | 0.11% |
| 245: AICD GENERATOR PROCEDURES | 3,913 | 0.02% |
| 246: PERC CARDIOVASC PROC W DRUG-ELUTING STENT W MCC OR 4+ VESSELS/STENTS | 47,262 | 0.27% |
| 247: PERC CARDIOVASC PROC W DRUG-ELUTING STENT W/O MCC | 144,394 | 0.84% |
| 248: PERC CARDIOVASC PROC W NON-DRUG-ELUTING STENT W MCC OR 4+ VES/STENTS | 6,861 | 0.04% |
| 249: PERC CARDIOVASC PROC W NON-DRUG-ELUTING STENT W/O MCC | 14,575 | 0.08% |
| 250: PERC CARDIOVASC PROC W/O CORONARY ARTERY STENT W MCC | 3,944 | 0.02% |
| 251: PERC CARDIOVASC PROC W/O CORONARY ARTERY STENT W/O MCC | 8,203 | 0.05% |
| 252: OTHER VASCULAR PROCEDURES W MCC | 37,848 | 0.22% |
| 253: OTHER VASCULAR PROCEDURES W CC | 38,518 | 0.22% |
| 254: OTHER VASCULAR PROCEDURES W/O CC/MCC | 20,752 | 0.12% |
| 255: UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS W MCC | 1,940 | 0.01% |
| 256: UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS W CC | 3,818 | 0.02% |
| 257: UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS W/O CC/MCC | 313 | 0.00% |
| 258: CARDIAC PACEMAKER DEVICE REPLACEMENT W MCC | 663 | 0.00% |
| 259: CARDIAC PACEMAKER DEVICE REPLACEMENT W/O MCC | 1,921 | 0.01% |
| 260: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT W MCC | 1,746 | 0.01% |
| 261: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT W CC | 2,392 | 0.01% |
| 262: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT W/O CC/MCC | 988 | 0.01% |
| 263: VEIN LIGATION & STRIPPING | 1,235 | 0.01% |
| 264: OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 12,105 | 0.07% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 265: AICD LEAD PROCEDURES | 1,114 | 0.01% |
| 266: ENDOVASCULAR CARDIAC VALVE REPLACEMENT W MCC | 10,185 | 0.06% |
| 267: ENDOVASCULAR CARDIAC VALVE REPLACEMENT W/O MCC | 13,183 | 0.08% |
| 268: AORTIC AND HEART ASSIST PROCEDURES EXCEPT PULSATION BALLOON W MCC | 3,942 | 0.02% |
| 269: AORTIC AND HEART ASSIST PROCEDURES EXCEPT PULSATION BALLOON W/O MCC | 17,795 | 0.10% |
| 270: OTHER MAJOR CARDIOVASCULAR PROCEDURES W MCC | 18,589 | 0.11% |
| 271: OTHER MAJOR CARDIOVASCULAR PROCEDURES W CC | 13,777 | 0.08% |
| 272: OTHER MAJOR CARDIOVASCULAR PROCEDURES W/O CC/MCC | 6,488 | 0.04% |
| 273: PERCUTANEOUS INTRACARDIAC PROCEDURES W MCC | 7,892 | 0.05% |
| 274: PERCUTANEOUS INTRACARDIAC PROCEDURES W/O MCC | 23,167 | 0.13% |
| 280: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W MCC | 66,082 | 0.38% |
| 281: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W CC | 50,509 | 0.29% |
| 282: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE W/O CC/MCC | 31,581 | 0.18% |
| 283: ACUTE MYOCARDIAL INFARCTION, EXPIRED W MCC | 10,054 | 0.06% |
| 284: ACUTE MYOCARDIAL INFARCTION, EXPIRED W CC | 1,706 | 0.01% |
| 285: ACUTE MYOCARDIAL INFARCTION, EXPIRED W/O CC/MCC | 558 | 0.00% |
| 286: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W MCC | 37,468 | 0.22% |
| 287: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O MCC | 107,575 | 0.63% |
| 288: ACUTE & SUBACUTE ENDOCARDITIS W MCC | 2,326 | 0.01% |
| 289: ACUTE & SUBACUTE ENDOCARDITIS W CC | 1,576 | 0.01% |
| 290: ACUTE & SUBACUTE ENDOCARDITIS W/O CC/MCC | 376 | 0.00% |
| 291: HEART FAILURE & SHOCK W MCC | 245,364 | 1.43% |
| 292: HEART FAILURE & SHOCK W CC | 187,702 | 1.09% |
| 293: HEART FAILURE & SHOCK W/O CC/MCC | 58,559 | 0.34% |
| 294: DEEP VEIN THROMBOPHLEBITIS W CC/MCC | 398 | 0.00% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 295: DEEP VEIN THROMBOPHLEBITIS W/O CC/MCC | 63 | 0.00% |
| 296: CARDIAC ARREST, UNEXPLAINED W MCC | 4,084 | 0.02% |
| 297: CARDIAC ARREST, UNEXPLAINED W CC | 631 | 0.00% |
| 298: CARDIAC ARREST, UNEXPLAINED W/O CC/MCC | 353 | 0.00% |
| 299: PERIPHERAL VASCULAR DISORDERS W MCC | 22,268 | 0.13% |
| 300: PERIPHERAL VASCULAR DISORDERS W CC | 38,949 | 0.23% |
| 301: PERIPHERAL VASCULAR DISORDERS W/O CC/MCC | 18,756 | 0.11% |
| 302: ATHEROSCLEROSIS W MCC | 4,551 | 0.03% |
| 303: ATHEROSCLEROSIS W/O MCC | 21,281 | 0.12% |
| 304: HYPERTENSION W MCC | 7,785 | 0.05% |
| 305: HYPERTENSION W/O MCC | 40,914 | 0.24% |
| 306: CARDIAC CONGENITAL & VALVULAR DISORDERS W MCC | 3,647 | 0.02% |
| 307: CARDIAC CONGENITAL & VALVULAR DISORDERS W/O MCC | 4,786 | 0.03% |
| 308: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W MCC | 70,437 | 0.41% |
| 309: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC | 103,324 | 0.60% |
| 310: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC/MCC | 97,210 | 0.57% |
| 311: ANGINA PECTORIS | 10,374 | 0.06% |
| 312: SYNCOPE & COLLAPSE | 95,713 | 0.56% |
| 313: CHEST PAIN | 114,984 | 0.67% |
| 314: OTHER CIRCULATORY SYSTEM DIAGNOSES W MCC | 44,261 | 0.26% |
| 315: OTHER CIRCULATORY SYSTEM DIAGNOSES W CC | 28,704 | 0.17% |
| 316: OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC/MCC | 9,601 | 0.06% |
| 326: STOMACH, ESOPHAGEAL & DUODENAL PROC W MCC | 20,280 | 0.12% |
| 327: STOMACH, ESOPHAGEAL & DUODENAL PROC W CC | 27,722 | 0.16% |
| 328: STOMACH, ESOPHAGEAL & DUODENAL PROC W/O CC/MCC | 20,918 | 0.12% |
| 329: MAJOR SMALL & LARGE BOWEL PROCEDURES W MCC | 43,676 | 0.25% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 330: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC | 92,395 | 0.54% |
| 331: MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC/MCC | 53,544 | 0.31% |
| 332: RECTAL RESECTION W MCC | 327 | 0.00% |
| 333: RECTAL RESECTION W CC | 1,486 | 0.01% |
| 334: RECTAL RESECTION W/O CC/MCC | 1,786 | 0.01% |
| 335: PERITONEAL ADHESIOLYSIS W MCC | 7,010 | 0.04% |
| 336: PERITONEAL ADHESIOLYSIS W CC | 16,237 | 0.09% |
| 337: PERITONEAL ADHESIOLYSIS W/O CC/MCC | 12,118 | 0.07% |
| 338: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W MCC | 1,940 | 0.01% |
| 339: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC | 9,330 | 0.05% |
| 340: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC/MCC | 20,150 | 0.12% |
| 341: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W MCC | 1,722 | 0.01% |
| 342: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC | 7,730 | 0.04% |
| 343: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC/MCC | 35,393 | 0.21% |
| 344: MINOR SMALL & LARGE BOWEL PROCEDURES W MCC | 2,262 | 0.01% |
| 345: MINOR SMALL & LARGE BOWEL PROCEDURES W CC | 6,438 | 0.04% |
| 346: MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC/MCC | 4,957 | 0.03% |
| 347: ANAL & STOMAL PROCEDURES W MCC | 1,998 | 0.01% |
| 348: ANAL & STOMAL PROCEDURES W CC | 6,653 | 0.04% |
| 349: ANAL & STOMAL PROCEDURES W/O CC/MCC | 5,748 | 0.03% |
| 350: INGUINAL & FEMORAL HERNIA PROCEDURES W MCC | 1,527 | 0.01% |
| 351: INGUINAL & FEMORAL HERNIA PROCEDURES W CC | 4,320 | 0.03% |
| 352: INGUINAL & FEMORAL HERNIA PROCEDURES W/O CC/MCC | 6,473 | 0.04% |
| 353: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL W MCC | 4,088 | 0.02% |
| 354: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL W CC | 15,241 | 0.09% |
| 355: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL W/O CC/MCC | 17,570 | 0.10% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 356: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W MCC | 11,596 | 0.07% |
| 357: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC | 15,458 | 0.09% |
| 358: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC/MCC | 4,753 | 0.03% |
| 368: MAJOR ESOPHAGEAL DISORDERS W MCC | 3,404 | 0.02% |
| 369: MAJOR ESOPHAGEAL DISORDERS W CC | 6,427 | 0.04% |
| 370: MAJOR ESOPHAGEAL DISORDERS W/O CC/MCC | 1,787 | 0.01% |
| 371: MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS W MCC | 19,754 | 0.11% |
| 372: MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS W CC | 40,316 | 0.23% |
| 373: MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS W/O CC/MCC | 18,850 | 0.11% |
| 374: DIGESTIVE MALIGNANCY W MCC | 12,647 | 0.07% |
| 375: DIGESTIVE MALIGNANCY W CC | 20,177 | 0.12% |
| 376: DIGESTIVE MALIGNANCY W/O CC/MCC | 3,039 | 0.02% |
| 377: G.I. HEMORRHAGE W MCC | 54,297 | 0.32% |
| 378: G.I. HEMORRHAGE W CC | 147,231 | 0.86% |
| 379: G.I. HEMORRHAGE W/O CC/MCC | 34,314 | 0.20% |
| 380: COMPLICATED PEPTIC ULCER W MCC | 4,861 | 0.03% |
| 381: COMPLICATED PEPTIC ULCER W CC | 9,622 | 0.06% |
| 382: COMPLICATED PEPTIC ULCER W/O CC/MCC | 3,554 | 0.02% |
| 383: UNCOMPLICATED PEPTIC ULCER W MCC | 1,621 | 0.01% |
| 384: UNCOMPLICATED PEPTIC ULCER W/O MCC | 9,617 | 0.06% |
| 385: INFLAMMATORY BOWEL DISEASE W MCC | 4,939 | 0.03% |
| 386: INFLAMMATORY BOWEL DISEASE W CC | 25,236 | 0.15% |
| 387: INFLAMMATORY BOWEL DISEASE W/O CC/MCC | 13,726 | 0.08% |
| 388: G.I. OBSTRUCTION W MCC | 18,383 | 0.11% |
| 389: G.I. OBSTRUCTION W CC | 61,964 | 0.36% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 390: G.I. OBSTRUCTION W/O CC/MCC | 57,092 | 0.33% |
| 391: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS W MCC | 49,862 | 0.29% |
| 392: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS W/O MCC | 323,617 | 1.88% |
| 393: OTHER DIGESTIVE SYSTEM DIAGNOSES W MCC | 26,508 | 0.15% |
| 394: OTHER DIGESTIVE SYSTEM DIAGNOSES W CC | 57,168 | 0.33% |
| 395: OTHER DIGESTIVE SYSTEM DIAGNOSES W/O CC/MCC | 29,041 | 0.17% |
| 405: PANCREAS, LIVER & SHUNT PROCEDURES W MCC | 6,331 | 0.04% |
| 406: PANCREAS, LIVER & SHUNT PROCEDURES W CC | 8,691 | 0.05% |
| 407: PANCREAS, LIVER & SHUNT PROCEDURES W/O CC/MCC | 4,111 | 0.02% |
| 408: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W MCC | 5,599 | 0.03% |
| 409: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC | 4,560 | 0.03% |
| 410: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC/MCC | 1,906 | 0.01% |
| 411: CHOLECYSTECTOMY W C.D.E. W MCC | 806 | 0.00% |
| 412: CHOLECYSTECTOMY W C.D.E. W CC | 1,023 | 0.01% |
| 413: CHOLECYSTECTOMY W C.D.E. W/O CC/MCC | 1,024 | 0.01% |
| 414: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W MCC | 2,893 | 0.02% |
| 415: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC | 4,849 | 0.03% |
| 416: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC/MCC | 3,918 | 0.02% |
| 417: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W MCC | 23,291 | 0.14% |
| 418: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC | 46,378 | 0.27% |
| 419: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC/MCC | 66,161 | 0.38% |
| 420: HEPATOBILIARY DIAGNOSTIC PROCEDURES W MCC | 7,148 | 0.04% |
| 421: HEPATOBILIARY DIAGNOSTIC PROCEDURES W CC | 6,495 | 0.04% |
| 422: HEPATOBILIARY DIAGNOSTIC PROCEDURES W/O CC/MCC | 1,013 | 0.01% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 423: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES W MCC | 1,581 | 0.01% |
| 424: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES W CC | 810 | 0.00% |
| 425: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES W/O CC/MCC | 175 | 0.00% |
| 432: CIRRHOSIS & ALCOHOLIC HEPATITIS W MCC | 21,058 | 0.12% |
| 433: CIRRHOSIS & ALCOHOLIC HEPATITIS W CC | 24,006 | 0.14% |
| 434: CIRRHOSIS & ALCOHOLIC HEPATITIS W/O CC/MCC | 2,952 | 0.02% |
| 435: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS W MCC | 16,082 | 0.09% |
| 436: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS W CC | 12,493 | 0.07% |
| 437: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS W/O CC/MCC | 2,016 | 0.01% |
| 438: DISORDERS OF PANCREAS EXCEPT MALIGNANCY W MCC | 22,598 | 0.13% |
| 439: DISORDERS OF PANCREAS EXCEPT MALIGNANCY W CC | 66,349 | 0.39% |
| 440: DISORDERS OF PANCREAS EXCEPT MALIGNANCY W/O CC/MCC | 51,668 | 0.30% |
| 441: DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W MCC | 22,641 | 0.13% |
| 442: DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC | 28,811 | 0.17% |
| 443: DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W/O CC/MCC | 8,708 | 0.05% |
| 444: DISORDERS OF THE BILIARY TRACT W MCC | 13,519 | 0.08% |
| 445: DISORDERS OF THE BILIARY TRACT W CC | 23,500 | 0.14% |
| 446: DISORDERS OF THE BILIARY TRACT W/O CC/MCC | 17,682 | 0.10% |
| 453: COMBINED ANTERIOR/POSTERIOR SPINAL FUSION W MCC | 2,106 | 0.01% |
| 454: COMBINED ANTERIOR/POSTERIOR SPINAL FUSION W CC | 8,498 | 0.05% |
| 455: COMBINED ANTERIOR/POSTERIOR SPINAL FUSION W/O CC/MCC | 9,508 | 0.06% |
| 456: SPINAL FUS EXC CERV W SPINAL CURV/MALIG/INFEC OR EXT FUS W MCC | 2,236 | 0.01% |
| 457: SPINAL FUS EXC CERV W SPINAL CURV/MALIG/INFEC OR EXT FUS W CC | 6,664 | 0.04% |
| 458: SPINAL FUS EXC CERV W SPINAL CURV/MALIG/INFEC OR EXT FUS W/O CC/MCC | 4,653 | 0.03% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 459: SPINAL FUSION EXCEPT CERVICAL W MCC | 6,834 | 0.04% |
| 460: SPINAL FUSION EXCEPT CERVICAL W/O MCC | 115,541 | 0.67% |
| 461: BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY W MCC | 462 | 0.00% |
| 462: BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY W/O MCC | 15,546 | 0.09% |
| 463: WND DEBRID & SKN GRFT EXC HAND, FOR MUSCULO-CONN TISS DIS W MCC | 7,106 | 0.04% |
| 464: WND DEBRID & SKN GRFT EXC HAND, FOR MUSCULO-CONN TISS DIS W CC | 16,839 | 0.10% |
| 465: WND DEBRID & SKN GRFT EXC HAND, FOR MUSCULO-CONN TISS DIS W/O CC/MCC | 8,071 | 0.05% |
| 466: REVISION OF HIP OR KNEE REPLACEMENT W MCC | 3,491 | 0.02% |
| 467: REVISION OF HIP OR KNEE REPLACEMENT W CC | 20,250 | 0.12% |
| 468: REVISION OF HIP OR KNEE REPLACEMENT W/O CC/MCC | 21,793 | 0.13% |
| 469: MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY W MCC | 23,281 | 0.14% |
| 470: MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY W/O MCC | 633,492 | 3.68% |
| 471: CERVICAL SPINAL FUSION W MCC | 4,562 | 0.03% |
| 472: CERVICAL SPINAL FUSION W CC | 28,350 | 0.16% |
| 473: CERVICAL SPINAL FUSION W/O CC/MCC | 53,213 | 0.31% |
| 474: AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS W MCC | 3,174 | 0.02% |
| 475: AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS W CC | 5,203 | 0.03% |
| 476: AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS W/O CC/MCC | 1,544 | 0.01% |
| 477: BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W MCC | 3,575 | 0.02% |
| 478: BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W CC | 9,200 | 0.05% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 479: BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W/O CC/MCC | 3,652 | 0.02% |
| 480: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT W MCC | 24,424 | 0.14% |
| 481: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT W CC | 71,927 | 0.42% |
| 482: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT W/O CC/MCC | 33,027 | 0.19% |
| 483: MAJOR JOINT/LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITIES | 56,817 | 0.33% |
| 485: KNEE PROCEDURES W PDX OF INFECTION W MCC | 928 | 0.01% |
| 486: KNEE PROCEDURES W PDX OF INFECTION W CC | 2,500 | 0.01% |
| 487: KNEE PROCEDURES W PDX OF INFECTION W/O CC/MCC | 1,283 | 0.01% |
| 488: KNEE PROCEDURES W/O PDX OF INFECTION W CC/MCC | 4,655 | 0.03% |
| 489: KNEE PROCEDURES W/O PDX OF INFECTION W/O CC/MCC | 5,838 | 0.03% |
| 492: LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR W MCC | 7,850 | 0.05% |
| 493: LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR W CC | 30,672 | 0.18% |
| 494: LOWER EXTREM & HUMER PROC EXCEPT HIP,FOOT,FEMUR W/O CC/MCC | 44,051 | 0.26% |
| 495: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXC HIP & FEMUR W MCC | 616 | 0.00% |
| 496: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXC HIP & FEMUR W CC | 3,065 | 0.02% |
| 497: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXC HIP & FEMUR W/O CC/MCC | 2,946 | 0.02% |
| 498: LOCAL EXCISION & REMOVAL INT FIX DEVICES OF HIP & FEMUR W CC/MCC | 1,440 | 0.01% |
| 499: LOCAL EXCISION & REMOVAL INT FIX DEVICES OF HIP & FEMUR W/O CC/MCC | 738 | 0.00% |
| 500: SOFT TISSUE PROCEDURES W MCC | 3,539 | 0.02% |
| 501: SOFT TISSUE PROCEDURES W CC | 11,485 | 0.07% |
| 502: SOFT TISSUE PROCEDURES W/O CC/MCC | 9,553 | 0.06% |
| 503: FOOT PROCEDURES W MCC | 1,722 | 0.01% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 504: FOOT PROCEDURES W CC | 6,607 | 0.04% |
| 505: FOOT PROCEDURES W/O CC/MCC | 5,320 | 0.03% |
| 506: MAJOR THUMB OR JOINT PROCEDURES | 1,253 | 0.01% |
| 507: MAJOR SHOULDER OR ELBOW JOINT PROCEDURES W CC/MCC | 726 | 0.00% |
| 508: MAJOR SHOULDER OR ELBOW JOINT PROCEDURES W/O CC/MCC | 610 | 0.00% |
| 509: ARTHROSCOPY | 163 | 0.00% |
| 510: SHOULDER,ELBOW OR FOREARM PROC,EXC MAJOR JOINT PROC W MCC | 1,402 | 0.01% |
| 511: SHOULDER,ELBOW OR FOREARM PROC,EXC MAJOR JOINT PROC W CC | 5,513 | 0.03% |
| 512: SHOULDER,ELBOW OR FOREARM PROC,EXC MAJOR JOINT PROC W/O CC/MCC | 7,969 | 0.05% |
| 513: HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROC W CC/MCC | 4,384 | 0.03% |
| 514: HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROC W/O CC/MCC | 3,691 | 0.02% |
| 515: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W MCC | 5,615 | 0.03% |
| 516: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC | 17,509 | 0.10% |
| 517: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC/MCC | 24,266 | 0.14% |
| 518: BACK & NECK PROC EXC SPINAL FUSION W MCC OR DISC DEVICE/NEUROSTIM | 6,479 | 0.04% |
| 519: BACK & NECK PROC EXC SPINAL FUSION W CC | 13,366 | 0.08% |
| 520: BACK & NECK PROC EXC SPINAL FUSION W/O CC/MCC | 22,870 | 0.13% |
| 533: FRACTURES OF FEMUR W MCC | 765 | 0.00% |
| 534: FRACTURES OF FEMUR W/O MCC | 2,969 | 0.02% |
| 535: FRACTURES OF HIP & PELVIS W MCC | 6,565 | 0.04% |
| 536: FRACTURES OF HIP & PELVIS W/O MCC | 23,765 | 0.14% |
| 537: SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH W CC/MCC | 813 | 0.00% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 538: SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH W/O CC/MCC | 588 | 0.00% |
| 539: OSTEOMYELITIS W MCC | 4,262 | 0.02% |
| 540: OSTEOMYELITIS W CC | 7,881 | 0.05% |
| 541: OSTEOMYELITIS W/O CC/MCC | 3,112 | 0.02% |
| 542: PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIG W MCC | 7,065 | 0.04% |
| 543: PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIG W CC | 15,319 | 0.09% |
| 544: PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIG W/O CC/MCC | 4,844 | 0.03% |
| 545: CONNECTIVE TISSUE DISORDERS W MCC | 4,949 | 0.03% |
| 546: CONNECTIVE TISSUE DISORDERS W CC | 8,773 | 0.05% |
| 547: CONNECTIVE TISSUE DISORDERS W/O CC/MCC | 4,717 | 0.03% |
| 548: SEPTIC ARTHRITIS W MCC | 735 | 0.00% |
| 549: SEPTIC ARTHRITIS W CC | 2,229 | 0.01% |
| 550: SEPTIC ARTHRITIS W/O CC/MCC | 1,333 | 0.01% |
| 551: MEDICAL BACK PROBLEMS W MCC | 12,737 | 0.07% |
| 552: MEDICAL BACK PROBLEMS W/O MCC | 76,003 | 0.44% |
| 553: BONE DISEASES & ARTHROPATHIES W MCC | 2,750 | 0.02% |
| 554: BONE DISEASES & ARTHROPATHIES W/O MCC | 21,357 | 0.12% |
| 555: SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE W MCC | 3,300 | 0.02% |
| 556: SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE W/O MCC | 18,211 | 0.11% |
| 557: TENDONITIS, MYOSITIS & BURSITIS W MCC | 4,344 | 0.03% |
| 558: TENDONITIS, MYOSITIS & BURSITIS W/O MCC | 23,870 | 0.14% |
| 559: AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W MCC | 6,562 | 0.04% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 560: AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W CC | 21,405 | 0.12% |
| 561: AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE W/O CC/MCC | 13,481 | 0.08% |
| 562: FX, SPRN, STRN & DISL EXCEPT FEMUR, HIP, PELVIS & THIGH W MCC | 6,232 | 0.04% |
| 563: FX, SPRN, STRN & DISL EXCEPT FEMUR, HIP, PELVIS & THIGH W/O MCC | 33,959 | 0.20% |
| 564: OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSES W MCC | 3,680 | 0.02% |
| 565: OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSES W CC | 8,725 | 0.05% |
| 566: OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSES W/O CC/MCC | 4,155 | 0.02% |
| 570: SKIN DEBRIDEMENT W MCC | 5,566 | 0.03% |
| 571: SKIN DEBRIDEMENT W CC | 12,003 | 0.07% |
| 572: SKIN DEBRIDEMENT W/O CC/MCC | 7,297 | 0.04% |
| 573: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS W MCC | 1,419 | 0.01% |
| 574: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS W CC | 1,547 | 0.01% |
| 575: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS W/O CC/MCC | 553 | 0.00% |
| 576: SKIN GRAFT EXC FOR SKIN ULCER OR CELLULITIS W MCC | 642 | 0.00% |
| 577: SKIN GRAFT EXC FOR SKIN ULCER OR CELLULITIS W CC | 2,767 | 0.02% |
| 578: SKIN GRAFT EXC FOR SKIN ULCER OR CELLULITIS W/O CC/MCC | 3,454 | 0.02% |
| 579: OTHER SKIN, SUBCUT TISS & BREAST PROC W MCC | 6,843 | 0.04% |
| 580: OTHER SKIN, SUBCUT TISS & BREAST PROC W CC | 26,596 | 0.15% |
| 581: OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC/MCC | 25,563 | 0.15% |
| 582: MASTECTOMY FOR MALIGNANCY W CC/MCC | 1,957 | 0.01% |
| 583: MASTECTOMY FOR MALIGNANCY W/O CC/MCC | 3,491 | 0.02% |
| 584: BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES W CC/MCC | 1,874 | 0.01% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 585: BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES W/O CC/MCC | 4,831 | 0.03% |
| 592: SKIN ULCERS W MCC | 5,422 | 0.03% |
| 593: SKIN ULCERS W CC | 5,183 | 0.03% |
| 594: SKIN ULCERS W/O CC/MCC | 991 | 0.01% |
| 595: MAJOR SKIN DISORDERS W MCC | 1,111 | 0.01% |
| 596: MAJOR SKIN DISORDERS W/O MCC | 5,089 | 0.03% |
| 597: MALIGNANT BREAST DISORDERS W MCC | 1,947 | 0.01% |
| 598: MALIGNANT BREAST DISORDERS W CC | 2,953 | 0.02% |
| 599: MALIGNANT BREAST DISORDERS W/O CC/MCC | 332 | 0.00% |
| 600: NON-MALIGNANT BREAST DISORDERS W CC/MCC | 2,111 | 0.01% |
| 601: NON-MALIGNANT BREAST DISORDERS W/O CC/MCC | 3,167 | 0.02% |
| 602: CELLULITIS W MCC | 29,379 | 0.17% |
| 603: CELLULITIS W/O MCC | 219,895 | 1.28% |
| 604: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST W MCC | 3,501 | 0.02% |
| 605: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST W/O MCC | 23,077 | 0.13% |
| 606: MINOR SKIN DISORDERS W MCC | 2,252 | 0.01% |
| 607: MINOR SKIN DISORDERS W/O MCC | 13,337 | 0.08% |
| 614: ADRENAL & PITUITARY PROCEDURES W CC/MCC | 4,121 | 0.02% |
| 615: ADRENAL & PITUITARY PROCEDURES W/O CC/MCC | 3,120 | 0.02% |
| 616: AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS W MCC | 2,564 | 0.01% |
| 617: AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS W CC | 16,098 | 0.09% |
| 618: AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS W/O CC/MCC | 389 | 0.00% |
| 619: O.R. PROCEDURES FOR OBESITY W MCC | 1,433 | 0.01% |
| 620: O.R. PROCEDURES FOR OBESITY W CC | 10,933 | 0.06% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 621: O.R. PROCEDURES FOR OBESITY W/O CC/MCC | 81,485 | 0.47% |
| 622: SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DIS W MCC | 1,769 | 0.01% |
| 623: SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DIS W CC | 8,559 | 0.05% |
| 624: SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DIS W/O CC/MCC | 1,400 | 0.01% |
| 625: THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES W MCC | 1,073 | 0.01% |
| 626: THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES W CC | 3,605 | 0.02% |
| 627: THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES W/O CC/MCC | 7,648 | 0.04% |
| 628: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W MCC | 3,015 | 0.02% |
| 629: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC | 6,234 | 0.04% |
| 630: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC/MCC | 646 | 0.00% |
| 637: DIABETES W MCC | 40,168 | 0.23% |
| 638: DIABETES W CC | 107,133 | 0.62% |
| 639: DIABETES W/O CC/MCC | 53,275 | 0.31% |
| 640: MISC DISORDERS OF NUTRITION,METABOLISM,FLUIDS/ELECTROLYTES W MCC | 67,270 | 0.39% |
| 641: MISC DISORDERS OF NUTRITION,METABOLISM,FLUIDS/ELECTROLYTES W/O MCC | 130,110 | 0.76% |
| 642: INBORN AND OTHER DISORDERS OF METABOLISM | 4,248 | 0.02% |
| 643: ENDOCRINE DISORDERS W MCC | 9,581 | 0.06% |
| 644: ENDOCRINE DISORDERS W CC | 15,893 | 0.09% |
| 645: ENDOCRINE DISORDERS W/O CC/MCC | 8,859 | 0.05% |
| 652: KIDNEY TRANSPLANT | 9,631 | 0.06% |
| 653: MAJOR BLADDER PROCEDURES W MCC | 1,929 | 0.01% |
| 654: MAJOR BLADDER PROCEDURES W CC | 6,003 | 0.03% |
| 655: MAJOR BLADDER PROCEDURES W/O CC/MCC | 2,619 | 0.02% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 656: KIDNEY & URETER PROCEDURES FOR NEOPLASM W MCC | 3,664 | 0.02% |
| 657: KIDNEY & URETER PROCEDURES FOR NEOPLASM W CC | 11,347 | 0.07% |
| 658: KIDNEY & URETER PROCEDURES FOR NEOPLASM W/O CC/MCC | 12,616 | 0.07% |
| 659: KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM W MCC | 6,184 | 0.04% |
| 660: KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM W CC | 19,948 | 0.12% |
| 661: KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM W/O CC/MCC | 12,642 | 0.07% |
| 662: MINOR BLADDER PROCEDURES W MCC | 489 | 0.00% |
| 663: MINOR BLADDER PROCEDURES W CC | 1,192 | 0.01% |
| 664: MINOR BLADDER PROCEDURES W/O CC/MCC | 1,125 | 0.01% |
| 665: PROSTATECTOMY W MCC | 575 | 0.00% |
| 666: PROSTATECTOMY W CC | 1,636 | 0.01% |
| 667: PROSTATECTOMY W/O CC/MCC | 893 | 0.01% |
| 668: TRANSURETHRAL PROCEDURES W MCC | 3,264 | 0.02% |
| 669: TRANSURETHRAL PROCEDURES W CC | 19,825 | 0.12% |
| 670: TRANSURETHRAL PROCEDURES W/O CC/MCC | 5,173 | 0.03% |
| 671: URETHRAL PROCEDURES W CC/MCC | 680 | 0.00% |
| 672: URETHRAL PROCEDURES W/O CC/MCC | 785 | 0.00% |
| 673: OTHER KIDNEY & URINARY TRACT PROCEDURES W MCC | 9,370 | 0.05% |
| 674: OTHER KIDNEY & URINARY TRACT PROCEDURES W CC | 6,527 | 0.04% |
| 675: OTHER KIDNEY & URINARY TRACT PROCEDURES W/O CC/MCC | 973 | 0.01% |
| 682: RENAL FAILURE W MCC | 116,452 | 0.68% |
| 683: RENAL FAILURE W CC | 160,581 | 0.93% |
| 684: RENAL FAILURE W/O CC/MCC | 31,623 | 0.18% |
| 685: ADMIT FOR RENAL DIALYSIS | 120 | 0.00% |
| 686: KIDNEY & URINARY TRACT NEOPLASMS W MCC | 1,893 | 0.01% |
| 687: KIDNEY & URINARY TRACT NEOPLASMS W CC | 3,581 | 0.02% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 688: KIDNEY & URINARY TRACT NEOPLASMS W/O CC/MCC | 855 | 0.00% |
| 689: KIDNEY & URINARY TRACT INFECTIONS W MCC | 70,254 | 0.41% |
| 690: KIDNEY & URINARY TRACT INFECTIONS W/O MCC | 181,703 | 1.06% |
| 691: URINARY STONES W ESW LITHOTRIPSY W CC/MCC | 1,111 | 0.01% |
| 692: URINARY STONES W ESW LITHOTRIPSY W/O CC/MCC | 240 | 0.00% |
| 693: URINARY STONES W/O ESW LITHOTRIPSY W MCC | 3,025 | 0.02% |
| 694: URINARY STONES W/O ESW LITHOTRIPSY W/O MCC | 37,283 | 0.22% |
| 695: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS W MCC | 1,427 | 0.01% |
| 696: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS W/O MCC | 9,026 | 0.05% |
| 697: URETHRAL STRICTURE | 721 | 0.00% |
| 698: OTHER KIDNEY & URINARY TRACT DIAGNOSES W MCC | 45,907 | 0.27% |
| 699: OTHER KIDNEY & URINARY TRACT DIAGNOSES W CC | 36,111 | 0.21% |
| 700: OTHER KIDNEY & URINARY TRACT DIAGNOSES W/O CC/MCC | 8,915 | 0.05% |
| 707: MAJOR MALE PELVIC PROCEDURES W CC/MCC | 7,706 | 0.04% |
| 708: MAJOR MALE PELVIC PROCEDURES W/O CC/MCC | 28,874 | 0.17% |
| 709: PENIS PROCEDURES W CC/MCC | 808 | 0.00% |
| 710: PENIS PROCEDURES W/O CC/MCC | 1,150 | 0.01% |
| 711: TESTES PROCEDURES W CC/MCC | 1,031 | 0.01% |
| 712: TESTES PROCEDURES W/O CC/MCC | 1,125 | 0.01% |
| 713: TRANSURETHRAL PROSTATECTOMY W CC/MCC | 6,357 | 0.04% |
| 714: TRANSURETHRAL PROSTATECTOMY W/O CC/MCC | 3,851 | 0.02% |
| 715: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC FOR MALIGNANCY W CC/MCC | 555 | 0.00% |
| 716: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC FOR MALIGNANCY W/O CC/MCC | 372 | 0.00% |
| 717: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXC MALIGNANCY W CC/MCC | 1,311 | 0.01% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 718: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXC MALIGNANCY W/O CC/MCC | 605 | 0.00% |
| 722: MALIGNANCY, MALE REPRODUCTIVE SYSTEM W MCC | 997 | 0.01% |
| 723: MALIGNANCY, MALE REPRODUCTIVE SYSTEM W CC | 2,091 | 0.01% |
| 724: MALIGNANCY, MALE REPRODUCTIVE SYSTEM W/O CC/MCC | 324 | 0.00% |
| 725: BENIGN PROSTATIC HYPERTROPHY W MCC | 670 | 0.00% |
| 726: BENIGN PROSTATIC HYPERTROPHY W/O MCC | 3,316 | 0.02% |
| 727: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM W MCC | 1,758 | 0.01% |
| 728: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM W/O MCC | 10,161 | 0.06% |
| 729: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES W CC/MCC | 1,071 | 0.01% |
| 730: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES W/O CC/MCC | 632 | 0.00% |
| 734: PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY W CC/MCC | 2,625 | 0.02% |
| 735: PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY W/O CC/MCC | 2,029 | 0.01% |
| 736: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY W MCC | 1,020 | 0.01% |
| 737: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY W CC | 5,259 | 0.03% |
| 738: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY W/O CC/MCC | 1,765 | 0.01% |
| 739: UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W MCC | 872 | 0.01% |
| 740: UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC | 5,264 | 0.03% |
| 741: UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC/MCC | 5,701 | 0.03% |
| 742: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC/MCC | 29,638 | 0.17% |
| 743: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC/MCC | 80,477 | 0.47% |
| 744: D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION W CC/MCC | 3,412 | 0.02% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 745: D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION W/O CC/MCC | 1,955 | 0.01% |
| 746: VAGINA, CERVIX & VULVA PROCEDURES W CC/MCC | 2,467 | 0.01% |
| 747: VAGINA, CERVIX & VULVA PROCEDURES W/O CC/MCC | 3,427 | 0.02% |
| 748: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 4,126 | 0.02% |
| 749: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES W CC/MCC | 2,599 | 0.02% |
| 750: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES W/O CC/MCC | 1,283 | 0.01% |
| 754: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W MCC | 2,257 | 0.01% |
| 755: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC | 4,605 | 0.03% |
| 756: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC/MCC | 657 | 0.00% |
| 757: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W MCC | 1,218 | 0.01% |
| 758: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W CC | 4,202 | 0.02% |
| 759: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W/O CC/MCC | 5,725 | 0.03% |
| 760: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS W CC/MCC | 5,853 | 0.03% |
| 761: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS W/O CC/MCC | 5,214 | 0.03% |
| 765: CESAREAN SECTION W CC/MCC | 264,731 | 1.54% |
| 766: CESAREAN SECTION W/O CC/MCC | 365,268 | 2.12% |
| 767: VAGINAL DELIVERY W STERILIZATION &/OR D&C | 39,311 | 0.23% |
| 768: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C | 3,515 | 0.02% |
| 769: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE | 6,917 | 0.04% |
| 770: ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 5,084 | 0.03% |
| 774: VAGINAL DELIVERY W COMPLICATING DIAGNOSES | 190,729 | 1.11% |
| 775: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES | 1,065,778 | 6.20% |
| 776: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE | 24,341 | 0.14% |
| 777: ECTOPIC PREGNANCY | 6,809 | 0.04% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 778: THREATENED ABORTION | 18,560 | 0.11% |
| 779: ABORTION W/O D&C | 5,293 | 0.03% |
| 780: FALSE LABOR | 4,710 | 0.03% |
| 781: OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS | 78,243 | 0.45% |
| 782: OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS | 14,533 | 0.08% |
| 789: NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 8,460 | 0.05% |
| 790: EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 18,680 | 0.11% |
| 791: PREMATURETY W MAJOR PROBLEMS | 18,065 | 0.11% |
| 792: PREMATURETY W/O MAJOR PROBLEMS | 34,214 | 0.20% |
| 793: FULL TERM NEONATE W MAJOR PROBLEMS | 45,577 | 0.27% |
| 794: NEONATE W OTHER SIGNIFICANT PROBLEMS | 189,048 | 1.10% |
| 795: NORMAL NEWBORN | 513,486 | 2.99% |
| 799: SPLENECTOMY W MCC | 1,017 | 0.01% |
| 800: SPLENECTOMY W CC | 1,076 | 0.01% |
| 801: SPLENECTOMY W/O CC/MCC | 911 | 0.01% |
| 802: OTHER O.R. PROC OF THE BLOOD & BLOOD FORMING ORGANS W MCC | 1,378 | 0.01% |
| 803: OTHER O.R. PROC OF THE BLOOD & BLOOD FORMING ORGANS W CC | 2,196 | 0.01% |
| 804: OTHER O.R. PROC OF THE BLOOD & BLOOD FORMING ORGANS W/O CC/MCC | 1,690 | 0.01% |
| 808: MAJOR HEMATOL/IMMUN DIAG EXC SICKLE CELL CRISIS & COAGUL W MCC | 9,488 | 0.06% |
| 809: MAJOR HEMATOL/IMMUN DIAG EXC SICKLE CELL CRISIS & COAGUL W CC | 27,562 | 0.16% |
| 810: MAJOR HEMATOL/IMMUN DIAG EXC SICKLE CELL CRISIS & COAGUL W/O CC/MCC | 5,256 | 0.03% |
| 811: RED BLOOD CELL DISORDERS W MCC | 30,456 | 0.18% |
| 812: RED BLOOD CELL DISORDERS W/O MCC | 112,414 | 0.65% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 813: COAGULATION DISORDERS | 16,968 | 0.10% |
| 814: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W MCC | 2,237 | 0.01% |
| 815: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC | 5,201 | 0.03% |
| 816: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC/MCC | 3,701 | 0.02% |
| 820: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W MCC | 1,413 | 0.01% |
| 821: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W CC | 2,092 | 0.01% |
| 822: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W/O CC/MCC | 1,990 | 0.01% |
| 823: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W MCC | 3,015 | 0.02% |
| 824: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC | 4,027 | 0.02% |
| 825: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC/MCC | 1,898 | 0.01% |
| 826: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R. PROC W MCC | 1,331 | 0.01% |
| 827: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R. PROC W CC | 2,617 | 0.02% |
| 828: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R. PROC W/O CC/MCC | 1,568 | 0.01% |
| 829: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R. PROC W CC/MCC | 3,087 | 0.02% |
| 830: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R. PROC W/O CC/MCC | 1,083 | 0.01% |
| 834: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE W MCC | 7,148 | 0.04% |
| 835: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE W CC | 3,746 | 0.02% |
| 836: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE W/O CC/MCC | 1,535 | 0.01% |
| 837: CHEMO W ACUTE LEUKEMIA AS SDX OR W HIGH DOSE CHEMO AGENT W MCC | 4,937 | 0.03% |
| 838: CHEMO W ACUTE LEUKEMIA AS SDX W CC OR HIGH DOSE CHEMO AGENT | 4,314 | 0.03% |
| 839: CHEMO W ACUTE LEUKEMIA AS SDX W/O CC/MCC | 5,909 | 0.03% |
| 840: LYMPHOMA & NON-ACUTE LEUKEMIA W MCC | 10,545 | 0.06% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 841: LYMPHOMA & NON-ACUTE LEUKEMIA W CC | 10,879 | 0.06% |
| 842: LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC/MCC | 3,992 | 0.02% |
| 843: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W MCC | 2,723 | 0.02% |
| 844: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC | 3,134 | 0.02% |
| 845: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC/MCC | 900 | 0.01% |
| 846: CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS W MCC | 7,722 | 0.04% |
| 847: CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS W CC | 43,153 | 0.25% |
| 848: CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS W/O CC/MCC | 2,495 | 0.01% |
| 849: RADIOTHERAPY | 907 | 0.01% |
| 853: INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE W MCC | 106,811 | 0.62% |
| 854: INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE W CC | 37,467 | 0.22% |
| 855: INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE W/O CC/MCC | 1,249 | 0.01% |
| 856: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROC W MCC | 10,653 | 0.06% |
| 857: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROC W CC | 16,535 | 0.10% |
| 858: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROC W/O CC/MCC | 3,243 | 0.02% |
| 862: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS W MCC | 15,891 | 0.09% |
| 863: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS W/O MCC | 22,603 | 0.13% |
| 864: FEVER | 20,732 | 0.12% |
| 865: VIRAL ILLNESS W MCC | 4,976 | 0.03% |
| 866: VIRAL ILLNESS W/O MCC | 18,046 | 0.10% |
| 867: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES W MCC | 3,645 | 0.02% |
| 868: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES W CC | 4,443 | 0.03% |
| 869: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES W/O CC/MCC | 2,404 | 0.01% |
| 870: SEPTICEMIA OR SEVERE SEPSIS W MV >96 HOURS | 36,197 | 0.21% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 871: SEPTICEMIA OR SEVERE SEPSIS W/O MV >96 HOURS W MCC | 582,923 | 3.39% |
| 872: SEPTICEMIA OR SEVERE SEPSIS W/O MV >96 HOURS W/O MCC | 241,663 | 1.41% |
| 876: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS | 2,298 | 0.01% |
| 880: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 22,477 | 0.13% |
| 881: DEPRESSIVE NEUROSES | 73,733 | 0.43% |
| 882: NEUROSES EXCEPT DEPRESSIVE | 24,572 | 0.14% |
| 883: DISORDERS OF PERSONALITY & IMPULSE CONTROL | 10,079 | 0.06% |
| 884: ORGANIC DISTURBANCES & INTELLECTUAL DISABILITY | 9,110 | 0.05% |
| 884: ORGANIC DISTURBANCES & MENTAL RETARDATION | 27,199 | 0.16% |
| 885: PSYCHOSES | 561,632 | 3.27% |
| 886: BEHAVIORAL & DEVELOPMENTAL DISORDERS | 8,177 | 0.05% |
| 887: OTHER MENTAL DISORDER DIAGNOSES | 1,415 | 0.01% |
| 894: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 28,857 | 0.17% |
| 895: ALCOHOL/DRUG ABUSE OR DEPENDENCE W REHABILITATION THERAPY | 20,951 | 0.12% |
| 896: ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY W MCC | 23,051 | 0.13% |
| 897: ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY W/O MCC | 171,683 | 1.00% |
| 901: WOUND DEBRIDEMENTS FOR INJURIES W MCC | 1,662 | 0.01% |
| 902: WOUND DEBRIDEMENTS FOR INJURIES W CC | 4,295 | 0.02% |
| 903: WOUND DEBRIDEMENTS FOR INJURIES W/O CC/MCC | 2,080 | 0.01% |
| 904: SKIN GRAFTS FOR INJURIES W CC/MCC | 1,052 | 0.01% |
| 905: SKIN GRAFTS FOR INJURIES W/O CC/MCC | 536 | 0.00% |
| 906: HAND PROCEDURES FOR INJURIES | 2,689 | 0.02% |
| 907: OTHER O.R. PROCEDURES FOR INJURIES W MCC | 12,290 | 0.07% |
| 908: OTHER O.R. PROCEDURES FOR INJURIES W CC | 16,660 | 0.10% |
| 909: OTHER O.R. PROCEDURES FOR INJURIES W/O CC/MCC | 10,028 | 0.06% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 913: TRAUMATIC INJURY W MCC | 1,133 | 0.01% |
| 914: TRAUMATIC INJURY W/O MCC | 6,073 | 0.04% |
| 915: ALLERGIC REACTIONS W MCC | 3,393 | 0.02% |
| 916: ALLERGIC REACTIONS W/O MCC | 10,605 | 0.06% |
| 917: POISONING & TOXIC EFFECTS OF DRUGS W MCC | 60,848 | 0.35% |
| 918: POISONING & TOXIC EFFECTS OF DRUGS W/O MCC | 65,296 | 0.38% |
| 919: COMPLICATIONS OF TREATMENT W MCC | 14,723 | 0.09% |
| 920: COMPLICATIONS OF TREATMENT W CC | 19,579 | 0.11% |
| 921: COMPLICATIONS OF TREATMENT W/O CC/MCC | 8,320 | 0.05% |
| 922: OTHER INJURY, POISONING & TOXIC EFFECT DIAG W MCC | 2,813 | 0.02% |
| 923: OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O MCC | 5,227 | 0.03% |
| 927: EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV >96 HRS W SKIN GRAFT | 569 | 0.00% |
| 928: FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC/MCC | 2,813 | 0.02% |
| 929: FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W/O CC/MCC | 1,759 | 0.01% |
| 933: EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV >96 HRS W/O SKIN GRAFT | 212 | 0.00% |
| 934: FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ | 1,463 | 0.01% |
| 935: NON-EXTENSIVE BURNS | 8,050 | 0.05% |
| 939: O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES W MCC | 2,062 | 0.01% |
| 940: O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES W CC | 4,812 | 0.03% |
| 941: O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES W/O CC/MCC | 3,946 | 0.02% |
| 945: REHABILITATION W CC/MCC | 8,308 | 0.05% |
| 946: REHABILITATION W/O CC/MCC | 2,251 | 0.01% |
| 947: SIGNS & SYMPTOMS W MCC | 15,601 | 0.09% |
| 948: SIGNS & SYMPTOMS W/O MCC | 60,640 | 0.35% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 949: AFTERCARE W CC/MCC | 10,467 | 0.06% |
| 950: AFTERCARE W/O CC/MCC | 3,295 | 0.02% |
| 951: OTHER FACTORS INFLUENCING HEALTH STATUS | 5,927 | 0.03% |
| 955: CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 1,474 | 0.01% |
| 956: LIMB REATTACHMENT, HIP & FEMUR PROC FOR MULTIPLE SIGNIFICANT TRAUMA | 8,707 | 0.05% |
| 957: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA W MCC | 7,423 | 0.04% |
| 958: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA W CC | 7,901 | 0.05% |
| 959: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA W/O CC/MCC | 1,539 | 0.01% |
| 963: OTHER MULTIPLE SIGNIFICANT TRAUMA W MCC | 4,267 | 0.02% |
| 964: OTHER MULTIPLE SIGNIFICANT TRAUMA W CC | 9,436 | 0.05% |
| 965: OTHER MULTIPLE SIGNIFICANT TRAUMA W/O CC/MCC | 2,613 | 0.02% |
| 969: HIV W EXTENSIVE O.R. PROCEDURE W MCC | 964 | 0.01% |
| 970: HIV W EXTENSIVE O.R. PROCEDURE W/O MCC | 293 | 0.00% |
| 974: HIV W MAJOR RELATED CONDITION W MCC | 8,563 | 0.05% |
| 975: HIV W MAJOR RELATED CONDITION W CC | 7,134 | 0.04% |
| 976: HIV W MAJOR RELATED CONDITION W/O CC/MCC | 2,055 | 0.01% |
| 977: HIV W OR W/O OTHER RELATED CONDITION | 3,431 | 0.02% |
| 981: EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W MCC | 47,227 | 0.27% |
| 982: EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W CC | 29,141 | 0.17% |
| 983: EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W/O CC/MCC | 12,373 | 0.07% |
| 984: PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W MCC | 320 | 0.00% |
| 985: PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W CC | 508 | 0.00% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for DRG_NOPOA

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 986: PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS W/O CC/MCC | 127 | 0.00% |
| 987: NON-EXTENSIVE O.R. PROC UNRELATED TO PRINCIPAL DIAGNOSIS W MCC | 14,280 | 0.08% |
| 988: NON-EXTENSIVE O.R. PROC UNRELATED TO PRINCIPAL DIAGNOSIS W CC | 26,439 | 0.15% |
| 989: NON-EXTENSIVE O.R. PROC UNRELATED TO PRINCIPAL DIAGNOSIS W/O CC/MCC | 11,938 | 0.07% |
| 998: PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 518 | 0.00% |
| 999: UNGROUPABLE | 8,146 | 0.05% |

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for ELECTIVE***

| ELECTIVE | Frequency | Percent of Total |
|---------------------------|------------------|-------------------------|
| .: Missing | 18,799 | 0.11% |
| .A: Invalid | 641 | 0.00% |
| 0: Non-elective admission | 13,500,760 | 78.50% |
| 1: Elective admission | 3,677,483 | 21.38% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for FEMALE

| FEMALE | Frequency | Percent of Total |
|---------------|------------------|-------------------------|
| 0: Male | 7,335,290 | 42.65% |
| 1: Female | 9,862,393 | 57.35% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for HCUP_ED***

| HCUP_ED | Frequency | Percent of Total |
|--|-----------|------------------|
| 0: Record does not meet any HCUP Emergency Department criteria | 6,802,176 | 39.55% |
| 1: Emergency Department revenue code on record | 6,981,738 | 40.60% |
| 2: Positive Emergency Department charge (when revenue center codes are not available) | 1,712,820 | 9.96% |
| 3: Emergency Department CPT procedure code on record | 275 | 0.00% |
| 4: Condition code P7, indication of ED admission, point of origin of ED, or admission source of ED | 1,700,674 | 9.89% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for I10_DX1***

| I10_DX1 | Frequency | Percent of Total |
|------------------------|------------------|-------------------------|
| Blank | 5,734 | 0.03% |
| Valid DX | 17,190,553 | 99.96% |
| Inconsistent DX (incn) | 126 | 0.00% |
| Invalid DX (invl) | 1,270 | 0.01% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for I10_ECAUSE1***

| I10_ECAUSE1 | Frequency | Percent of Total |
|-----------------------|------------------|-------------------------|
| Blank | 14,597,557 | 84.88% |
| Injury E code | 2,584,998 | 15.03% |
| Invalid E code (invl) | 15,128 | 0.09% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for I10_NDX

| I10_NDX | Frequency | Percent of Total |
|----------------|------------------|-------------------------|
| 0 | 3,730 | 0.02% |
| 1 | 364,079 | 2.12% |
| 2 | 634,758 | 3.69% |
| 3 | 928,133 | 5.40% |
| 4 | 1,039,902 | 6.05% |
| 5 | 1,076,310 | 6.26% |
| 6 | 1,069,729 | 6.22% |
| 7 | 1,042,543 | 6.06% |
| 8 | 1,001,560 | 5.82% |
| 9 | 954,483 | 5.55% |
| 10 | 901,144 | 5.24% |
| 11 | 847,025 | 4.93% |
| 12 | 791,905 | 4.60% |
| 13 | 734,290 | 4.27% |
| 14 | 674,960 | 3.92% |
| 15 | 789,422 | 4.59% |
| 16 | 548,920 | 3.19% |
| 17 | 487,325 | 2.83% |
| 18 | 1,051,721 | 6.12% |
| 19 | 295,179 | 1.72% |
| 20 | 277,109 | 1.61% |
| 21 | 229,513 | 1.33% |
| 22 | 197,715 | 1.15% |
| 23 | 175,610 | 1.02% |
| 24 | 160,140 | 0.93% |
| 25 | 433,272 | 2.52% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for I10_NDX***

| I10_NDX | Frequency | Percent of Total |
|----------------|------------------|-------------------------|
| 26 | 64,032 | 0.37% |
| 27 | 56,332 | 0.33% |
| 28 | 50,070 | 0.29% |
| 29 | 54,947 | 0.32% |
| 30 | 70,449 | 0.41% |
| 31 | 53,684 | 0.31% |
| 32 | 18,482 | 0.11% |
| 33 | 16,746 | 0.10% |
| 34 | 13,185 | 0.08% |
| 35 | 89,279 | 0.52% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for I10_NECAUSE***

| I10_NECAUSE | Frequency | Percent of Total |
|--------------------|------------------|-------------------------|
| 0 | 14,597,533 | 84.88% |
| 1 | 1,390,120 | 8.08% |
| 2 | 811,127 | 4.72% |
| 3 | 256,278 | 1.49% |
| 4 | 142,625 | 0.83% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for I10_NPR

| I10_NPR | Frequency | Percent of Total |
|----------------|------------------|-------------------------|
| 0 | 6,305,203 | 36.66% |
| 1 | 4,116,888 | 23.94% |
| 2 | 2,622,420 | 15.25% |
| 3 | 1,633,932 | 9.50% |
| 4 | 971,580 | 5.65% |
| 5 | 537,095 | 3.12% |
| 6 | 429,990 | 2.50% |
| 7 | 167,519 | 0.97% |
| 8 | 110,362 | 0.64% |
| 9 | 77,026 | 0.45% |
| 10 | 57,165 | 0.33% |
| 11 | 38,785 | 0.23% |
| 12 | 29,457 | 0.17% |
| 13 | 21,647 | 0.13% |
| 14 | 25,119 | 0.15% |
| 15 | 53,495 | 0.31% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for I10_PR1***

| I10_PR1 | Frequency | Percent of Total |
|------------------------|------------------|-------------------------|
| Blank | 6,305,328 | 36.66% |
| Valid PR | 10,890,766 | 63.33% |
| Inconsistent PR (incn) | 22 | 0.00% |
| Invalid PR (invl) | 1,567 | 0.01% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for LOS

| LOS | Frequency | Percent of Total |
|------------------|-----------|------------------|
| .: Missing | 26 | 0.00% |
| .A: Invalid | 15 | 0.00% |
| .C: Inconsistent | 1,082 | 0.01% |
| 0 days | 298,348 | 1.73% |
| 1 day | 2,441,233 | 14.20% |
| 2 days | 4,174,481 | 24.27% |
| 3 days | 3,152,895 | 18.33% |
| 4 days | 1,865,231 | 10.85% |
| 5 days | 1,216,097 | 7.07% |
| 6 days | 851,303 | 4.95% |
| 7 days | 639,827 | 3.72% |
| 8 days | 457,097 | 2.66% |
| 9 days | 333,392 | 1.94% |
| 10 days | 258,780 | 1.50% |
| 11 - 30 days | 1,321,347 | 7.68% |
| 31 - 60 days | 148,860 | 0.87% |
| 61 - 90 days | 22,991 | 0.13% |
| 91 - 120 days | 7,530 | 0.04% |
| 121 - 150 days | 2,983 | 0.02% |
| 151 - 180 days | 1,444 | 0.01% |
| 181 - 210 days | 906 | 0.01% |
| 211 - 240 days | 584 | 0.00% |
| 241 - 270 days | 398 | 0.00% |
| 271 - 300 days | 357 | 0.00% |
| 301 - 330 days | 213 | 0.00% |
| 331 - 365 days | 263 | 0.00% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for MDC_NOPOA

| MDC_NoPOA | Frequency | Percent of Total |
|---|-----------|------------------|
| 0: PRINCIPAL DX CAN NOT BE ASSIGNED TO MDC | 8,146 | 0.05% |
| 1: DISEASES & DISORDERS OF THE NERVOUS SYSTEM | 1,111,323 | 6.46% |
| 2: DISEASES & DISORDERS OF THE EYE | 21,642 | 0.13% |
| 3: DISEASES & DISORDERS OF THE EAR, NOSE, MOUTH & THROAT | 154,927 | 0.90% |
| 4: DISEASES & DISORDERS OF THE RESPIRATORY SYSTEM | 1,602,157 | 9.32% |
| 5: DISEASES & DISORDERS OF THE CIRCULATORY SYSTEM | 2,300,568 | 13.38% |
| 6: DISEASES & DISORDERS OF THE DIGESTIVE SYSTEM | 1,556,386 | 9.05% |
| 7: DISEASES & DISORDERS OF THE HEPATOBILIARY SYSTEM & PANCREAS | 548,707 | 3.19% |
| 8: DISEASES & DISORDERS OF THE MUSCULOSKELETAL SYSTEM & CONN TISSUE | 1,835,288 | 10.67% |
| 9: DISEASES & DISORDERS OF THE SKIN, SUBCUTANEOUS TISSUE & BREAST | 435,093 | 2.53% |
| 10: ENDOCRINE, NUTRITIONAL & METABOLIC DISEASES & DISORDERS | 601,376 | 3.50% |
| 11: DISEASES & DISORDERS OF THE KIDNEY & URINARY TRACT | 862,139 | 5.01% |
| 12: DISEASES & DISORDERS OF THE MALE REPRODUCTIVE SYSTEM | 75,653 | 0.44% |
| 13: DISEASES & DISORDERS OF THE FEMALE REPRODUCTIVE SYSTEM | 184,994 | 1.08% |
| 14: PREGNANCY, CHILDBIRTH & THE PUERPERIUM | 2,115,313 | 12.30% |
| 15: NEWBORNS & OTHER NEONATES WITH CONDTN ORIG IN PERINATAL PERIOD | 827,794 | 4.81% |
| 16: DISEASES & DISORDERS OF BLOOD, BLOOD FORMING ORGANS, IMMUNOLOG DISORD | 227,367 | 1.32% |
| 17: MYELOPROLIFERATIVE DISEASES & DISORDERS, POORLY DIFFERENTIATED NEOPLASM | 146,649 | 0.85% |
| 18: INFECTIOUS & PARASITIC DISEASES, SYSTEMIC OR UNSPECIFIED SITES | 1,139,922 | 6.63% |
| 19: MENTAL DISEASES & DISORDERS | 740,708 | 4.31% |
| 20: ALCOHOL/DRUG USE & ALCOHOL/DRUG INDUCED ORGANIC MENTAL DISORDERS | 245,872 | 1.43% |
| 21: INJURIES, POISONINGS & TOXIC EFFECTS OF DRUGS | 256,660 | 1.49% |
| 22: BURNS | 15,121 | 0.09% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for MDC_NOPOA***

| MDC_NoPOA | Frequency | Percent of Total |
|--|-----------|------------------|
| 23: FACTORS INFLUENCING HLTH STAT & OTHR CONTACTS WITH HLTH SERVCs | 117,363 | 0.68% |
| 24: MULTIPLE SIGNIFICANT TRAUMA | 43,968 | 0.26% |
| 25: HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 22,547 | 0.13% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for PAY1***

| PAY1 | Frequency | Percent of Total |
|----------------------|-----------|------------------|
| .: Missing | 21,775 | 0.13% |
| .A: Invalid | 1,703 | 0.01% |
| 1: Medicare | 7,596,354 | 44.17% |
| 2: Medicaid | 3,636,799 | 21.15% |
| 3: Private insurance | 4,798,228 | 27.90% |
| 4: Self-pay | 562,360 | 3.27% |
| 5: No charge | 68,625 | 0.40% |
| 6: Other | 511,839 | 2.98% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for PL_NCHS***

| PL_NCHS | Frequency | Percent of Total |
|------------------------|-----------|------------------|
| .: Missing | 62,141 | 0.36% |
| 1: Large Central Metro | 5,029,595 | 29.25% |
| 2: Large Fringe Metro | 4,297,947 | 24.99% |
| 3: Medium Metro | 3,795,800 | 22.07% |
| 4: Small Metro | 1,609,969 | 9.36% |
| 5: Micropolitan | 1,371,876 | 7.98% |
| 6: Noncore | 1,030,355 | 5.99% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for PRDAY1***

| PRDAY1 | Frequency | Percent of Total |
|------------------|------------------|-------------------------|
| .: Missing | 6,554,863 | 38.11% |
| .C: Inconsistent | 1,702 | 0.01% |
| -4 days | 1,153 | 0.01% |
| -3 days | 9,997 | 0.06% |
| -2 days | 31,118 | 0.18% |
| -1 day | 143,402 | 0.83% |
| 0 days | 5,668,302 | 32.96% |
| 1 day | 2,141,676 | 12.45% |
| 2 days | 942,636 | 5.48% |
| 3 days | 519,907 | 3.02% |
| 4 days | 322,291 | 1.87% |
| 5 days | 213,498 | 1.24% |
| 6 - 30 days | 624,988 | 3.63% |
| 31 - 60 days | 17,366 | 0.10% |
| 61 - 90 days | 2,770 | 0.02% |
| 91 - 210 days | 1,687 | 0.01% |
| 211 - 330 days | 242 | 0.00% |
| 331 - 368 days | 85 | 0.00% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for REHABTRANSFER***

| REHABTRANSFER | Frequency | Percent of Total |
|----------------------|------------------|-------------------------|
| 0 | 17,150,120 | 99.72% |
| 1 | 47,563 | 0.28% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for RESIDENT***

| RESIDENT | Frequency | Percent of Total |
|-----------------|------------------|-------------------------|
| 0 | 757,303 | 4.40% |
| 1 | 16,440,380 | 95.60% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for SAMEDAYEVENT***

| SAMEDAYEVENT | Frequency | Percent of Total |
|---------------------|------------------|-------------------------|
| 0 | 16,717,589 | 97.21% |
| 1 | 118,380 | 0.69% |
| 2 | 122,925 | 0.71% |
| 3 | 203,273 | 1.18% |
| 4 | 35,516 | 0.21% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for TOTCHG***

| TOTCHG | Frequency | Percent of Total |
|-----------------------|-----------|------------------|
| .: Missing | 369,662 | 2.15% |
| .A: Invalid | 28 | 0.00% |
| .C: Inconsistent | 877 | 0.01% |
| \$100- \$1,000 | 14,619 | 0.09% |
| \$1,001- \$5,000 | 866,591 | 5.04% |
| \$5,001- \$10,000 | 1,729,379 | 10.06% |
| \$10,001- \$50,000 | 9,337,476 | 54.29% |
| \$50,001- \$100,000 | 2,929,254 | 17.03% |
| \$100,001- \$200,000 | 1,338,840 | 7.79% |
| \$200,001- \$300,000 | 327,068 | 1.90% |
| \$300,001- \$400,000 | 125,872 | 0.73% |
| \$400,001- \$500,000 | 60,185 | 0.35% |
| \$500,001-\$1,000,000 | 78,184 | 0.45% |
| Over \$1,000,000 | 19,648 | 0.11% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for YEAR***

| YEAR | Frequency | Percent of Total |
|------|------------|------------------|
| 2016 | 17,197,683 | 100.0% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

***HCUP Summary Statistics Report: NRD 2016 Core File
Frequency Distribution for ZIPINC_QRTL***

| ZIPINC_QRTL | Frequency | Percent of Total |
|--------------------|------------------|-------------------------|
| .: Missing | 246,022 | 1.43% |
| .A: Invalid | 257 | 0.00% |
| 1: First quartile | 4,991,879 | 29.03% |
| 2: Second quartile | 4,324,904 | 25.15% |
| 3: Third quartile | 4,173,567 | 24.27% |
| 4: Fourth quartile | 3,461,054 | 20.13% |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Univariates of Selected Continuous Data Elements

Variable: AGE (Age in years at admission)

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 17197683 | Sum Weights | 17197683 |
| Mean | 53.6233259 | Sum Observations | 922196960 |
| Std Deviation | 24.4332726 | Variance | 596.984811 |
| Skewness | -0.4968457 | Kurtosis | -0.615094 |
| Uncorrected SS | 5.9718E10 | Corrected SS | 1.02668E10 |
| Coeff Variation | 45.5646348 | Std Error Mean | 0.00589178 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|-----------|
| Location | | Variability | |
| Mean | 53.62333 | Std Deviation | 24.43327 |
| Median | 58.00000 | Variance | 596.98481 |
| Mode | 0.00000 | Range | 90.00000 |
| | | Interquartile Range | 39.00000 |

| Tests for Location: $\mu_0=0$ | | | | |
|-------------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 9101.376 | Pr > t | <.0001 |
| Sign | M | 8155364 | Pr >= M | <.0001 |
| Signed Rank | S | 6.651E13 | Pr >= S | <.0001 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

***HCUP Summary Statistics Report: NRD 2016 Core File
Univariates of Selected Continuous Data Elements***

Variable: AGE (Age in years at admission)

| Quantiles (Definition 5) | |
|---------------------------------|-----------------|
| Level | Quantile |
| 100% Max | 90 |
| 99% | 90 |
| 95% | 88 |
| 90% | 84 |
| 75% Q3 | 73 |
| 50% Median | 58 |
| 25% Q1 | 34 |
| 10% | 21 |
| 5% | 0 |
| 1% | 0 |
| 0% Min | 0 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NRD 2016 Core File
Univariates of Selected Continuous Data Elements

Variable: LOS (Length of stay (cleaned))

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 17196560 | Sum Weights | 17196560 |
| Mean | 4.87505786 | Sum Observations | 83834225 |
| Std Deviation | 7.39757994 | Variance | 54.724189 |
| Skewness | 11.6523056 | Kurtosis | 296.213096 |
| Uncorrected SS | 1349764443 | Corrected SS | 941067745 |
| Coeff Variation | 151.743429 | Std Error Mean | 0.00178389 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|-----------|
| Location | | Variability | |
| Mean | 4.875058 | Std Deviation | 7.39758 |
| Median | 3.000000 | Variance | 54.72419 |
| Mode | 2.000000 | Range | 365.00000 |
| | | Interquartile Range | 3.00000 |

| Tests for Location: $\mu_0=0$ | | | | |
|-------------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 2732.819 | Pr > t | <.0001 |
| Sign | M | 8449106 | Pr >= M | <.0001 |
| Signed Rank | S | 7.139E13 | Pr >= S | <.0001 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NRD 2016 Core File
Univariates of Selected Continuous Data Elements

Variable: LOS (Length of stay (cleaned))

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Level | Quantile |
| 100% Max | 365 |
| 99% | 32 |
| 95% | 15 |
| 90% | 10 |
| 75% Q3 | 5 |
| 50% Median | 3 |
| 25% Q1 | 2 |
| 10% | 1 |
| 5% | 1 |
| 1% | 0 |
| 0% Min | 0 |

| Missing Values | | | |
|----------------|-------|------------|-------------|
| Missing Value | Count | Percent Of | |
| | | All Obs | Missing Obs |
| . | 26 | 0.00 | 2.32 |
| A | 15 | 0.00 | 1.34 |
| C | 1082 | 0.01 | 96.35 |
| Total | 1123 | 0.01 | 100.00 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NRD 2016 Core File
Univariates of Selected Continuous Data Elements

Variable: TOTCHG (Total charges (cleaned))

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 16827116 | Sum Weights | 16827116 |
| Mean | 51982.7894 | Sum Observations | 8.7472E11 |
| Std Deviation | 94835.8132 | Variance | 8993831470 |
| Skewness | 15.8864425 | Kurtosis | 692.681198 |
| Uncorrected SS | 1.96811E17 | Corrected SS | 1.5134E17 |
| Coeff Variation | 182.436946 | Std Error Mean | 23.1189193 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|------------|
| Location | | Variability | |
| Mean | 51982.79 | Std Deviation | 94836 |
| Median | 28216.00 | Variance | 8993831470 |
| Mode | 10460.00 | Range | 9999900 |
| | | Interquartile Range | 42687 |

| Tests for Location: $\mu_0=0$ | | | | |
|-------------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 2248.496 | Pr > t | <.0001 |
| Sign | M | 8413558 | Pr >= M | <.0001 |
| Signed Rank | S | 7.079E13 | Pr >= S | <.0001 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NRD 2016 Core File
Univariates of Selected Continuous Data Elements

Variable: TOTCHG (Total charges (cleaned))

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Level | Quantile |
| 100% Max | 10000000 |
| 99% | 388087 |
| 95% | 167138 |
| 90% | 110095 |
| 75% Q3 | 56845 |
| 50% Median | 28216 |
| 25% Q1 | 14158 |
| 10% | 7534 |
| 5% | 4856 |
| 1% | 2128 |
| 0% Min | 100 |

| Missing Values | | | |
|----------------|--------|------------|-------------|
| Missing Value | Count | Percent Of | |
| | | All Obs | Missing Obs |
| . | 369662 | 2.15 | 99.76 |
| A | 28 | 0.00 | 0.01 |
| C | 877 | 0.01 | 0.24 |
| Total | 370567 | 2.15 | 100.00 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NRD 2016 Core File
Univariates of Selected Continuous Data Elements

Variable: DISCWT (Weight to discharges in AHA universe)

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 17197683 | Sum Weights | 17197683 |
| Mean | 2.07358782 | Sum Observations | 35660906 |
| Std Deviation | 1.36074647 | Variance | 1.85163096 |
| Skewness | 4.18625019 | Kurtosis | 25.5950888 |
| Uncorrected SS | 105789781 | Corrected SS | 31843760.5 |
| Coeff Variation | 65.6228041 | Std Error Mean | 0.00032813 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|----------|
| Location | | Variability | |
| Mean | 2.073588 | Std Deviation | 1.36075 |
| Median | 1.641078 | Variance | 1.85163 |
| Mode | 2.115643 | Range | 24.76205 |
| | | Interquartile Range | 0.66656 |

| Tests for Location: $\mu_0=0$ | | | | |
|-------------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 6319.463 | Pr > t | <.0001 |
| Sign | M | 8598842 | Pr >= M | <.0001 |
| Signed Rank | S | 7.394E13 | Pr >= S | <.0001 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

***HCUP Summary Statistics Report: NRD 2016 Core File
Univariates of Selected Continuous Data Elements***

Variable: DISCWT (Weight to discharges in AHA universe)

| Quantiles (Definition 5) | |
|---------------------------------|-----------------|
| Level | Quantile |
| 100% Max | 25.83412 |
| 99% | 7.68500 |
| 95% | 4.82314 |
| 90% | 3.63901 |
| 75% Q3 | 2.04272 |
| 50% Median | 1.64108 |
| 25% Q1 | 1.37616 |
| 10% | 1.30250 |
| 5% | 1.23935 |
| 1% | 1.12343 |
| 0% Min | 1.07207 |

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***