



VIRGINIA HEALTH INFORMATION AHRQ PILOT CONTRACT  
 Supplemental File of POA VALUES  
 Use Display Format With No Packed Fields.  
 9/23/2010

Item Seq #	Data Element	Format	Field Length	Position From	Position Through	Instructions
1	VHI Provider Number	PIC X(12)	12	1	12	VHI Provider Number
2	Admission Date	PIC 9(8)	8	13	20	Date in MMDDYYYY format
3	Discharge Date	PIC 9(8)	8	21	28	Discharge/Statement Covers Period Through Date in MMDDYYYY format
4	Date of Birth	PIC 9(8)	8	29	36	Date in MMDDYYYY format
5	Patient Sex	PIC X(1)	1	37	37	M, F or U
6	Medical Record Number	PIC X(17)	17	38	54	Patient medical record number
7	Patient Control Number	PIC X(20)	20	55	74	enter hospital patient control number for this admission
8	Principal Diagnosis with POA value	PIC X(8)	8	75	82	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
9	Other Diagnosis 1 with POA value	PIC X(8)	8	83	90	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
10	Other Diagnosis 2 with POA value	PIC X(8)	8	91	98	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
11	Other Diagnosis 3 with POA value	PIC X(8)	8	99	106	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
12	Other Diagnosis 4 with POA value	PIC X(8)	8	107	114	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
13	Other Diagnosis 5 with POA value	PIC X(8)	8	115	122	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
14	Other Diagnosis 6 with POA value	PIC X(8)	8	123	130	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
15	Other Diagnosis 7 with POA value	PIC X(8)	8	131	138	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
16	Other Diagnosis 8 with POA value	PIC X(8)	8	139	146	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
17	Other Diagnosis 9 with POA value	PIC X(8)	8	147	154	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
18	Other Diagnosis 10 with POA value	PIC X(8)	8	155	162	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
19	Other Diagnosis 11 with POA value	PIC X(8)	8	163	170	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
20	Other Diagnosis 12 with POA value	PIC X(8)	8	171	178	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
21	Other Diagnosis 13 with POA value	PIC X(8)	8	179	186	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
22	Other Diagnosis 14 with POA value	PIC X(8)	8	187	194	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
23	Other Diagnosis 15 with POA value	PIC X(8)	8	195	202	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
24	Other Diagnosis 16 with POA value	PIC X(8)	8	203	210	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
25	Other Diagnosis 17 with POA value	PIC X(8)	8	211	218	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
26	External Cause of Injury (ECODE1)	PIC X(8)	8	219	226	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
27	External Cause of Injury (ECODE2)	PIC X(8)	8	227	234	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
28	External Cause of Injury (ECODE3)	PIC X(8)	8	235	242	Codes set ICD9 or their successors, omit decimal include POA value as required as 8th character.
<b>POA Codes (for data elements 8-29)</b>						
	Y	Diagnosis was present at the time of inpatient admission				
	N	Diagnosis was not present at the time of inpatient admission				
	U	Documentation insufficient to determine if condition was present at the time of inpatient admission				
	W	Clinically undetermined. Provider unable to clinically determine whether the condition was present at the time of inpatient admission				
	1	Exempt from POA reporting. This code is the equivalent code of a blank on the UB-04, however, it was determined that blanks were undesirable on Medicare claims when submitting this data via the 004010/00410A1				

A) Alpha Fields (PIC X) - Left justified and blank filled to the right  
 B) Numeric Fields (PIC 9) - Right justified, unpacked, unsigned and zero filled to the left.



## POA Coding Scenarios for Data Verification for "Adding Clinical Data to Administrative Data" project

		VALID?	POSITION NUMBER								REASON
			1	2	3	4	5	6*	7*	8 <sup>POA</sup>	
3 Digit DX code	Pneumonia, Organism unspecified	YES	4	8	6	-	-	-	-	N	POA value in the 8th position
		NO	4	8	6	N	-	-	-	-	POA value not in 8th position
		NO	4	8	6	-	-	-	-	-	No POA value
		YES	4	8	6	-	-	-	-	1	POA value in the 8th position
4 Digit DX code	Urinary Tract Infection	YES	5	9	9	0	-	-	-	Y	POA value in the 8th position
		NO	5	9	9	0	Y	-	-	-	POA value not in 8th position
		NO	5	9	9	0	-	-	-	-	No POA value
		YES	5	9	9	0	-	-	-	1	POA value in the 8th position
5 Digit DX code	Decubitus Ulcer on Heel-Bedsore or Pressure Ulcer	YES	7	0	7	0	7	-	-	W	POA value in the 8th position
		NO	7	0	7	0	7	W	-	-	POA value not in 8th position
		NO	7	0	7	0	7	-	-	-	No POA value
		YES	7	0	7	0	7	-	-	1	POA value in the 8th position
ECODE (4 digit)**	Foreign Object Left in Body during Procedure	YES	E	8	7	1	-	-	-	N	POA value in the 8th position
		NO	E	8	7	1	N	-	-	-	POA value not in 8th position
		NO	E	8	7	1	-	-	-	-	No POA value
		YES	E	8	7	1	-	-	-	U	POA value in the 8th position
ECODE (5 digit)	Foreign Object Left in Body during Procedure	YES	E	8	7	1	4	-	-	N	POA value in the 8th position
		NO	E	8	7	1	4	W	-	-	POA value not in 8th position
		NO	E	8	7	1	4	-	-	-	No POA value
		YES	E	8	7	1	4	-	-	U	POA value in the 8th position

<sup>POA</sup> The 8th position is always reserved for the POA indicator (see next page for valid POA indicators)

\* The 6th and 7th positions are always left blank for data submission during this project but consistent with UB04 reporting requirements

\*\* The ECODE always starts with an "E" in the first position



## POA Coding Scenarios for Data Verification for "Adding Clinical Data to Administrative Data" project

### CMS POA Indicator Reporting Options and Definitions\*\*\*

<b>Y</b>	Diagnosis was present at the time of inpatient admission
<b>N</b>	Diagnosis was not present at the time of inpatient admission
<b>U</b>	Documentation insufficient to determine if condition was present at the time of inpatient admission
<b>W</b>	Clinically undetermined. Provider unable to clinically determine whether the condition was present at the time of inpatient admission.
<b>1</b>	Exempt from POA reporting. This code is the equivalent code of a blank on the UB04, however, it was determined that blanks were undesirable on Medicare claims when submitting this data via the

\*\*\* from [http://www.cms.hhs.gov/HospitalAcqCond/Downloads/poa\\_fact\\_sheet.pdf](http://www.cms.hhs.gov/HospitalAcqCond/Downloads/poa_fact_sheet.pdf)

