| Data Summary | | | | |
|------------------------|------------|--|--|--|
| Number of Strata | 95 | | | |
| Number of Clusters | 3811 | | | |
| Number of Observations | 3009812 | | | |
| Sum of Weights | 5660863.33 | | | |

| | | | Statistics | | | | | |
|-------------|--|-----------|------------|---------|--------|----------------------|---------------|---------------------|
| Variable | Label | N | Minimum | Maximum | Mean | Std Error of Mean | Sum | Std Error of Sum |
| AGE | Age in years at admission | 3,009,812 | 0.00 | 20.00 | 3.68 | 0.06 | 20,830,228 | 583,156.61 |
| AGE_NEONATE | Neonatal age (first 28 days after birth) indicator | 1,750,667 | 0.00 | 1.00 | 0.94 | 0.00 | 3,693,970 | 62,696.82 |
| AMONTH | Admission month | 2,895,799 | 1.00 | 12.00 | 6.67 | 0.01 | 36,368,159 | 758,255.02 |
| AWEEKEND | Admission day is a weekend | 3,009,808 | 0.00 | 1.00 | 0.21 | 0.00 | 1,206,168 | 25,701.56 |
| DIED | Died during hospitalization | 3,009,058 | 0.00 | 1.00 | 0.00 | 0.00 | 20,736 | 818.98 |
| DISPUNIFORM | Disposition of patient (uniform) | 3,009,058 | 1.00 | 99.00 | 1.21 | 0.01 | 6,856,197 | 153,974.41 |
| DQTR | Discharge quarter | 3,008,963 | 1.00 | 4.00 | 2.56 | 0.00 | 14,471,669 | 297,784.52 |
| DRG | DRG in effect on discharge date | 3,009,812 | 1.00 | 999.00 | 703.34 | 3.37 | 3,981,539,557 | 73,248,765.46 |
| DRGVER | DRG grouper version used on discharge date | 3,009,812 | 39.00 | 40.00 | 39.27 | 0.00 | 222,285,917 | 4,552,917.47 |
| DRG_NoPOA | DRG in use on discharge date, calculated without POA | 3,009,812 | 1.00 | 999.00 | 703.27 | 3.37 | 3,981,098,099 | 73,241,965.02 |
| ELECTIVE | Elective versus non-elective admission | 2,999,668 | 0.00 | 1.00 | 0.07 | 0.00 | 405,288 | 16,765.02 |

| | | | Statistics | | | | | |
|-----------------|---|-----------|------------|---------|-------|----------------------|------------|---------------------|
| Variable | Label | N | Minimum | Maximum | Mean | Std Error of Mean | Sum | Std Error of Sum |
| FEMALE | Indicator of sex | 3,008,556 | 0.00 | 1.00 | 0.51 | 0.00 | 2,888,523 | 57,165.42 |
| HCUP_ED | HCUP Emergency Department service indicator | 3,009,812 | 0.00 | 4.00 | 0.27 | 0.01 | 1,546,806 | 71,085.23 |
| HOSP_REGION | Region of hospital | 3,009,812 | 1.00 | 4.00 | 2.69 | 0.02 | 15,215,271 | 331,263.86 |
| I10_BIRTH | ICD-10-CM Birth Indicator | 3,009,812 | 0.00 | 3.00 | 0.63 | 0.01 | 3,541,038 | 67,018.85 |
| I10_DELIVERY | ICD-10-CM Delivery Indicator | 3,009,812 | 0.00 | 1.00 | 0.04 | 0.00 | 245,046 | 4,851.05 |
| I10_HOSPBRTH | ICD-10-CM Indicator of birth in this hospital | 3,009,812 | 0.00 | 1.00 | 0.62 | 0.01 | 3,510,709 | 66,647.70 |
| I10_INJURY | Injury ICD-10-CM diagnosis reported on record (1: First-listed injury; 2: Other than first-listed injury; 0: No injury) | 3,009,812 | 0.00 | 2.00 | 0.05 | 0.00 | 299,310 | 10,405.72 |
| I10_MULTINJURY | Multiple ICD-10-CM injuries reported on record | 3,009,812 | 0.00 | 1.00 | 0.02 | 0.00 | 108,998 | 4,056.46 |
| I10_NDX | ICD-10-CM Number of diagnoses on this record | 3,009,812 | 0.00 | 40.00 | 5.36 | 0.06 | 30,370,408 | 815,357.98 |
| I10_NPR | ICD-10-PCS Number of procedures on this record | 3,009,812 | 0.00 | 25.00 | 1.16 | 0.02 | 6,563,000 | 195,464.26 |
| I10_SERVICELINE | ICD-10-CM/PCS Hospital Service Line | 3,009,812 | 1.00 | 5.00 | 2.00 | 0.03 | 11,303,732 | 357,770.81 |
| I10_UNCBRTH | ICD-10-CM Indicator of normal newborn born in hospital | 3,009,812 | 0.00 | 1.00 | 0.33 | 0.01 | 1,862,016 | 35,654.66 |
| LOS | Length of stay (cleaned) | 3,009,493 | 0.00 | 365.00 | 4.12 | 0.05 | 23,328,974 | 669,448.45 |
| MDC | MDC in effect on discharge date | 3,009,812 | 0.00 | 25.00 | 13.31 | 0.06 | 75,346,552 | 1,384,328.35 |

| | | | Statistics | | | | | |
|---------------|--|-----------|------------|---------|-------|----------------------|------------|---------------------|
| Variable | Label | Ν | Minimum | Maximum | Mean | Std Error of Mean | Sum | Std Error of Sum |
| MDC_NoPOA | MDC in use on discharge date, calculated without POA | 3,009,812 | 0.00 | 25.00 | 13.31 | 0.06 | 75,364,495 | 1,384,580.52 |
| PAY1 | Primary expected payer (uniform) | 3,005,217 | 1.00 | 6.00 | 2.66 | 0.01 | 15,027,380 | 312,361.69 |
| PCLASS_ORPROC | Indicates operating room (major diagnostic or therapeutic) procedure on the record | 3,009,812 | 0.00 | 1.00 | 0.08 | 0.00 | 431,186 | 16,695.99 |
| PL_NCHS | Patient Location: NCHS Urban-Rural Code | 3,001,679 | 1.00 | 6.00 | 2.54 | 0.03 | 14,317,738 | 276,801.50 |
| PRDAY1 | Number of days from admission to I10_PR1 | 1,742,799 | -4.00 | 366.00 | 1.14 | 0.02 | 3,616,832 | 107,544.77 |
| PRDAY2 | Number of days from admission to I10_PR2 | 866,098 | -4.00 | 366.00 | 1.91 | 0.05 | 2,652,824 | 120,712.65 |
| PRDAY3 | Number of days from admission to I10_PR3 | 428,923 | -4.00 | 367.00 | 2.79 | 0.08 | 1,689,095 | 86,793.56 |
| PRDAY4 | Number of days from admission to I10_PR4 | 263,230 | -4.00 | 366.00 | 3.87 | 0.11 | 1,380,343 | 75,147.22 |
| PRDAY5 | Number of days from admission to I10_PR5 | 173,646 | -4.00 | 365.00 | 5.12 | 0.14 | 1,198,318 | 67,977.88 |
| PRDAY6 | Number of days from admission to I10_PR6 | 119,730 | -4.00 | 367.00 | 6.51 | 0.19 | 1,049,322 | 61,270.36 |
| PRDAY7 | Number of days from admission to I10_PR7 | 75,743 | -4.00 | 358.00 | 8.24 | 0.23 | 838,589 | 53,209.79 |
| PRDAY8 | Number of days from admission to I10_PR8 | 56,953 | -4.00 | 348.00 | 10.05 | 0.28 | 768,637 | 50,216.03 |

| | | | Statistics | | | | | |
|----------|---|--------|------------|---------|-------|----------------------|---------|---------------------|
| Variable | Label | Ν | Minimum | Maximum | Mean | Std Error of Mean | Sum | Std Error of Sum |
| PRDAY9 | Number of days from admission to I10_PR9 | 44,162 | -4.00 | 359.00 | 11.93 | 0.33 | 707,256 | 46,941.57 |
| PRDAY10 | Number of days from admission to I10_PR10 | 34,817 | -4.00 | 355.00 | 13.94 | 0.37 | 651,917 | 44,317.05 |
| PRDAY11 | Number of days from admission to I10_PR11 | 26,618 | -4.00 | 355.00 | 16.19 | 0.44 | 579,004 | 41,319.69 |
| PRDAY12 | Number of days from admission to I10_PR12 | 21,542 | -4.00 | 368.00 | 18.64 | 0.55 | 539,585 | 38,354.82 |
| PRDAY13 | Number of days from admission to I10_PR13 | 17,024 | -3.00 | 342.00 | 21.10 | 0.63 | 481,692 | 35,258.90 |
| PRDAY14 | Number of days from admission to I10_PR14 | 13,964 | -4.00 | 367.00 | 23.51 | 0.79 | 440,541 | 34,554.59 |
| PRDAY15 | Number of days from admission to I10_PR15 | 11,450 | -4.00 | 368.00 | 25.32 | 0.86 | 388,871 | 31,736.24 |
| PRDAY16 | Number of days from admission to I10_PR16 | 9,809 | -4.00 | 367.00 | 27.56 | 0.94 | 362,693 | 29,673.14 |
| PRDAY17 | Number of days from admission to I10_PR17 | 8,448 | -3.00 | 367.00 | 29.21 | 1.01 | 331,127 | 27,943.90 |
| PRDAY18 | Number of days from admission to I10_PR18 | 7,313 | -3.00 | 356.00 | 31.13 | 1.17 | 305,652 | 26,917.24 |
| PRDAY19 | Number of days from admission to I10_PR19 | 6,409 | -3.00 | 367.00 | 32.89 | 1.21 | 282,999 | 25,544.72 |
| PRDAY20 | Number of days from admission to I10_PR20 | 5,509 | -3.00 | 367.00 | 36.14 | 1.30 | 267,386 | 24,669.41 |

| | | | Statistics | | | | | |
|-------------|--|-----------|------------|--------------|-----------|----------------------|-----------------|---------------------|
| Variable | Label | N | Minimum | Maximum | Mean | Std Error of Mean | Sum | Std Error of Sum |
| PRDAY21 | Number of days from admission to I10_PR21 | 4,687 | -2.00 | 367.00 | 38.25 | 1.50 | 241,004 | 23,383.51 |
| PRDAY22 | Number of days from admission to I10_PR22 | 4,079 | -2.00 | 362.00 | 38.41 | 1.51 | 210,620 | 21,275.09 |
| PRDAY23 | Number of days from admission to I10_PR23 | 3,603 | -2.00 | 354.00 | 40.94 | 1.64 | 198,387 | 20,247.38 |
| PRDAY24 | Number of days from admission to I10_PR24 | 3,232 | -1.00 | 348.00 | 43.73 | 1.92 | 190,246 | 20,413.83 |
| PRDAY25 | Number of days from admission to I10_PR25 | 2,858 | -1.00 | 337.00 | 46.04 | 2.35 | 177,219 | 19,690.61 |
| RACE | Race (uniform) | 2,756,769 | 1.00 | 6.00 | 2.14 | 0.02 | 11,020,867 | 268,523.78 |
| ТОТСНС | Total charges (cleaned) | 2,981,918 | 100.00 | 9,999,999.00 | 41,757.99 | 1,485.99 | 234,156,936,943 | 11,498,109,321.34 |
| TRAN_IN | Transfer in indicator | 2,997,648 | 0.00 | 2.00 | 0.10 | 0.01 | 539,782 | 33,339.01 |
| TRAN_OUT | Transfer out indicator | 3,009,058 | 0.00 | 2.00 | 0.04 | 0.00 | 208,149 | 6,025.31 |
| YEAR | Calendar year | 3,009,812 | 2,022.00 | 2,022.00 | 2,022.00 | 0.00 | 11,446,265,656 | 234,414,420.30 |
| ZIPINC_QRTL | Median household income national quartile for patient ZIP Code | 2,988,385 | 1.00 | 4.00 | 2.40 | 0.02 | 13,476,282 | 315,874.87 |

| AGE | Frequency | Percent of Total |
|-----|-----------|---------------------|
| 0 | 3,939,707 | 69.60% |
| 1 | 123,684 | 2.18% |
| 2 | 123,980 | 2.19% |
| 3 | 68,949 | 1.22% |
| 4 | 56,733 | 1.00% |
| 5 | 51,072 | 0.90% |
| 6 | 44,872 | 0.79% |
| 7 | 61,767 | 1.09% |
| 8 | 36,254 | 0.64% |
| 9 | 34,857 | 0.62% |
| 10 | 36,753 | 0.65% |
| 11 | 40,540 | 0.72% |
| 12 | 77,437 | 1.37% |
| 13 | 63,044 | 1.11% |
| 14 | 74,322 | 1.31% |
| 15 | 85,117 | 1.50% |
| 16 | 121,208 | 2.14% |
| 17 | 100,099 | 1.77% |
| 18 | 124,896 | 2.21% |
| 19 | 216,040 | 3.82% |
| 20 | 179,532 | 3.17% |

| AGE_NEONATE | Frequency | Percent of Total |
|----------------------------------|-----------|---------------------|
| .: Missing | 1,721,889 | 30.42% |
| 0: Non-neonatal age at admission | 245,004 | 4.33% |
| 1: Neonatal age at admission | 3,693,970 | 65.25% |

| AMONTH | Frequency | Percent of Total |
|---------------|-----------|---------------------|
| . : Missing | 209,867 | 3.71% |
| 1 : January | 427,723 | 7.56% |
| 2 : February | 403,510 | 7.13% |
| 3 : March | 453,124 | 8.00% |
| 4 : April | 427,157 | 7.55% |
| 5 : May | 442,655 | 7.82% |
| 6 : June | 442,097 | 7.81% |
| 7 : July | 451,859 | 7.98% |
| 8 : August | 483,042 | 8.53% |
| 9 : September | 468,959 | 8.28% |
| 10 : October | 483,749 | 8.55% |
| 11 : November | 491,357 | 8.68% |
| 12 : December | 475,763 | 8.40% |

| ignie | u Prequency Dis | | |
|-------|-----------------|-----------|---------------------|
| | AWEEKEND | Frequency | Percent of Total |
| | | | |

| AWEEKEND | Frequency | Percent of Total |
|---------------------|-----------|---------------------|
| . : Missing | <= 50 | *.**% |
| 0 : Monday-Friday | 4,454,689 | 78.69% |
| 1 : Saturday-Sunday | 1,206,168 | 21.31% |

| DIED | Frequency | Percent of Total |
|-----------------------------|-----------|---------------------|
| . : Missing | 1,071 | 0.02% |
| .A: Invalid | <= 50 | *.**% |
| 0 : Did not die in hospital | 5,639,009 | 99.61% |
| 1 : Died in hospital | 20,736 | 0.37% |

| DISPUNIFORM | Frequency | Percent of Total |
|--|-----------|---------------------|
| . : Missing | 1,071 | 0.02% |
| .A: Invalid | <= 50 | *.**% |
| 1 : Discharged to home or self care | 5,397,223 | 95.34% |
| 2 : Transfer: short-term hospital | 97,694 | 1.73% |
| 5 : Transfer: other type of facility | 55,228 | 0.98% |
| 6 : Home health care | 75,312 | 1.33% |
| 7 : Against medical advice | 13,271 | 0.23% |
| 20 : Died in hospital | 20,736 | 0.37% |
| 99 : Discharged alive, destination unknown | 282 | 0.00% |

| HCUP Weighted Summary Statistics Report: kid 2022 Core File |
|---|
| Weighted Frequency Distribution for DQTR |

| DQTR | Frequency | Percent of Total |
|-------------------|-----------|---------------------|
| .: Missing | 1,125 | 0.02% |
| 1: First quarter | 1,328,933 | 23.48% |
| 2: Second quarter | 1,361,662 | 24.05% |
| 3: Third quarter | 1,457,160 | 25.74% |
| 4: Fourth quarter | 1,511,983 | 26.71% |

| DRGVER | Frequency | Percent of Total |
|--------------------------|-----------|---------------------|
| 39: Effective 10/01/2021 | 4,148,617 | 73.29% |
| 40: Effective 10/01/2022 | 1,512,247 | 26.71% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 1: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 457 | 0.01% |
| 2: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | <= 50 | *.**% |
| 3: ECMO OR TRACH W MV >96 HRS OR PDX EXC FACE, MOUTH & NECK W MAJ O.R. | 3,859 | 0.07% |
| 4: TRACH W MV >96 HRS OR PDX EXC FACE, MOUTH & NECK W/O MAJ O.R. | 1,321 | 0.02% |
| 5: LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 341 | 0.01% |
| 6: LIVER TRANSPLANT WITHOUT MCC | 93 | 0.00% |
| 7: LUNG TRANSPLANT | <= 50 | *.**% |
| 8: SIMULTANEOUS PANCREAS AND KIDNEY TRANSPLANT | <= 50 | *.**% |
| 11: TRACHEOSTOMY FOR FACE, MOUTH AND NECK DIAGNOSES OR LARYNGECTOMY WITH MCC | 118 | 0.00% |
| 12: TRACHEOSTOMY FOR FACE, MOUTH AND NECK DIAGNOSES OR LARYNGECTOMY WITH CC | <= 50 | *.**% |
| 13: TRACHEOSTOMY FOR FACE, MOUTH AND NECK DIAGNOSES OR LARYNGECTOMY WITHOUT CC/MCC | <= 50 | *.**% |
| 14: ALLOGENEIC BONE MARROW TRANSPLANT | 1,240 | 0.02% |
| 16: AUTOLOGOUS BONE MARROW TRANSPLANT WITH CC/MCC | 802 | 0.01% |
| 17: AUTOLOGOUS BONE MARROW TRANSPLANT WITHOUT CC/MCC | <= 50 | *.**% |
| 18: CHIMERIC ANTIGEN RECEPTOR (CAR) T-CELL AND OTHER IMMUNOTHERAPIES | 237 | 0.00% |
| 20: INTRACRANIAL VASCULAR PROCEDURES WITH PDX HEMORRHAGE WITH MCC | 162 | 0.00% |
| 21: INTRACRANIAL VASCULAR PROCEDURES WITH PDX HEMORRHAGE WITH CC | <= 50 | *.**% |
| 22: INTRACRANIAL VASCULAR PROCEDURES WITH PDX HEMORRHAGE WITHOUT CC/MCC | <= 50 | *.**% |
| 23: CRANIOT W MAJ DEV IMPL/ACUTE CNS PDX W MCC OR CHEMO/EPILEPS W NEUROS | 1,041 | 0.02% |
| 24: CRANIO W MAJOR DEV IMPL/ACUTE COMPLEX CNS PDX W/O MCC | 295 | 0.01% |
| 25: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 4,411 | 0.08% |
| 26: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 4,054 | 0.07% |
| 27: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 3,367 | 0.06% |
| 28: SPINAL PROCEDURES WITH MCC | 581 | 0.01% |
| 29: SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 1,618 | 0.03% |
| 30: SPINAL PROCEDURES WITHOUT CC/MCC | 1,813 | 0.03% |
| 31: VENTRICULAR SHUNT PROCEDURES WITH MCC | 1,295 | 0.02% |
| 32: VENTRICULAR SHUNT PROCEDURES WITH CC | 2,311 | 0.04% |
| 33: VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 809 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 34: CAROTID ARTERY STENT PROCEDURES WITH MCC | <= 50 | *.**% |
| 37: EXTRACRANIAL PROCEDURES WITH MCC | <= 50 | *.**% |
| 38: EXTRACRANIAL PROCEDURES WITH CC | <= 50 | *.**% |
| 39: EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | <= 50 | *.**% |
| 40: PERIP/CRANIAL NERVE & OTHER NERV SYST PROC WITH MCC | 387 | 0.01% |
| 41: PERIP/CRANIAL NERVE & OTHER NERV SYST PROC WITH CC OR PERIPH NEUROSTIM | 784 | 0.01% |
| 42: PERIP/CRANIAL NERVE & OTHER NERV SYST PROC WITHOUT CC/MCC | 688 | 0.01% |
| 52: SPINAL DISORDERS AND INJURIES WITH CC/MCC | 351 | 0.01% |
| 53: SPINAL DISORDERS AND INJURIES WITHOUT CC/MCC | 163 | 0.00% |
| 54: NERVOUS SYSTEM NEOPLASMS WITH MCC | 483 | 0.01% |
| 55: NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 618 | 0.01% |
| 56: DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 471 | 0.01% |
| 57: DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 1,273 | 0.02% |
| 58: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITH MCC | 162 | 0.00% |
| 59: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITH CC | 342 | 0.01% |
| 60: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITHOUT CC/MCC | 708 | 0.01% |
| 61: ISCHEMIC STROKE/PRECEREB OCC/TRANS ISCHEMIA W THROMBOLYTIC AGENT WITH MCC | <= 50 | *.**% |
| 62: ISCHEMIC STROKE/PRECEREB OCC/TRANS ISCHEMIA W THROMBOLYTIC AGENT WITH CC | <= 50 | *.**% |
| 63: ISCHEMIC STROKE/PRECEREB OCC/TRANS ISCHEMIA W THROMBOLYTIC AGENT WITHOUT CC/MCC | <= 50 | *.**% |
| 64: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 592 | 0.01% |
| 65: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC OR TPA IN 24 HOURS | 436 | 0.01% |
| 66: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 183 | 0.00% |
| 67: NONSPECIFIC CVA AND PRECEREBRAL OCCLUSION WITHOUT INFARCTION WITH MCC | <= 50 | *.**% |
| 68: NONSPECIFIC CVA AND PRECEREBRAL OCCLUSION WITHOUT INFARCTION WITHOUT MCC | <= 50 | *.**% |
| 69: TRANSIENT ISCHEMIA WITHOUT THROMBOLYTIC | 98 | 0.00% |
| 70: NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 400 | 0.01% |
| 71: NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 374 | 0.01% |
| 72: NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 286 | 0.01% |
| 73: CRANIAL AND PERIPHERAL NERVE DISORDERS WITH MCC | 220 | 0.00% |
| 74: CRANIAL AND PERIPHERAL NERVE DISORDERS WITHOUT MCC | 913 | 0.02% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 75: VIRAL MENINGITIS WITH CC/MCC | 871 | 0.02% |
| 76: VIRAL MENINGITIS WITHOUT CC/MCC | 1,497 | 0.03% |
| 77: HYPERTENSIVE ENCEPHALOPATHY WITH MCC | <= 50 | *.**% |
| 79: HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC | <= 50 | *.**% |
| 80: NONTRAUMATIC STUPOR AND COMA WITH MCC | 80 | 0.00% |
| 81: NONTRAUMATIC STUPOR AND COMA WITHOUT MCC | 156 | 0.00% |
| 82: TRAUMATIC STUPOR AND COMA >1 HOUR WITH MCC | 952 | 0.02% |
| 83: TRAUMATIC STUPOR AND COMA >1 HOUR WITH CC | 726 | 0.01% |
| 84: TRAUMATIC STUPOR AND COMA >1 HOUR WITHOUT CC/MCC | 1,520 | 0.03% |
| 85: TRAUMATIC STUPOR AND COMA <1 HOUR WITH MCC | 702 | 0.01% |
| 86: TRAUMATIC STUPOR AND COMA <1 HOUR WITH CC | 1,102 | 0.02% |
| 87: TRAUMATIC STUPOR AND COMA <1 HOUR WITHOUT CC/MCC | 3,679 | 0.06% |
| 88: CONCUSSION WITH MCC | 211 | 0.00% |
| 89: CONCUSSION WITH CC | 496 | 0.01% |
| 90: CONCUSSION WITHOUT CC/MCC | 982 | 0.02% |
| 91: OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 1,693 | 0.03% |
| 92: OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 2,549 | 0.05% |
| 93: OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 3,127 | 0.06% |
| 94: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 467 | 0.01% |
| 95: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 467 | 0.01% |
| 96: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 528 | 0.01% |
| 97: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS WITH MCC | 652 | 0.01% |
| 98: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS WITH CC | 1,077 | 0.02% |
| 99: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS W/O CC/MCC | 813 | 0.01% |
| 001: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 137 | 0.00% |
| 002: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | <= 50 | *.**% |
| 003: ECMO OR TRACHEOSTOMY WITH MV >96 HOURS OR PRINCIPAL DIAGNOSIS EXCEPT FACE, MOUTH AND NECK WITH | 1,368 | 0.02% |
| 004: TRACHEOSTOMY WITH MV >96 HOURS OR PRINCIPAL DIAGNOSIS EXCEPT FACE, MOUTH AND NECK WITHOUT MAJO | 414 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 005: LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 128 | 0.00% |
| 006: LIVER TRANSPLANT WITHOUT MCC | <= 50 | *.**% |
| 007: LUNG TRANSPLANT | <= 50 | *.**% |
| 011: TRACHEOSTOMY FOR FACE, MOUTH AND NECK DIAGNOSES OR LARYNGECTOMY WITH MCC | <= 50 | *.**% |
| 012: TRACHEOSTOMY FOR FACE, MOUTH AND NECK DIAGNOSES OR LARYNGECTOMY WITH CC | <= 50 | *.**% |
| 014: ALLOGENEIC BONE MARROW TRANSPLANT | 421 | 0.01% |
| 016: AUTOLOGOUS BONE MARROW TRANSPLANT WITH CC/MCC | 244 | 0.00% |
| 017: AUTOLOGOUS BONE MARROW TRANSPLANT WITHOUT CC/MCC | <= 50 | *.**% |
| 018: CHIMERIC ANTIGEN RECEPTOR (CAR) T-CELL AND OTHER IMMUNOTHERAPIES | 69 | 0.00% |
| 020: INTRACRANIAL VASCULAR PROCEDURES WITH PRINCIPAL DIAGNOSIS HEMORRHAGE WITH MCC | 60 | 0.00% |
| 021: INTRACRANIAL VASCULAR PROCEDURES WITH PRINCIPAL DIAGNOSIS HEMORRHAGE WITH CC | <= 50 | *.**% |
| 022: INTRACRANIAL VASCULAR PROCEDURES WITH PRINCIPAL DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC | <= 50 | *.**% |
| 023: CRANIOTOMY WITH MAJOR DEVICE IMPLANT OR ACUTE COMPLEX CNS PRINCIPAL DIAGNOSIS WITH MCC OR CHEM | 362 | 0.01% |
| 024: CRANIOTOMY WITH MAJOR DEVICE IMPLANT OR ACUTE COMPLEX CNS PRINCIPAL DIAGNOSIS WITHOUT MCC | 127 | 0.00% |
| 025: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 1,406 | 0.02% |
| 026: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 1,303 | 0.02% |
| 027: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 1,099 | 0.02% |
| 028: SPINAL PROCEDURES WITH MCC | 163 | 0.00% |
| 029: SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 505 | 0.01% |
| 030: SPINAL PROCEDURES WITHOUT CC/MCC | 555 | 0.01% |
| 031: VENTRICULAR SHUNT PROCEDURES WITH MCC | 378 | 0.01% |
| 032: VENTRICULAR SHUNT PROCEDURES WITH CC | 661 | 0.01% |
| 033: VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 270 | 0.00% |
| 034: CAROTID ARTERY STENT PROCEDURES WITH MCC | <= 50 | *.**% |
| 037: EXTRACRANIAL PROCEDURES WITH MCC | <= 50 | *.**% |
| 038: EXTRACRANIAL PROCEDURES WITH CC | <= 50 | *.**% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 039: EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | <= 50 | *.**% |
| 040: PERIPHERAL, CRANIAL NERVE AND OTHER NERVOUS SYSTEM PROCEDURES WITH MCC | 110 | 0.00% |
| 041: PERIPHERAL, CRANIAL NERVE AND OTHER NERVOUS SYSTEM PROCEDURES WITH CC OR PERIPHERAL NEUROSTIMU | 221 | 0.00% |
| 042: PERIPHERAL, CRANIAL NERVE AND OTHER NERVOUS SYSTEM PROCEDURES WITHOUT CC/MCC | 226 | 0.00% |
| 052: SPINAL DISORDERS AND INJURIES WITH CC/MCC | 111 | 0.00% |
| 053: SPINAL DISORDERS AND INJURIES WITHOUT CC/MCC | <= 50 | *.**% |
| 054: NERVOUS SYSTEM NEOPLASMS WITH MCC | 163 | 0.00% |
| 055: NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 171 | 0.00% |
| 056: DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 139 | 0.00% |
| 057: DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 410 | 0.01% |
| 058: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITH MCC | 57 | 0.00% |
| 059: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITH CC | 142 | 0.00% |
| 060: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITHOUT CC/MCC | 225 | 0.00% |
| 061: ISCHEMIC STROKE, PRECEREBRAL OCCLUSION OR TRANSIENT ISCHEMIA WITH THROMBOLYTIC AGENT WITH MCC | <= 50 | *.**% |
| 062: ISCHEMIC STROKE, PRECEREBRAL OCCLUSION OR TRANSIENT ISCHEMIA WITH THROMBOLYTIC AGENT WITH CC | <= 50 | *.**% |
| 064: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 207 | 0.00% |
| 065: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC OR TPA IN 24 HOURS | 148 | 0.00% |
| 066: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | <= 50 | *.**% |
| 067: NONSPECIFIC CVA AND PRECEREBRAL OCCLUSION WITHOUT INFARCTION WITH MCC | <= 50 | *.**% |
| 068: NONSPECIFIC CVA AND PRECEREBRAL OCCLUSION WITHOUT INFARCTION WITHOUT MCC | <= 50 | *.**% |
| 069: TRANSIENT ISCHEMIA WITHOUT THROMBOLYTIC | <= 50 | *.**% |
| 070: NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 107 | 0.00% |
| 071: NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 131 | 0.00% |
| 072: NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 92 | 0.00% |
| 073: CRANIAL AND PERIPHERAL NERVE DISORDERS WITH MCC | 65 | 0.00% |
| 074: CRANIAL AND PERIPHERAL NERVE DISORDERS WITHOUT MCC | 302 | 0.01% |
| 075: VIRAL MENINGITIS WITH CC/MCC | 250 | 0.00% |
| 076: VIRAL MENINGITIS WITHOUT CC/MCC | 421 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 079: HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC | <= 50 | *.**% |
| 080: NONTRAUMATIC STUPOR AND COMA WITH MCC | <= 50 | *.**% |
| 081: NONTRAUMATIC STUPOR AND COMA WITHOUT MCC | <= 50 | *.**% |
| 082: TRAUMATIC STUPOR AND COMA >1 HOUR WITH MCC | 315 | 0.01% |
| 083: TRAUMATIC STUPOR AND COMA >1 HOUR WITH CC | 196 | 0.00% |
| 084: TRAUMATIC STUPOR AND COMA >1 HOUR WITHOUT CC/MCC | 483 | 0.01% |
| 085: TRAUMATIC STUPOR AND COMA | 140 | 0.00% |
| 086: TRAUMATIC STUPOR AND COMA | 305 | 0.01% |
| 087: TRAUMATIC STUPOR AND COMA | 1,034 | 0.02% |
| 088: CONCUSSION WITH MCC | <= 50 | *.**% |
| 089: CONCUSSION WITH CC | 160 | 0.00% |
| 090: CONCUSSION WITHOUT CC/MCC | 234 | 0.00% |
| 091: OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 498 | 0.01% |
| 092: OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 793 | 0.01% |
| 093: OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 933 | 0.02% |
| 094: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 181 | 0.00% |
| 095: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 188 | 0.00% |
| 096: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 225 | 0.00% |
| 097: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS WITH MCC | 221 | 0.00% |
| 098: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS WITH CC | 403 | 0.01% |
| 099: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 320 | 0.01% |
| 100: SEIZURES WITH MCC | 13,678 | 0.24% |
| 101: SEIZURES WITHOUT MCC | 49,176 | 0.87% |
| 102: HEADACHES WITH MCC | 516 | 0.01% |
| 103: HEADACHES WITHOUT MCC | 5,876 | 0.10% |
| 113: ORBITAL PROCEDURES WITH CC/MCC | 396 | 0.01% |
| 114: ORBITAL PROCEDURES WITHOUT CC/MCC | 225 | 0.00% |
| 115: EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 571 | 0.01% |
| 116: INTRAOCULAR PROCEDURES WITH CC/MCC | 251 | 0.00% |
| 117: INTRAOCULAR PROCEDURES WITHOUT CC/MCC | 275 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 121: ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 1,180 | 0.02% |
| 122: ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 834 | 0.01% |
| 123: NEUROLOGICAL EYE DISORDERS | 988 | 0.02% |
| 124: OTHER DISORDERS OF THE EYE WITH MCC | 416 | 0.01% |
| 125: OTHER DISORDERS OF THE EYE WITHOUT MCC | 1,949 | 0.03% |
| 135: SINUS AND MASTOID PROCEDURES WITH CC/MCC | 492 | 0.01% |
| 136: SINUS AND MASTOID PROCEDURES WITHOUT CC/MCC | 85 | 0.00% |
| 137: MOUTH PROCEDURES WITH CC/MCC | 488 | 0.01% |
| 138: MOUTH PROCEDURES WITHOUT CC/MCC | 488 | 0.01% |
| 139: SALIVARY GLAND PROCEDURES | 123 | 0.00% |
| 140: MAJOR HEAD AND NECK PROCEDURES WITH MCC | 385 | 0.01% |
| 141: MAJOR HEAD AND NECK PROCEDURES WITH CC | 852 | 0.02% |
| 142: MAJOR HEAD AND NECK PROCEDURES WITHOUT CC/MCC | 3,100 | 0.05% |
| 143: OTHER EAR, NOSE, MOUTH AND THROAT O.R. PROCEDURES WITH MCC | 2,376 | 0.04% |
| 144: OTHER EAR, NOSE, MOUTH AND THROAT O.R. PROCEDURES WITH CC | 3,322 | 0.06% |
| 145: OTHER EAR, NOSE, MOUTH AND THROAT O.R. PROCEDURES WITHOUT CC/MCC | 8,695 | 0.15% |
| 146: EAR, NOSE, MOUTH AND THROAT MALIGNANCY WITH MCC | <= 50 | *.**% |
| 147: EAR, NOSE, MOUTH AND THROAT MALIGNANCY WITH CC | <= 50 | *.**% |
| 148: EAR, NOSE, MOUTH AND THROAT MALIGNANCY WITHOUT CC/MCC | <= 50 | *.**% |
| 149: DYSEQUILIBRIUM | 265 | 0.00% |
| 150: EPISTAXIS WITH MCC | 53 | 0.00% |
| 151: EPISTAXIS WITHOUT MCC | 160 | 0.00% |
| 152: OTITIS MEDIA AND URI WITH MCC | 4,307 | 0.08% |
| 153: OTITIS MEDIA AND URI WITHOUT MCC | 21,320 | 0.38% |
| 154: OTHER EAR, NOSE, MOUTH AND THROAT DIAGNOSES WITH MCC | 878 | 0.02% |
| 155: OTHER EAR, NOSE, MOUTH AND THROAT DIAGNOSES WITH CC | 1,814 | 0.03% |
| 156: OTHER EAR, NOSE, MOUTH AND THROAT DIAGNOSES WITHOUT CC/MCC | 2,385 | 0.04% |
| 157: DENTAL AND ORAL DISEASES WITH MCC | 845 | 0.01% |
| 158: DENTAL AND ORAL DISEASES WITH CC | 2,764 | 0.05% |
| 159: DENTAL AND ORAL DISEASES WITHOUT CC/MCC | 2,314 | 0.04% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 163: MAJOR CHEST PROCEDURES WITH MCC | 1,791 | 0.03% |
| 164: MAJOR CHEST PROCEDURES WITH CC | 1,717 | 0.03% |
| 165: MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 2,222 | 0.04% |
| 166: OTHER RESPIRATORY SYSTEM O.R. PROCEDURES WITH MCC | 989 | 0.02% |
| 167: OTHER RESPIRATORY SYSTEM O.R. PROCEDURES WITH CC | 653 | 0.01% |
| 168: OTHER RESPIRATORY SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 421 | 0.01% |
| 175: PULMONARY EMBOLISM WITH MCC OR ACUTE COR PULMONALE | 347 | 0.01% |
| 176: PULMONARY EMBOLISM WITHOUT MCC | 668 | 0.01% |
| 177: RESPIRATORY INFECTIONS AND INFLAMMATIONS WITH MCC | 20,754 | 0.37% |
| 178: RESPIRATORY INFECTIONS AND INFLAMMATIONS WITH CC | 14,965 | 0.26% |
| 179: RESPIRATORY INFECTIONS AND INFLAMMATIONS WITHOUT CC/MCC | 10,462 | 0.18% |
| 180: RESPIRATORY NEOPLASMS WITH MCC | 113 | 0.00% |
| 181: RESPIRATORY NEOPLASMS WITH CC | 110 | 0.00% |
| 182: RESPIRATORY NEOPLASMS WITHOUT CC/MCC | <= 50 | *.**% |
| 183: MAJOR CHEST TRAUMA WITH MCC | 72 | 0.00% |
| 184: MAJOR CHEST TRAUMA WITH CC | 164 | 0.00% |
| 185: MAJOR CHEST TRAUMA WITHOUT CC/MCC | 51 | 0.00% |
| 186: PLEURAL EFFUSION WITH MCC | 345 | 0.01% |
| 187: PLEURAL EFFUSION WITH CC | 188 | 0.00% |
| 188: PLEURAL EFFUSION WITHOUT CC/MCC | 81 | 0.00% |
| 189: PULMONARY EDEMA AND RESPIRATORY FAILURE | 70,945 | 1.25% |
| 190: CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 111 | 0.00% |
| 191: CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 173 | 0.00% |
| 192: CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 75 | 0.00% |
| 193: SIMPLE PNEUMONIA AND PLEURISY WITH MCC | 26,637 | 0.47% |
| 194: SIMPLE PNEUMONIA AND PLEURISY WITH CC | 19,683 | 0.35% |
| 195: SIMPLE PNEUMONIA AND PLEURISY WITHOUT CC/MCC | 20,061 | 0.35% |
| 196: INTERSTITIAL LUNG DISEASE WITH MCC | 351 | 0.01% |
| 197: INTERSTITIAL LUNG DISEASE WITH CC | 337 | 0.01% |
| 198: INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 165 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 199: PNEUMOTHORAX WITH MCC | 1,261 | 0.02% |
| 200: PNEUMOTHORAX WITH CC | 2,056 | 0.04% |
| 201: PNEUMOTHORAX WITHOUT CC/MCC | 2,649 | 0.05% |
| 202: BRONCHITIS AND ASTHMA WITH CC/MCC | 98,347 | 1.74% |
| 203: BRONCHITIS AND ASTHMA WITHOUT CC/MCC | 88,029 | 1.56% |
| 204: RESPIRATORY SIGNS AND SYMPTOMS | 3,175 | 0.06% |
| 205: OTHER RESPIRATORY SYSTEM DIAGNOSES WITH MCC | 1,651 | 0.03% |
| 206: OTHER RESPIRATORY SYSTEM DIAGNOSES WITHOUT MCC | 4,112 | 0.07% |
| 207: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT >96 HOURS | 8,583 | 0.15% |
| 208: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <=96 HOURS | 9,861 | 0.17% |
| 215: OTHER HEART ASSIST SYSTEM IMPLANT | <= 50 | *.**% |
| 216: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W CARDIAC CATH WITH MCC | 247 | 0.00% |
| 216: CARDIAC VALVE AND OTHER MAJOR CARDIOTHORACIC PROCEDURES WITH CARDIAC CATHETERIZATION WITH MCC | 56 | 0.00% |
| 217: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W CARDIAC CATH WITH CC | 54 | 0.00% |
| 217: CARDIAC VALVE AND OTHER MAJOR CARDIOTHORACIC PROCEDURES WITH CARDIAC CATHETERIZATION WITH CC | <= 50 | *.**% |
| 218: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W CARDIAC CATH WITHOUT CC/MCC | <= 50 | *.**% |
| 218: CARDIAC VALVE AND OTHER MAJOR CARDIOTHORACIC PROCEDURES WITH CARDIAC CATHETERIZATION WITHOUT C | <= 50 | *.**% |
| 219: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH WITH MCC | 1,971 | 0.03% |
| 219: CARDIAC VALVE AND OTHER MAJOR CARDIOTHORACIC PROCEDURES WITHOUT CARDIAC CATHETERIZATION WITH M | 543 | 0.01% |
| 220: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH WITH CC | 1,168 | 0.02% |
| 220: CARDIAC VALVE AND OTHER MAJOR CARDIOTHORACIC PROCEDURES WITHOUT CARDIAC CATHETERIZATION WITH C | 384 | 0.01% |
| 221: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH WITHOUT CC/MCC | 225 | 0.00% |
| 221: CARDIAC VALVE AND OTHER MAJOR CARDIOTHORACIC PROCEDURES WITHOUT CARDIAC CATHETERIZATION WITHOU | 69 | 0.00% |
| 222: CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI, HF OR SHOCK WITH MCC | <= 50 | *.**% |
| 222: CARDIAC DEFIBRILLATOR IMPLANT WITH CARDIAC CATHETERIZATION WITH AMI, HF OR SHOCK WITH MCC | <= 50 | *.**% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 223: CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI, HF OR SHOCK WITHOUT MCC | <= 50 | *.**% |
| 223: CARDIAC DEFIBRILLATOR IMPLANT WITH CARDIAC CATHETERIZATION WITH AMI, HF OR SHOCK WITHOUT MCC | <= 50 | *.**% |
| 224: CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI, HF OR SHOCK WITH MCC | <= 50 | *.**% |
| 224: CARDIAC DEFIBRILLATOR IMPLANT WITH CARDIAC CATHETERIZATION WITHOUT AMI, HF OR SHOCK WITH MCC | <= 50 | *.**% |
| 225: CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI, HF OR SHOCK WITHOUT MCC | <= 50 | *.**% |
| 225: CARDIAC DEFIBRILLATOR IMPLANT WITH CARDIAC CATHETERIZATION WITHOUT AMI, HF OR SHOCK WITHOUT MC | <= 50 | *.**% |
| 226: CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH W MCC | 121 | 0.00% |
| 226: CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATHETERIZATION WITH MCC | <= 50 | *.**% |
| 227: CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATHETERIZATION WITHOUT MCC | 127 | 0.00% |
| 228: OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 4,695 | 0.08% |
| 229: OTHER CARDIOTHORACIC PROCEDURES WITHOUT MCC | 3,261 | 0.06% |
| 233: CORONARY BYPASS WITH CARDIAC CATHETERIZATION OR OPEN ABLATION WITH MCC | <= 50 | *.**% |
| 234: CORONARY BYPASS WITH CARDIAC CATHETERIZATION OR OPEN ABLATION WITHOUT MCC | <= 50 | *.**% |
| 235: CORONARY BYPASS WITHOUT CARDIAC CATHETERIZATION WITH MCC | <= 50 | *.**% |
| 236: CORONARY BYPASS WITHOUT CARDIAC CATHETERIZATION WITHOUT MCC | <= 50 | *.**% |
| 239: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB AND TOE WITH MCC | <= 50 | *.**% |
| 239: AMPUTATION FOR CIRCULATORY SYSTEM DISORDERS EXCEPT UPPER LIMB AND TOE WITH MCC | <= 50 | *.**% |
| 240: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB AND TOE WITH CC | <= 50 | *.**% |
| 241: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB AND TOE WITHOUT CC/MCC | <= 50 | *.**% |
| 241: AMPUTATION FOR CIRCULATORY SYSTEM DISORDERS EXCEPT UPPER LIMB AND TOE WITHOUT CC/MCC | <= 50 | *.**% |
| 242: PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 185 | 0.00% |
| 243: PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 126 | 0.00% |
| 244: PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 106 | 0.00% |
| 245: AICD GENERATOR PROCEDURES | <= 50 | *.**% |
| 246: PERC CVASC PROC WITH DRUG-ELUTING STENT WITH MCC OR 4+ ARTERIES OR STENTS | <= 50 | *.**% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 246: PERCUTANEOUS CARDIOVASCULAR PROCEDURES WITH DRUG-ELUTING STENT WITH MCC OR 4+ ARTERIES OR STEN | <= 50 | *.**% |
| 247: PERC CVASC PROC WITH DRUG-ELUTING STENT WITHOUT MCC | <= 50 | *.**% |
| 247: PERCUTANEOUS CARDIOVASCULAR PROCEDURES WITH DRUG-ELUTING STENT WITHOUT MCC | <= 50 | *.**% |
| 248: PERC CVASC PROC WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ ARTERIES OR STENTS | <= 50 | *.**% |
| 248: PERCUTANEOUS CARDIOVASCULAR PROCEDURES WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ ARTERIES OR | <= 50 | *.**% |
| 249: PERC CVASC PROC WITH NON-DRUG-ELUTING STENT WITHOUT MCC | <= 50 | *.**% |
| 249: PERCUTANEOUS CARDIOVASCULAR PROCEDURES WITH NON-DRUG-ELUTING STENT WITHOUT MCC | <= 50 | *.**% |
| 250: PERC CVASC PROC WITHOUT CORONARY ARTERY STENT WITH MCC | <= 50 | *.**% |
| 250: PERCUTANEOUS CARDIOVASCULAR PROCEDURES WITHOUT CORONARY ARTERY STENT WITH MCC | <= 50 | *.**% |
| 251: PERC CVASC PROC WITHOUT CORONARY ARTERY STENT WITHOUT MCC | <= 50 | *.**% |
| 251: PERCUTANEOUS CARDIOVASCULAR PROCEDURES WITHOUT CORONARY ARTERY STENT WITHOUT MCC | <= 50 | *.**% |
| 252: OTHER VASCULAR PROCEDURES WITH MCC | 1,241 | 0.02% |
| 253: OTHER VASCULAR PROCEDURES WITH CC | 791 | 0.01% |
| 254: OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 503 | 0.01% |
| 255: UPPER LIMB AND TOE AMPUTATION FOR CIRCULATORY SYSTEM DISORDERS WITH MCC | <= 50 | *.**% |
| 256: UPPER LIMB AND TOE AMPUTATION FOR CIRCULATORY SYSTEM DISORDERS WITH CC | <= 50 | *.**% |
| 257: UPPER LIMB AND TOE AMPUTATION FOR CIRCULATORY SYSTEM DISORDERS WITHOUT CC/MCC | <= 50 | *.**% |
| 258: CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC | 61 | 0.00% |
| 259: CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 67 | 0.00% |
| 260: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC | 69 | 0.00% |
| 261: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 71 | 0.00% |
| 262: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 53 | 0.00% |
| 263: VEIN LIGATION AND STRIPPING | <= 50 | *.**% |
| 264: OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 227 | 0.00% |
| 265: AICD LEAD PROCEDURES | <= 50 | *.**% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 266: ENDOVASCULAR CARDIAC VALVE REPLACEMENT AND SUPPLEMENT PROCEDURES WITH MCC | 147 | 0.00% |
| 267: ENDOVASCULAR CARDIAC VALVE REPLACEMENT AND SUPPLEMENT PROCEDURES WITHOUT MCC | 228 | 0.00% |
| 268: AORTIC AND HEART ASSIST PROCEDURES EXCEPT PULSATION BALLOON WITH MCC | 728 | 0.01% |
| 269: AORTIC AND HEART ASSIST PROCEDURES EXCEPT PULSATION BALLOON WITHOUT MCC | 806 | 0.01% |
| 270: OTHER MAJOR CARDIOVASCULAR PROCEDURES WITH MCC | 2,868 | 0.05% |
| 271: OTHER MAJOR CARDIOVASCULAR PROCEDURES WITH CC | 1,018 | 0.02% |
| 272: OTHER MAJOR CARDIOVASCULAR PROCEDURES WITHOUT CC/MCC | 434 | 0.01% |
| 273: PERCUTANEOUS AND OTHER INTRACARDIAC PROCEDURES WITH MCC | 116 | 0.00% |
| 274: PERCUTANEOUS AND OTHER INTRACARDIAC PROCEDURES WITHOUT MCC | 610 | 0.01% |
| 280: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 98 | 0.00% |
| 281: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 92 | 0.00% |
| 282: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 128 | 0.00% |
| 283: ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | <= 50 | *.**% |
| 286: CIRCULATORY DISORDERS EXCEPT AMI, WITH CARDIAC CATHETERIZATION WITH MCC | 757 | 0.01% |
| 287: CIRCULATORY DISORDERS EXCEPT AMI, WITH CARDIAC CATHETERIZATION WITHOUT MCC | 779 | 0.01% |
| 288: ACUTE AND SUBACUTE ENDOCARDITIS WITH MCC | 113 | 0.00% |
| 289: ACUTE AND SUBACUTE ENDOCARDITIS WITH CC | 80 | 0.00% |
| 290: ACUTE AND SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | <= 50 | *.**% |
| 291: HEART FAILURE AND SHOCK WITH MCC | 708 | 0.01% |
| 292: HEART FAILURE AND SHOCK WITH CC | 381 | 0.01% |
| 293: HEART FAILURE AND SHOCK WITHOUT CC/MCC | <= 50 | *.**% |
| 294: DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | <= 50 | *.**% |
| 295: DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | <= 50 | *.**% |
| 296: CARDIAC ARREST, UNEXPLAINED WITH MCC | 429 | 0.01% |
| 297: CARDIAC ARREST, UNEXPLAINED WITH CC | <= 50 | *.**% |
| 298: CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | <= 50 | *.**% |
| 299: PERIPHERAL VASCULAR DISORDERS WITH MCC | 410 | 0.01% |
| 300: PERIPHERAL VASCULAR DISORDERS WITH CC | 606 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 301: PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 479 | 0.01% |
| 302: ATHEROSCLEROSIS WITH MCC | <= 50 | *.**% |
| 303: ATHEROSCLEROSIS WITHOUT MCC | 64 | 0.00% |
| 304: HYPERTENSION WITH MCC | 499 | 0.01% |
| 305: HYPERTENSION WITHOUT MCC | 859 | 0.02% |
| 306: CARDIAC CONGENITAL AND VALVULAR DISORDERS WITH MCC | 1,262 | 0.02% |
| 307: CARDIAC CONGENITAL AND VALVULAR DISORDERS WITHOUT MCC | 1,505 | 0.03% |
| 308: CARDIAC ARRHYTHMIA AND CONDUCTION DISORDERS WITH MCC | 1,043 | 0.02% |
| 309: CARDIAC ARRHYTHMIA AND CONDUCTION DISORDERS WITH CC | 1,282 | 0.02% |
| 310: CARDIAC ARRHYTHMIA AND CONDUCTION DISORDERS WITHOUT CC/MCC | 2,089 | 0.04% |
| 311: ANGINA PECTORIS | <= 50 | *.**% |
| 312: SYNCOPE AND COLLAPSE | 2,084 | 0.04% |
| 313: CHEST PAIN | 572 | 0.01% |
| 314: OTHER CIRCULATORY SYSTEM DIAGNOSES WITH MCC | 4,420 | 0.08% |
| 315: OTHER CIRCULATORY SYSTEM DIAGNOSES WITH CC | 3,884 | 0.07% |
| 316: OTHER CIRCULATORY SYSTEM DIAGNOSES WITHOUT CC/MCC | 1,630 | 0.03% |
| 319: OTHER ENDOVASCULAR CARDIAC VALVE PROCEDURES WITH MCC | 319 | 0.01% |
| 320: OTHER ENDOVASCULAR CARDIAC VALVE PROCEDURES WITHOUT MCC | 271 | 0.00% |
| 326: STOMACH, ESOPHAGEAL AND DUODENAL PROCEDURES WITH MCC | 1,834 | 0.03% |
| 327: STOMACH, ESOPHAGEAL AND DUODENAL PROCEDURES WITH CC | 2,100 | 0.04% |
| 328: STOMACH, ESOPHAGEAL AND DUODENAL PROCEDURES WITHOUT CC/MCC | 3,254 | 0.06% |
| 329: MAJOR SMALL AND LARGE BOWEL PROCEDURES WITH MCC | 4,040 | 0.07% |
| 330: MAJOR SMALL AND LARGE BOWEL PROCEDURES WITH CC | 5,813 | 0.10% |
| 331: MAJOR SMALL AND LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 3,964 | 0.07% |
| 332: RECTAL RESECTION WITH MCC | <= 50 | *.**% |
| 333: RECTAL RESECTION WITH CC | 75 | 0.00% |
| 334: RECTAL RESECTION WITHOUT CC/MCC | 125 | 0.00% |
| 335: PERITONEAL ADHESIOLYSIS WITH MCC | 488 | 0.01% |
| 336: PERITONEAL ADHESIOLYSIS WITH CC | 901 | 0.02% |
| 337: PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 847 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 338: APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 1,071 | 0.02% |
| 339: APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 4,044 | 0.07% |
| 340: APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 11,260 | 0.20% |
| 341: APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 1,019 | 0.02% |
| 342: APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 2,176 | 0.04% |
| 343: APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 14,331 | 0.25% |
| 344: MINOR SMALL AND LARGE BOWEL PROCEDURES WITH MCC | 186 | 0.00% |
| 345: MINOR SMALL AND LARGE BOWEL PROCEDURES WITH CC | 452 | 0.01% |
| 346: MINOR SMALL AND LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 458 | 0.01% |
| 347: ANAL AND STOMAL PROCEDURES WITH MCC | 149 | 0.00% |
| 348: ANAL AND STOMAL PROCEDURES WITH CC | 391 | 0.01% |
| 349: ANAL AND STOMAL PROCEDURES WITHOUT CC/MCC | 450 | 0.01% |
| 350: INGUINAL AND FEMORAL HERNIA PROCEDURES WITH MCC | 283 | 0.00% |
| 351: INGUINAL AND FEMORAL HERNIA PROCEDURES WITH CC | 312 | 0.01% |
| 352: INGUINAL AND FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 898 | 0.02% |
| 353: HERNIA PROCEDURES EXCEPT INGUINAL AND FEMORAL WITH MCC | 318 | 0.01% |
| 354: HERNIA PROCEDURES EXCEPT INGUINAL AND FEMORAL WITH CC | 269 | 0.00% |
| 355: HERNIA PROCEDURES EXCEPT INGUINAL AND FEMORAL WITHOUT CC/MCC | 235 | 0.00% |
| 356: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 394 | 0.01% |
| 357: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 531 | 0.01% |
| 358: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 499 | 0.01% |
| 368: MAJOR ESOPHAGEAL DISORDERS WITH MCC | 346 | 0.01% |
| 369: MAJOR ESOPHAGEAL DISORDERS WITH CC | 387 | 0.01% |
| 370: MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 206 | 0.00% |
| 371: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS WITH MCC | 1,604 | 0.03% |
| 372: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS WITH CC | 4,395 | 0.08% |
| 373: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS WITHOUT CC/MCC | 4,718 | 0.08% |
| 374: DIGESTIVE MALIGNANCY WITH MCC | 54 | 0.00% |
| 375: DIGESTIVE MALIGNANCY WITH CC | 80 | 0.00% |
| 376: DIGESTIVE MALIGNANCY WITHOUT CC/MCC | <= 50 | *.**% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 377: GASTROINTESTINAL HEMORRHAGE WITH MCC | 920 | 0.02% |
| 378: GASTROINTESTINAL HEMORRHAGE WITH CC | 1,555 | 0.03% |
| 379: GASTROINTESTINAL HEMORRHAGE WITHOUT CC/MCC | 1,005 | 0.02% |
| 380: COMPLICATED PEPTIC ULCER WITH MCC | 137 | 0.00% |
| 381: COMPLICATED PEPTIC ULCER WITH CC | 188 | 0.00% |
| 382: COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 105 | 0.00% |
| 383: UNCOMPLICATED PEPTIC ULCER WITH MCC | <= 50 | *.**% |
| 384: UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 222 | 0.00% |
| 385: INFLAMMATORY BOWEL DISEASE WITH MCC | 1,958 | 0.03% |
| 386: INFLAMMATORY BOWEL DISEASE WITH CC | 3,798 | 0.07% |
| 387: INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 3,239 | 0.06% |
| 388: GASTROINTESTINAL OBSTRUCTION WITH MCC | 1,278 | 0.02% |
| 389: GASTROINTESTINAL OBSTRUCTION WITH CC | 3,290 | 0.06% |
| 390: GASTROINTESTINAL OBSTRUCTION WITHOUT CC/MCC | 4,190 | 0.07% |
| 391: ESOPHAGITIS, GASTROENTERITIS AND MISCELLANEOUS DIGESTIVE DISORDERS WITH MCC | 6,663 | 0.12% |
| 392: ESOPHAGITIS, GASTROENTERITIS AND MISCELLANEOUS DIGESTIVE DISORDERS WITHOUT MCC | 41,288 | 0.73% |
| 393: OTHER DIGESTIVE SYSTEM DIAGNOSES WITH MCC | 3,287 | 0.06% |
| 394: OTHER DIGESTIVE SYSTEM DIAGNOSES WITH CC | 5,385 | 0.10% |
| 395: OTHER DIGESTIVE SYSTEM DIAGNOSES WITHOUT CC/MCC | 5,108 | 0.09% |
| 405: PANCREAS, LIVER AND SHUNT PROCEDURES WITH MCC | 278 | 0.00% |
| 406: PANCREAS, LIVER AND SHUNT PROCEDURES WITH CC | 262 | 0.00% |
| 407: PANCREAS, LIVER AND SHUNT PROCEDURES WITHOUT CC/MCC | 219 | 0.00% |
| 408: BILIARY TRACT PROC EXC ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. WITH MCC | 99 | 0.00% |
| 408: BILIARY TRACT PROCEDURES EXCEPT ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. WITH MCC | <= 50 | *.**% |
| 409: BILIARY TRACT PROC EXC ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. WITH CC | 155 | 0.00% |
| 409: BILIARY TRACT PROCEDURES EXCEPT ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. WITH CC | 58 | 0.00% |
| 410: BILIARY TRACT PROC EXC ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. W/O CC/MCC | 141 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 410: BILIARY TRACT PROCEDURES EXCEPT ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. WITHOUT CC/MCC | <= 50 | *.**% |
| 411: CHOLECYSTECTOMY WITH C.D.E. WITH MCC | <= 50 | *.**% |
| 412: CHOLECYSTECTOMY WITH C.D.E. WITH CC | <= 50 | *.**% |
| 413: CHOLECYSTECTOMY WITH C.D.E. WITHOUT CC/MCC | <= 50 | *.**% |
| 414: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT C.D.E. WITH MCC | <= 50 | *.**% |
| 415: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT C.D.E. WITH CC | 57 | 0.00% |
| 416: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT C.D.E. WITHOUT CC/MCC | <= 50 | *.**% |
| 417: LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT C.D.E. WITH MCC | 1,540 | 0.03% |
| 418: LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT C.D.E. WITH CC | 2,397 | 0.04% |
| 419: LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT C.D.E. WITHOUT CC/MCC | 5,049 | 0.09% |
| 420: HEPATOBILIARY DIAGNOSTIC PROCEDURES WITH MCC | 97 | 0.00% |
| 421: HEPATOBILIARY DIAGNOSTIC PROCEDURES WITH CC | 78 | 0.00% |
| 422: HEPATOBILIARY DIAGNOSTIC PROCEDURES WITHOUT CC/MCC | 71 | 0.00% |
| 423: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 94 | 0.00% |
| 424: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 59 | 0.00% |
| 425: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC | <= 50 | *.**% |
| 432: CIRRHOSIS AND ALCOHOLIC HEPATITIS WITH MCC | 116 | 0.00% |
| 433: CIRRHOSIS AND ALCOHOLIC HEPATITIS WITH CC | 69 | 0.00% |
| 434: CIRRHOSIS AND ALCOHOLIC HEPATITIS WITHOUT CC/MCC | <= 50 | *.**% |
| 435: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC | 89 | 0.00% |
| 436: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 84 | 0.00% |
| 437: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | <= 50 | *.**% |
| 438: DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 1,370 | 0.02% |
| 439: DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 2,599 | 0.05% |
| 440: DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 3,458 | 0.06% |
| 441: DISORDERS OF LIVER EXCEPT MALIGNANCY, CIRRHOSIS OR ALCOHOLIC HEPATITIS WITH MCC | 1,514 | 0.03% |
| 442: DISORDERS OF LIVER EXCEPT MALIGNANCY, CIRRHOSIS OR ALCOHOLIC HEPATITIS WITH CC | 1,731 | 0.03% |
| 443: DISORDERS OF LIVER EXCEPT MALIGNANCY, CIRRHOSIS OR ALCOHOLIC HEPAT W/O CC/MCC | 1,050 | 0.02% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 443: DISORDERS OF LIVER EXCEPT MALIGNANCY, CIRRHOSIS OR ALCOHOLIC HEPATITIS WITHOUT CC/MCC | 314 | 0.01% |
| 444: DISORDERS OF THE BILIARY TRACT WITH MCC | 1,098 | 0.02% |
| 445: DISORDERS OF THE BILIARY TRACT WITH CC | 983 | 0.02% |
| 446: DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 1,458 | 0.03% |
| 453: COMBINED ANTERIOR AND POSTERIOR SPINAL FUSION WITH MCC | 86 | 0.00% |
| 454: COMBINED ANTERIOR AND POSTERIOR SPINAL FUSION WITH CC | 325 | 0.01% |
| 455: COMBINED ANTERIOR AND POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 279 | 0.00% |
| 456: SPINAL FUSION EXC CERV W SPINAL CURV, MALIG, INFECT OR EXT FUSIONS WITH MCC | 1,246 | 0.02% |
| 456: SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURVATURE, MALIGNANCY, INFECTION OR EXTENSIVE FUSION | 381 | 0.01% |
| 457: SPINAL FUSION EXC CERV W SPINAL CURV, MALIG, INFECT OR EXT FUSIONS WITH CC | 3,408 | 0.06% |
| 457: SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURVATURE, MALIGNANCY, INFECTION OR EXTENSIVE FUSION | 1,126 | 0.02% |
| 458: SPINAL FUSION EXC CERV W SPINAL CURV, MALIG, INFECT OR EXT FUSIONS W/O CC/MCC | 4,710 | 0.08% |
| 458: SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURVATURE, MALIGNANCY, INFECTION OR EXTENSIVE FUSION | 1,495 | 0.03% |
| 459: SPINAL FUSION EXCEPT CERVICAL WITH MCC | 162 | 0.00% |
| 460: SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 1,029 | 0.02% |
| 461: BILATERAL OR MULTIPLE MAJOR JOINT PROCEDURES OF LOWER EXTREMITY WITH MCC | <= 50 | *.**% |
| 462: BILATERAL OR MULTIPLE MAJOR JOINT PROCEDURES OF LOWER EXTREMITY WITHOUT MCC | <= 50 | *.**% |
| 463: WND DEBRIDE & SKIN GRAFT EXC HAND FOR MUSC & CONNECTIVE TISSUE DIS WITH MCC | 346 | 0.01% |
| 463: WOUND DEBRIDEMENT AND SKIN GRAFT EXCEPT HAND FOR MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDE | 73 | 0.00% |
| 464: WND DEBRIDE & SKIN GRAFT EXC HAND FOR MUSC & CONNECTIVE TISSUE DIS WITH CC | 692 | 0.01% |
| 464: WOUND DEBRIDEMENT AND SKIN GRAFT EXCEPT HAND FOR MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDE | 251 | 0.00% |
| 465: WND DEBRIDE & SKIN GRAFT EXC HAND FOR MUSC & CONNECTIVE TISSUE DIS W/O CC/MCC | 533 | 0.01% |
| 465: WOUND DEBRIDEMENT AND SKIN GRAFT EXCEPT HAND FOR MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDE | 154 | 0.00% |
| 466: REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | <= 50 | *.**% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 467: REVISION OF HIP OR KNEE REPLACEMENT WITH CC | <= 50 | *.**% |
| 468: REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | <= 50 | *.**% |
| 469: MAJ HIP/KNEE JNT REPL OR REATTACH OF LOWER EXTREM W MCC OR TOTAL ANKLE REPL | <= 50 | *.**% |
| 469: MAJOR HIP AND KNEE JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC OR TOTAL ANKL | <= 50 | *.**% |
| 470: MAJ HIP/KNEE JNT REPL OR REATTACH OF LOWER EXTREM W/O MCC | 312 | 0.01% |
| 470: MAJOR HIP AND KNEE JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 82 | 0.00% |
| 471: CERVICAL SPINAL FUSION WITH MCC | 108 | 0.00% |
| 472: CERVICAL SPINAL FUSION WITH CC | 255 | 0.00% |
| 473: CERVICAL SPINAL FUSION WITHOUT CC/MCC | 235 | 0.00% |
| 474: AMPUTATION FOR MUSCULOSKELETAL SYS AND CONNECTIVE TISSUE DISORDERS WITH MCC | <= 50 | *.**% |
| 474: AMPUTATION FOR MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DISORDERS WITH MCC | <= 50 | *.**% |
| 475: AMPUTATION FOR MUSCULOSKELETAL SYS AND CONNECTIVE TISSUE DISORDERS WITH CC | 140 | 0.00% |
| 475: AMPUTATION FOR MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DISORDERS WITH CC | <= 50 | *.**% |
| 476: AMPUTATION FOR MUSCULOSKELETAL SYS AND CONNECTIVE TISSUE DISORDERS W/O CC/MCC | 106 | 0.00% |
| 476: AMPUTATION FOR MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | <= 50 | *.**% |
| 477: BIOPSIES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH MCC | 196 | 0.00% |
| 478: BIOPSIES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH CC | 682 | 0.01% |
| 479: BIOPSIES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITHOUT CC/MCC | 830 | 0.01% |
| 480: HIP AND FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 2,300 | 0.04% |
| 481: HIP AND FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 4,715 | 0.08% |
| 482: HIP AND FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 8,471 | 0.15% |
| 483: MAJOR JOINT OR LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITIES | <= 50 | *.**% |
| 485: KNEE PROCEDURES WITH PRINCIPAL DIAGNOSIS OF INFECTION WITH MCC | <= 50 | *.**% |
| 486: KNEE PROCEDURES WITH PRINCIPAL DIAGNOSIS OF INFECTION WITH CC | 244 | 0.00% |
| 487: KNEE PROCEDURES WITH PRINCIPAL DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 291 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 488: KNEE PROCEDURES WITHOUT PRINCIPAL DIAGNOSIS OF INFECTION WITH CC/MCC | 398 | 0.01% |
| 489: KNEE PROCEDURES WITHOUT PRINCIPAL DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 607 | 0.01% |
| 492: LOWER EXTREMITY AND HUMERUS PROCEDURES EXCEPT HIP, FOOT AND FEMUR WITH MCC | 896 | 0.02% |
| 493: LOWER EXTREMITY AND HUMERUS PROCEDURES EXCEPT HIP, FOOT AND FEMUR WITH CC | 3,288 | 0.06% |
| 494: LOWER EXTREMITY AND HUMERUS PROCEDURES EXCEPT HIP, FOOT AND FEMUR W/O CC/MCC | 7,321 | 0.13% |
| 494: LOWER EXTREMITY AND HUMERUS PROCEDURES EXCEPT HIP, FOOT AND FEMUR WITHOUT CC/MCC | 2,043 | 0.04% |
| 495: LOCAL EXCISION AND REMOVAL OF INT FIX DEV EXCEPT HIP AND FEMUR WITH MCC | 147 | 0.00% |
| 495: LOCAL EXCISION AND REMOVAL OF INTERNAL FIXATION DEVICES EXCEPT HIP AND FEMUR WITH MCC | <= 50 | *.**% |
| 496: LOCAL EXCISION AND REMOVAL OF INT FIX DEV EXCEPT HIP AND FEMUR WITH CC | 368 | 0.01% |
| 496: LOCAL EXCISION AND REMOVAL OF INTERNAL FIXATION DEVICES EXCEPT HIP AND FEMUR WITH CC | 124 | 0.00% |
| 497: LOCAL EXCISION AND REMOVAL OF INT FIX DEV EXCEPT HIP AND FEMUR WITHOUT CC/MCC | 411 | 0.01% |
| 497: LOCAL EXCISION AND REMOVAL OF INTERNAL FIXATION DEVICES EXCEPT HIP AND FEMUR WITHOUT CC/MCC | 119 | 0.00% |
| 498: LOCAL EXCISION AND REMOVAL OF INT FIX DEV OF HIP AND FEMUR WITH CC/MCC | 290 | 0.01% |
| 498: LOCAL EXCISION AND REMOVAL OF INTERNAL FIXATION DEVICES OF HIP AND FEMUR WITH CC/MCC | 125 | 0.00% |
| 499: LOCAL EXCISION AND REMOVAL OF INT FIX DEV OF HIP AND FEMUR WITHOUT CC/MCC | 141 | 0.00% |
| 499: LOCAL EXCISION AND REMOVAL OF INTERNAL FIXATION DEVICES OF HIP AND FEMUR WITHOUT CC/MCC | 69 | 0.00% |
| 500: SOFT TISSUE PROCEDURES WITH MCC | 465 | 0.01% |
| 501: SOFT TISSUE PROCEDURES WITH CC | 1,420 | 0.03% |
| 502: SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 1,456 | 0.03% |
| 503: FOOT PROCEDURES WITH MCC | 88 | 0.00% |
| 504: FOOT PROCEDURES WITH CC | 385 | 0.01% |
| 505: FOOT PROCEDURES WITHOUT CC/MCC | 517 | 0.01% |
| 506: MAJOR THUMB OR JOINT PROCEDURES | 133 | 0.00% |
| 507: MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 104 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 508: MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 87 | 0.00% |
| 509: ARTHROSCOPY | <= 50 | *.**% |
| 510: SHOULDER, ELBOW OR FOREARM PROCEDURES, EXCEPT MAJOR JOINT PROCEDURES WITH MCC | 149 | 0.00% |
| 511: SHOULDER, ELBOW OR FOREARM PROCEDURES, EXCEPT MAJOR JOINT PROCEDURES WITH CC | 503 | 0.01% |
| 512: SHOULDER, ELBOW OR FOREARM PROCEDURES, EXCEPT MAJOR JOINT PROCEDURES W/O CC/MCC | 1,339 | 0.02% |
| 512: SHOULDER, ELBOW OR FOREARM PROCEDURES, EXCEPT MAJOR JOINT PROCEDURES WITHOUT CC/MCC | 444 | 0.01% |
| 513: HAND OR WRIST PROCEDURES, EXCEPT MAJOR THUMB OR JOINT PROCEDURES WITH CC/MCC | 547 | 0.01% |
| 514: HAND OR WRIST PROCEDURES, EXCEPT MAJOR THUMB OR JOINT PROCEDURES WITHOUT CC/MCC | 650 | 0.01% |
| 515: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE O.R. PROCEDURES WITH MCC | 919 | 0.02% |
| 516: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE O.R. PROCEDURES WITH CC | 3,071 | 0.05% |
| 517: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE O.R. PROCEDURES W/O CC/MCC | 4,177 | 0.07% |
| 517: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE O.R. PROCEDURES WITHOUT CC/MCC | 1,280 | 0.02% |
| 518: BACK AND NECK PROC EXC SPINAL FUSION WITH MCC OR DISC DEVICE OR NEUROSTIMULATOR | 145 | 0.00% |
| 518: BACK AND NECK PROCEDURES EXCEPT SPINAL FUSION WITH MCC OR DISC DEVICE OR NEUROSTIMULATOR | <= 50 | *.**% |
| 519: BACK AND NECK PROCEDURES EXCEPT SPINAL FUSION WITH CC | 800 | 0.01% |
| 520: BACK AND NECK PROCEDURES EXCEPT SPINAL FUSION WITHOUT CC/MCC | 1,222 | 0.02% |
| 521: HIP REPLACEMENT WITH PRINCIPAL DIAGNOSIS OF HIP FRACTURE WITH MCC | <= 50 | *.**% |
| 522: HIP REPLACEMENT WITH PRINCIPAL DIAGNOSIS OF HIP FRACTURE WITHOUT MCC | <= 50 | *.**% |
| 533: FRACTURES OF FEMUR WITH MCC | 123 | 0.00% |
| 534: FRACTURES OF FEMUR WITHOUT MCC | 1,364 | 0.02% |
| 535: FRACTURES OF HIP AND PELVIS WITH MCC | 98 | 0.00% |
| 536: FRACTURES OF HIP AND PELVIS WITHOUT MCC | 662 | 0.01% |
| 537: SPRAINS, STRAINS, AND DISLOCATIONS OF HIP, PELVIS AND THIGH WITH CC/MCC | 62 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 538: SPRAINS, STRAINS, AND DISLOCATIONS OF HIP, PELVIS AND THIGH WITHOUT CC/MCC | 78 | 0.00% |
| 539: OSTEOMYELITIS WITH MCC | 287 | 0.01% |
| 540: OSTEOMYELITIS WITH CC | 947 | 0.02% |
| 541: OSTEOMYELITIS WITHOUT CC/MCC | 642 | 0.01% |
| 542: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MAL WITH MCC | 215 | 0.00% |
| 542: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MALIGNANCY WITH MCC | 80 | 0.00% |
| 543: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MAL WITH CC | 489 | 0.01% |
| 543: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MALIGNANCY WITH CC | 120 | 0.00% |
| 544: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MAL W/O CC/MCC | 196 | 0.00% |
| 544: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MALIGNANCY WITHOUT CC/MCC | 69 | 0.00% |
| 545: CONNECTIVE TISSUE DISORDERS WITH MCC | 1,912 | 0.03% |
| 546: CONNECTIVE TISSUE DISORDERS WITH CC | 4,407 | 0.08% |
| 547: CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 3,499 | 0.06% |
| 548: SEPTIC ARTHRITIS WITH MCC | 71 | 0.00% |
| 549: SEPTIC ARTHRITIS WITH CC | 297 | 0.01% |
| 550: SEPTIC ARTHRITIS WITHOUT CC/MCC | 387 | 0.01% |
| 551: MEDICAL BACK PROBLEMS WITH MCC | 395 | 0.01% |
| 552: MEDICAL BACK PROBLEMS WITHOUT MCC | 2,903 | 0.05% |
| 553: BONE DISEASES AND ARTHROPATHIES WITH MCC | 139 | 0.00% |
| 554: BONE DISEASES AND ARTHROPATHIES WITHOUT MCC | 416 | 0.01% |
| 555: SIGNS AND SYMPTOMS OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH MCC | 145 | 0.00% |
| 556: SIGNS AND SYMPTOMS OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITHOUT MCC | 1,416 | 0.03% |
| 557: TENDONITIS, MYOSITIS AND BURSITIS WITH MCC | 467 | 0.01% |
| 558: TENDONITIS, MYOSITIS AND BURSITIS WITHOUT MCC | 4,927 | 0.09% |
| 559: AFTERCARE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH MCC | 179 | 0.00% |
| 560: AFTERCARE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH CC | 559 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 561: AFTERCARE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITHOUT CC/MCC | 464 | 0.01% |
| 562: FRACTURE, SPRAIN, STRAIN AND DISLOC EXC FEMUR, HIP, PELVIS AND THIGH WITH MCC | 236 | 0.00% |
| 562: FRACTURE, SPRAIN, STRAIN AND DISLOCATION EXCEPT FEMUR, HIP | 62 | 0.00% |
| 563: FRACTURE, SPRAIN, STRAIN AND DISLOC EXC FEMUR, HIP, PELVIS AND THIGH W/O MCC | 2,183 | 0.04% |
| 563: FRACTURE, SPRAIN, STRAIN AND DISLOCATION EXCEPT FEMUR, HIP | 672 | 0.01% |
| 564: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DIAGNOSES WITH MCC | 411 | 0.01% |
| 565: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DIAGNOSES WITH CC | 755 | 0.01% |
| 566: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DIAGNOSES WITHOUT CC/MCC | 1,060 | 0.02% |
| 570: SKIN DEBRIDEMENT WITH MCC | 107 | 0.00% |
| 571: SKIN DEBRIDEMENT WITH CC | 454 | 0.01% |
| 572: SKIN DEBRIDEMENT WITHOUT CC/MCC | 549 | 0.01% |
| 573: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS WITH MCC | <= 50 | *.**% |
| 574: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS WITH CC | 75 | 0.00% |
| 575: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | <= 50 | *.**% |
| 576: SKIN GRAFT EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 59 | 0.00% |
| 577: SKIN GRAFT EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 201 | 0.00% |
| 578: SKIN GRAFT EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 382 | 0.01% |
| 579: OTHER SKIN, SUBCUTANEOUS TISSUE AND BREAST PROCEDURES WITH MCC | 467 | 0.01% |
| 580: OTHER SKIN, SUBCUTANEOUS TISSUE AND BREAST PROCEDURES WITH CC | 1,268 | 0.02% |
| 581: OTHER SKIN, SUBCUTANEOUS TISSUE AND BREAST PROCEDURES WITHOUT CC/MCC | 1,699 | 0.03% |
| 582: MASTECTOMY FOR MALIGNANCY WITH CC/MCC | <= 50 | *.**% |
| 584: BREAST BIOPSY, LOCAL EXCISION AND OTHER BREAST PROCEDURES WITH CC/MCC | 61 | 0.00% |
| 585: BREAST BIOPSY, LOCAL EXCISION AND OTHER BREAST PROCEDURES WITHOUT CC/MCC | 175 | 0.00% |
| 592: SKIN ULCERS WITH MCC | 74 | 0.00% |
| 593: SKIN ULCERS WITH CC | 123 | 0.00% |
| 594: SKIN ULCERS WITHOUT CC/MCC | <= 50 | *.**% |
| 595: MAJOR SKIN DISORDERS WITH MCC | 210 | 0.00% |
| 596: MAJOR SKIN DISORDERS WITHOUT MCC | 2,403 | 0.04% |
| 597: MALIGNANT BREAST DISORDERS WITH MCC | <= 50 | *.**% |
| 598: MALIGNANT BREAST DISORDERS WITH CC | <= 50 | *.**% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 600: NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 116 | 0.00% |
| 601: NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 266 | 0.00% |
| 602: CELLULITIS WITH MCC | 1,376 | 0.02% |
| 603: CELLULITIS WITHOUT MCC | 18,003 | 0.32% |
| 604: TRAUMA TO THE SKIN, SUBCUTANEOUS TISSUE AND BREAST WITH MCC | 395 | 0.01% |
| 605: TRAUMA TO THE SKIN, SUBCUTANEOUS TISSUE AND BREAST WITHOUT MCC | 3,038 | 0.05% |
| 606: MINOR SKIN DISORDERS WITH MCC | 429 | 0.01% |
| 607: MINOR SKIN DISORDERS WITHOUT MCC | 3,592 | 0.06% |
| 614: ADRENAL AND PITUITARY PROCEDURES WITH CC/MCC | 604 | 0.01% |
| 615: ADRENAL AND PITUITARY PROCEDURES WITHOUT CC/MCC | 209 | 0.00% |
| 616: AMPUTATION OF LOWER LIMB FOR ENDOCRINE, NUTRITIONAL AND MET DISORD WITH MCC | <= 50 | *.**% |
| 617: AMPUTATION OF LOWER LIMB FOR ENDOCRINE, NUTRITIONAL AND MET DISORD WITH CC | <= 50 | *.**% |
| 618: AMPUTATION OF LOWER LIMB FOR ENDOCRINE, NUTRITIONAL AND METABOLIC DISORDERS WITHOUT CC/MCC | <= 50 | *.**% |
| 619: O.R. PROCEDURES FOR OBESITY WITH MCC | <= 50 | *.**% |
| 620: O.R. PROCEDURES FOR OBESITY WITH CC | 299 | 0.01% |
| 621: O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 2,966 | 0.05% |
| 622: SKIN GRAFTS AND WOUND DEBRIDEMENT FOR ENDO, NUTRITIONAL AND MET DISORD WITH MCC | <= 50 | *.**% |
| 622: SKIN GRAFTS AND WOUND DEBRIDEMENT FOR ENDOCRINE, NUTRITIONAL AND METABOLIC DISORDERS WITH MCC | <= 50 | *.**% |
| 623: SKIN GRAFTS AND WOUND DEBRIDEMENT FOR ENDO, NUTRITIONAL AND MET DISORD WITH CC | <= 50 | *.**% |
| 623: SKIN GRAFTS AND WOUND DEBRIDEMENT FOR ENDOCRINE, NUTRITIONAL AND METABOLIC DISORDERS WITH CC | <= 50 | *.**% |
| 624: SKIN GRAFTS AND WOUND DEBRID FOR ENDO, NUTRITIONAL AND MET DISORD W/O CC/MCC | <= 50 | *.**% |
| 624: SKIN GRAFTS AND WOUND DEBRIDEMENT FOR ENDOCRINE, NUTRITIONAL AND METABOLIC DISORDERS WITHOUT C | <= 50 | *.**% |
| 625: THYROID, PARATHYROID AND THYROGLOSSAL PROCEDURES WITH MCC | <= 50 | *.**% |
| 626: THYROID, PARATHYROID AND THYROGLOSSAL PROCEDURES WITH CC | 281 | 0.00% |
| 627: THYROID, PARATHYROID AND THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 371 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 628: OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC O.R. PROCEDURES WITH MCC | 112 | 0.00% |
| 629: OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC O.R. PROCEDURES WITH CC | 114 | 0.00% |
| 630: OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC O.R. PROCEDURES WITHOUT CC/MCC | 81 | 0.00% |
| 637: DIABETES WITH MCC | 7,068 | 0.12% |
| 638: DIABETES WITH CC | 14,782 | 0.26% |
| 639: DIABETES WITHOUT CC/MCC | 21,168 | 0.37% |
| 640: MISCELLANEOUS DISORDERS OF NUTRITION, MET, FLUIDS AND ELECTROLYTES WITH MCC | 7,720 | 0.14% |
| 640: MISCELLANEOUS DISORDERS OF NUTRITION, METABOLISM, FLUIDS AND ELECTROLYTES WITH MCC | 2,698 | 0.05% |
| 641: MISCELLANEOUS DISORDERS OF NUTRITION, MET, FLUIDS AND ELECTROLYTES WITHOUT MCC | 31,822 | 0.56% |
| 641: MISCELLANEOUS DISORDERS OF NUTRITION, METABOLISM, FLUIDS AND ELECTROLYTES WITHOUT MCC | 10,558 | 0.19% |
| 642: INBORN AND OTHER DISORDERS OF METABOLISM | 2,545 | 0.04% |
| 643: ENDOCRINE DISORDERS WITH MCC | 964 | 0.02% |
| 644: ENDOCRINE DISORDERS WITH CC | 2,146 | 0.04% |
| 645: ENDOCRINE DISORDERS WITHOUT CC/MCC | 1,463 | 0.03% |
| 650: KIDNEY TRANSPLANT WITH HEMODIALYSIS WITH MCC | 71 | 0.00% |
| 651: KIDNEY TRANSPLANT WITH HEMODIALYSIS WITHOUT MCC | 55 | 0.00% |
| 652: KIDNEY TRANSPLANT | 788 | 0.01% |
| 653: MAJOR BLADDER PROCEDURES WITH MCC | 157 | 0.00% |
| 654: MAJOR BLADDER PROCEDURES WITH CC | 585 | 0.01% |
| 655: MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 232 | 0.00% |
| 656: KIDNEY AND URETER PROCEDURES FOR NEOPLASM WITH MCC | 116 | 0.00% |
| 657: KIDNEY AND URETER PROCEDURES FOR NEOPLASM WITH CC | 356 | 0.01% |
| 658: KIDNEY AND URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 224 | 0.00% |
| 659: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 463 | 0.01% |
| 660: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 2,320 | 0.04% |
| 661: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 3,665 | 0.06% |
| 662: MINOR BLADDER PROCEDURES WITH MCC | 66 | 0.00% |
| 663: MINOR BLADDER PROCEDURES WITH CC | 245 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 664: MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 81 | 0.00% |
| 668: TRANSURETHRAL PROCEDURES WITH MCC | <= 50 | *.**% |
| 669: TRANSURETHRAL PROCEDURES WITH CC | <= 50 | *.**% |
| 670: TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | <= 50 | *.**% |
| 671: URETHRAL PROCEDURES WITH CC/MCC | 98 | 0.00% |
| 672: URETHRAL PROCEDURES WITHOUT CC/MCC | <= 50 | *.**% |
| 673: OTHER KIDNEY AND URINARY TRACT PROCEDURES WITH MCC | 531 | 0.01% |
| 674: OTHER KIDNEY AND URINARY TRACT PROCEDURES WITH CC | 452 | 0.01% |
| 675: OTHER KIDNEY AND URINARY TRACT PROCEDURES WITHOUT CC/MCC | 84 | 0.00% |
| 682: RENAL FAILURE WITH MCC | 1,280 | 0.02% |
| 683: RENAL FAILURE WITH CC | 2,545 | 0.04% |
| 684: RENAL FAILURE WITHOUT CC/MCC | 690 | 0.01% |
| 686: KIDNEY AND URINARY TRACT NEOPLASMS WITH MCC | 62 | 0.00% |
| 687: KIDNEY AND URINARY TRACT NEOPLASMS WITH CC | 108 | 0.00% |
| 688: KIDNEY AND URINARY TRACT NEOPLASMS WITHOUT CC/MCC | <= 50 | *.**% |
| 689: KIDNEY AND URINARY TRACT INFECTIONS WITH MCC | 2,667 | 0.05% |
| 690: KIDNEY AND URINARY TRACT INFECTIONS WITHOUT MCC | 19,537 | 0.35% |
| 693: URINARY STONES WITH MCC | 124 | 0.00% |
| 694: URINARY STONES WITHOUT MCC | 1,156 | 0.02% |
| 695: KIDNEY AND URINARY TRACT SIGNS AND SYMPTOMS WITH MCC | 57 | 0.00% |
| 696: KIDNEY AND URINARY TRACT SIGNS AND SYMPTOMS WITHOUT MCC | 366 | 0.01% |
| 697: URETHRAL STRICTURE | <= 50 | *.**% |
| 698: OTHER KIDNEY AND URINARY TRACT DIAGNOSES WITH MCC | 1,820 | 0.03% |
| 699: OTHER KIDNEY AND URINARY TRACT DIAGNOSES WITH CC | 4,259 | 0.08% |
| 700: OTHER KIDNEY AND URINARY TRACT DIAGNOSES WITHOUT CC/MCC | 2,456 | 0.04% |
| 707: MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | <= 50 | *.**% |
| 708: MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | <= 50 | *.**% |
| 709: PENIS PROCEDURES WITH CC/MCC | 147 | 0.00% |
| 710: PENIS PROCEDURES WITHOUT CC/MCC | 236 | 0.00% |
| 711: TESTES PROCEDURES WITH CC/MCC | 373 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 712: TESTES PROCEDURES WITHOUT CC/MCC | 862 | 0.02% |
| 715: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY WITH CC/MCC | <= 50 | *.**% |
| 716: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY WITHOUT CC/MCC | <= 50 | *.**% |
| 717: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES EXCEPT MALIGNANCY WITH CC/MCC | <= 50 | *.**% |
| 718: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES EXCEPT MALIGNANCY WITHOUT CC/MCC | <= 50 | *.**% |
| 722: MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | <= 50 | *.**% |
| 723: MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | <= 50 | *.**% |
| 724: MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | <= 50 | *.**% |
| 726: BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | <= 50 | *.**% |
| 727: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 74 | 0.00% |
| 728: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 688 | 0.01% |
| 729: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES WITH CC/MCC | 130 | 0.00% |
| 730: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES WITHOUT CC/MCC | 188 | 0.00% |
| 734: PELVIC EVISCERATION, RADICAL HYSTERECTOMY AND RADICAL VULVECTOMY WITH CC/MCC | <= 50 | *.**% |
| 735: PELVIC EVISCERATION, RADICAL HYSTERECTOMY AND RADICAL VULVECTOMY WITHOUT CC/MCC | <= 50 | *.**% |
| 736: UTERINE AND ADNEXA PROCEDURES FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC | <= 50 | *.**% |
| 737: UTERINE AND ADNEXA PROCEDURES FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CO | 158 | 0.00% |
| 738: UTERINE AND ADNEXA PROCEDURES FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 112 | 0.00% |
| 739: UTERINE AND ADNEXA PROCEDURES FOR NON-OVARIAN AND NON-ADNEXAL MALIG WITH MCC | <= 50 | *.**% |
| 740: UTERINE AND ADNEXA PROCEDURES FOR NON-OVARIAN AND NON-ADNEXAL MALIG WITH CC | <= 50 | *.**% |
| 740: UTERINE AND ADNEXA PROCEDURES FOR NON-OVARIAN AND NON-ADNEXAL MALIGNANCY WITH CC | <= 50 | *.**% |
| 741: UTERINE AND ADNEXA PROCEDURES FOR NON-OVARIAN AND NON-ADNEXAL MALIG W/C CC/MCC | <= 50 | *.**% |
| 741: UTERINE AND ADNEXA PROCEDURES FOR NON-OVARIAN AND NON-ADNEXAL MALIGNANCY WITHOUT CC/MCC | <= 50 | *.**% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 742: UTERINE AND ADNEXA PROCEDURES FOR NON-MALIGNANCY WITH CC/MCC | 1,200 | 0.02% |
| 743: UTERINE AND ADNEXA PROCEDURES FOR NON-MALIGNANCY WITHOUT CC/MCC | 1,785 | 0.03% |
| 744: D&C, CONIZATION, LAPAROSCOPY AND TUBAL INTERRUPTION WITH CC/MCC | 67 | 0.00% |
| 745: D&C, CONIZATION, LAPAROSCOPY AND TUBAL INTERRUPTION WITHOUT CC/MCC | <= 50 | *.**% |
| 746: VAGINA, CERVIX AND VULVA PROCEDURES WITH CC/MCC | 288 | 0.01% |
| 747: VAGINA, CERVIX AND VULVA PROCEDURES WITHOUT CC/MCC | 419 | 0.01% |
| 748: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | <= 50 | *.**% |
| 749: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 103 | 0.00% |
| 750: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 60 | 0.00% |
| 754: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | <= 50 | *.**% |
| 755: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | <= 50 | *.**% |
| 756: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | <= 50 | *.**% |
| 757: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 184 | 0.00% |
| 758: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 672 | 0.01% |
| 759: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1,078 | 0.02% |
| 760: MENSTRUAL AND OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 1,076 | 0.02% |
| 761: MENSTRUAL AND OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 961 | 0.02% |
| 768: VAGINAL DELIVERY WITH O.R. PROCEDURES EXCEPT STERILIZATION AND/OR D&C | 6,308 | 0.11% |
| 769: POSTPARTUM AND POST ABORTION DIAGNOSES WITH O.R. PROCEDURES | 1,146 | 0.02% |
| 770: ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 460 | 0.01% |
| 776: POSTPARTUM AND POST ABORTION DIAGNOSES WITHOUT O.R. PROCEDURES | 4,028 | 0.07% |
| 779: ABORTION WITHOUT D&C | 654 | 0.01% |
| 783: CESAREAN SECTION WITH STERILIZATION WITH MCC | 57 | 0.00% |
| 784: CESAREAN SECTION WITH STERILIZATION WITH CC | 80 | 0.00% |
| 785: CESAREAN SECTION WITH STERILIZATION WITHOUT CC/MCC | 117 | 0.00% |
| 786: CESAREAN SECTION WITHOUT STERILIZATION WITH MCC | 7,762 | 0.14% |
| 787: CESAREAN SECTION WITHOUT STERILIZATION WITH CC | 13,883 | 0.25% |
| 788: CESAREAN SECTION WITHOUT STERILIZATION WITHOUT CC/MCC | 26,963 | 0.48% |
| 789: NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 78,370 | 1.38% |
| 790: EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 107,373 | 1.90% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 791: PREMATURITY WITH MAJOR PROBLEMS | 93,967 | 1.66% |
| 792: PREMATURITY WITHOUT MAJOR PROBLEMS | 168,750 | 2.98% |
| 793: FULL TERM NEONATE WITH MAJOR PROBLEMS | 226,756 | 4.01% |
| 794: NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 1,102,110 | 19.47% |
| 795: NORMAL NEWBORN | 1,885,177 | 33.30% |
| 796: VAGINAL DELIVERY WITH STERILIZATION AND/OR D&C WITH MCC | 97 | 0.00% |
| 797: VAGINAL DELIVERY WITH STERILIZATION AND/OR D&C WITH CC | 239 | 0.00% |
| 798: VAGINAL DELIVERY WITH STERILIZATION AND/OR D&C WITHOUT CC/MCC | 173 | 0.00% |
| 799: SPLENECTOMY WITH MCC | 125 | 0.00% |
| 800: SPLENECTOMY WITH CC | 173 | 0.00% |
| 801: SPLENECTOMY WITHOUT CC/MCC | 338 | 0.01% |
| 802: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS WITH MCC | 178 | 0.00% |
| 803: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS WITH CC | 462 | 0.01% |
| 804: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS WITHOUT CC/MCC | 459 | 0.01% |
| 805: VAGINAL DELIVERY WITHOUT STERILIZATION OR D&C WITH MCC | 16,863 | 0.30% |
| 806: VAGINAL DELIVERY WITHOUT STERILIZATION OR D&C WITH CC | 38,905 | 0.69% |
| 807: VAGINAL DELIVERY WITHOUT STERILIZATION OR D&C WITHOUT CC/MCC | 130,058 | 2.30% |
| 808: MAJOR HEMATOL/IMMU DIAG EXC SICKLE CELL CRISIS AND COAGUL DISO WITH MCC | 1,929 | 0.03% |
| 808: MAJOR HEMATOLOGICAL AND IMMUNOLOGICAL DIAGNOSES EXCEPT SICKLE CELL CRISIS AND COAGULATION DISO | 603 | 0.01% |
| 809: MAJOR HEMATOL/IMMU DIAG EXC SICKLE CELL CRISIS AND COAGUL DISO WITH CC | 7,963 | 0.14% |
| 809: MAJOR HEMATOLOGICAL AND IMMUNOLOGICAL DIAGNOSES EXCEPT SICKLE CELL CRISIS AND COAGULATION DISO | 2,919 | 0.05% |
| 810: MAJOR HEMATOL/IMMU DIAG EXC SICKLE CELL CRISIS AND COAGUL DISO WITHOUT CC/MCC | 1,313 | 0.02% |
| 810: MAJOR HEMATOLOGICAL AND IMMUNOLOGICAL DIAGNOSES EXCEPT SICKLE CELL CRISIS AND COAGULATION DISO | 448 | 0.01% |
| 811: RED BLOOD CELL DISORDERS WITH MCC | 5,048 | 0.09% |
| 812: RED BLOOD CELL DISORDERS WITHOUT MCC | 23,666 | 0.42% |
| 813: COAGULATION DISORDERS | 4,846 | 0.09% |
| 814: RETICULOENDOTHELIAL AND IMMUNITY DISORDERS WITH MCC | 760 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 815: RETICULOENDOTHELIAL AND IMMUNITY DISORDERS WITH CC | 2,023 | 0.04% |
| 816: RETICULOENDOTHELIAL AND IMMUNITY DISORDERS WITHOUT CC/MCC | 2,262 | 0.04% |
| 817: OTHER ANTEPARTUM DIAGNOSES WITH O.R. PROCEDURES WITH MCC | 513 | 0.01% |
| 818: OTHER ANTEPARTUM DIAGNOSES WITH O.R. PROCEDURES WITH CC | 588 | 0.01% |
| 819: OTHER ANTEPARTUM DIAGNOSES WITH O.R. PROCEDURES WITHOUT CC/MCC | 450 | 0.01% |
| 820: LYMPHOMA AND LEUKEMIA WITH MAJOR O.R. PROCEDURES WITH MCC | 210 | 0.00% |
| 821: LYMPHOMA AND LEUKEMIA WITH MAJOR O.R. PROCEDURES WITH CC | 190 | 0.00% |
| 822: LYMPHOMA AND LEUKEMIA WITH MAJOR O.R. PROCEDURES WITHOUT CC/MCC | 107 | 0.00% |
| 823: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH OTHER PROCEDURES WITH MCC | 237 | 0.00% |
| 824: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH OTHER PROCEDURES WITH CC | 346 | 0.01% |
| 825: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH OTHER PROCEDURES WITHOUT CC/MCC | 251 | 0.00% |
| 826: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH MAJOR O.R. PROC WITH MCC | 75 | 0.00% |
| 826: MYELOPROLIFERATIVE DISORDERS OR POORLY DIFFERENTIATED NEOPLASMS WITH MAJOR O.R. PROCEDURES WIT | <= 50 | *.**% |
| 827: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH MAJOR O.R. PROC WITH CC | 108 | 0.00% |
| 827: MYELOPROLIFERATIVE DISORDERS OR POORLY DIFFERENTIATED NEOPLASMS WITH MAJOR O.R. PROCEDURES WIT | <= 50 | *.**% |
| 828: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH MAJOR O.R. PROC WITHOUT CC/MCC | 59 | 0.00% |
| 828: MYELOPROLIFERATIVE DISORDERS OR POORLY DIFFERENTIATED NEOPLASMS WITH MAJOR O.R. PROCEDURES WIT | <= 50 | *.**% |
| 829: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH OTHER PROC WITH CC/MCC | 1,135 | 0.02% |
| 829: MYELOPROLIFERATIVE DISORDERS OR POORLY DIFFERENTIATED NEOPLASMS WITH OTHER PROCEDURES WITH CC/ | 397 | 0.01% |
| 830: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH OTHER PROC WITHOUT CC/MCC | 72 | 0.00% |
| 830: MYELOPROLIFERATIVE DISORDERS OR POORLY DIFFERENTIATED NEOPLASMS WITH OTHER PROCEDURES WITHOUT | <= 50 | *.**% |
| 831: OTHER ANTEPARTUM DIAGNOSES WITHOUT O.R. PROCEDURES WITH MCC | 3,547 | 0.06% |
| 832: OTHER ANTEPARTUM DIAGNOSES WITHOUT O.R. PROCEDURES WITH CC | 6,825 | 0.12% |
| 833: OTHER ANTEPARTUM DIAGNOSES WITHOUT O.R. PROCEDURES WITHOUT CC/MCC | 8,162 | 0.14% |
| 834: ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURES WITH MCC | 2,926 | 0.05% |
| 835: ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURES WITH CC | 2,067 | 0.04% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 836: ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURES WITHOUT CC/MCC | 596 | 0.01% |
| 837: CHEMO W/ ACUTE LEUKEMIA AS SEC DX OR WITH HIGH DOSE CHEMOTHERAPY AGENT WITH MCC | 2,696 | 0.05% |
| 837: CHEMOTHERAPY WITH ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS OR WITH HIGH DOSE CHEMOTHERAPY AGENT W | 853 | 0.02% |
| 838: CHEMO W/ ACUTE LEUKEMIA AS SEC DX WITH CC OR HIGH DOSE CHEMOTHERAPY AGENT | 4,170 | 0.07% |
| 838: CHEMOTHERAPY WITH ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC OR HIGH DOSE CHEMOTHERAPY AGEN | 1,423 | 0.03% |
| 839: CHEMO W/ ACUTE LEUKEMIA AS SEC DX WITHOUT CC/MCC | 2,485 | 0.04% |
| 839: CHEMOTHERAPY WITH ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 745 | 0.01% |
| 840: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH MCC | 362 | 0.01% |
| 841: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH CC | 372 | 0.01% |
| 842: LYMPHOMA AND NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 192 | 0.00% |
| 843: OTHER MYELOPROLIFERATIVE DIS OR POORLY DIFFERENT NEOPLASTIC DIAG WITH MCC | 68 | 0.00% |
| 843: OTHER MYELOPROLIFERATIVE DISORDERS OR POORLY DIFFERENTIATED NEOPLASTIC DIAGNOSES WITH MCC | <= 50 | *.**% |
| 844: OTHER MYELOPROLIFERATIVE DIS OR POORLY DIFFERENT NEOPLASTIC DIAG WITH CC | 147 | 0.00% |
| 844: OTHER MYELOPROLIFERATIVE DISORDERS OR POORLY DIFFERENTIATED NEOPLASTIC DIAGNOSES WITH CC | 51 | 0.00% |
| 845: OTHER MYELOPROLIFERATIVE DIS OR POORLY DIFFERENT NEOPLASTIC DIAG WITHOUT CC/MCC | 52 | 0.00% |
| 845: OTHER MYELOPROLIFERATIVE DISORDERS OR POORLY DIFFERENTIATED NEOPLASTIC DIAGNOSES WITHOUT CC/MC | <= 50 | *.**% |
| 846: CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 4,801 | 0.08% |
| 847: CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 24,072 | 0.43% |
| 848: CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 702 | 0.01% |
| 849: RADIOTHERAPY | 111 | 0.00% |
| 853: INFECTIOUS AND PARASITIC DISEASES WITH O.R. PROCEDURES WITH MCC | 4,643 | 0.08% |
| 854: INFECTIOUS AND PARASITIC DISEASES WITH O.R. PROCEDURES WITH CC | 2,039 | 0.04% |
| 855: INFECTIOUS AND PARASITIC DISEASES WITH O.R. PROCEDURES WITHOUT CC/MCC | 192 | 0.00% |
| 856: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURES WITH MCC | 690 | 0.01% |
| 857: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURES WITH CC | 998 | 0.02% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 858: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURES WITHOUT CC/MCC | 195 | 0.00% |
| 862: POSTOPERATIVE AND POST-TRAUMATIC INFECTIONS WITH MCC | 1,598 | 0.03% |
| 863: POSTOPERATIVE AND POST-TRAUMATIC INFECTIONS WITHOUT MCC | 1,577 | 0.03% |
| 864: FEVER AND INFLAMMATORY CONDITIONS | 5,745 | 0.10% |
| 865: VIRAL ILLNESS WITH MCC | 2,527 | 0.04% |
| 866: VIRAL ILLNESS WITHOUT MCC | 13,191 | 0.23% |
| 867: OTHER INFECTIOUS AND PARASITIC DISEASES DIAGNOSES WITH MCC | 694 | 0.01% |
| 868: OTHER INFECTIOUS AND PARASITIC DISEASES DIAGNOSES WITH CC | 1,355 | 0.02% |
| 869: OTHER INFECTIOUS AND PARASITIC DISEASES DIAGNOSES WITHOUT CC/MCC | 1,240 | 0.02% |
| 870: SEPTICEMIA OR SEVERE SEPSIS WITH MV >96 HOURS | 2,633 | 0.05% |
| 871: SEPTICEMIA OR SEVERE SEPSIS WITHOUT MV >96 HOURS WITH MCC | 23,148 | 0.41% |
| 872: SEPTICEMIA OR SEVERE SEPSIS WITHOUT MV >96 HOURS WITHOUT MCC | 15,951 | 0.28% |
| 876: O.R. PROCEDURES WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS | 545 | 0.01% |
| 880: ACUTE ADJUSTMENT REACTION AND PSYCHOSOCIAL DYSFUNCTION | 10,483 | 0.19% |
| 881: DEPRESSIVE NEUROSES | 26,737 | 0.47% |
| 882: NEUROSES EXCEPT DEPRESSIVE | 14,332 | 0.25% |
| 883: DISORDERS OF PERSONALITY AND IMPULSE CONTROL | 9,040 | 0.16% |
| 884: ORGANIC DISTURBANCES AND INTELLECTUAL DISABILITY | 5,156 | 0.09% |
| 885: PSYCHOSES | 170,137 | 3.01% |
| 886: BEHAVIORAL AND DEVELOPMENTAL DISORDERS | 9,819 | 0.17% |
| 887: OTHER MENTAL DISORDER DIAGNOSES | 2,115 | 0.04% |
| 894: ALCOHOL, DRUG ABUSE OR DEPENDENCE, LEFT AMA | 457 | 0.01% |
| 895: ALCOHOL, DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 578 | 0.01% |
| 896: ALCOHOL, DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 928 | 0.02% |
| 897: ALCOHOL, DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 5,284 | 0.09% |
| 901: WOUND DEBRIDEMENTS FOR INJURIES WITH MCC | 108 | 0.00% |
| 902: WOUND DEBRIDEMENTS FOR INJURIES WITH CC | 281 | 0.00% |
| 903: WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC | 143 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 904: SKIN GRAFTS FOR INJURIES WITH CC/MCC | 325 | 0.01% |
| 905: SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 131 | 0.00% |
| 906: HAND PROCEDURES FOR INJURIES | 666 | 0.01% |
| 907: OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 1,504 | 0.03% |
| 908: OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 1,520 | 0.03% |
| 909: OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 1,134 | 0.02% |
| 913: TRAUMATIC INJURY WITH MCC | 246 | 0.00% |
| 914: TRAUMATIC INJURY WITHOUT MCC | 1,284 | 0.02% |
| 915: ALLERGIC REACTIONS WITH MCC | 345 | 0.01% |
| 916: ALLERGIC REACTIONS WITHOUT MCC | 1,848 | 0.03% |
| 917: POISONING AND TOXIC EFFECTS OF DRUGS WITH MCC | 11,613 | 0.21% |
| 918: POISONING AND TOXIC EFFECTS OF DRUGS WITHOUT MCC | 29,626 | 0.52% |
| 919: COMPLICATIONS OF TREATMENT WITH MCC | 2,099 | 0.04% |
| 920: COMPLICATIONS OF TREATMENT WITH CC | 1,189 | 0.02% |
| 921: COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 635 | 0.01% |
| 922: OTHER INJURY, POISONING AND TOXIC EFFECT DIAGNOSES WITH MCC | 3,537 | 0.06% |
| 923: OTHER INJURY, POISONING AND TOXIC EFFECT DIAGNOSES WITHOUT MCC | 3,807 | 0.07% |
| 927: EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MV >96 HOURS WITH SKIN GRAFT | 261 | 0.00% |
| 928: FULL THICKNESS BURN WITH SKIN GRAFT OR INHALATION INJURY WITH CC/MCC | 674 | 0.01% |
| 929: FULL THICKNESS BURN WITH SKIN GRAFT OR INHALATION INJURY WITHOUT CC/MCC | 703 | 0.01% |
| 933: EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MV >96 HOURS WITHOUT SKIN GRAFT | <= 50 | *.**% |
| 934: FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHALATION INJURY | 618 | 0.01% |
| 935: NON-EXTENSIVE BURNS | 4,555 | 0.08% |
| 939: O.R. PROCEDURES WITH DIAGNOSES OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 322 | 0.01% |
| 940: O.R. PROCEDURES WITH DIAGNOSES OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 289 | 0.01% |
| 941: O.R. PROCEDURES WITH DIAGNOSES OF OTHER CONTACT WITH HEALTH SERVICES W/O CC/MCC | 211 | 0.00% |
| 941: O.R. PROCEDURES WITH DIAGNOSES OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 60 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 945: REHABILITATION WITH CC/MCC | 706 | 0.01% |
| 946: REHABILITATION WITHOUT CC/MCC | 211 | 0.00% |
| 947: SIGNS AND SYMPTOMS WITH MCC | 602 | 0.01% |
| 948: SIGNS AND SYMPTOMS WITHOUT MCC | 2,868 | 0.05% |
| 949: AFTERCARE WITH CC/MCC | 1,330 | 0.02% |
| 950: AFTERCARE WITHOUT CC/MCC | 403 | 0.01% |
| 951: OTHER FACTORS INFLUENCING HEALTH STATUS | 6,036 | 0.11% |
| 955: CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 898 | 0.02% |
| 956: LIMB REATTACHMENT, HIP AND FEMUR PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA | 2,580 | 0.05% |
| 957: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 3,113 | 0.05% |
| 958: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 2,577 | 0.05% |
| 959: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 574 | 0.01% |
| 963: OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 1,567 | 0.03% |
| 964: OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 2,509 | 0.04% |
| 965: OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 1,213 | 0.02% |
| 969: HIV WITH EXTENSIVE O.R. PROCEDURES WITH MCC | <= 50 | *.**% |
| 974: HIV WITH MAJOR RELATED CONDITION WITH MCC | 71 | 0.00% |
| 975: HIV WITH MAJOR RELATED CONDITION WITH CC | <= 50 | *.**% |
| 976: HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | <= 50 | *.**% |
| 977: HIV WITH OR WITHOUT OTHER RELATED CONDITION | <= 50 | *.**% |
| 981: EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 2,945 | 0.05% |
| 982: EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 2,559 | 0.05% |
| 983: EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 2,064 | 0.04% |
| 987: NON-EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 1,068 | 0.02% |
| 988: NON-EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 976 | 0.02% |
| 989: NON-EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 668 | 0.01% |
| 998: PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 1,589 | 0.03% |
| 999: UNGROUPABLE | 1,415 | 0.03% |

| ELECTIVE | Frequency | Percent of Total |
|---------------------------|-----------|---------------------|
| .: Missing | 14,294 | 0.25% |
| .A: Invalid | <= 50 | *.**% |
| 0: Non-elective admission | 5,241,253 | 92.59% |
| 1: Elective admission | 405,288 | 7.16% |

| FEMALE | Frequency | Percent of Total |
|------------------|-----------|---------------------|
| . : Missing | 2,066 | 0.04% |
| .A: Invalid | 115 | 0.00% |
| .C: Inconsistent | 435 | 0.01% |
| 0 : Male | 2,769,725 | 48.93% |
| 1 : Female | 2,888,523 | 51.03% |

| HCUP_ED | Frequency | Percent of Total |
|--|-----------|---------------------|
| 0: Record does not meet any HCUP Emergency Department criteria | 4,465,618 | 78.89% |
| 1: Emergency Department revenue code on record | 861,930 | 15.23% |
| 2: Positive Emergency Department charge (when revenue center codes are not available) | 324,026 | 5.72% |
| 3: Emergency Department CPT procedure code on record | 334 | 0.01% |
| 4: Condition code P7, indication of ED admission, point of origin of ED, or admission source of ED | 8,955 | 0.16% |

| I10_BIRTH | Frequency | Percent of Total |
|---|-----------|---------------------|
| 0: No birth diagnosis reported on record | 2,132,248 | 37.67% |
| 1: Birth diagnosis reported on record, born in a hospital | 3,516,415 | 62.12% |
| 2: Birth diagnosis reported on record, born outside hospital | 11,978 | 0.21% |
| 3: Birth diagnosis reported on record, unspecified as to place of birth | 222 | 0.00% |

| I10_DELIVERY | Frequency | Percent of Total |
|-----------------------------------|-----------|---------------------|
| 0: No delivery diagnosis reported | 5,415,817 | 95.67% |
| 1: Delivery diagnosis reported | 245,046 | 4.33% |

| HCUP Weighted Summary Statistics Report: kid 2022 Core File | | |
|---|--|--|
| Weighted Frequency Distribution for I10 DX1 | | |

| I10_DX1 | Frequency | Percent of Total |
|------------------------|-----------|---------------------|
| Blank | 842 | 0.01% |
| Valid DX | 5,659,932 | 99.98% |
| Inconsistent DX (incn) | <= 50 | *.**% |
| Invalid DX (invl) | 72 | 0.00% |

| I10_HOSPBRTH | Frequency | Percent of Total |
|-------------------------------|-----------|---------------------|
| 0 : Not born in this hospital | 2,150,154 | 37.98% |
| 1 : Born in this hospital | 3,510,709 | 62.02% |
| 1 : Born in this hospital | 3,510,709 | 62.02% |

| I10_NDX | Frequency | Percent of Total |
|---------|-----------|---------------------|
| 0 | 797 | 0.01% |
| 1 | 312,759 | 5.52% |
| 2 | 1,128,352 | 19.93% |
| 3 | 1,004,952 | 17.75% |
| 4 | 776,686 | 13.72% |
| 5 | 559,938 | 9.89% |
| 6 | 406,128 | 7.17% |
| 7 | 302,714 | 5.35% |
| 8 | 231,033 | 4.08% |
| 9 | 184,581 | 3.26% |
| 10 | 147,658 | 2.61% |
| 11 | 114,407 | 2.02% |
| 12 | 88,659 | 1.57% |
| 13 | 71,794 | 1.27% |
| 14 | 56,654 | 1.00% |
| 15 | 50,084 | 0.88% |
| 16 | 39,678 | 0.70% |
| 17 | 31,172 | 0.55% |
| 18 | 35,324 | 0.62% |
| 19 | 19,702 | 0.35% |
| 20 | 15,393 | 0.27% |
| 21 | 12,206 | 0.22% |
| 22 | 9,988 | 0.18% |
| 23 | 8,064 | 0.14% |
| 24 | 10,131 | 0.18% |
| 25 | 17,563 | 0.31% |
| 26 | 6,606 | 0.12% |
| 27 | 4,617 | 0.08% |
| 28 | 2,380 | 0.04% |
| 29 | 2,188 | 0.04% |

| I10_NDX | Frequency | Percent of Total |
|---------|-----------|---------------------|
| 30 | 2,834 | 0.05% |
| 31 | 1,775 | 0.03% |
| 32 | 950 | 0.02% |
| 33 | 646 | 0.01% |
| 34 | 386 | 0.01% |
| 35 | 259 | 0.00% |
| 36 | 176 | 0.00% |
| 37 | 157 | 0.00% |
| 38 | 141 | 0.00% |
| 39 | 127 | 0.00% |
| 40 | 1,207 | 0.02% |

| I10_NPR | Frequency | Percent of Total |
|---------|-----------|---------------------|
| 0 | 2,441,176 | 43.12% |
| 1 | 1,782,880 | 31.49% |
| 2 | 807,713 | 14.27% |
| 3 | 258,469 | 4.57% |
| 4 | 127,833 | 2.26% |
| 5 | 73,748 | 1.30% |
| 6 | 64,051 | 1.13% |
| 7 | 26,216 | 0.46% |
| 8 | 17,775 | 0.31% |
| 9 | 12,875 | 0.23% |
| 10 | 11,285 | 0.20% |
| 11 | 7,040 | 0.12% |
| 12 | 6,288 | 0.11% |
| 13 | 4,265 | 0.08% |
| 14 | 3,457 | 0.06% |
| 15 | 2,266 | 0.04% |
| 16 | 1,973 | 0.03% |
| 17 | 1,540 | 0.03% |
| 18 | 1,243 | 0.02% |
| 19 | 1,208 | 0.02% |
| 20 | 1,106 | 0.02% |
| 21 | 845 | 0.01% |
| 22 | 653 | 0.01% |
| 23 | 519 | 0.01% |
| 24 | 510 | 0.01% |
| 25 | 3,931 | 0.07% |

| I10_PR1 | Frequency | Percent of Total |
|------------------------|-----------|---------------------|
| Blank | 2,441,335 | 43.13% |
| Valid PR | 3,219,322 | 56.87% |
| Inconsistent PR (incn) | 179 | 0.00% |
| Invalid PR (invl) | <= 50 | *.**% |

| I10_SERVICELINE | Frequency | Percent of Total |
|---------------------------------|-----------|---------------------|
| 1 : Maternal and Neonatal | 3,933,506 | 69.49% |
| 2 : Mental health/substance use | 255,640 | 4.52% |
| 3 : Injury | 123,462 | 2.18% |
| 4 : Surgical | 252,716 | 4.46% |
| 5 : Medical | 1,095,539 | 19.35% |

| I10_UNCBRTH | Frequency | Percent of Total |
|--|-----------|---------------------|
| 0: Not a normal newborn born in hospital | 3,798,848 | 67.11% |
| 1: Normal newborn born in hospital | 1,862,016 | 32.89% |

| LOS | Frequency | Percent of Total |
|------------------|-----------|---------------------|
| .A: Invalid | <= 50 | *.**% |
| .C: Inconsistent | 431 | 0.01% |
| 0 days | 107,144 | 1.89% |
| 1 day | 1,357,446 | 23.98% |
| 2 days | 2,262,448 | 39.97% |
| 3 days | 766,824 | 13.55% |
| 4 days | 308,663 | 5.45% |
| 5 days | 172,545 | 3.05% |
| 6 days | 114,955 | 2.03% |
| 7 days | 86,551 | 1.53% |
| 8 days | 60,587 | 1.07% |
| 9 days | 44,785 | 0.79% |
| 10 days | 38,360 | 0.68% |
| 11 - 30 days | 241,695 | 4.27% |
| 31 - 60 days | 62,015 | 1.10% |
| 61 - 90 days | 19,395 | 0.34% |
| 91 - 120 days | 8,875 | 0.16% |
| 121 - 150 days | 3,905 | 0.07% |
| 151 - 180 days | 1,795 | 0.03% |
| 181 - 210 days | 946 | 0.02% |
| 211 - 240 days | 541 | 0.01% |
| 241 - 270 days | 361 | 0.01% |
| 271 - 300 days | 264 | 0.00% |
| 301 - 330 days | 193 | 0.00% |
| 331 - 365 days | 132 | 0.00% |

| MDC_NoPOA | Frequency | Percent of Total |
|-----------|-----------|---------------------|
| 0 | 1,415 | 0.03% |
| 1 | 145,636 | 2.57% |
| 2 | 7,414 | 0.13% |
| 3 | 58,940 | 1.04% |
| 4 | 417,712 | 7.38% |
| 5 | 53,199 | 0.94% |
| 6 | 159,297 | 2.81% |
| 7 | 27,613 | 0.49% |
| 8 | 106,490 | 1.88% |
| 9 | 36,632 | 0.65% |
| 10 | 109,957 | 1.94% |
| 11 | 48,183 | 0.85% |
| 12 | 2,980 | 0.05% |
| 13 | 8,453 | 0.15% |
| 14 | 269,491 | 4.76% |
| 15 | 3,664,015 | 64.73% |
| 16 | 56,979 | 1.01% |
| 17 | 53,669 | 0.95% |
| 18 | 78,967 | 1.39% |
| 19 | 248,375 | 4.39% |
| 20 | 7,264 | 0.13% |
| 21 | 62,729 | 1.11% |
| 22 | 6,895 | 0.12% |
| 23 | 13,073 | 0.23% |
| 24 | 15,307 | 0.27% |
| 25 | 179 | 0.00% |

| PAY1 | Frequency | Percent of Total |
|-----------------------|-----------|---------------------|
| . : Missing | 7,765 | 0.14% |
| .A: Invalid | 873 | 0.02% |
| 1 : Medicare | 14,986 | 0.26% |
| 2 : Medicaid | 2,731,640 | 48.25% |
| 3 : Private insurance | 2,451,452 | 43.31% |
| 4 : Self-pay | 262,632 | 4.64% |
| 5 : No charge | 4,866 | 0.09% |
| 6 : Other | 186,651 | 3.30% |

| PCLASS_ORPROC | Frequency | Percent of Total |
|---|-----------|---------------------|
| 0 : No major operating room procedure on record | 5,229,677 | 92.38% |
| 1 : Major operating room procedure on record | 431,186 | 7.62% |

| PL_NCHS | Frequency | Percent of Total |
|------------------------|-----------|---------------------|
| .: Missing | 15,098 | 0.27% |
| 1: Large Central Metro | 1,785,234 | 31.54% |
| 2: Large Fringe Metro | 1,402,690 | 24.78% |
| 3: Medium Metro | 1,193,629 | 21.09% |
| 4: Small Metro | 483,649 | 8.54% |
| 5: Micropolitan | 471,737 | 8.33% |
| 6: Noncore | 308,826 | 5.46% |

| PRDAY1 | Frequency | Percent of Total |
|------------------|-----------|---------------------|
| . : Missing | 2,485,089 | 43.90% |
| .C: Inconsistent | 200 | 0.00% |
| -4 days | 139 | 0.00% |
| -3 days | 1,202 | 0.02% |
| -2 days | 4,622 | 0.08% |
| -1 day | 25,021 | 0.44% |
| 0 days | 1,548,026 | 27.35% |
| 1 day | 983,251 | 17.37% |
| 2 days | 389,418 | 6.88% |
| 3 days | 86,560 | 1.53% |
| 4 days | 34,954 | 0.62% |
| 5 days | 20,085 | 0.35% |
| 6 - 30 days | 73,269 | 1.29% |
| 31 - 60 days | 6,197 | 0.11% |
| 61 - 90 days | 1,532 | 0.03% |
| 91 - 210 days | 1,200 | 0.02% |
| 211 - 330 days | 82 | 0.00% |
| 331 - 368 days | <= 50 | *.**% |

| RACE | Frequency | Percent of Total |
|----------------------------|-----------|---------------------|
| . : Missing | 506,303 | 8.94% |
| .A: Invalid | 208 | 0.00% |
| 1 : White | 2,498,047 | 44.13% |
| 2 : Black | 818,223 | 14.45% |
| 3 : Hispanic | 1,204,158 | 21.27% |
| 4 : Asian/Pacific Islander | 242,984 | 4.29% |
| 5 : Native American | 43,683 | 0.77% |
| 6 : Other | 347,259 | 6.13% |

| тотснб | Frequency | Percent of Total |
|-----------------------|-----------|---------------------|
| . : Missing | 52,615 | 0.93% |
| .A: Invalid | <= 50 | *.**% |
| .C: Inconsistent | 771 | 0.01% |
| \$100- \$1,000 | 14,867 | 0.26% |
| \$1,001- \$5,000 | 1,570,087 | 27.74% |
| \$5,001- \$10,000 | 1,332,402 | 23.54% |
| \$10,001- \$50,000 | 1,886,232 | 33.32% |
| \$50,001- \$100,000 | 388,692 | 6.87% |
| \$100,001- \$200,000 | 215,569 | 3.81% |
| \$200,001- \$300,000 | 75,750 | 1.34% |
| \$300,001- \$400,000 | 36,763 | 0.65% |
| \$400,001- \$500,000 | 21,407 | 0.38% |
| \$500,001-\$1,000,000 | 40,421 | 0.71% |
| Over \$1,000,000 | 25,285 | 0.45% |

| TRAN_IN | Frequency | Percent of Total |
|--|-----------|---------------------|
| .: Missing or invalid | 16,740 | 0.30% |
| 0: Not a transfer | 5,197,627 | 91.82% |
| 1: Transferred in from a different acute care hospital | 353,211 | 6.24% |
| 2: Transferred in from another type of health facility | 93,285 | 1.65% |

| TRAN_OUT | Frequency | Percent of Total |
|---|-----------|---------------------|
| .: Missing or invalid | 1,118 | 0.02% |
| 0: Not a transfer | 5,506,824 | 97.28% |
| 1: Transferred out to a different acute care hospital | 97,694 | 1.73% |
| 2: Transferred out to another type of health facility | 55,228 | 0.98% |

| YEAR | Frequency | Percent of Total |
|------|-----------|---------------------|
| 2022 | 5,660,863 | 100.0% |

| ZIPINC_QRTL | Frequency | Percent of Total |
|---------------------|-----------|---------------------|
| . : Missing | 39,985 | 0.71% |
| .A: Invalid | 123 | 0.00% |
| 1 : First quartile | 1,600,003 | 28.26% |
| 2 : Second quartile | 1,414,978 | 25.00% |
| 3 : Third quartile | 1,376,776 | 24.32% |
| 4 : Fourth quartile | 1,228,999 | 21.71% |