| Num | Variable         | Туре | Len | Pos  | Label   |
|-----|------------------|------|-----|------|---|
| 3   | CMR_AIDS         | Num  | 3   | 9    | Acquired immune deficiency syndrome   |
| 4   | CMR_ALCOHOL      | Num  | 3   | 12   | Alcohol abuse   |
| 5   | CMR_AUTOIMMUNE   | Num  | 3   | 15   | Autoimmune conditions   |
| 6   | CMR_CANCER_LEUK  | Num  | 3   | 18   | Leukemia  |
| 7   | CMR_CANCER_LYMPH | Num  | 3   | 21   | Lymphoma  |
| 8   | CMR_CANCER_METS  | Num  | 3   | 24   | Metastatic cancer   |
| 9   | CMR_CANCER_NSITU | Num  | 3   | 27   | Solid tumor without metastasis, in situ   |
| 10  | CMR_CANCER_SOLID | Num  | 3   | 30   | Solid tumor without metastasis, malignant   |
| 11  | CMR_DEMENTIA     | Num  | 3   | 33   | Dementia  |
| 12  | CMR_DEPRESS      | Num  | 3   | 36   | Depression  |
| 13  | CMR_DIAB_CX      | Num  | 3   | 39   | Diabetes with chronic complications   |
| 14  | CMR_DIAB_UNCX    | Num  | 3   | 42   | Diabetes without chronic complications  |
| 15  | CMR_DRUG_ABUSE   | Num  | 3   | 45   | Drug abuse  |
| 16  | CMR_HTN_CX       | Num  | 3   | 48   | Hypertension, complicated   |
| 17  | CMR_HTN_UNCX     | Num  | 3   | 51   | Hypertension, uncomplicated   |
| 18  | CMR_LUNG_CHRONIC | Num  | 3   | 54   | Chronic pulmonary disease   |
| 19  | CMR_OBESE        | Num  | 3   | 57   | Obesity   |
| 20  | CMR_PERIVASC     | Num  | 3   | 60   | Peripheral vascular disease   |
| 21  | CMR_THYROID_HYPO | Num  | 3   | 63   | Hypothyroidism  |
| 22  | CMR_THYROID_OTH  | Num  | 3   | 66   | Other thyroid disorders   |
| 23  | CMR_VERSION      | Char | 6   | 1698 | Version of Elixhauser Comorbidity Software Refined  |
| 25  | DXCCSR_BLD001    | Num  | 3   | 69   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD001 |
| 26  | DXCCSR_BLD002    | Num  | 3   | 72   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD002 |
| 27  | DXCCSR_BLD003    | Num  | 3   | 75   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD003 |
| 28  | DXCCSR_BLD004    | Num  | 3   | 78   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD004 |
| 29  | DXCCSR_BLD005    | Num  | 3   | 81   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD005 |
| 30  | DXCCSR_BLD006    | Num  | 3   | 84   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD006 |
| 31  | DXCCSR_BLD007    | Num  | 3   | 87   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD007 |
| 32  | DXCCSR_BLD008    | Num  | 3   | 90   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD008 |
| 33  | DXCCSR_BLD009    | Num  | 3   | 93   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD009 |
| 34  | DXCCSR_BLD010    | Num  | 3   | 96   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR BLD010 |
| 35  | DXCCSR_CIR001    | Num  | 3   | 99   | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR001 |
| 36  | DXCCSR_CIR002    | Num  | 3   | 102  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR002 |
| 37  | DXCCSR_CIR003    | Num  | 3   | 105  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR003 |

| Num | Variable      | Туре | Len | Pos | Label   |
|-----|---------------|------|-----|-----|---|
| 38  | DXCCSR_CIR004 | Num  | 3   | 108 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR004 |
| 39  | DXCCSR_CIR005 | Num  | 3   | 111 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR005 |
| 40  | DXCCSR_CIR006 | Num  | 3   | 114 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR006 |
| 41  | DXCCSR_CIR007 | Num  | 3   | 117 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR007 |
| 42  | DXCCSR_CIR008 | Num  | 3   | 120 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR008 |
| 43  | DXCCSR_CIR009 | Num  | 3   | 123 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR009 |
| 44  | DXCCSR_CIR010 | Num  | 3   | 126 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR010 |
| 45  | DXCCSR_CIR011 | Num  | 3   | 129 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR011 |
| 46  | DXCCSR_CIR012 | Num  | 3   | 132 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR012 |
| 47  | DXCCSR_CIR013 | Num  | 3   | 135 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR013 |
| 48  | DXCCSR_CIR014 | Num  | 3   | 138 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR014 |
| 49  | DXCCSR_CIR015 | Num  | 3   | 141 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR015 |
| 50  | DXCCSR_CIR016 | Num  | 3   | 144 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR016 |
| 51  | DXCCSR_CIR017 | Num  | 3   | 147 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR017 |
| 52  | DXCCSR_CIR018 | Num  | 3   | 150 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR018 |
| 53  | DXCCSR_CIR019 | Num  | 3   | 153 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR019 |
| 54  | DXCCSR_CIR020 | Num  | 3   | 156 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR020 |
| 55  | DXCCSR_CIR021 | Num  | 3   | 159 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR021 |
| 56  | DXCCSR_CIR022 | Num  | 3   | 162 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR022 |
| 57  | DXCCSR_CIR023 | Num  | 3   | 165 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR023 |
| 58  | DXCCSR_CIR024 | Num  | 3   | 168 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR024 |
| 59  | DXCCSR_CIR025 | Num  | 3   | 171 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR025 |
| 60  | DXCCSR_CIR026 | Num  | 3   | 174 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR026 |
| 61  | DXCCSR_CIR027 | Num  | 3   | 177 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR027 |
| 62  | DXCCSR_CIR028 | Num  | 3   | 180 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR028 |
| 63  | DXCCSR_CIR029 | Num  | 3   | 183 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR029 |
| 64  | DXCCSR_CIR030 | Num  | 3   | 186 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR030 |
| 65  | DXCCSR_CIR031 | Num  | 3   | 189 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR031 |
| 66  | DXCCSR_CIR032 | Num  | 3   | 192 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR032 |
| 67  | DXCCSR_CIR033 | Num  | 3   | 195 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR033 |
| 68  | DXCCSR_CIR034 | Num  | 3   | 198 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR034 |
| 69  | DXCCSR_CIR035 | Num  | 3   | 201 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR035 |
| 70  | DXCCSR_CIR036 | Num  | 3   | 204 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR036 |
| 71  | DXCCSR_CIR037 | Num  | 3   | 207 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR037 |

| Num | Variable           | Туре | Len | Pos  | Label   |
|-----|--------------------|------|-----|------|---|
| 72  | DXCCSR_CIR038      | Num  | 3   | 210  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR038 |
| 73  | DXCCSR_CIR039      | Num  | 3   | 213  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR CIR039 |
| 74  | DXCCSR_DEN001      | Num  | 3   | 216  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DEN001 |
| 75  | DXCCSR_DEN002      | Num  | 3   | 219  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DEN002 |
| 76  | DXCCSR_DEN003      | Num  | 3   | 222  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DEN003 |
| 77  | DXCCSR_DIG001      | Num  | 3   | 225  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG001 |
| 78  | DXCCSR_DIG002      | Num  | 3   | 228  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG002 |
| 79  | DXCCSR_DIG003      | Num  | 3   | 231  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG003 |
| 80  | DXCCSR_DIG004      | Num  | 3   | 234  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG004 |
| 81  | DXCCSR_DIG005      | Num  | 3   | 237  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG005 |
| 82  | DXCCSR_DIG006      | Num  | 3   | 240  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG006 |
| 83  | DXCCSR_DIG007      | Num  | 3   | 243  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG007 |
| 84  | DXCCSR_DIG008      | Num  | 3   | 246  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG008 |
| 85  | DXCCSR_DIG009      | Num  | 3   | 249  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG009 |
| 86  | DXCCSR_DIG010      | Num  | 3   | 252  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG010 |
| 87  | DXCCSR_DIG011      | Num  | 3   | 255  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG011 |
| 88  | DXCCSR_DIG012      | Num  | 3   | 258  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG012 |
| 89  | DXCCSR_DIG013      | Num  | 3   | 261  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG013 |
| 90  | DXCCSR_DIG014      | Num  | 3   | 264  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG014 |
| 91  | DXCCSR_DIG015      | Num  | 3   | 267  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG015 |
| 92  | DXCCSR_DIG016      | Num  | 3   | 270  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG016 |
| 93  | DXCCSR_DIG017      | Num  | 3   | 273  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG017 |
| 94  | DXCCSR_DIG018      | Num  | 3   | 276  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG018 |
| 95  | DXCCSR_DIG019      | Num  | 3   | 279  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG019 |
| 96  | DXCCSR_DIG020      | Num  | 3   | 282  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG020 |
| 97  | DXCCSR_DIG021      | Num  | 3   | 285  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG021 |
| 98  | DXCCSR_DIG022      | Num  | 3   | 288  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG022 |
| 99  | DXCCSR_DIG023      | Num  | 3   | 291  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG023 |
| 100 | DXCCSR_DIG024      | Num  | 3   | 294  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG024 |
| 101 | DXCCSR_DIG025      | Num  | 3   | 297  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR DIG025 |
| 24  | DXCCSR_Default_DX1 | Char | 6   | 1704 | Default CCSR for principal/first-listed ICD-10-CM diagnosis                               |
| 102 | DXCCSR_EAR001      | Num  | 3   | 300  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR001 |
| 103 | DXCCSR_EAR002      | Num  | 3   | 303  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR002 |
| 104 | DXCCSR_EAR003      | Num  | 3   | 306  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR003 |

| Num | Variable      | Туре | Len | Pos | Label   |
|-----|---------------|------|-----|-----|---|
| 105 | DXCCSR_EAR004 | Num  | 3   | 309 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR004 |
| 106 | DXCCSR_EAR005 | Num  | 3   | 312 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR005 |
| 107 | DXCCSR_EAR006 | Num  | 3   | 315 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EAR006 |
| 108 | DXCCSR_END001 | Num  | 3   | 318 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END001 |
| 109 | DXCCSR_END002 | Num  | 3   | 321 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END002 |
| 110 | DXCCSR_END003 | Num  | 3   | 324 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END003 |
| 111 | DXCCSR_END004 | Num  | 3   | 327 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END004 |
| 112 | DXCCSR_END005 | Num  | 3   | 330 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END005 |
| 113 | DXCCSR_END006 | Num  | 3   | 333 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END006 |
| 114 | DXCCSR_END007 | Num  | 3   | 336 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END007 |
| 115 | DXCCSR_END008 | Num  | 3   | 339 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END008 |
| 116 | DXCCSR_END009 | Num  | 3   | 342 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END009 |
| 117 | DXCCSR_END010 | Num  | 3   | 345 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END010 |
| 118 | DXCCSR_END011 | Num  | 3   | 348 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END011 |
| 119 | DXCCSR_END012 | Num  | 3   | 351 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END012 |
| 120 | DXCCSR_END013 | Num  | 3   | 354 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END013 |
| 121 | DXCCSR_END014 | Num  | 3   | 357 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END014 |
| 122 | DXCCSR_END015 | Num  | 3   | 360 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END015 |
| 123 | DXCCSR_END016 | Num  | 3   | 363 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END016 |
| 124 | DXCCSR_END017 | Num  | 3   | 366 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR END017 |
| 125 | DXCCSR_EXT001 | Num  | 3   | 369 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT001 |
| 126 | DXCCSR_EXT002 | Num  | 3   | 372 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT002 |
| 127 | DXCCSR_EXT003 | Num  | 3   | 375 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT003 |
| 128 | DXCCSR_EXT004 | Num  | 3   | 378 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT004 |
| 129 | DXCCSR_EXT005 | Num  | 3   | 381 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT005 |
| 130 | DXCCSR_EXT006 | Num  | 3   | 384 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT006 |
| 131 | DXCCSR_EXT007 | Num  | 3   | 387 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT007 |
| 132 | DXCCSR_EXT008 | Num  | 3   | 390 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT008 |
| 133 | DXCCSR_EXT009 | Num  | 3   | 393 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT009 |
| 134 | DXCCSR_EXT010 | Num  | 3   | 396 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT010 |
| 135 | DXCCSR_EXT011 | Num  | 3   | 399 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT011 |
| 136 | DXCCSR_EXT012 | Num  | 3   | 402 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT012 |
| 137 | DXCCSR_EXT013 | Num  | 3   | 405 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT013 |
| 138 | DXCCSR_EXT014 | Num  | 3   | 408 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT014 |

| Num | Variable      | Туре | Len | Pos | Label   |
|-----|---------------|------|-----|-----|---|
| 139 | DXCCSR_EXT015 | Num  | 3   | 411 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT015 |
| 140 | DXCCSR_EXT016 | Num  | 3   | 414 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT016 |
| 141 | DXCCSR_EXT017 | Num  | 3   | 417 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT017 |
| 142 | DXCCSR_EXT018 | Num  | 3   | 420 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT018 |
| 143 | DXCCSR_EXT019 | Num  | 3   | 423 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT019 |
| 144 | DXCCSR_EXT020 | Num  | 3   | 426 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT020 |
| 145 | DXCCSR_EXT021 | Num  | 3   | 429 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT021 |
| 146 | DXCCSR_EXT022 | Num  | 3   | 432 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT022 |
| 147 | DXCCSR_EXT023 | Num  | 3   | 435 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT023 |
| 148 | DXCCSR_EXT024 | Num  | 3   | 438 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT024 |
| 149 | DXCCSR_EXT025 | Num  | 3   | 441 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT025 |
| 150 | DXCCSR_EXT026 | Num  | 3   | 444 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT026 |
| 151 | DXCCSR_EXT027 | Num  | 3   | 447 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT027 |
| 152 | DXCCSR_EXT028 | Num  | 3   | 450 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT028 |
| 153 | DXCCSR_EXT029 | Num  | 3   | 453 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT029 |
| 154 | DXCCSR_EXT030 | Num  | 3   | 456 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EXT030 |
| 155 | DXCCSR_EYE001 | Num  | 3   | 459 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE001 |
| 156 | DXCCSR_EYE002 | Num  | 3   | 462 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE002 |
| 157 | DXCCSR_EYE003 | Num  | 3   | 465 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE003 |
| 158 | DXCCSR_EYE004 | Num  | 3   | 468 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE004 |
| 159 | DXCCSR_EYE005 | Num  | 3   | 471 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE005 |
| 160 | DXCCSR_EYE006 | Num  | 3   | 474 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE006 |
| 161 | DXCCSR_EYE007 | Num  | 3   | 477 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE007 |
| 162 | DXCCSR_EYE008 | Num  | 3   | 480 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE008 |
| 163 | DXCCSR_EYE009 | Num  | 3   | 483 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE009 |
| 164 | DXCCSR_EYE010 | Num  | 3   | 486 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE010 |
| 165 | DXCCSR_EYE011 | Num  | 3   | 489 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE011 |
| 166 | DXCCSR_EYE012 | Num  | 3   | 492 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR EYE012 |
| 167 | DXCCSR_FAC001 | Num  | 3   | 495 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC001 |
| 168 | DXCCSR_FAC002 | Num  | 3   | 498 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC002 |
| 169 | DXCCSR_FAC003 | Num  | 3   | 501 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC003 |
| 170 | DXCCSR_FAC004 | Num  | 3   | 504 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC004 |
| 171 | DXCCSR_FAC005 | Num  | 3   | 507 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC005 |
| 172 | DXCCSR_FAC006 | Num  | 3   | 510 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC006 |

| Num | Variable      | Туре | Len | Pos | Label   |
|-----|---------------|------|-----|-----|---|
| 173 | DXCCSR_FAC007 | Num  | 3   | 513 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC007 |
| 174 | DXCCSR_FAC008 | Num  | 3   | 516 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC008 |
| 175 | DXCCSR_FAC009 | Num  | 3   | 519 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC009 |
| 176 | DXCCSR_FAC010 | Num  | 3   | 522 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC010 |
| 177 | DXCCSR_FAC011 | Num  | 3   | 525 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC011 |
| 178 | DXCCSR_FAC012 | Num  | 3   | 528 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC012 |
| 179 | DXCCSR_FAC013 | Num  | 3   | 531 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC013 |
| 180 | DXCCSR_FAC014 | Num  | 3   | 534 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC014 |
| 181 | DXCCSR_FAC015 | Num  | 3   | 537 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC015 |
| 182 | DXCCSR_FAC016 | Num  | 3   | 540 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC016 |
| 183 | DXCCSR_FAC017 | Num  | 3   | 543 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC017 |
| 184 | DXCCSR_FAC018 | Num  | 3   | 546 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC018 |
| 185 | DXCCSR_FAC019 | Num  | 3   | 549 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC019 |
| 186 | DXCCSR_FAC020 | Num  | 3   | 552 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC020 |
| 187 | DXCCSR_FAC021 | Num  | 3   | 555 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC021 |
| 188 | DXCCSR_FAC022 | Num  | 3   | 558 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC022 |
| 189 | DXCCSR_FAC023 | Num  | 3   | 561 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC023 |
| 190 | DXCCSR_FAC024 | Num  | 3   | 564 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC024 |
| 191 | DXCCSR_FAC025 | Num  | 3   | 567 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR FAC025 |
| 192 | DXCCSR_GEN001 | Num  | 3   | 570 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN001 |
| 193 | DXCCSR_GEN002 | Num  | 3   | 573 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN002 |
| 194 | DXCCSR_GEN003 | Num  | 3   | 576 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN003 |
| 195 | DXCCSR_GEN004 | Num  | 3   | 579 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN004 |
| 196 | DXCCSR_GEN005 | Num  | 3   | 582 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN005 |
| 197 | DXCCSR_GEN006 | Num  | 3   | 585 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN006 |
| 198 | DXCCSR_GEN007 | Num  | 3   | 588 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN007 |
| 199 | DXCCSR_GEN008 | Num  | 3   | 591 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN008 |
| 200 | DXCCSR_GEN009 | Num  | 3   | 594 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN009 |
| 201 | DXCCSR_GEN010 | Num  | 3   | 597 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN010 |
| 202 | DXCCSR_GEN011 | Num  | 3   | 600 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN011 |
| 203 | DXCCSR_GEN012 | Num  | 3   | 603 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN012 |
| 204 | DXCCSR_GEN013 | Num  | 3   | 606 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN013 |
| 205 | DXCCSR_GEN014 | Num  | 3   | 609 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN014 |
| 206 | DXCCSR_GEN015 | Num  | 3   | 612 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN015 |

| Num | Variable      | Туре | Len | Pos | Label   |
|-----|---------------|------|-----|-----|---|
| 207 | DXCCSR_GEN016 | Num  | 3   | 615 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN016 |
| 208 | DXCCSR_GEN017 | Num  | 3   | 618 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN017 |
| 209 | DXCCSR_GEN018 | Num  | 3   | 621 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN018 |
| 210 | DXCCSR_GEN019 | Num  | 3   | 624 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN019 |
| 211 | DXCCSR_GEN020 | Num  | 3   | 627 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN020 |
| 212 | DXCCSR_GEN021 | Num  | 3   | 630 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN021 |
| 213 | DXCCSR_GEN022 | Num  | 3   | 633 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN022 |
| 214 | DXCCSR_GEN023 | Num  | 3   | 636 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN023 |
| 215 | DXCCSR_GEN024 | Num  | 3   | 639 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN024 |
| 216 | DXCCSR_GEN025 | Num  | 3   | 642 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN025 |
| 217 | DXCCSR_GEN026 | Num  | 3   | 645 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR GEN026 |
| 218 | DXCCSR_INF001 | Num  | 3   | 648 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF001 |
| 219 | DXCCSR_INF002 | Num  | 3   | 651 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF002 |
| 220 | DXCCSR_INF003 | Num  | 3   | 654 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF003 |
| 221 | DXCCSR_INF004 | Num  | 3   | 657 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF004 |
| 222 | DXCCSR_INF005 | Num  | 3   | 660 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF005 |
| 223 | DXCCSR_INF006 | Num  | 3   | 663 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF006 |
| 224 | DXCCSR_INF007 | Num  | 3   | 666 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF007 |
| 225 | DXCCSR_INF008 | Num  | 3   | 669 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF008 |
| 226 | DXCCSR_INF009 | Num  | 3   | 672 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF009 |
| 227 | DXCCSR_INF010 | Num  | 3   | 675 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF010 |
| 228 | DXCCSR_INF011 | Num  | 3   | 678 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF011 |
| 229 | DXCCSR_INF012 | Num  | 3   | 681 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INF012 |
| 230 | DXCCSR_INJ001 | Num  | 3   | 684 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ001 |
| 231 | DXCCSR_INJ002 | Num  | 3   | 687 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ002 |
| 232 | DXCCSR_INJ003 | Num  | 3   | 690 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ003 |
| 233 | DXCCSR_INJ004 | Num  | 3   | 693 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ004 |
| 234 | DXCCSR_INJ005 | Num  | 3   | 696 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ005 |
| 235 | DXCCSR_INJ006 | Num  | 3   | 699 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ006 |
| 236 | DXCCSR_INJ007 | Num  | 3   | 702 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ007 |
| 237 | DXCCSR_INJ008 | Num  | 3   | 705 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ008 |
| 238 | DXCCSR_INJ009 | Num  | 3   | 708 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ009 |
| 239 | DXCCSR_INJ010 | Num  | 3   | 711 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ010 |
| 240 | DXCCSR_INJ011 | Num  | 3   | 714 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ011 |

| Num | Variable      | Туре | Len | Pos | Label   |
|-----|---------------|------|-----|-----|---|
| 241 | DXCCSR_INJ012 | Num  | 3   | 717 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ012 |
| 242 | DXCCSR_INJ013 | Num  | 3   | 720 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ013 |
| 243 | DXCCSR_INJ014 | Num  | 3   | 723 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ014 |
| 244 | DXCCSR_INJ015 | Num  | 3   | 726 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ015 |
| 245 | DXCCSR_INJ016 | Num  | 3   | 729 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ016 |
| 246 | DXCCSR_INJ017 | Num  | 3   | 732 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ017 |
| 247 | DXCCSR_INJ018 | Num  | 3   | 735 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ018 |
| 248 | DXCCSR_INJ019 | Num  | 3   | 738 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ019 |
| 249 | DXCCSR_INJ020 | Num  | 3   | 741 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ020 |
| 250 | DXCCSR_INJ021 | Num  | 3   | 744 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ021 |
| 251 | DXCCSR_INJ022 | Num  | 3   | 747 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ022 |
| 252 | DXCCSR_INJ023 | Num  | 3   | 750 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ023 |
| 253 | DXCCSR_INJ024 | Num  | 3   | 753 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ024 |
| 254 | DXCCSR_INJ025 | Num  | 3   | 756 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ025 |
| 255 | DXCCSR_INJ026 | Num  | 3   | 759 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ026 |
| 256 | DXCCSR_INJ027 | Num  | 3   | 762 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ027 |
| 257 | DXCCSR_INJ028 | Num  | 3   | 765 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ028 |
| 258 | DXCCSR_INJ029 | Num  | 3   | 768 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ029 |
| 259 | DXCCSR_INJ030 | Num  | 3   | 771 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ030 |
| 260 | DXCCSR_INJ031 | Num  | 3   | 774 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ031 |
| 261 | DXCCSR_INJ032 | Num  | 3   | 777 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ032 |
| 262 | DXCCSR_INJ033 | Num  | 3   | 780 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ033 |
| 263 | DXCCSR_INJ034 | Num  | 3   | 783 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ034 |
| 264 | DXCCSR_INJ035 | Num  | 3   | 786 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ035 |
| 265 | DXCCSR_INJ036 | Num  | 3   | 789 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ036 |
| 266 | DXCCSR_INJ037 | Num  | 3   | 792 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ037 |
| 267 | DXCCSR_INJ038 | Num  | 3   | 795 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ038 |
| 268 | DXCCSR_INJ039 | Num  | 3   | 798 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ039 |
| 269 | DXCCSR_INJ040 | Num  | 3   | 801 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ040 |
| 270 | DXCCSR_INJ041 | Num  | 3   | 804 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ041 |
| 271 | DXCCSR_INJ042 | Num  | 3   | 807 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ042 |
| 272 | DXCCSR_INJ043 | Num  | 3   | 810 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ043 |
| 273 | DXCCSR_INJ044 | Num  | 3   | 813 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ044 |
| 274 | DXCCSR_INJ045 | Num  | 3   | 816 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ045 |

| Num | Variable      | Туре | Len | Pos | Label   |
|-----|---------------|------|-----|-----|---|
| 275 | DXCCSR_INJ046 | Num  | 3   | 819 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ046 |
| 276 | DXCCSR_INJ047 | Num  | 3   | 822 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ047 |
| 277 | DXCCSR_INJ048 | Num  | 3   | 825 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ048 |
| 278 | DXCCSR_INJ049 | Num  | 3   | 828 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ049 |
| 279 | DXCCSR_INJ050 | Num  | 3   | 831 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ050 |
| 280 | DXCCSR_INJ051 | Num  | 3   | 834 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ051 |
| 281 | DXCCSR_INJ052 | Num  | 3   | 837 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ052 |
| 282 | DXCCSR_INJ053 | Num  | 3   | 840 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ053 |
| 283 | DXCCSR_INJ054 | Num  | 3   | 843 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ054 |
| 284 | DXCCSR_INJ055 | Num  | 3   | 846 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ055 |
| 285 | DXCCSR_INJ056 | Num  | 3   | 849 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ056 |
| 286 | DXCCSR_INJ057 | Num  | 3   | 852 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ057 |
| 287 | DXCCSR_INJ058 | Num  | 3   | 855 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ058 |
| 288 | DXCCSR_INJ059 | Num  | 3   | 858 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ059 |
| 289 | DXCCSR_INJ060 | Num  | 3   | 861 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ060 |
| 290 | DXCCSR_INJ061 | Num  | 3   | 864 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ061 |
| 291 | DXCCSR_INJ062 | Num  | 3   | 867 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ062 |
| 292 | DXCCSR_INJ063 | Num  | 3   | 870 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ063 |
| 293 | DXCCSR_INJ064 | Num  | 3   | 873 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ064 |
| 294 | DXCCSR_INJ065 | Num  | 3   | 876 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ065 |
| 295 | DXCCSR_INJ066 | Num  | 3   | 879 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ066 |
| 296 | DXCCSR_INJ067 | Num  | 3   | 882 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ067 |
| 297 | DXCCSR_INJ068 | Num  | 3   | 885 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ068 |
| 298 | DXCCSR_INJ069 | Num  | 3   | 888 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ069 |
| 299 | DXCCSR_INJ070 | Num  | 3   | 891 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ070 |
| 300 | DXCCSR_INJ071 | Num  | 3   | 894 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ071 |
| 301 | DXCCSR_INJ072 | Num  | 3   | 897 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ072 |
| 302 | DXCCSR_INJ073 | Num  | 3   | 900 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ073 |
| 303 | DXCCSR_INJ074 | Num  | 3   | 903 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ074 |
| 304 | DXCCSR_INJ075 | Num  | 3   | 906 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ075 |
| 305 | DXCCSR_INJ076 | Num  | 3   | 909 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR INJ076 |
| 306 | DXCCSR_MAL001 | Num  | 3   | 912 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL001 |
| 307 | DXCCSR_MAL002 | Num  | 3   | 915 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL002 |
| 308 | DXCCSR_MAL003 | Num  | 3   | 918 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL003 |

| Num | Variable      | Туре | Len | Pos  | Label   |
|-----|---------------|------|-----|------|---|
| 309 | DXCCSR_MAL004 | Num  | 3   | 921  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL004 |
| 310 | DXCCSR_MAL005 | Num  | 3   | 924  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL005 |
| 311 | DXCCSR_MAL006 | Num  | 3   | 927  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL006 |
| 312 | DXCCSR_MAL007 | Num  | 3   | 930  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL007 |
| 313 | DXCCSR_MAL008 | Num  | 3   | 933  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL008 |
| 314 | DXCCSR_MAL009 | Num  | 3   | 936  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL009 |
| 315 | DXCCSR_MAL010 | Num  | 3   | 939  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MAL010 |
| 316 | DXCCSR_MBD001 | Num  | 3   | 942  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD001 |
| 317 | DXCCSR_MBD002 | Num  | 3   | 945  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD002 |
| 318 | DXCCSR_MBD003 | Num  | 3   | 948  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD003 |
| 319 | DXCCSR_MBD004 | Num  | 3   | 951  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD004 |
| 320 | DXCCSR_MBD005 | Num  | 3   | 954  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD005 |
| 321 | DXCCSR_MBD006 | Num  | 3   | 957  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD006 |
| 322 | DXCCSR_MBD007 | Num  | 3   | 960  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD007 |
| 323 | DXCCSR_MBD008 | Num  | 3   | 963  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD008 |
| 324 | DXCCSR_MBD009 | Num  | 3   | 966  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD009 |
| 325 | DXCCSR_MBD010 | Num  | 3   | 969  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD010 |
| 326 | DXCCSR_MBD011 | Num  | 3   | 972  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD011 |
| 327 | DXCCSR_MBD012 | Num  | 3   | 975  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD012 |
| 328 | DXCCSR_MBD013 | Num  | 3   | 978  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD013 |
| 329 | DXCCSR_MBD014 | Num  | 3   | 981  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD014 |
| 330 | DXCCSR_MBD017 | Num  | 3   | 984  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD017 |
| 331 | DXCCSR_MBD018 | Num  | 3   | 987  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD018 |
| 332 | DXCCSR_MBD019 | Num  | 3   | 990  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD019 |
| 333 | DXCCSR_MBD020 | Num  | 3   | 993  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD020 |
| 334 | DXCCSR_MBD021 | Num  | 3   | 996  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD021 |
| 335 | DXCCSR_MBD022 | Num  | 3   | 999  | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD022 |
| 336 | DXCCSR_MBD023 | Num  | 3   | 1002 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD023 |
| 337 | DXCCSR_MBD024 | Num  | 3   | 1005 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD024 |
| 338 | DXCCSR_MBD025 | Num  | 3   | 1008 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD025 |
| 339 | DXCCSR_MBD026 | Num  | 3   | 1011 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD026 |
| 340 | DXCCSR_MBD027 | Num  | 3   | 1014 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD027 |
| 341 | DXCCSR_MBD028 | Num  | 3   | 1017 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD028 |
| 342 | DXCCSR_MBD029 | Num  | 3   | 1020 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD029 |

| Num | Variable      | Туре | Len | Pos  | Label   |
|-----|---------------|------|-----|------|---|
| 343 | DXCCSR_MBD030 | Num  | 3   | 1023 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD030 |
| 344 | DXCCSR_MBD031 | Num  | 3   | 1026 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD031 |
| 345 | DXCCSR_MBD032 | Num  | 3   | 1029 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD032 |
| 346 | DXCCSR_MBD033 | Num  | 3   | 1032 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD033 |
| 347 | DXCCSR_MBD034 | Num  | 3   | 1035 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MBD034 |
| 348 | DXCCSR_MUS001 | Num  | 3   | 1038 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS001 |
| 349 | DXCCSR_MUS002 | Num  | 3   | 1041 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS002 |
| 350 | DXCCSR_MUS003 | Num  | 3   | 1044 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS003 |
| 351 | DXCCSR_MUS004 | Num  | 3   | 1047 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS004 |
| 352 | DXCCSR_MUS005 | Num  | 3   | 1050 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS005 |
| 353 | DXCCSR_MUS006 | Num  | 3   | 1053 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS006 |
| 354 | DXCCSR_MUS007 | Num  | 3   | 1056 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS007 |
| 355 | DXCCSR_MUS008 | Num  | 3   | 1059 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS008 |
| 356 | DXCCSR_MUS009 | Num  | 3   | 1062 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS009 |
| 357 | DXCCSR_MUS010 | Num  | 3   | 1065 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS010 |
| 358 | DXCCSR_MUS011 | Num  | 3   | 1068 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS011 |
| 359 | DXCCSR_MUS012 | Num  | 3   | 1071 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS012 |
| 360 | DXCCSR_MUS013 | Num  | 3   | 1074 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS013 |
| 361 | DXCCSR_MUS014 | Num  | 3   | 1077 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS014 |
| 362 | DXCCSR_MUS015 | Num  | 3   | 1080 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS015 |
| 363 | DXCCSR_MUS016 | Num  | 3   | 1083 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS016 |
| 364 | DXCCSR_MUS017 | Num  | 3   | 1086 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS017 |
| 365 | DXCCSR_MUS018 | Num  | 3   | 1089 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS018 |
| 366 | DXCCSR_MUS019 | Num  | 3   | 1092 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS019 |
| 367 | DXCCSR_MUS020 | Num  | 3   | 1095 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS020 |
| 368 | DXCCSR_MUS021 | Num  | 3   | 1098 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS021 |
| 369 | DXCCSR_MUS022 | Num  | 3   | 1101 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS022 |
| 370 | DXCCSR_MUS023 | Num  | 3   | 1104 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS023 |
| 371 | DXCCSR_MUS024 | Num  | 3   | 1107 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS024 |
| 372 | DXCCSR_MUS025 | Num  | 3   | 1110 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS025 |
| 373 | DXCCSR_MUS026 | Num  | 3   | 1113 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS026 |
| 374 | DXCCSR_MUS027 | Num  | 3   | 1116 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS027 |
| 375 | DXCCSR_MUS028 | Num  | 3   | 1119 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS028 |
| 376 | DXCCSR_MUS029 | Num  | 3   | 1122 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS029 |

| Num | Variable      | Туре | Len | Pos  | Label   |
|-----|---------------|------|-----|------|---|
| 377 | DXCCSR_MUS030 | Num  | 3   | 1125 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS030 |
| 378 | DXCCSR_MUS031 | Num  | 3   | 1128 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS031 |
| 379 | DXCCSR_MUS032 | Num  | 3   | 1131 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS032 |
| 380 | DXCCSR_MUS033 | Num  | 3   | 1134 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS033 |
| 381 | DXCCSR_MUS034 | Num  | 3   | 1137 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS034 |
| 382 | DXCCSR_MUS035 | Num  | 3   | 1140 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS035 |
| 383 | DXCCSR_MUS036 | Num  | 3   | 1143 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS036 |
| 384 | DXCCSR_MUS037 | Num  | 3   | 1146 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS037 |
| 385 | DXCCSR_MUS038 | Num  | 3   | 1149 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR MUS038 |
| 386 | DXCCSR_NEO001 | Num  | 3   | 1152 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO001 |
| 387 | DXCCSR_NEO002 | Num  | 3   | 1155 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO002 |
| 388 | DXCCSR_NEO003 | Num  | 3   | 1158 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO003 |
| 389 | DXCCSR_NEO004 | Num  | 3   | 1161 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO004 |
| 390 | DXCCSR_NEO005 | Num  | 3   | 1164 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO005 |
| 391 | DXCCSR_NEO006 | Num  | 3   | 1167 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO006 |
| 392 | DXCCSR_NEO007 | Num  | 3   | 1170 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO007 |
| 393 | DXCCSR_NEO008 | Num  | 3   | 1173 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO008 |
| 394 | DXCCSR_NEO009 | Num  | 3   | 1176 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO009 |
| 395 | DXCCSR_NEO010 | Num  | 3   | 1179 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO010 |
| 396 | DXCCSR_NEO011 | Num  | 3   | 1182 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO011 |
| 397 | DXCCSR_NEO012 | Num  | 3   | 1185 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO012 |
| 398 | DXCCSR_NEO013 | Num  | 3   | 1188 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO013 |
| 399 | DXCCSR_NEO014 | Num  | 3   | 1191 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO014 |
| 400 | DXCCSR_NEO015 | Num  | 3   | 1194 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO015 |
| 401 | DXCCSR_NEO016 | Num  | 3   | 1197 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO016 |
| 402 | DXCCSR_NEO017 | Num  | 3   | 1200 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO017 |
| 403 | DXCCSR_NEO018 | Num  | 3   | 1203 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO018 |
| 404 | DXCCSR_NEO019 | Num  | 3   | 1206 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO019 |
| 405 | DXCCSR_NEO020 | Num  | 3   | 1209 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO020 |
| 406 | DXCCSR_NEO021 | Num  | 3   | 1212 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO021 |
| 407 | DXCCSR_NEO022 | Num  | 3   | 1215 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO022 |
| 408 | DXCCSR_NEO023 | Num  | 3   | 1218 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO023 |
| 409 | DXCCSR_NEO024 | Num  | 3   | 1221 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO024 |
| 410 | DXCCSR_NEO025 | Num  | 3   | 1224 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO025 |

| Num | Variable      | Туре | Len | Pos  | Label   |  |
|-----|---------------|------|-----|------|---|--|
| 411 | DXCCSR_NEO026 | Num  | 3   | 1227 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO026 |  |
| 412 | DXCCSR_NEO027 | Num  | 3   | 1230 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO027 |  |
| 413 | DXCCSR_NEO028 | Num  | 3   | 1233 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO028 |  |
| 414 | DXCCSR_NEO029 | Num  | 3   | 1236 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO029 |  |
| 415 | DXCCSR_NEO030 | Num  | 3   | 1239 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO030 |  |
| 416 | DXCCSR_NEO031 | Num  | 3   | 1242 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO031 |  |
| 417 | DXCCSR_NEO032 | Num  | 3   | 1245 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO032 |  |
| 418 | DXCCSR_NEO033 | Num  | 3   | 1248 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO033 |  |
| 419 | DXCCSR_NEO034 | Num  | 3   | 1251 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO034 |  |
| 420 | DXCCSR_NEO035 | Num  | 3   | 1254 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO035 |  |
| 421 | DXCCSR_NEO036 | Num  | 3   | 1257 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO036 |  |
| 422 | DXCCSR_NE0037 | Num  | 3   | 1260 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO037 |  |
| 423 | DXCCSR_NEO038 | Num  | 3   | 1263 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO038 |  |
| 424 | DXCCSR_NEO039 | Num  | 3   | 1266 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO039 |  |
| 425 | DXCCSR_NEO040 | Num  | 3   | 1269 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO040 |  |
| 426 | DXCCSR_NEO041 | Num  | 3   | 1272 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO04  |  |
| 427 | DXCCSR_NEO042 | Num  | 3   | 1275 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO042 |  |
| 428 | DXCCSR_NEO043 | Num  | 3   | 1278 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO043 |  |
| 429 | DXCCSR_NEO044 | Num  | 3   | 1281 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO044 |  |
| 430 | DXCCSR_NEO045 | Num  | 3   | 1284 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO045 |  |
| 431 | DXCCSR_NEO046 | Num  | 3   | 1287 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO046 |  |
| 432 | DXCCSR_NEO047 | Num  | 3   | 1290 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO047 |  |
| 433 | DXCCSR_NEO048 | Num  | 3   | 1293 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO048 |  |
| 434 | DXCCSR_NEO049 | Num  | 3   | 1296 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO049 |  |
| 435 | DXCCSR_NEO050 | Num  | 3   | 1299 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO050 |  |
| 436 | DXCCSR_NEO051 | Num  | 3   | 1302 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO051 |  |
| 437 | DXCCSR_NEO052 | Num  | 3   | 1305 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO052 |  |
| 438 | DXCCSR_NEO053 | Num  | 3   | 1308 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO053 |  |
| 439 | DXCCSR_NEO054 | Num  | 3   | 1311 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO054 |  |
| 440 | DXCCSR_NEO055 | Num  | 3   | 1314 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO055 |  |
| 441 | DXCCSR_NEO056 | Num  | 3   | 1317 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO056 |  |
| 442 | DXCCSR_NEO057 | Num  | 3   | 1320 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO057 |  |
| 443 | DXCCSR_NEO058 | Num  | 3   | 1323 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO058 |  |
| 444 | DXCCSR_NEO059 | Num  | 3   | 1326 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO059 |  |

| Num | Variable      | Туре | Len | Pos  | Label   |  |
|-----|---------------|------|-----|------|---|--|
| 445 | DXCCSR_NEO060 | Num  | 3   | 1329 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO060 |  |
| 446 | DXCCSR_NEO061 | Num  | 3   | 1332 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO061 |  |
| 447 | DXCCSR_NEO062 | Num  | 3   | 1335 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO062 |  |
| 448 | DXCCSR_NEO063 | Num  | 3   | 1338 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO063 |  |
| 449 | DXCCSR_NEO064 | Num  | 3   | 1341 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO064 |  |
| 450 | DXCCSR_NEO065 | Num  | 3   | 1344 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO065 |  |
| 451 | DXCCSR_NEO066 | Num  | 3   | 1347 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO066 |  |
| 452 | DXCCSR_NEO067 | Num  | 3   | 1350 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO067 |  |
| 453 | DXCCSR_NEO068 | Num  | 3   | 1353 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO068 |  |
| 454 | DXCCSR_NEO069 | Num  | 3   | 1356 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO069 |  |
| 455 | DXCCSR_NEO070 | Num  | 3   | 1359 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO070 |  |
| 456 | DXCCSR_NE0071 | Num  | 3   | 1362 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO071 |  |
| 457 | DXCCSR_NEO072 | Num  | 3   | 1365 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO072 |  |
| 458 | DXCCSR_NEO073 | Num  | 3   | 1368 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO073 |  |
| 459 | DXCCSR_NEO074 | Num  | 3   | 1371 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NEO074 |  |
| 460 | DXCCSR_NVS001 | Num  | 3   | 1374 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS001 |  |
| 461 | DXCCSR_NVS002 | Num  | 3   | 1377 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS002 |  |
| 462 | DXCCSR_NVS003 | Num  | 3   | 1380 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS003 |  |
| 463 | DXCCSR_NVS004 | Num  | 3   | 1383 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS004 |  |
| 464 | DXCCSR_NVS005 | Num  | 3   | 1386 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS005 |  |
| 465 | DXCCSR_NVS006 | Num  | 3   | 1389 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS006 |  |
| 466 | DXCCSR_NVS007 | Num  | 3   | 1392 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS007 |  |
| 467 | DXCCSR_NVS008 | Num  | 3   | 1395 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS008 |  |
| 468 | DXCCSR_NVS009 | Num  | 3   | 1398 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS009 |  |
| 469 | DXCCSR_NVS010 | Num  | 3   | 1401 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS010 |  |
| 470 | DXCCSR_NVS011 | Num  | 3   | 1404 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS011 |  |
| 471 | DXCCSR_NVS012 | Num  | 3   | 1407 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS012 |  |
| 472 | DXCCSR_NVS013 | Num  | 3   | 1410 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS013 |  |
| 473 | DXCCSR_NVS014 | Num  | 3   | 1413 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS014 |  |
| 474 | DXCCSR_NVS015 | Num  | 3   | 1416 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS015 |  |
| 475 | DXCCSR_NVS016 | Num  | 3   | 1419 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS016 |  |
| 476 | DXCCSR_NVS017 | Num  | 3   | 1422 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS017 |  |
| 477 | DXCCSR_NVS018 | Num  | 3   | 1425 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS018 |  |
| 478 | DXCCSR_NVS019 | Num  | 3   | 1428 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS019 |  |

| Num | Variable      | Туре | Len | Pos  | Label   |  |
|-----|---------------|------|-----|------|---|--|
| 479 | DXCCSR_NVS020 | Num  | 3   | 1431 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS020 |  |
| 480 | DXCCSR_NVS021 | Num  | 3   | 1434 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS021 |  |
| 481 | DXCCSR_NVS022 | Num  | 3   | 1437 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR NVS022 |  |
| 482 | DXCCSR_PNL001 | Num  | 3   | 1440 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL001 |  |
| 483 | DXCCSR_PNL002 | Num  | 3   | 1443 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL002 |  |
| 484 | DXCCSR_PNL003 | Num  | 3   | 1446 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL003 |  |
| 485 | DXCCSR_PNL004 | Num  | 3   | 1449 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL004 |  |
| 486 | DXCCSR_PNL005 | Num  | 3   | 1452 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL005 |  |
| 487 | DXCCSR_PNL006 | Num  | 3   | 1455 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL006 |  |
| 488 | DXCCSR_PNL007 | Num  | 3   | 1458 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL007 |  |
| 489 | DXCCSR_PNL008 | Num  | 3   | 1461 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL008 |  |
| 490 | DXCCSR_PNL009 | Num  | 3   | 1464 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL009 |  |
| 491 | DXCCSR_PNL010 | Num  | 3   | 1467 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL010 |  |
| 492 | DXCCSR_PNL011 | Num  | 3   | 1470 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL011 |  |
| 493 | DXCCSR_PNL012 | Num  | 3   | 1473 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL012 |  |
| 494 | DXCCSR_PNL013 | Num  | 3   | 1476 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL013 |  |
| 495 | DXCCSR_PNL014 | Num  | 3   | 1479 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL014 |  |
| 496 | DXCCSR_PNL015 | Num  | 3   | 1482 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PNL015 |  |
| 497 | DXCCSR_PRG001 | Num  | 3   | 1485 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG001 |  |
| 498 | DXCCSR_PRG002 | Num  | 3   | 1488 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG002 |  |
| 499 | DXCCSR_PRG003 | Num  | 3   | 1491 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG003 |  |
| 500 | DXCCSR_PRG004 | Num  | 3   | 1494 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG004 |  |
| 501 | DXCCSR_PRG005 | Num  | 3   | 1497 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG005 |  |
| 502 | DXCCSR_PRG006 | Num  | 3   | 1500 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG006 |  |
| 503 | DXCCSR_PRG007 | Num  | 3   | 1503 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG007 |  |
| 504 | DXCCSR_PRG008 | Num  | 3   | 1506 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG008 |  |
| 505 | DXCCSR_PRG009 | Num  | 3   | 1509 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG009 |  |
| 506 | DXCCSR_PRG010 | Num  | 3   | 1512 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG010 |  |
| 507 | DXCCSR_PRG011 | Num  | 3   | 1515 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG011 |  |
| 508 | DXCCSR_PRG012 | Num  | 3   | 1518 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG012 |  |
| 509 | DXCCSR_PRG013 | Num  | 3   | 1521 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG013 |  |
| 510 | DXCCSR_PRG014 | Num  | 3   | 1524 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG014 |  |
| 511 | DXCCSR_PRG015 | Num  | 3   | 1527 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG015 |  |
| 512 | DXCCSR_PRG016 | Num  | 3   | 1530 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG016 |  |

| Num | Variable      | Туре | Len | Pos  | Label   |  |
|-----|---------------|------|-----|------|---|--|
| 513 | DXCCSR_PRG017 | Num  | 3   | 1533 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG017 |  |
| 514 | DXCCSR_PRG018 | Num  | 3   | 1536 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG018 |  |
| 515 | DXCCSR_PRG019 | Num  | 3   | 1539 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG019 |  |
| 516 | DXCCSR_PRG020 | Num  | 3   | 1542 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG020 |  |
| 517 | DXCCSR_PRG021 | Num  | 3   | 1545 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG021 |  |
| 518 | DXCCSR_PRG022 | Num  | 3   | 1548 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG022 |  |
| 519 | DXCCSR_PRG023 | Num  | 3   | 1551 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG023 |  |
| 520 | DXCCSR_PRG024 | Num  | 3   | 1554 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG024 |  |
| 521 | DXCCSR_PRG025 | Num  | 3   | 1557 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG025 |  |
| 522 | DXCCSR_PRG026 | Num  | 3   | 1560 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG026 |  |
| 523 | DXCCSR_PRG027 | Num  | 3   | 1563 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG027 |  |
| 524 | DXCCSR_PRG028 | Num  | 3   | 1566 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG028 |  |
| 525 | DXCCSR_PRG029 | Num  | 3   | 1569 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG029 |  |
| 526 | DXCCSR_PRG030 | Num  | 3   | 1572 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR PRG030 |  |
| 527 | DXCCSR_RSP001 | Num  | 3   | 1575 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP001 |  |
| 528 | DXCCSR_RSP002 | Num  | 3   | 1578 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP002 |  |
| 529 | DXCCSR_RSP003 | Num  | 3   | 1581 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP003 |  |
| 530 | DXCCSR_RSP004 | Num  | 3   | 1584 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP004 |  |
| 531 | DXCCSR_RSP005 | Num  | 3   | 1587 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP005 |  |
| 532 | DXCCSR_RSP006 | Num  | 3   | 1590 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP006 |  |
| 533 | DXCCSR_RSP007 | Num  | 3   | 1593 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP007 |  |
| 534 | DXCCSR_RSP008 | Num  | 3   | 1596 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP008 |  |
| 535 | DXCCSR_RSP009 | Num  | 3   | 1599 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP009 |  |
| 536 | DXCCSR_RSP010 | Num  | 3   | 1602 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP010 |  |
| 537 | DXCCSR_RSP011 | Num  | 3   | 1605 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP011 |  |
| 538 | DXCCSR_RSP012 | Num  | 3   | 1608 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP012 |  |
| 539 | DXCCSR_RSP013 | Num  | 3   | 1611 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP013 |  |
| 540 | DXCCSR_RSP014 | Num  | 3   | 1614 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP014 |  |
| 541 | DXCCSR_RSP015 | Num  | 3   | 1617 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP015 |  |
| 542 | DXCCSR_RSP016 | Num  | 3   | 1620 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP016 |  |
| 543 | DXCCSR_RSP017 | Num  | 3   | 1623 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR RSP017 |  |
| 544 | DXCCSR_SKN001 | Num  | 3   | 1626 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN001 |  |
| 545 | DXCCSR_SKN002 | Num  | 3   | 1629 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN002 |  |
| 546 | DXCCSR_SKN003 | Num  | 3   | 1632 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN003 |  |

| Num | Variable       | Туре | Len | Pos  | Label   |
|-----|----------------|------|-----|------|---|
| 547 | DXCCSR_SKN004  | Num  | 3   | 1635 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN004 |
| 548 | DXCCSR_SKN005  | Num  | 3   | 1638 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN005 |
| 549 | DXCCSR_SKN006  | Num  | 3   | 1641 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN006 |
| 550 | DXCCSR_SKN007  | Num  | 3   | 1644 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SKN007 |
| 551 | DXCCSR_SYM001  | Num  | 3   | 1647 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM001 |
| 552 | DXCCSR_SYM002  | Num  | 3   | 1650 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM002 |
| 553 | DXCCSR_SYM003  | Num  | 3   | 1653 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM003 |
| 554 | DXCCSR_SYM004  | Num  | 3   | 1656 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM004 |
| 555 | DXCCSR_SYM005  | Num  | 3   | 1659 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM005 |
| 556 | DXCCSR_SYM006  | Num  | 3   | 1662 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM006 |
| 557 | DXCCSR_SYM007  | Num  | 3   | 1665 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM007 |
| 558 | DXCCSR_SYM008  | Num  | 3   | 1668 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM008 |
| 559 | DXCCSR_SYM009  | Num  | 3   | 1671 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM009 |
| 560 | DXCCSR_SYM010  | Num  | 3   | 1674 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM010 |
| 561 | DXCCSR_SYM011  | Num  | 3   | 1677 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM011 |
| 562 | DXCCSR_SYM012  | Num  | 3   | 1680 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM012 |
| 563 | DXCCSR_SYM013  | Num  | 3   | 1683 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM013 |
| 564 | DXCCSR_SYM014  | Num  | 3   | 1686 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM014 |
| 565 | DXCCSR_SYM015  | Num  | 3   | 1689 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM015 |
| 566 | DXCCSR_SYM016  | Num  | 3   | 1692 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM016 |
| 567 | DXCCSR_SYM017  | Num  | 3   | 1695 | Indication that at least one ICD-10-CM diagnosis on the record is included in CCSR SYM017 |
| 568 | DXCCSR_VERSION | Char | 6   | 1710 | Version of CCSR for ICD-10-CM diagnoses   |
| 1   | HOSP_NASS      | Num  | 4   | 0    | NASS Hospital Number  |
| 2   | KEY_NASS       | Num  | 5   | 4    | NASS Record Number  |

| Variable / Label  | N         | N<br>Miss | Minimum | Maximum | Mean     | Sum             |
|---|-----------|-----------|---------|---------|----------|-----------------|
| HOSP_NASS : NASS Hospital Number  | 9,097,088 | 0         | 10,003  | 40,537  | 25,354.4 | 230,651,284,035 |
| DISCWT : Encounter Weight   | 9,097,088 | 0         | 1       | 4       | 1.4      | 12,380,477      |
| DXCCSR_INFnnn : Certain Infectious and Parasitic Diseases   | 9,097,088 | 0         | 0       | 1       | 0.0      | 122,158         |
| DXCCSR_NEOnnn : Neoplasms   | 9,097,088 | 0         | 0       | 1       | 0.1      | 1,248,371       |
| DXCCSR_BLDnnn : Diseases of the Blood and Blood Forming Organs and Certain Disorders Involving the Immune Mechanism | 9,097,088 | 0         | 0       | 1       | 0.1      | 475,920         |
| DXCCSR_ENDnnn : Endocrine, Nutritional and Metabolic Diseases   | 9,097,088 | 0         | 0       | 1       | 0.4      | 3,964,252       |
| DXCCSR_DENnnn : Dental conditions   | 9,097,088 | 0         | 0       | 1       | 0.0      | 73,740          |
| DXCCSR_MBDnnn : Mental, Behavioral and Neurodevelopmental Disorders   | 9,097,088 | 0         | 0       | 1       | 0.2      | 1,656,373       |
| DXCCSR_NVSnnn : Diseases of the Nervous System  | 9,097,088 | 0         | 0       | 1       | 0.2      | 1,978,577       |
| DXCCSR_EYEnnn : Diseases of the Eye and Adnexa  | 9,097,088 | 0         | 0       | 1       | 0.1      | 1,073,758       |
| DXCCSR_EARnnn : Diseases of the Ear and Mastoid Process   | 9,097,088 | 0         | 0       | 1       | 0.0      | 374,266         |
| DXCCSR_CIRnnn : Diseases of the Circulatory System  | 9,097,088 | 0         | 0       | 1       | 0.4      | 3,778,774       |
| DXCCSR_RSPnnn : Diseases of the Respiratory System  | 9,097,088 | 0         | 0       | 1       | 0.2      | 1,491,177       |
| DXCCSR_DIGnnn : Diseases of the Digestive System  | 9,097,088 | 0         | 0       | 1       | 0.3      | 2,797,968       |
| DXCCSR_SKNnnn : Diseases of the Skin and Subcutaneous Tissue  | 9,097,088 | 0         | 0       | 1       | 0.0      | 285,028         |
| DXCCSR_MUSnnn : Diseases of the Musculoskeletal System and Connective Tissue  | 9,097,088 | 0         | 0       | 1       | 0.3      | 2,944,302       |
| DXCCSR_GENnnn : Diseases of the Genitourinary System  | 9,097,088 | 0         | 0       | 1       | 0.2      | 1,862,268       |
| DXCCSR_PRGnnn : Pregnancy, Childbirth and the Puerperium  | 9,097,088 | 0         | 0       | 1       | 0.0      | 32,440          |
| DXCCSR_PNLnnn : Certain Conditions Originating in the Perinatal Period  | 9,097,088 | 0         | 0       | 1       | 0.0      | 5,553           |
| DXCCSR_MALnnn : Congenital Malformations, Deformations and Chromosomal Abnormalities                                | 9,097,088 | 0         | 0       | 1       | 0.0      | 217,383         |
| DXCCSR_SYMnnn : Symptoms, Signs and Abnormal Clinical and Laboratory Findings, Not Elsewhere Classified             | 9,097,088 | 0         | 0       | 1       | 0.1      | 975,268         |
| DXCCSR_INJnnn : Injury, Poisoning and Certain Other Consequences of External Causes                                 | 9,097,088 | 0         | 0       | 1       | 0.2      | 1,378,592       |
| DXCCSR_EXTnnn : External Causes of Morbidity  | 9,097,088 | 0         | 0       | 1       | 0.1      | 867,674         |
| DXCCSR_FACnnn : Factors Influencing Health Status and Contact with Health Services                                  | 9,097,088 | 0         | 0       | 1       | 0.6      | 5,897,946       |

| CMR_AIDS                      | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,077,689 | 99.79%              |
| 1: Comorbidity is present     | 19,399    | 0.21%               |

| CMR_ALCOHOL                   | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,067,287 | 99.67%              |
| 1: Comorbidity is present     | 29,801    | 0.33%               |

| CMR_AUTOIMMUNE                | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 8,937,809 | 98.25%              |
| 1: Comorbidity is present     | 159,279   | 1.75%               |

| CMR_CANCER_LEUK               | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,085,781 | 99.88%              |
| 1: Comorbidity is present     | 11,307    | 0.12%               |

| CMR_CANCER_LYMPH              | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,084,246 | 99.86%              |
| 1: Comorbidity is present     | 12,842    | 0.14%               |

| CMR_CANCER_METS               | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,037,043 | 99.34%              |
| 1: Comorbidity is present     | 60,045    | 0.66%               |

| CMR_CANCER_NSITU              | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,080,919 | 99.82%              |
| 1: Comorbidity is present     | 16,169    | 0.18%               |

| CMR_CANCER_SOLID              | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,005,929 | 99.00%              |
| 1: Comorbidity is present     | 91,159    | 1.00%               |

| CMR_DEMENTIA                  | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,063,554 | 99.63%              |
| 1: Comorbidity is present     | 33,534    | 0.37%               |

| CMR_DEPRESS                   | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 8,618,211 | 94.74%              |
| 1: Comorbidity is present     | 478,877   | 5.26%               |

| CMR_DIAB_CX                   | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 8,613,786 | 94.69%              |
| 1: Comorbidity is present     | 483,302   | 5.31%               |

| CMR_DIAB_UNCX                 | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 8,321,916 | 91.48%              |
| 1: Comorbidity is present     | 775,172   | 8.52%               |

| CMR_DRUG_ABUSE                | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,071,844 | 99.72%              |
| 1: Comorbidity is present     | 25,244    | 0.28%               |

| CMR_HTN_CX                    | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 8,510,006 | 93.55%              |
| 1: Comorbidity is present     | 587,082   | 6.45%               |

| CMR_HTN_UNCX                  | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 6,468,493 | 71.11%              |
| 1: Comorbidity is present     | 2,628,595 | 28.89%              |

| CMR_LUNG_CHRONIC              | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 8,087,286 | 88.90%              |
| 1: Comorbidity is present     | 1,009,802 | 11.10%              |

| CMR_OBESE                     | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 7,724,451 | 84.91%              |
| 1: Comorbidity is present     | 1,372,637 | 15.09%              |

| CMR_PERIVASC                  | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 8,909,018 | 97.93%              |
| 1: Comorbidity is present     | 188,070   | 2.07%               |

| CMR_THYROID_HYPO              | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 8,410,536 | 92.45%              |
| 1: Comorbidity is present     | 686,552   | 7.55%               |

| CMR_THYROID_OTH               | Frequency | Percent<br>of Total |
|-------------------------------|-----------|---------------------|
| 0: Comorbidity is not present | 9,007,634 | 99.02%              |
| 1: Comorbidity is present     | 89,454    | 0.98%               |

| CMR_VERSION | Frequency | Percent<br>of Total |
|-------------|-----------|---------------------|
| 2024.1      | 9,097,088 | 100.0%              |

| DXCCSR_Default_DX1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| BLDnnn: Diseases of the Blood and Blood Forming Organs and Certain Disorders Involving the Immune Mechanism | 1,809     | 0.02%               |
| CIRnnn: Diseases of the Circulatory System  | 448,568   | 4.93%               |
| DIGnnn: Diseases of the Digestive System  | 1,342,617 | 14.76%              |
| EARnnn: Diseases of the Ear and Mastoid Process   | 249,847   | 2.75%               |
| ENDnnn: Endocrine, Nutritional and Metabolic Diseases   | 277,515   | 3.05%               |
| EYEnnn: Diseases of the Eye and Adnexa  | 854,344   | 9.39%               |
| FACnnn: Factors Influencing Health Status and Contact with Health Services                                  | 279,716   | 3.07%               |
| GENnnn: Diseases of the Genitourinary System  | 789,811   | 8.68%               |
| INFnnn: Certain Infectious and Parasitic Diseases   | 5,613     | 0.06%               |
| INJnnn: Injury, Poisoning and Certain Other Consequences of External Causes                                 | 1,072,548 | 11.79%              |
| InvIDX: Invalid principal/first-listed diagnosis  | 52        | 0.00%               |
| MALnnn: Congenital Malformations, Deformations and Chromosomal Abnormalities                                | 103,088   | 1.13%               |
| MBDnnn: Mental, Behavioral and Neurodevelopmental Disorders   | 15,267    | 0.17%               |
| MUSnnn: Diseases of the Musculoskeletal System and Connective Tissue  | 1,883,957 | 20.71%              |

| DXCCSR_Default_DX1  | Frequency | Percent<br>of Total |
|---|-----------|---------------------|
| NEOnnn: Neoplasms   | 943,575   | 10.37%              |
| NVSnnn: Diseases of the Nervous System  | 299,490   | 3.29%               |
| NoDX1: Missing principal/first-listed diagnosis   | 858       | 0.01%               |
| PNLnnn: Certain Conditions Originating in the Perinatal Period                                  | 578       | 0.01%               |
| PRGnnn: Pregnancy, Childbirth and the Puerperium  | 29,622    | 0.33%               |
| RSPnnn: Diseases of the Respiratory System  | 368,673   | 4.05%               |
| SKNnnn: Diseases of the Skin and Subcutaneous Tissue  | 58,306    | 0.64%               |
| SYMnnn: Symptoms, Signs and Abnormal Clinical and Laboratory Findings, Not Elsewhere Classified | 66,117    | 0.73%               |
| XXX111: Unacceptable first-listed diagnosis   | 5,117     | 0.06%               |

| DXCCSR_VERSION | Frequency | Percent<br>of Total |
|----------------|-----------|---------------------|
| 2024.1         | 9,097,088 | 100.0%              |