

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	526574	2	1.00	7.00	3.90	1.83
AGE : I:Age in years at admission	525839	737	0.00	124.00	43.67	27.76
AGEDAY : I:Age in days (when < 1 year)	67320	459256	0.00	364.00	18.30	61.15
AMONTH : I:Admission month	526574	2	1.00	12.00	6.46	3.46
ASOURCE : I:Admission source	459489	67087	1.00	5.00	3.49	1.90
ATYPE : I:Admission type	467766	58810	1.00	6.00	2.22	1.11
DCCHPR1 : I:CCHPR: principal diagnosis	526280	296	1.00	259.00	149.17	64.06
DIED : I:Died during hospitalization	525552	1024	0.00	1.00	0.03	0.17
DISP : I:Disposition of patient	525552	1024	1.00	20.00	1.93	3.37
DQTR : I:Discharge quarter	526576	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	526576	0	1.00	477.00	255.84	133.60
DRG10 : I:DRG, Version 10	526576	0	1.00	492.00	258.82	134.88
DRGVER : I:DRG grouper version used on disch date	526576	0	4.00	5.00	4.25	0.43
DSNDX : I:Max number of diagnoses from source	526576	0	5.00	25.00	10.09	7.63
DSNPR : I:Max number of procedures from source	526576	0	3.00	25.00	8.97	8.40
DSNUM : I:Data source ID number	526576	0	3.00	12.00	5.69	2.90
DSTYPE : I:Data source type	526576	0	1.00	2.00	1.10	0.29
DXSYS : I:Diagnosis coding system	526576	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	526470	106	0.00	1.00	0.00	0.02
DXV2 : I:Validity flag: diagnosis 2	407223	119353	0.00	1.00	0.00	0.03
DXV3 : I:Validity flag: diagnosis 3	289165	237411	0.00	1.00	0.00	0.03
DXV4 : I:Validity flag: diagnosis 4	203985	322591	0.00	1.00	0.00	0.03
DXV5 : I:Validity flag: diagnosis 5	141421	385155	0.00	1.00	0.00	0.03
DXV6 : I:Validity flag: diagnosis 6	40271	486305	0.00	1.00	0.00	0.04
DXV7 : I:Validity flag: diagnosis 7	24434	502142	0.00	1.00	0.00	0.04
DXV8 : I:Validity flag: diagnosis 8	16587	509989	0.00	1.00	0.00	0.04
DXV9 : I:Validity flag: diagnosis 9	10760	515816	0.00	1.00	0.00	0.04
DXV10 : I:Validity flag: diagnosis 10	3100	523476	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	1862	524714	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	1252	525324	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	802	525774	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	609	525967	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	428	526148	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	526576	0	6002.00	53122.00	17828.26	10956.67

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1988 - N10Core1 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	526576	0	6001.00	53077.00	17729.21	11004.45
LOS : I:Length of stay (cleaned)	524421	2155	0.00	3295.00	6.35	13.79
LOS_X : I:Length of stay (uncleaned)	526574	2	-12.00	3295.00	6.36	13.94
MDC : I:MDC in effect on discharge date	526576	0	1.00	24.00	9.72	5.41
MDC10 : I:MDC, Version 10	526576	0	0.00	25.00	9.75	5.49
NDX : I:Number of diagnoses on this discharge	526576	0	0.00	25.00	3.17	1.95
NEOMAT : I:Neonatal and/or maternal DX and/or PR	526576	0	0.00	3.00	0.36	0.68
NPR : I:Number of procedures on this discharge	526576	0	0.00	25.00	1.35	1.54
PAY1 : I:Primary expected payer, uniform	525862	714	1.00	6.00	2.64	1.50
PAY1_N : I:Primary expected payer, nonuniform	525862	714	1.00	12.00	3.78	3.21
PAY2 : I:Secondary expected payer, uniform	86226	440350	1.00	6.00	4.28	1.49
PAY2_N : I:Secondary expected payer, nonuniform	86226	440350	1.00	12.00	7.33	4.00
PCCHPR1 : I:CCHPR: principal procedure	341110	185466	1.00	231.00	124.69	60.58
PRDAY1 : I:No. of days from admission to PR1	269787	256789	-1.00	1461.00	1.67	6.04
PROCESS : I:HCUP-3 discharge processing ID number	526576	0	8.8065E10	8.8536E10	8.8181E10	108932010
PRSYS : I:Procedure coding system	526576	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	341090	185486	0.00	1.00	0.00	0.01
PRV2 : I:Validity flag: procedure 2	189501	337075	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	104707	421869	0.00	1.00	0.00	0.04
PRV4 : I:Validity flag: procedure 4	31140	495436	0.00	1.00	0.00	0.01
PRV5 : I:Validity flag: procedure 5	17584	508992	0.00	0.00	0.00	0.00
PRV6 : I:Validity flag: procedure 6	9590	516986	0.00	1.00	0.00	0.02
PRV7 : I:Validity flag: procedure 7	6480	520096	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	4442	522134	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	1835	524741	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	1341	525235	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	780	525796	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	584	525992	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	413	526163	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	319	526257	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	240	526336	0.00	0.00	0.00	0.00
RACE : I:Race	265514	261062	1.00	6.00	1.43	0.92
SEQ : I:HCUP-3 record sequence number	526576	0	6.0029E11	5.3123E12	1.7829E12	1.0957E12
SEX : I:Sex	526471	105	1.00	2.00	1.58	0.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
TOTCHG : I:Total charges (cleaned)	499542	27034	1.00	1595438.0	5802.00	11793.78
YEAR : Calendar year	526576	0	88.00	88.00	88.00	0.00
ZIPINC4 : I:Median income-pt s zip code-4 categs	497239	29337	1.00	4.00	2.56	1.22
ZIPINC8 : I:Median income-pt s zip code-8 categs	458320	68256	1.00	8.00	4.86	1.95
TOTCHG_X : I:Total charges (from data source)	501722	24854	1.00	1595438.3	5791.99	12000.19

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	<= 10	**. **
1	53780	10.21
2	92662	17.60
3	89156	16.93
4	84246	16.00
5	81510	15.48
6	74866	14.22
7	50354	9.56

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	39	0.01
A	543	0.10
C	155	0.03
0	67321	12.78
1	4096	0.78
2	2485	0.47
3	1936	0.37
4	1729	0.33
5	1548	0.29
6	1387	0.26
7	1197	0.23
8	1129	0.21
9	1053	0.20
10	1103	0.21
11	1085	0.21
12	1193	0.23
13	1369	0.26
14	1763	0.33
15	2440	0.46
16	3259	0.62
17	4501	0.85
18	4982	0.95
19	5435	1.03
20	5868	1.11
21	6149	1.17
22	6663	1.27
23	7013	1.33
24	7539	1.43
25	8019	1.52
26	8253	1.57
27	8200	1.56
28	8372	1.59
29	8163	1.55
30	8066	1.53

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGE	Frequency	Percent of Total
31	7759	1.47
32	7195	1.37
33	6715	1.28
34	6433	1.22
35	6003	1.14
36	5558	1.06
37	4948	0.94
38	4811	0.91
39	4777	0.91
40	4633	0.88
41	4635	0.88
42	3939	0.75
43	3733	0.71
44	4075	0.77
45	4187	0.80
46	3926	0.75
47	3960	0.75
48	3826	0.73
49	3923	0.75
50	3915	0.74
51	3842	0.73
52	4192	0.80
53	4084	0.78
54	4187	0.80
55	4303	0.82
56	4501	0.85
57	4828	0.92
58	5134	0.97
59	5600	1.06
60	5727	1.09
61	5934	1.13
62	6331	1.20
63	6381	1.21
64	6695	1.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	7112	1.35
66	7507	1.43
67	7660	1.45
68	7644	1.45
69	7579	1.44
70	7717	1.47
71	7565	1.44
72	7557	1.44
73	7747	1.47
74	7616	1.45
75	7541	1.43
76	7258	1.38
77	6902	1.31
78	6696	1.27
79	6439	1.22
80	6196	1.18
81	5705	1.08
82	5281	1.00
83	4855	0.92
84	4556	0.87
85	4161	0.79
86	3615	0.69
87	3321	0.63
88	2762	0.52
89	2188	0.42
90	1915	0.36
91	1594	0.30
92	1347	0.26
93	1081	0.21
94	751	0.14
95	650	0.12
96	405	0.08
97	289	0.05
98	248	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	141	0.03
100	69	0.01
101	39	0.01
102	15	0.00
103	15	0.00
104	12	0.00
105	<= 10	***.***
106	<= 10	***.***
107	<= 10	***.***
109	<= 10	***.***
110	<= 10	***.***
111	<= 10	***.***
112	<= 10	***.***
113	<= 10	***.***
115	<= 10	***.***
116	<= 10	***.***
117	<= 10	***.***
118	<= 10	***.***
119	<= 10	***.***
120	<= 10	***.***
121	<= 10	***.***
122	<= 10	***.***
123	<= 10	***.***
124	<= 10	***.***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGEDAY	Frequency	Percent of Total
.: Missing	459049	87.18
.A: Invalid	52	0.01
.C: Inconsistent	155	0.03
0 days	57651	10.95
1 day	324	0.06
2 days	150	0.03
3 days	190	0.04
4 days	212	0.04
5 days	168	0.03
6 days	84	0.02
7 days	92	0.02
8 days	77	0.01
9 days	48	0.01
10 days	68	0.01
11 - 30 days	1043	0.20
31 - 60 days	1333	0.25
61 - 90 days	940	0.18
91 - 120 days	726	0.14
121 - 150 days	599	0.11
151 - 180 days	544	0.10
181 - 210 days	543	0.10
211 - 240 days	517	0.10
241 - 270 days	517	0.10
271 - 300 days	504	0.10
301 - 330 days	473	0.09
331 - 364 days	517	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
.: Missing	<= 10	**.**
1: January	45274	8.60
2: February	44249	8.40
3: March	45970	8.73
4: April	42818	8.13
5: May	43890	8.33
6: June	43085	8.18
7: July	42982	8.16
8: August	45174	8.58
9: September	42646	8.10
10: October	43880	8.33
11: November	43319	8.23
12: December	43287	8.22

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	16788	3.19
.A: Invalid	193	0.04
.B: Unavailable from Source	50106	9.52
1: Emergency Department	161382	30.65
2: Another Hospital	10905	2.07
3: Other Health Facility, incl. LTC	6718	1.28
4: Court/Law Enforcement	475	0.09
5: Routine, Birth, and Other	280009	53.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ATYPE	Frequency	Percent of Total
.: Missing	8704	1.65
.B: Unavail from Source	50106	9.52
1: Emergency	156190	29.66
2: Urgent	130308	24.75
3: Elective	117537	22.32
4: Newborn	49204	9.34
5: Delivery	14143	2.69
6: Other	384	0.07

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	28	0.01
A	268	0.05
1	311	0.06
2	3017	0.57
3	203	0.04
4	186	0.04
5	473	0.09
6	448	0.09
7	2180	0.41
8	260	0.05
9	200	0.04
10	<= 10	**,**
11	699	0.13
12	218	0.04
13	426	0.08
14	1788	0.34
15	896	0.17
16	126	0.02
17	500	0.09
18	218	0.04
19	2704	0.51
20	52	0.01
21	256	0.05
22	152	0.03
23	231	0.04
24	2834	0.54
25	609	0.12
26	649	0.12
27	462	0.09
28	112	0.02
29	1829	0.35
30	106	0.02
31	20	0.00
32	1261	0.24

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	401	0.08
34	63	0.01
35	432	0.08
36	184	0.03
37	152	0.03
38	771	0.15
39	694	0.13
40	212	0.04
41	229	0.04
42	4293	0.82
43	254	0.05
44	628	0.12
45	7013	1.33
46	2607	0.50
47	2612	0.50
48	513	0.10
49	190	0.04
50	5734	1.09
51	841	0.16
52	227	0.04
53	14	0.00
54	122	0.02
55	5114	0.97
56	75	0.01
57	49	0.01
58	852	0.16
59	1851	0.35
60	132	0.03
61	782	0.15
62	560	0.11
63	432	0.08
64	149	0.03
65	<= 10	**.**
66	4696	0.89

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	2362	0.45
68	1266	0.24
69	6003	1.14
70	2828	0.54
71	797	0.15
72	944	0.18
73	313	0.06
74	2291	0.44
75	<= 10	**.**
76	771	0.15
77	175	0.03
78	66	0.01
79	163	0.03
80	261	0.05
81	567	0.11
82	280	0.05
83	3904	0.74
84	967	0.18
85	216	0.04
86	403	0.08
87	904	0.17
88	211	0.04
89	52	0.01
90	480	0.09
91	748	0.14
92	1061	0.20
93	1029	0.20
94	303	0.06
95	1836	0.35
96	1461	0.28
97	1601	0.30
98	652	0.12
99	1986	0.38
100	8466	1.61

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	20910	3.97
102	6387	1.21
103	983	0.19
104	115	0.02
105	767	0.15
106	7255	1.38
107	343	0.07
108	11112	2.11
109	7614	1.45
110	1455	0.28
111	270	0.05
112	2816	0.53
113	26	0.00
114	1614	0.31
115	1199	0.23
116	1370	0.26
117	1578	0.30
118	2214	0.42
119	694	0.13
120	966	0.18
121	256	0.05
122	13667	2.60
123	304	0.06
124	2985	0.57
125	4993	0.95
126	2042	0.39
127	2467	0.47
128	6634	1.26
129	900	0.17
130	1456	0.28
131	2008	0.38
132	108	0.02
133	2767	0.53
134	2162	0.41

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	1947	0.37
136	859	0.16
137	358	0.07
138	1718	0.33
139	1355	0.26
140	2316	0.44
141	531	0.10
142	3555	0.68
143	5341	1.01
144	854	0.16
145	3353	0.64
146	2650	0.50
147	1185	0.23
148	357	0.07
149	8350	1.59
150	721	0.14
151	1261	0.24
152	2159	0.41
153	5559	1.06
154	3991	0.76
155	1984	0.38
156	278	0.05
157	775	0.15
158	814	0.15
159	5576	1.06
160	4546	0.86
161	691	0.13
162	853	0.16
163	796	0.15
164	4399	0.84
165	519	0.10
166	716	0.14
167	749	0.14
168	2452	0.47

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1314	0.25
170	1986	0.38
171	1200	0.23
172	1467	0.28
173	169	0.03
174	118	0.02
175	2054	0.39
176	327	0.06
177	1595	0.30
178	582	0.11
179	118	0.02
180	1174	0.22
181	4400	0.84
182	1223	0.23
183	2127	0.40
184	5021	0.95
185	1278	0.24
186	1138	0.22
187	2322	0.44
188	3001	0.57
189	4839	0.92
190	6570	1.25
191	2522	0.48
192	4094	0.78
193	8328	1.58
194	2033	0.39
195	4562	0.87
196	14044	2.67
197	5080	0.96
198	235	0.04
199	1143	0.22
200	379	0.07
201	1038	0.20
202	582	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	3264	0.62
204	773	0.15
205	9614	1.83
206	56	0.01
207	837	0.16
208	685	0.13
209	544	0.10
210	275	0.05
211	1946	0.37
212	1399	0.27
213	680	0.13
214	331	0.06
215	340	0.06
216	93	0.02
217	960	0.18
218	57330	10.89
219	427	0.08
220	24	0.00
221	138	0.03
222	506	0.10
223	<= 10	**, **
224	655	0.12
225	1825	0.35
226	4188	0.80
227	227	0.04
228	1360	0.26
229	3113	0.59
230	4626	0.88
231	3409	0.65
232	2695	0.51
233	3805	0.72
234	1766	0.34
235	1601	0.30
236	2249	0.43

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	3959	0.75
238	4007	0.76
239	1328	0.25
240	755	0.14
241	977	0.19
242	2309	0.44
243	617	0.12
244	1892	0.36
245	2982	0.57
246	1001	0.19
247	556	0.11
248	342	0.06
249	227	0.04
250	528	0.10
251	2815	0.53
252	156	0.03
253	378	0.07
254	1590	0.30
255	71	0.01
256	413	0.08
257	1189	0.23
258	<= 10	**, **
259	676	0.13

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	438	0.08
.A: Invalid	586	0.11
0: Did not Die in Hospital	510072	96.87
1: Died in Hospital	15480	2.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DISP	Frequency	Percent of Total
.	438	0.08
A	586	0.11
1	451062	85.66
2	10047	1.91
3	15440	2.93
4	4290	0.81
5	7657	1.45
6	16844	3.20
7	4732	0.90
20	15480	2.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	134023	25.45
2: Second Quarter	130282	24.74
3: Third Quarter	130919	24.86
4: Fourth Quarter	131352	24.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1106	0.21
2	284	0.05
3	252	0.05
4	363	0.07
5	1107	0.21
6	123	0.02
7	206	0.04
8	451	0.09
9	164	0.03
10	669	0.13
11	217	0.04
12	649	0.12
13	308	0.06
14	7010	1.33
15	3146	0.60
16	277	0.05
17	144	0.03
18	328	0.06
19	572	0.11
20	646	0.12
21	413	0.08
22	314	0.06
23	129	0.02
24	1818	0.35
25	2003	0.38
26	1268	0.24
27	307	0.06
28	304	0.06
29	561	0.11
30	500	0.09
31	299	0.06
32	794	0.15
33	558	0.11
34	457	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	355	0.07
36	871	0.17
37	219	0.04
38	38	0.01
39	415	0.08
40	300	0.06
41	71	0.01
42	721	0.14
43	81	0.02
44	283	0.05
45	149	0.03
46	112	0.02
47	134	0.03
48	89	0.02
49	142	0.03
50	322	0.06
51	29	0.01
52	130	0.02
53	761	0.14
54	78	0.01
55	857	0.16
56	684	0.13
57	186	0.04
58	452	0.09
59	577	0.11
60	1501	0.29
61	31	0.01
62	91	0.02
63	1139	0.22
64	220	0.04
65	971	0.18
66	321	0.06
67	71	0.01
68	531	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	531	0.10
70	1271	0.24
71	360	0.07
72	96	0.02
73	381	0.07
74	152	0.03
75	1219	0.23
76	990	0.19
77	255	0.05
78	708	0.13
79	2014	0.38
80	350	0.07
81	125	0.02
82	2230	0.42
83	284	0.05
84	190	0.04
85	401	0.08
86	91	0.02
87	1165	0.22
88	2002	0.38
89	6606	1.25
90	2030	0.39
91	2487	0.47
92	229	0.04
93	114	0.02
94	376	0.07
95	388	0.07
96	5148	0.98
97	3017	0.57
98	3867	0.73
99	1019	0.19
100	915	0.17
101	605	0.11
102	358	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	17	0.00
104	353	0.07
105	491	0.09
106	1692	0.32
107	1649	0.31
108	369	0.07
110	1159	0.22
111	341	0.06
112	2990	0.57
113	660	0.13
114	199	0.04
115	137	0.03
116	1186	0.23
117	112	0.02
118	200	0.04
119	475	0.09
120	538	0.10
121	3268	0.62
122	4077	0.77
123	1225	0.23
124	3003	0.57
125	4770	0.91
126	185	0.04
127	10684	2.03
128	924	0.18
129	196	0.04
130	1441	0.27
131	1116	0.21
132	361	0.07
133	263	0.05
134	1201	0.23
135	218	0.04
136	125	0.02
137	92	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	3829	0.73
139	2617	0.50
140	9509	1.81
141	1748	0.33
142	1459	0.28
143	5209	0.99
144	1239	0.24
145	477	0.09
146	213	0.04
147	123	0.02
148	3410	0.65
149	1216	0.23
150	568	0.11
151	406	0.08
152	259	0.05
153	242	0.05
154	1348	0.26
155	427	0.08
156	207	0.04
157	738	0.14
158	1543	0.29
159	368	0.07
160	850	0.16
161	758	0.14
162	2226	0.42
163	316	0.06
164	271	0.05
165	753	0.14
166	250	0.05
167	2298	0.44
168	76	0.01
169	157	0.03
170	383	0.07
171	252	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	819	0.16
173	200	0.04
174	3259	0.62
175	1369	0.26
176	329	0.06
177	373	0.07
178	497	0.09
179	614	0.12
180	1252	0.24
181	1022	0.19
182	6785	1.29
183	5711	1.08
184	3278	0.62
185	382	0.07
186	179	0.03
187	139	0.03
188	1001	0.19
189	756	0.14
190	322	0.06
191	358	0.07
192	107	0.02
193	336	0.06
194	79	0.02
195	619	0.12
196	219	0.04
197	1888	0.36
198	3699	0.70
199	90	0.02
200	105	0.02
201	243	0.05
202	806	0.15
203	883	0.17
204	1903	0.36
205	792	0.15

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	369	0.07
207	782	0.15
208	873	0.17
209	4692	0.89
210	1875	0.36
211	1142	0.22
212	261	0.05
213	160	0.03
214	1089	0.21
215	3691	0.70
216	269	0.05
217	1161	0.22
218	547	0.10
219	1774	0.34
220	426	0.08
221	211	0.04
222	1543	0.29
223	650	0.12
224	1080	0.21
225	1005	0.19
226	194	0.04
227	958	0.18
228	301	0.06
229	764	0.15
230	268	0.05
231	964	0.18
232	137	0.03
233	223	0.04
234	601	0.11
235	346	0.07
236	1159	0.22
237	89	0.02
238	254	0.05
239	1456	0.28

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	368	0.07
241	301	0.06
242	154	0.03
243	7502	1.42
244	239	0.05
245	258	0.05
246	71	0.01
247	511	0.10
248	396	0.08
249	228	0.04
250	155	0.03
251	362	0.07
252	263	0.05
253	504	0.10
254	1002	0.19
255	390	0.07
256	568	0.11
257	890	0.17
258	1214	0.23
259	132	0.03
260	279	0.05
261	707	0.13
262	152	0.03
263	718	0.14
264	301	0.06
265	217	0.04
266	613	0.12
267	233	0.04
268	242	0.05
269	389	0.07
270	640	0.12
271	443	0.08
272	178	0.03
273	162	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	156	0.03
275	42	0.01
276	91	0.02
277	1822	0.35
278	1743	0.33
279	460	0.09
280	647	0.12
281	1184	0.22
282	334	0.06
283	232	0.04
284	306	0.06
285	107	0.02
286	113	0.02
287	216	0.04
288	186	0.04
289	148	0.03
290	745	0.14
291	55	0.01
292	135	0.03
293	45	0.01
294	2979	0.57
295	1217	0.23
296	3925	0.75
297	1504	0.29
298	878	0.17
299	102	0.02
300	318	0.06
301	219	0.04
302	146	0.03
303	514	0.10
304	513	0.10
305	506	0.10
306	241	0.05
307	141	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	253	0.05
309	205	0.04
310	874	0.17
311	1187	0.23
312	90	0.02
313	116	0.02
314	18	0.00
315	804	0.15
316	908	0.17
317	30	0.01
318	182	0.03
319	51	0.01
320	2964	0.56
321	1671	0.32
322	519	0.10
323	1124	0.21
324	2249	0.43
325	258	0.05
326	212	0.04
327	32	0.01
328	42	0.01
329	30	0.01
330	<= 10	**.**
331	691	0.13
332	416	0.08
333	150	0.03
334	305	0.06
335	281	0.05
336	1975	0.38
337	2513	0.48
338	419	0.08
339	346	0.07
340	213	0.04
341	587	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	27	0.01
343	16	0.00
344	86	0.02
345	62	0.01
346	186	0.04
347	71	0.01
348	113	0.02
349	114	0.02
350	418	0.08
351	<= 10	**.**
352	89	0.02
353	125	0.02
354	249	0.05
355	555	0.11
356	1050	0.20
357	311	0.06
358	1793	0.34
359	7531	1.43
360	493	0.09
361	659	0.13
362	37	0.01
363	196	0.04
364	509	0.10
365	301	0.06
366	201	0.04
367	99	0.02
368	1357	0.26
369	826	0.16
370	2718	0.52
371	11713	2.22
372	3435	0.65
373	37572	7.14
374	2729	0.52
375	35	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
376	630	0.12
377	194	0.04
378	1174	0.22
379	2376	0.45
380	379	0.07
381	2140	0.41
382	1025	0.19
383	3307	0.63
384	1412	0.27
385	1144	0.22
386	835	0.16
387	329	0.06
388	287	0.05
389	6684	1.27
390	8227	1.56
391	41245	7.83
392	172	0.03
393	30	0.01
394	203	0.04
395	2265	0.43
396	374	0.07
397	474	0.09
398	559	0.11
399	316	0.06
400	337	0.06
401	205	0.04
402	134	0.03
403	672	0.13
404	326	0.06
405	104	0.02
406	145	0.03
407	96	0.02
408	382	0.07
409	336	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
410	6252	1.19
411	17	0.00
412	16	0.00
413	280	0.05
414	132	0.03
415	861	0.16
416	2435	0.46
417	382	0.07
418	595	0.11
419	437	0.08
420	193	0.04
421	773	0.15
422	1335	0.25
423	394	0.07
424	176	0.03
425	810	0.15
426	1848	0.35
427	756	0.14
428	357	0.07
429	869	0.17
430	8765	1.66
431	380	0.07
432	154	0.03
433	902	0.17
434	1262	0.24
435	4736	0.90
439	84	0.02
440	584	0.11
441	191	0.04
442	1164	0.22
443	846	0.16
444	245	0.05
445	551	0.10
446	155	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
447	159	0.03
448	28	0.01
449	1453	0.28
450	1496	0.28
451	883	0.17
452	689	0.13
453	608	0.12
454	234	0.04
455	383	0.07
456	16	0.00
457	16	0.00
458	189	0.04
459	90	0.02
460	373	0.07
461	451	0.09
462	1534	0.29
463	276	0.05
464	179	0.03
465	67	0.01
466	457	0.09
467	788	0.15
468	2349	0.45
469	17	0.00
470	1052	0.20
471	143	0.03
472	29	0.01
473	355	0.07
475	1428	0.27
476	253	0.05
477	1616	0.31
478	1412	0.27
479	565	0.11
480	14	0.00
481	14	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
482	236	0.04
483	838	0.16
484	43	0.01
485	171	0.03
486	485	0.09
487	361	0.07
488	106	0.02
489	741	0.14
490	283	0.05
491	112	0.02
492	134	0.03

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
4	395224	75.06
5	131352	24.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	269161	51.12
7	16719	3.18
9	135523	25.74
25	105173	19.97

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	274351	52.10
5	11529	2.19
8	71309	13.54
10	64214	12.19
25	105173	19.97

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
3	157451	29.90
4	105173	19.97
5	61604	11.70
6	64214	12.19
8	16719	3.18
10	71309	13.54
11	38577	7.33
12	11529	2.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	476470	90.48
2	50106	9.52

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	28	0.01
Valid DX	526548	99.99

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	28	0.01
C	78	0.01
0	526202	99.93
1	268	0.05

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
CA	105173	19.97
CO	11529	2.19
FL	157451	29.90
IA	38577	7.33
IL	61604	11.70
MA	64214	12.19
NJ	71309	13.54
WA	16719	3.18

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
6001	4515	0.86
6005	184	0.03
6007	486	0.09
6009	130	0.02
6011	93	0.02
6013	890	0.17
6017	544	0.10
6019	2993	0.57
6021	76	0.01
6023	979	0.19
6025	499	0.09
6027	229	0.04
6029	2502	0.48
6031	446	0.08
6035	185	0.04
6037	36463	6.92
6039	535	0.10
6041	198	0.04
6045	886	0.17
6049	12	0.00
6051	82	0.02
6053	1166	0.22
6055	815	0.15
6057	583	0.11
6059	8726	1.66
6061	575	0.11
6063	81	0.02
6065	2685	0.51
6067	4119	0.78
6071	2913	0.55
6073	9318	1.77
6075	2943	0.56
6077	3636	0.69
6079	1625	0.31

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
6081	941	0.18
6083	1402	0.27
6085	6459	1.23
6087	475	0.09
6091	13	0.00
6093	400	0.08
6097	1264	0.24
6099	1379	0.26
6105	97	0.02
6107	487	0.09
6109	144	0.03
8001	1287	0.24
8005	2201	0.42
8015	141	0.03
8021	74	0.01
8031	2892	0.55
8041	2048	0.39
8043	264	0.05
8065	79	0.02
8071	132	0.03
8073	38	0.01
8075	187	0.04
8077	1287	0.24
8087	145	0.03
8089	308	0.06
8095	21	0.00
8097	44	0.01
8099	131	0.02
8103	20	0.00
8107	140	0.03
8121	25	0.00
8125	65	0.01
12001	4880	0.93
12003	64	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12005	2099	0.40
12007	98	0.02
12009	4903	0.93
12011	14377	2.73
12013	79	0.02
12015	1524	0.29
12017	1089	0.21
12019	865	0.16
12021	1808	0.34
12023	530	0.10
12025	24762	4.70
12027	313	0.06
12031	11278	2.14
12033	4838	0.92
12035	106	0.02
12037	67	0.01
12039	159	0.03
12045	88	0.02
12047	96	0.02
12049	101	0.02
12051	153	0.03
12053	1040	0.20
12055	956	0.18
12057	10450	1.98
12059	116	0.02
12061	1486	0.28
12063	418	0.08
12069	1565	0.30
12071	4731	0.90
12073	3019	0.57
12075	79	0.02
12079	120	0.02
12081	1511	0.29
12083	2019	0.38

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12085	1343	0.26
12087	774	0.15
12089	151	0.03
12091	482	0.09
12093	313	0.06
12095	10535	2.00
12097	547	0.10
12099	10028	1.90
12101	2579	0.49
12103	11972	2.27
12105	5473	1.04
12107	627	0.12
12109	678	0.13
12111	519	0.10
12113	581	0.11
12115	4117	0.78
12117	284	0.05
12121	89	0.02
12123	149	0.03
12125	64	0.01
12127	4077	0.77
12131	100	0.02
12133	182	0.03
17001	857	0.16
17007	144	0.03
17021	303	0.06
17029	833	0.16
17031	32297	6.13
17037	565	0.11
17039	110	0.02
17041	75	0.01
17043	2231	0.42
17051	119	0.02
17053	51	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17055	267	0.05
17061	48	0.01
17065	132	0.03
17067	167	0.03
17075	217	0.04
17077	771	0.15
17081	45	0.01
17089	2683	0.51
17095	531	0.10
17097	916	0.17
17099	555	0.11
17105	64	0.01
17107	262	0.05
17111	1322	0.25
17113	1945	0.37
17115	1229	0.23
17119	1960	0.37
17121	182	0.03
17125	68	0.01
17131	121	0.02
17135	189	0.04
17137	585	0.11
17145	102	0.02
17161	541	0.10
17163	340	0.06
17167	4556	0.87
17179	537	0.10
17185	199	0.04
17189	107	0.02
17195	579	0.11
17199	451	0.09
17201	2348	0.45
19001	15	0.00
19003	56	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19005	86	0.02
19007	139	0.03
19009	39	0.01
19011	62	0.01
19013	2423	0.46
19015	165	0.03
19017	157	0.03
19019	86	0.02
19025	192	0.04
19027	272	0.05
19029	199	0.04
19033	1368	0.26
19035	139	0.03
19037	98	0.02
19039	20	0.00
19041	263	0.05
19043	100	0.02
19045	448	0.09
19047	150	0.03
19049	73	0.01
19051	111	0.02
19053	97	0.02
19055	135	0.03
19057	751	0.14
19061	1703	0.32
19063	137	0.03
19065	166	0.03
19067	157	0.03
19069	75	0.01
19071	72	0.01
19073	97	0.02
19075	15	0.00
19077	56	0.01
19079	257	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19081	40	0.01
19083	150	0.03
19085	98	0.02
19087	103	0.02
19089	74	0.01
19091	75	0.01
19093	94	0.02
19095	<= 10	**.**
19097	167	0.03
19099	204	0.04
19101	129	0.02
19103	3849	0.73
19105	103	0.02
19107	16	0.00
19109	88	0.02
19111	614	0.12
19113	3044	0.58
19119	11	0.00
19121	41	0.01
19123	191	0.04
19125	274	0.05
19127	567	0.11
19131	105	0.02
19133	148	0.03
19135	68	0.01
19137	162	0.03
19141	162	0.03
19143	72	0.01
19145	196	0.04
19147	93	0.02
19149	159	0.03
19151	44	0.01
19153	7205	1.37
19155	1293	0.25

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19157	249	0.05
19159	37	0.01
19161	55	0.01
19163	2102	0.40
19165	154	0.03
19167	242	0.05
19169	974	0.18
19175	172	0.03
19177	68	0.01
19179	794	0.15
19183	99	0.02
19185	63	0.01
19187	599	0.11
19189	63	0.01
19191	192	0.04
19193	2619	0.50
19197	71	0.01
25001	1863	0.35
25003	2205	0.42
25005	3402	0.65
25007	169	0.03
25009	6080	1.15
25011	743	0.14
25013	4770	0.91
25015	1098	0.21
25017	10881	2.07
25019	86	0.02
25021	4381	0.83
25023	3316	0.63
25025	18404	3.50
25027	6816	1.29
34001	2642	0.50
34003	8816	1.67
34005	1346	0.26

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34007	4486	0.85
34009	1025	0.19
34011	892	0.17
34013	12364	2.35
34015	1417	0.27
34017	4782	0.91
34019	853	0.16
34021	3091	0.59
34023	4898	0.93
34025	3969	0.75
34027	3399	0.65
34029	3517	0.67
34031	4564	0.87
34033	976	0.19
34035	1408	0.27
34037	1044	0.20
34039	4645	0.88
34041	1175	0.22
53001	16	0.00
53003	99	0.02
53005	125	0.02
53007	110	0.02
53009	582	0.11
53011	1518	0.29
53013	31	0.01
53015	1076	0.20
53019	32	0.01
53025	363	0.07
53027	<= 10	**.**
53029	244	0.05
53033	6105	1.16
53039	79	0.02
53041	643	0.12
53043	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53047	79	0.02
53049	45	0.01
53051	34	0.01
53053	1275	0.24
53057	1097	0.21
53061	1558	0.30
53063	813	0.15
53065	204	0.04
53071	471	0.09
53075	41	0.01
53077	59	0.01

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.: Missing	<= 10	**.**
.C: Inconsistent	2153	0.41
0 days	12422	2.36
1 day	66516	12.63
2 days	95058	18.05
3 days	73871	14.03
4 days	59217	11.25
5 days	41760	7.93
6 days	28986	5.50
7 days	23751	4.51
8 days	19408	3.69
9 days	15519	2.95
10 days	12835	2.44
11 - 30 days	64825	12.31
31 - 60 days	8124	1.54
61 - 90 days	1319	0.25
91 - 120 days	368	0.07
121 - 150 days	168	0.03
151 - 180 days	78	0.01
181 - 210 days	44	0.01
211 - 240 days	36	0.01
241 - 270 days	16	0.00
271 - 300 days	15	0.00
301 - 330 days	14	0.00
331 - 365 days	15	0.00
367	<= 10	**.**
369	<= 10	**.**
372	<= 10	**.**
377	<= 10	**.**
378	<= 10	**.**
379	<= 10	**.**
384	<= 10	**.**
390	<= 10	**.**
400	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
405	<= 10	***
408	<= 10	***
412	<= 10	***
429	<= 10	***
439	<= 10	***
446	<= 10	***
453	<= 10	***
455	<= 10	***
465	<= 10	***
470	<= 10	***
488	<= 10	***
508	<= 10	***
510	<= 10	***
530	<= 10	***
533	<= 10	***
539	<= 10	***
586	<= 10	***
591	<= 10	***
605	<= 10	***
611	<= 10	***
616	<= 10	***
625	<= 10	***
662	<= 10	***
681	<= 10	***
712	<= 10	***
716	<= 10	***
718	<= 10	***
766	<= 10	***
770	<= 10	***
802	<= 10	***
824	<= 10	***
841	<= 10	***
872	<= 10	***
878	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
972	<= 10	***
1028	<= 10	***
1118	<= 10	***
1158	<= 10	***
1196	<= 10	***
1238	<= 10	***
1326	<= 10	***
1483	<= 10	***
1514	<= 10	***
1798	<= 10	***
2181	<= 10	***
2636	<= 10	***
3295	<= 10	***

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

MDC10	Frequency	Percent of Total
0	608	0.12
1	28934	5.49
2	3502	0.67
3	13138	2.49
4	41501	7.88
5	74645	14.18
6	47664	9.05
7	14302	2.72
8	43163	8.20
9	14829	2.82
10	13131	2.49
11	17387	3.30
12	7894	1.50
13	16364	3.11
14	70933	13.47
15	58784	11.16
16	4529	0.86
17	9951	1.89
18	7427	1.41
19	14116	2.68
20	7058	1.34
21	10051	1.91
22	720	0.14
23	3753	0.71
24	1061	0.20
25	1131	0.21

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	428318	81.34
Non-Blank	98258	18.66

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	13	0.00
1	119252	22.65
2	118072	22.42
3	85216	16.18
4	62583	11.88
5	101165	19.21
6	15839	3.01
7	7848	1.49
8	5828	1.11
9	7660	1.45
10	1238	0.24
11	610	0.12
12	450	0.09
13	193	0.04
14	181	0.03
15	181	0.03
16	80	0.02
17	42	0.01
18	27	0.01
19	20	0.00
20	17	0.00
21	18	0.00
22	<= 10	**. **
23	<= 10	**. **
24	<= 10	**. **
25	24	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	394827	74.98
1: Maternal	72062	13.69
2: Neonatal	59581	11.31
3: Neonatal and Maternal	106	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	185334	35.20
1	151711	28.81
2	84811	16.11
3	73580	13.97
4	13556	2.57
5	7994	1.52
6	3110	0.59
7	2038	0.39
8	2607	0.50
9	494	0.09
10	561	0.11
11	196	0.04
12	171	0.03
13	94	0.02
14	79	0.02
15	70	0.01
16	49	0.01
17	30	0.01
18	25	0.00
19	15	0.00
20	<= 10	**,**
21	11	0.00
22	<= 10	**,**
23	<= 10	**,**
24	<= 10	**,**
25	20	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
.: Missing	697	0.13
.A: Invalid	17	0.00
1: Medicare	160940	30.56
2: Medicaid	64033	12.16
3: Private Insurance	218199	41.44
4: Self-pay	24254	4.61
5: No Charge	905	0.17
6: Other	57531	10.93

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	697	0.13
A	17	0.00
1	160940	30.56
2	64033	12.16
3	46362	8.80
4	141851	26.94
5	27069	5.14
6	24254	4.61
7	905	0.17
8	121	0.02
9	3847	0.73
10	327	0.06
11	9225	1.75
12	46928	8.91

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	312730	59.39
C	17685	3.36
.: Missing	109935	20.88
1: Medicare	1668	0.32
2: Medicaid	5074	0.96
3: Private Insurance	27942	5.31
4: Self-pay	17972	3.41
5: No Charge	168	0.03
6: Other	33402	6.34

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	109935	20.88
B	312730	59.39
C	17685	3.36
1	1668	0.32
2	5074	0.96
3	11808	2.24
4	14446	2.74
5	319	0.06
6	17972	3.41
7	168	0.03
9	113	0.02
10	33	0.01
11	541	0.10
12	34084	6.47

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	185399	35.21
A	67	0.01
1	1063	0.20
2	366	0.07
3	4315	0.82
4	4735	0.90
5	575	0.11
6	247	0.05
7	170	0.03
8	181	0.03
9	975	0.19
10	762	0.14
11	28	0.01
12	396	0.08
13	251	0.05
14	170	0.03
15	495	0.09
16	761	0.14
17	23	0.00
18	29	0.01
19	544	0.10
20	453	0.09
21	235	0.04
22	208	0.04
23	204	0.04
24	211	0.04
25	<= 10	**.**
26	437	0.08
27	315	0.06
28	1041	0.20
29	303	0.06
30	2566	0.49
31	136	0.03
32	423	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1767	0.34
34	490	0.09
35	441	0.08
36	832	0.16
37	3413	0.65
38	179	0.03
39	2632	0.50
40	317	0.06
41	207	0.04
42	686	0.13
43	874	0.17
44	3464	0.66
45	2763	0.52
46	<= 10	**,**
47	10170	1.93
48	2317	0.44
49	454	0.09
50	26	0.00
51	1069	0.20
52	684	0.13
53	449	0.09
54	2726	0.52
55	1346	0.26
56	116	0.02
57	995	0.19
58	1148	0.22
59	84	0.02
60	350	0.07
61	1979	0.38
62	350	0.07
63	212	0.04
64	55	0.01
65	1480	0.28
66	390	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1003	0.19
68	236	0.04
69	157	0.03
70	8342	1.58
71	721	0.14
72	214	0.04
73	84	0.02
74	426	0.08
75	535	0.10
76	4303	0.82
77	407	0.08
78	3553	0.67
79	429	0.08
80	3699	0.70
81	882	0.17
82	646	0.12
83	590	0.11
84	6784	1.29
85	3534	0.67
86	1466	0.28
87	615	0.12
88	695	0.13
89	752	0.14
90	934	0.18
91	319	0.06
92	144	0.03
93	458	0.09
94	1359	0.26
95	145	0.03
96	2513	0.48
97	236	0.04
98	206	0.04
99	1662	0.32
100	2218	0.42

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	2118	0.40
102	358	0.07
103	341	0.06
104	513	0.10
105	146	0.03
106	516	0.10
107	420	0.08
108	268	0.05
109	674	0.13
110	317	0.06
111	240	0.05
112	1044	0.20
113	5264	1.00
114	573	0.11
115	13002	2.47
116	208	0.04
117	112	0.02
118	1315	0.25
119	1238	0.24
120	855	0.16
121	1155	0.22
122	719	0.14
123	505	0.10
124	7553	1.43
125	521	0.10
126	234	0.04
127	2201	0.42
128	822	0.16
129	690	0.13
130	153	0.03
131	165	0.03
132	810	0.15
133	14784	2.81
134	14412	2.74

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	4875	0.93
136	970	0.18
137	11248	2.14
138	168	0.03
139	1665	0.32
140	6490	1.23
141	217	0.04
142	963	0.18
143	554	0.11
144	708	0.13
145	1302	0.25
146	3848	0.73
147	2912	0.55
148	2085	0.40
149	290	0.06
150	153	0.03
151	392	0.07
152	2468	0.47
153	2928	0.56
154	1378	0.26
155	425	0.08
156	61	0.01
157	1247	0.24
158	597	0.11
159	395	0.08
160	2144	0.41
161	706	0.13
162	1300	0.25
163	137	0.03
164	889	0.17
165	214	0.04
166	576	0.11
167	2176	0.41
168	1090	0.21

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	3029	0.58
170	832	0.16
171	1327	0.25
172	693	0.13
173	260	0.05
174	854	0.16
175	1327	0.25
176	36	0.01
177	9375	1.78
178	543	0.10
179	1935	0.37
180	1021	0.19
181	2261	0.43
182	93	0.02
183	100	0.02
184	20	0.00
185	1374	0.26
186	501	0.10
187	1898	0.36
188	971	0.18
189	375	0.07
190	393	0.07
191	1494	0.28
192	702	0.13
193	4280	0.81
194	970	0.18
195	853	0.16
196	1689	0.32
197	2155	0.41
198	844	0.16
199	1417	0.27
200	269	0.05
201	1231	0.23
202	730	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	3639	0.69
204	716	0.14
205	4146	0.79
206	177	0.03
207	1081	0.21
208	1123	0.21
209	1658	0.31
210	273	0.05
211	1215	0.23
212	173	0.03
213	1809	0.34
214	1078	0.20
215	658	0.12
216	3830	0.73
217	3059	0.58
218	4969	0.94
220	34	0.01
221	681	0.13
222	2139	0.41
223	280	0.05
224	6257	1.19
225	981	0.19
226	1235	0.23
227	1129	0.21
228	17	0.00
229	117	0.02
231	3598	0.68

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PR1	Frequency	Percent of Total
Blank	185399	35.21
Valid PR	341177	64.79

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	139787	26.55
.B: Unavail from Source	116900	22.20
.C: Inconsistent	102	0.02
-1 day	50	0.01
0 days	138581	26.32
1 day	62719	11.91
2 days	21293	4.04
3 days	12411	2.36
4 days	8169	1.55
5 days	5685	1.08
6 - 30 days	20099	3.82
31 - 60 days	622	0.12
61 - 90 days	99	0.02
91 - 120 days	32	0.01
121 - 150 days	<= 10	**,**
151 - 180 days	<= 10	**,**
181 - 210 days	<= 10	**,**
241 - 270 days	<= 10	**,**
331 - 365 days	<= 10	**,**
366	<= 10	**,**
368	<= 10	**,**
371	<= 10	**,**
374	<= 10	**,**
615	<= 10	**,**
1274	<= 10	**,**
1461	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	526576	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	185399	35.21
C	87	0.02
0	341023	64.76
1	67	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	13759	2.61
.B: Unavail from Source	247303	46.96
1: White	204511	38.84
2: Black	24006	4.56
3: Hispanic	27451	5.21
4: Asian/Pacific Islander	6089	1.16
5: Native American	356	0.07
6: Other	3101	0.59

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	26	0.00
C	79	0.02
1	222048	42.17
2	304423	57.81

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	470145	89.28
Non-Blank	56431	10.72

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	24892	4.73
.C: Inconsistent	2142	0.41
\$ 1- \$ 9	24	0.00
\$10	<= 10	**. **
\$11- \$19	<= 10	**. **
\$20	<= 10	**. **
\$25- \$1,000	72716	13.81
\$1,001- \$5,000	271793	51.62
\$5,001- \$10,000	89000	16.90
\$10,001- \$50,000	61857	11.75
\$50,001- \$100,000	3135	0.60
\$100,001- \$200,000	818	0.16
\$200,001- \$300,000	126	0.02
\$300,001- \$400,000	28	0.01
\$400,001- \$500,000	15	0.00
\$500,001-\$1,000,000	16	0.00
1275481	<= 10	**. **
1595438	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
88	526576	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	29337	5.57
1: \$0-\$25,000	140480	26.68
2: \$25,001-\$30,000	106237	20.18
3: \$30,001-\$35,000	83787	15.91
4: \$35,001+	166735	31.66

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	68256	12.96
1: \$0-\$15,000	13246	2.52
2: \$15,001-\$20,000	34607	6.57
3: \$20,001-\$25,000	75919	14.42
4: \$25,001-\$30,000	92541	17.57
5: \$30,001-\$35,000	79407	15.08
6: \$35,001-\$40,000	53244	10.11
7: \$40,001-\$45,000	42031	7.98
8: \$45,001+	67325	12.79

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	525839	Sum Weights	525839
Mean	43.6661202	Sum Observations	22961349
Std Deviation	27.756218	Variance	770.407636
Skewness	-0.097877	Kurtosis	-1.1916092
Uncorrected SS	1407742637	Corrected SS	405109611
Coeff Variation	63.5646534	Std Error Mean	0.03827665

Basic Statistical Measures			
Location		Variability	
Mean	43.66612	Std Deviation	27.75622
Median	43.00000	Variance	770.40764
Mode	0.00000	Range	124.00000
		Interquartile Range	46.00000

Tests for Location: $\mu_0=0$				
Test	Statistic		p Value	
Student's t	t	1140.803	Pr > t 	<.0001
Sign	M	229259	Pr >= M 	<.0001
Signed Rank	S	5.256E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	124
99%	91
95%	84
90%	79
75% Q3	69
50% Median	43
25% Q1	23
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	39	0.01	5.29
A	543	0.10	73.68
C	155	0.03	21.03
Total	737	0.14	100.00

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	524421	Sum Weights	524421
Mean	6.34871601	Sum Observations	3329400
Std Deviation	13.7898069	Variance	190.158775
Skewness	72.8062584	Kurtosis	11955.0952
Uncorrected SS	120860480	Corrected SS	99723064.9
Coeff Variation	217.206234	Std Error Mean	0.01904225

Basic Statistical Measures			
Location		Variability	
Mean	6.348716	Std Deviation	13.78981
Median	4.000000	Variance	190.15878
Mode	2.000000	Range	3295
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	333.4017	Pr > t 	<.0001
Sign	M	255999.5	Pr >= M 	<.0001
Signed Rank	S	6.554E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3295
99%	42
95%	20
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	2	0.00	0.09
C	2153	0.41	99.91
Total	2155	0.41	100.00

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	526574	Sum Weights	526574
Mean	6.35979938	Sum Observations	3348905
Std Deviation	13.942168	Variance	194.384048
Skewness	70.9371705	Kurtosis	11420.0006
Uncorrected SS	123655755	Corrected SS	102357391
Coeff Variation	219.223393	Std Error Mean	0.01921324

Basic Statistical Measures			
Location		Variability	
Mean	6.359799	Std Deviation	13.94217
Median	4.000000	Variance	194.38405
Mode	2.000000	Range	3307
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	331.0113	Pr > t 	<.0001
Sign	M	257046	Pr >= M 	<.0001
Signed Rank	S	6.607E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3295
99%	42
95%	20
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-12

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	2	0.00	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	499542	Sum Weights	499542
Mean	5801.99613	Sum Observations	2898340749
Std Deviation	11793.7775	Variance	139093188
Skewness	20.8787023	Kurtosis	1357.34945
Uncorrected SS	8.62989E13	Corrected SS	6.94827E13
Coeff Variation	203.271034	Std Error Mean	16.6865643

Basic Statistical Measures			
Location		Variability	
Mean	5801.996	Std Deviation	11794
Median	3074.000	Variance	139093188
Mode	1260.000	Range	1595437
		Interquartile Range	4472

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	347.7047	Pr > t 	<.0001
Sign	M	249771	Pr >= M 	<.0001
Signed Rank	S	6.239E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1595438
99%	45470
95%	18856
90%	12156
75% Q3	6020
50% Median	3074
25% Q1	1548
10%	753
5%	490

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	280
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	24892	4.73	92.08
C	2142	0.41	7.92
Total	27034	5.13	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	501722	Sum Weights	501722
Mean	5791.98893	Sum Observations	2905968268
Std Deviation	12000.1919	Variance	144004606
Skewness	21.7775433	Kurtosis	1394.24451
Uncorrected SS	8.90815E13	Corrected SS	7.22501E13
Coeff Variation	207.18603	Std Error Mean	16.9416856

Basic Statistical Measures			
Location		Variability	
Mean	5791.989	Std Deviation	12000
Median	3058.135	Variance	144004606
Mode	100.000	Range	1595437
		Interquartile Range	4468

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	341.878	Pr > t 	<.0001
Sign	M	250861	Pr >= M 	<.0001
Signed Rank	S	6.293E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1595438.31
99%	45549.00
95%	18826.00
90%	12128.00
75% Q3	6001.00
50% Median	3058.13
25% Q1	1533.00
10%	732.00
5%	471.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	248.00
0% Min	1.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	24854	4.72	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*