

HCUP Summary Statistics Report: NIS 1989
Means of Continuous Data Elements

15:43 Tuesday, March 15, 2005 1

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	6110046	18	1.00	7.00	3.92	1.83
AGE : I:Age in years at admission	6102960	7104	0.00	124.00	43.57	27.95
AGEDAY : I:Age in days (when < 1 year)	809229	5300835	0.00	364.00	17.77	59.96
AMONTH : I:Admission month	6110058	6	1.00	12.00	6.47	3.46
ASOURCE : I:Admission source	5360866	749198	1.00	5.00	3.50	1.91
ATYPE : I:Admission type	5442379	667685	1.00	6.00	2.21	1.09
DCCHPR1 : I:CCHPR: principal diagnosis	6076002	34062	1.00	260.00	149.66	63.94
DIED : I:Died during hospitalization	6104464	5600	0.00	1.00	0.03	0.17
DISP : I:Disposition of patient	6104464	5600	1.00	20.00	1.93	3.32
DQTR : I:Discharge quarter	6110064	0	1.00	4.00	2.50	1.12
DRG : I:DRG in effect on discharge date	6110064	0	1.00	477.00	258.66	135.09
DRG10 : I:DRG, Version 10	6110064	0	1.00	492.00	260.62	135.04
DRGVER : I:DRG grouper version used on disch date	6110064	0	5.00	6.00	5.25	0.43
DSNDX : I:Max number of diagnoses from source	6110064	0	5.00	25.00	8.78	7.07
DSNPR : I:Max number of procedures from source	6110064	0	3.00	25.00	7.25	7.86
DSNUM : I:Data source ID number	6110064	0	3.00	13.00	6.57	3.52
DSTYPE : I:Data source type	6110064	0	1.00	2.00	1.08	0.26
DXSYS : I:Diagnosis coding system	6110064	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	6107924	2140	0.00	1.00	0.01	0.07
DXV2 : I:Validity flag: diagnosis 2	4748982	1361082	0.00	1.00	0.00	0.03
DXV3 : I:Validity flag: diagnosis 3	3424150	2685914	0.00	1.00	0.00	0.03
DXV4 : I:Validity flag: diagnosis 4	2462041	3648023	0.00	1.00	0.00	0.03
DXV5 : I:Validity flag: diagnosis 5	1726646	4383418	0.00	1.00	0.00	0.02
DXV6 : I:Validity flag: diagnosis 6	320020	5790044	0.00	1.00	0.00	0.01
DXV7 : I:Validity flag: diagnosis 7	194676	5915388	0.00	1.00	0.00	0.00
DXV8 : I:Validity flag: diagnosis 8	132053	5978011	0.00	1.00	0.00	0.00
DXV9 : I:Validity flag: diagnosis 9	86949	6023115	0.00	1.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	34516	6075548	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	20364	6089700	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	13958	6096106	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	10002	6100062	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	7199	6102865	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	5093	6104971	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	6110064	0	4012.00	55171.00	22903.74	16316.99

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1989
Means of Continuous Data Elements

15:43 Tuesday, March 15, 2005 2

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	6110064	0	4003.00	55141.00	22810.37	16359.00
LOS : I:Length of stay (cleaned)	6094758	15306	0.00	32166.00	6.20	17.81
LOS_X : I:Length of stay (uncleaned)	6110058	6	-281.00	32166.00	6.22	26.55
MDC : I:MDC in effect on discharge date	6110064	0	0.00	24.00	9.91	5.63
MDC10 : I:MDC, Version 10	6110064	0	0.00	25.00	9.83	5.51
NDX : I:Number of diagnoses on this discharge	6110064	0	0.00	25.00	3.16	1.86
NEOMAT : I:Neonatal and/or maternal DX and/or PR	6110064	0	0.00	3.00	0.37	0.68
NPR : I:Number of procedures on this discharge	6110064	0	0.00	25.00	1.26	1.42
PAY1 : I:Primary expected payer, uniform	5359348	750716	1.00	6.00	2.56	1.43
PAY1_N : I:Primary expected payer, nonuniform	5167947	942117	1.00	12.00	3.61	3.02
PAY2 : I:Secondary expected payer, uniform	852621	5257443	1.00	6.00	3.78	1.35
PAY2_N : I:Secondary expected payer, nonuniform	852621	5257443	1.00	12.00	5.98	3.53
PCCHPR1 : I:CCHPR: principal procedure	3861155	2248909	1.00	231.00	122.77	60.02
PRDAY1 : I:No. of days from admission to PR1	3000537	3109527	-4.00	32151.00	1.63	22.46
PROCESS : I:HCUP-3 discharge processing ID number	6110064	0	8.904E10	8.9556E10	8.9232E10	163250121
PRSYS : I:Procedure coding system	6110064	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	3865502	2244562	0.00	1.00	0.00	0.03
PRV2 : I:Validity flag: procedure 2	2114161	3995903	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	1157751	4952313	0.00	1.00	0.00	0.02
PRV4 : I:Validity flag: procedure 4	232227	5877837	0.00	1.00	0.00	0.01
PRV5 : I:Validity flag: procedure 5	131708	5978356	0.00	1.00	0.00	0.00
PRV6 : I:Validity flag: procedure 6	73496	6036568	0.00	1.00	0.00	0.01
PRV7 : I:Validity flag: procedure 7	49068	6060996	0.00	1.00	0.00	0.01
PRV8 : I:Validity flag: procedure 8	34137	6075927	0.00	1.00	0.00	0.01
PRV9 : I:Validity flag: procedure 9	17155	6092909	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	12539	6097525	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	7349	6102715	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	5533	6104531	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	4162	6105902	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	3196	6106868	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	2357	6107707	0.00	0.00	0.00	0.00
RACE : I:Race	2016164	4093900	1.00	6.00	1.50	0.99
SEQ : I:HCUP-3 record sequence number	6110064	0	4.0129E11	5.5172E12	2.2905E12	1.6317E12
SEX : I:Sex	6109580	484	1.00	2.00	1.58	0.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
TOTCHG : I:Total charges (cleaned)	5891573	218491	1.00	1434870.0	6594.03	13506.81
YEAR : Calendar year	6110064	0	89.00	89.00	89.00	0.00
ZIPINC4 : I:Median income-pt s zip code-4 catags	5876668	233396	1.00	4.00	2.41	1.21
ZIPINC8 : I:Median income-pt s zip code-8 catags	5528307	581757	1.00	8.00	4.57	1.86
TOTCHG_X : I:Total charges (from data source)	5907055	203009	0.50	2087000.0	6590.22	13746.60

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	18	0.00
1	610699	9.99
2	1063266	17.40
3	1026609	16.80
4	980713	16.05
5	948982	15.53
6	892207	14.60
7	587570	9.62

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 1989
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
.	4126	0.07
A	890	0.01
C	2088	0.03
0	808408	13.23
1	47697	0.78
2	29132	0.48
3	22179	0.36
4	19267	0.32
5	17653	0.29
6	16551	0.27
7	14820	0.24
8	13238	0.22
9	12843	0.21
10	12675	0.21
11	12655	0.21
12	14747	0.24
13	15745	0.26
14	20780	0.34
15	27144	0.44
16	36505	0.60
17	51886	0.85
18	59499	0.97
19	65677	1.07
20	67059	1.10
21	69989	1.15
22	78030	1.28
23	76490	1.25
24	83524	1.37
25	88248	1.44
26	92447	1.51
27	102803	1.68
28	95654	1.57
29	93903	1.54
30	90983	1.49

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 1989
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
31	86591	1.42
32	90868	1.49
33	76691	1.26
34	71788	1.17
35	67306	1.10
36	61840	1.01
37	64894	1.06
38	54091	0.89
39	51430	0.84
40	50864	0.83
41	50540	0.83
42	57237	0.94
43	42636	0.70
44	42504	0.70
45	44099	0.72
46	46678	0.76
47	48116	0.79
48	42728	0.70
49	42808	0.70
50	43606	0.71
51	43888	0.72
52	47701	0.78
53	45738	0.75
54	47631	0.78
55	47140	0.77
56	49914	0.82
57	56233	0.92
58	56883	0.93
59	60121	0.98
60	62535	1.02
61	66551	1.09
62	73068	1.20
63	71482	1.17
64	75370	1.23

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 1989
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
65	81886	1.34
66	82669	1.35
67	91853	1.50
68	89567	1.47
69	89331	1.46
70	87117	1.43
71	90286	1.48
72	93974	1.54
73	88483	1.45
74	89225	1.46
75	88134	1.44
76	86361	1.41
77	87155	1.43
78	79230	1.30
79	75294	1.23
80	70721	1.16
81	68398	1.12
82	67167	1.10
83	57548	0.94
84	52766	0.86
85	51631	0.85
86	43138	0.71
87	36689	0.60
88	32231	0.53
89	25824	0.42
90	21256	0.35
91	17971	0.29
92	14651	0.24
93	11873	0.19
94	8925	0.15
95	6659	0.11
96	5184	0.08
97	3464	0.06
98	2427	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	1713	0.03
100	1201	0.02
101	450	0.01
102	270	0.00
103	155	0.00
104	112	0.00
105	34	0.00
106	48	0.00
107	32	0.00
108	19	0.00
109	<= 10	**,**
111	<= 10	**,**
112	<= 10	**,**
113	<= 10	**,**
114	<= 10	**,**
115	<= 10	**,**
117	<= 10	**,**
118	<= 10	**,**
119	<= 10	**,**
120	<= 10	**,**
122	<= 10	**,**
124	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGEDAY	Frequency	Percent of Total
.: Missing	5297966	86.71
.A: Invalid	791	0.01
.C: Inconsistent	2078	0.03
0 days	692636	11.34
1 day	3991	0.07
2 days	1893	0.03
3 days	2641	0.04
4 days	2765	0.05
5 days	1862	0.03
6 days	1293	0.02
7 days	1085	0.02
8 days	831	0.01
9 days	743	0.01
10 days	762	0.01
11 - 30 days	13140	0.22
31 - 60 days	16731	0.27
61 - 90 days	11312	0.19
91 - 120 days	8439	0.14
121 - 150 days	7349	0.12
151 - 180 days	6531	0.11
181 - 210 days	6214	0.10
211 - 240 days	5912	0.10
241 - 270 days	5837	0.10
271 - 300 days	5686	0.09
301 - 330 days	5803	0.09
331 - 364 days	5773	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
.: Missing	<= 10	**.**
1: January	539154	8.82
2: February	486703	7.97
3: March	532597	8.72
4: April	495467	8.11
5: May	516730	8.46
6: June	495619	8.11
7: July	499501	8.18
8: August	520083	8.51
9: September	496588	8.13
10: October	525861	8.61
11: November	503347	8.24
12: December	498408	8.16

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	189865	3.11
.A: Invalid	2542	0.04
.B: Unavailable from Source	556791	9.11
1: Emergency Department	1885111	30.85
2: Another Hospital	128016	2.10
3: Other Health Facility, incl. LTC	63945	1.05
4: Court/Law Enforcement	4816	0.08
5: Routine, Birth, and Other	3278978	53.67

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	102153	1.67
.A: Invalid	8741	0.14
.B: Unavail from Source	556791	9.11
1: Emergency	1782504	29.17
2: Urgent	1577345	25.82
3: Elective	1361815	22.29
4: Newborn	585133	9.58
5: Delivery	135428	2.22
6: Other	154	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	1693	0.03
A	32369	0.53
1	3405	0.06
2	38099	0.62
3	2374	0.04
4	2487	0.04
5	3606	0.06
6	5472	0.09
7	27126	0.44
8	2831	0.05
9	2162	0.04
10	66	0.00
11	7364	0.12
12	2472	0.04
13	4780	0.08
14	20434	0.33
15	9376	0.15
16	1755	0.03
17	5490	0.09
18	2892	0.05
19	28555	0.47
20	516	0.01
21	2533	0.04
22	1748	0.03
23	2532	0.04
24	29642	0.49
25	6736	0.11
26	6487	0.11
27	4538	0.07
28	1363	0.02
29	21444	0.35
30	938	0.02
31	247	0.00
32	13728	0.22

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	4726	0.08
34	605	0.01
35	5364	0.09
36	2198	0.04
37	1846	0.03
38	8865	0.15
39	7204	0.12
40	2672	0.04
41	2406	0.04
42	47626	0.78
43	2655	0.04
44	7451	0.12
45	77499	1.27
46	29600	0.48
47	30586	0.50
48	5918	0.10
49	1708	0.03
50	61058	1.00
51	9366	0.15
52	2836	0.05
53	124	0.00
54	1372	0.02
55	59540	0.97
56	973	0.02
57	536	0.01
58	8866	0.15
59	19659	0.32
60	1532	0.03
61	8788	0.14
62	6400	0.10
63	5345	0.09
64	1789	0.03
65	178	0.00
66	57860	0.95

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	30699	0.50
68	15689	0.26
69	70996	1.16
70	32307	0.53
71	9162	0.15
72	11571	0.19
73	3171	0.05
74	26964	0.44
75	112	0.00
76	10115	0.17
77	1971	0.03
78	843	0.01
79	2038	0.03
80	3694	0.06
81	6658	0.11
82	4471	0.07
83	41841	0.68
84	10286	0.17
85	2379	0.04
86	4439	0.07
87	7686	0.13
88	1815	0.03
89	468	0.01
90	4913	0.08
91	6282	0.10
92	11361	0.19
93	11395	0.19
94	3148	0.05
95	21074	0.34
96	15241	0.25
97	17468	0.29
98	6966	0.11
99	22272	0.36
100	95628	1.57

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	241657	3.96
102	75682	1.24
103	11899	0.19
104	1198	0.02
105	9079	0.15
106	84259	1.38
107	3953	0.06
108	133592	2.19
109	90512	1.48
110	15076	0.25
111	3077	0.05
112	31365	0.51
113	330	0.01
114	20618	0.34
115	14042	0.23
116	16270	0.27
117	18392	0.30
118	26792	0.44
119	7043	0.12
120	10618	0.17
121	2346	0.04
122	166914	2.73
123	4110	0.07
124	29440	0.48
125	57593	0.94
126	26530	0.43
127	31804	0.52
128	75390	1.23
129	12017	0.20
130	16742	0.27
131	28625	0.47
132	1414	0.02
133	31439	0.51
134	20337	0.33

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	22605	0.37
136	10208	0.17
137	4183	0.07
138	19272	0.32
139	15173	0.25
140	25233	0.41
141	5985	0.10
142	40392	0.66
143	57738	0.94
144	9771	0.16
145	39487	0.65
146	30397	0.50
147	11685	0.19
148	3532	0.06
149	100116	1.64
150	8552	0.14
151	14285	0.23
152	24572	0.40
153	62231	1.02
154	43216	0.71
155	22173	0.36
156	3159	0.05
157	9304	0.15
158	9145	0.15
159	63651	1.04
160	48536	0.79
161	8295	0.14
162	8973	0.15
163	8537	0.14
164	48307	0.79
165	5674	0.09
166	7386	0.12
167	7911	0.13
168	24461	0.40

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	14974	0.25
170	23032	0.38
171	13504	0.22
172	15799	0.26
173	1834	0.03
174	1430	0.02
175	23328	0.38
176	3187	0.05
177	13792	0.23
178	6099	0.10
179	1207	0.02
180	13303	0.22
181	55613	0.91
182	13919	0.23
183	24745	0.40
184	57859	0.95
185	18040	0.30
186	12374	0.20
187	27484	0.45
188	34713	0.57
189	55420	0.91
190	76808	1.26
191	31291	0.51
192	48917	0.80
193	102847	1.68
194	25128	0.41
195	57465	0.94
196	167097	2.73
197	56890	0.93
198	2702	0.04
199	12380	0.20
200	4778	0.08
201	12405	0.20
202	6885	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	42686	0.70
204	10135	0.17
205	109357	1.79
206	467	0.01
207	10251	0.17
208	7059	0.12
209	5924	0.10
210	3595	0.06
211	23057	0.38
212	16062	0.26
213	8149	0.13
214	3838	0.06
215	3745	0.06
216	1230	0.02
217	11183	0.18
218	664558	10.88
219	5144	0.08
220	318	0.01
221	1668	0.03
222	6597	0.11
223	150	0.00
224	8788	0.14
225	20031	0.33
226	50251	0.82
227	2254	0.04
228	15289	0.25
229	34359	0.56
230	52764	0.86
231	37760	0.62
232	30195	0.49
233	40242	0.66
234	20728	0.34
235	16595	0.27
236	25029	0.41

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	49427	0.81
238	47259	0.77
239	14700	0.24
240	8401	0.14
241	11341	0.19
242	26307	0.43
243	6642	0.11
244	21594	0.35
245	34455	0.56
246	11870	0.19
247	5809	0.10
248	3640	0.06
249	2430	0.04
250	6021	0.10
251	32903	0.54
252	1791	0.03
253	4180	0.07
254	25929	0.42
255	1005	0.02
256	4463	0.07
257	14140	0.23
258	33	0.00
259	7181	0.12
260	<= 10	**.**

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	5349	0.09
.A: Invalid	251	0.00
0: Did not Die in Hospital	5931495	97.08
1: Died in Hospital	172969	2.83

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DISP	Frequency	Percent of Total
.	5349	0.09
A	251	0.00
1	5199167	85.09
2	119756	1.96
3	207922	3.40
4	42505	0.70
5	105017	1.72
6	206735	3.38
7	50393	0.82
20	172969	2.83

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	1543863	25.27
2: Second Quarter	1515536	24.80
3: Third Quarter	1516427	24.82
4: Fourth Quarter	1534238	25.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	13647	0.22
2	3528	0.06
3	3440	0.06
4	4238	0.07
5	11761	0.19
6	1254	0.02
7	2317	0.04
8	4240	0.07
9	1836	0.03
10	7704	0.13
11	2516	0.04
12	8730	0.14
13	4194	0.07
14	83539	1.37
15	34642	0.57
16	2914	0.05
17	1409	0.02
18	3989	0.07
19	6004	0.10
20	6791	0.11
21	6224	0.10
22	2936	0.05
23	1433	0.02
24	20279	0.33
25	21190	0.35
26	13152	0.22
27	3951	0.06
28	4117	0.07
29	5776	0.09
30	5387	0.09
31	2963	0.05
32	7153	0.12
33	5190	0.08
34	5711	0.09

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
35	4201	0.07
36	7709	0.13
37	2003	0.03
38	261	0.00
39	4224	0.07
40	2487	0.04
41	583	0.01
42	6266	0.10
43	820	0.01
44	2731	0.04
45	1371	0.02
46	1204	0.02
47	1430	0.02
48	1123	0.02
49	1722	0.03
50	3318	0.05
51	405	0.01
52	1800	0.03
53	8413	0.14
54	973	0.02
55	7382	0.12
56	5452	0.09
57	1950	0.03
58	4678	0.08
59	5173	0.08
60	15064	0.25
61	390	0.01
62	1267	0.02
63	12699	0.21
64	2189	0.04
65	10654	0.17
66	3244	0.05
67	768	0.01
68	6371	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	5900	0.10
70	13933	0.23
71	7576	0.12
72	987	0.02
73	3962	0.06
74	2189	0.04
75	13681	0.22
76	12190	0.20
77	2480	0.04
78	8754	0.14
79	25710	0.42
80	3806	0.06
81	1843	0.03
82	23460	0.38
83	3466	0.06
84	1787	0.03
85	4412	0.07
86	1011	0.02
87	15605	0.26
88	27571	0.45
89	80768	1.32
90	23451	0.38
91	30591	0.50
92	2736	0.04
93	1125	0.02
94	4310	0.07
95	4588	0.08
96	55959	0.92
97	33162	0.54
98	47380	0.78
99	11005	0.18
100	10659	0.17
101	7325	0.12
102	4432	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 1989
Frequency Distribution for DRG10

DRG10	Frequency	Percent of Total
103	280	0.00
104	4731	0.08
105	5719	0.09
106	19969	0.33
107	20984	0.34
108	5339	0.09
110	14728	0.24
111	3673	0.06
112	44599	0.73
113	7472	0.12
114	2304	0.04
115	1756	0.03
116	14466	0.24
117	807	0.01
118	2101	0.03
119	4650	0.08
120	6140	0.10
121	37910	0.62
122	42808	0.70
123	13007	0.21
124	36127	0.59
125	51829	0.85
126	2182	0.04
127	127852	2.09
128	9160	0.15
129	1889	0.03
130	18284	0.30
131	12658	0.21
132	3758	0.06
133	2304	0.04
134	12415	0.20
135	2129	0.03
136	1225	0.02
137	1116	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	45421	0.74
139	27984	0.46
140	106358	1.74
141	21017	0.34
142	15869	0.26
143	62557	1.02
144	16545	0.27
145	5571	0.09
146	2317	0.04
147	1029	0.02
148	42361	0.69
149	12208	0.20
150	6591	0.11
151	4477	0.07
152	2520	0.04
153	2220	0.04
154	15715	0.26
155	4176	0.07
156	2373	0.04
157	5784	0.09
158	14642	0.24
159	5040	0.08
160	9728	0.16
161	8044	0.13
162	22269	0.36
163	3324	0.05
164	3499	0.06
165	7815	0.13
166	3502	0.06
167	26238	0.43
168	1042	0.02
169	1860	0.03
170	4448	0.07
171	2539	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	9275	0.15
173	2085	0.03
174	39962	0.65
175	13158	0.22
176	3836	0.06
177	4678	0.08
178	5261	0.09
179	7027	0.12
180	16052	0.26
181	10933	0.18
182	79992	1.31
183	63699	1.04
184	33770	0.55
185	4285	0.07
186	1754	0.03
187	2193	0.04
188	12825	0.21
189	9360	0.15
190	3705	0.06
191	4642	0.08
192	1152	0.02
193	3730	0.06
194	920	0.02
195	7710	0.13
196	2367	0.04
197	23664	0.39
198	43591	0.71
199	1063	0.02
200	1072	0.02
201	2815	0.05
202	9537	0.16
203	9656	0.16
204	21411	0.35
205	9529	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	4392	0.07
207	10061	0.16
208	9747	0.16
209	60037	0.98
210	24482	0.40
211	11372	0.19
212	3139	0.05
213	1802	0.03
214	14816	0.24
215	46191	0.76
216	3181	0.05
217	10627	0.17
218	7081	0.12
219	21976	0.36
220	4769	0.08
221	2394	0.04
222	17326	0.28
223	9217	0.15
224	12134	0.20
225	11153	0.18
226	2561	0.04
227	10928	0.18
228	3375	0.06
229	8699	0.14
230	2793	0.05
231	11060	0.18
232	1500	0.02
233	2654	0.04
234	5360	0.09
235	4119	0.07
236	13100	0.21
237	1018	0.02
238	3106	0.05
239	16875	0.28

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	4380	0.07
241	3954	0.06
242	1827	0.03
243	77702	1.27
244	2964	0.05
245	3107	0.05
246	880	0.01
247	7337	0.12
248	4559	0.07
249	2753	0.05
250	1581	0.03
251	4349	0.07
252	3053	0.05
253	6009	0.10
254	10805	0.18
255	4220	0.07
256	6703	0.11
257	9582	0.16
258	12259	0.20
259	1616	0.03
260	2969	0.05
261	7254	0.12
262	1817	0.03
263	7055	0.12
264	2440	0.04
265	2483	0.04
266	5789	0.09
267	2398	0.04
268	2598	0.04
269	4280	0.07
270	7662	0.13
271	5275	0.09
272	2193	0.04
273	1576	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	1464	0.02
275	437	0.01
276	1001	0.02
277	22286	0.36
278	19425	0.32
279	5458	0.09
280	7140	0.12
281	13347	0.22
282	3843	0.06
283	2430	0.04
284	3506	0.06
285	1194	0.02
286	1154	0.02
287	1874	0.03
288	1609	0.03
289	1533	0.03
290	8114	0.13
291	536	0.01
292	1376	0.02
293	345	0.01
294	31959	0.52
295	12730	0.21
296	45531	0.75
297	16138	0.26
298	11857	0.19
299	952	0.02
300	3679	0.06
301	2272	0.04
302	1893	0.03
303	5907	0.10
304	6252	0.10
305	5317	0.09
306	2917	0.05
307	1495	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	2867	0.05
309	1895	0.03
310	10145	0.17
311	11929	0.20
312	988	0.02
313	1187	0.02
314	175	0.00
315	8833	0.14
316	11599	0.19
317	367	0.01
318	2093	0.03
319	631	0.01
320	35213	0.58
321	17267	0.28
322	6264	0.10
323	12649	0.21
324	24081	0.39
325	2681	0.04
326	2136	0.03
327	356	0.01
328	528	0.01
329	376	0.01
330	69	0.00
331	8388	0.14
332	4577	0.07
333	1777	0.03
334	4042	0.07
335	3084	0.05
336	23577	0.39
337	27249	0.45
338	4368	0.07
339	3648	0.06
340	1849	0.03
341	5988	0.10

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
342	290	0.00
343	162	0.00
344	896	0.01
345	572	0.01
346	2095	0.03
347	700	0.01
348	1231	0.02
349	1136	0.02
350	4699	0.08
351	75	0.00
352	968	0.02
353	1593	0.03
354	3080	0.05
355	5297	0.09
356	12982	0.21
357	3628	0.06
358	23106	0.38
359	82832	1.36
360	5366	0.09
361	5859	0.10
362	659	0.01
363	2316	0.04
364	5049	0.08
365	3180	0.05
366	1798	0.03
367	744	0.01
368	13559	0.22
369	8511	0.14
370	32639	0.53
371	128699	2.11
372	44871	0.73
373	463106	7.58
374	32205	0.53
375	363	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
376	7312	0.12
377	2133	0.03
378	13302	0.22
379	26785	0.44
380	4857	0.08
381	19018	0.31
382	10900	0.18
383	39136	0.64
384	16576	0.27
385	13499	0.22
386	10921	0.18
387	15789	0.26
388	14160	0.23
389	63726	1.04
390	99198	1.62
391	491378	8.04
392	1829	0.03
393	329	0.01
394	1927	0.03
395	24427	0.40
396	4049	0.07
397	5559	0.09
398	6119	0.10
399	3235	0.05
400	3841	0.06
401	2105	0.03
402	1637	0.03
403	8043	0.13
404	3578	0.06
405	989	0.02
406	1497	0.02
407	716	0.01
408	3617	0.06
409	3265	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
410	69700	1.14
411	164	0.00
412	173	0.00
413	3134	0.05
414	1308	0.02
415	9945	0.16
416	30353	0.50
417	4681	0.08
418	7415	0.12
419	5172	0.08
420	2045	0.03
421	9608	0.16
422	16874	0.28
423	4235	0.07
424	1966	0.03
425	9340	0.15
426	20113	0.33
427	9529	0.16
428	4616	0.08
429	11325	0.19
430	104129	1.70
431	4224	0.07
432	1750	0.03
433	10194	0.17
434	15033	0.25
435	56757	0.93
436	1713	0.03
437	3907	0.06
439	1057	0.02
440	5426	0.09
441	2494	0.04
442	11946	0.20
443	9033	0.15
444	2791	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
445	6491	0.11
446	1940	0.03
447	2114	0.03
448	334	0.01
449	17261	0.28
450	16907	0.28
451	9438	0.15
452	8426	0.14
453	5666	0.09
454	2335	0.04
455	4370	0.07
456	237	0.00
457	132	0.00
458	1978	0.03
459	697	0.01
460	4667	0.08
461	4618	0.08
462	25038	0.41
463	3391	0.06
464	2000	0.03
465	865	0.01
466	6148	0.10
467	9175	0.15
468	27766	0.45
469	238	0.00
470	9422	0.15
471	1647	0.03
472	269	0.00
473	3594	0.06
475	19816	0.32
476	2543	0.04
477	17074	0.28
478	19471	0.32
479	7683	0.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
480	304	0.00
481	628	0.01
482	2593	0.04
483	9561	0.16
484	623	0.01
485	1873	0.03
486	5621	0.09
487	3980	0.07
488	1506	0.02
489	9979	0.16
490	3511	0.06
491	1490	0.02
492	1998	0.03

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
5	4575826	74.89
6	1534238	25.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	3603757	58.98
6	580676	9.50
7	144812	2.37
9	835862	13.68
25	944957	15.47

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	4214244	68.97
5	115001	1.88
8	453127	7.42
10	382735	6.26
25	944957	15.47

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
3	1594570	26.10
4	944957	15.47
5	625247	10.23
6	382735	6.26
7	580676	9.50
8	144812	2.37
9	191401	3.13
10	453127	7.42
11	344447	5.64
12	115001	1.88
13	733091	12.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	5650616	92.48
2	459448	7.52

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	1693	0.03
Valid DX	6108371	99.97

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DXVI	Frequency	Percent of Total
.	1693	0.03
C	447	0.01
0	6075555	99.44
1	32369	0.53

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	191401	3.13
CA	944957	15.47
CO	115001	1.88
FL	1594570	26.10
IA	344447	5.64
IL	625247	10.23
MA	382735	6.26
NJ	453127	7.42
PA	733091	12.00
WA	144812	2.37
WI	580676	9.50

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HOSPSTCO	Frequency	Percent of Total
4003	2025	0.03
4005	7169	0.12
4013	124689	2.04
4015	11362	0.19
4017	2833	0.05
4019	37778	0.62
4025	5545	0.09
6001	40795	0.67
6005	2096	0.03
6007	4871	0.08
6009	1405	0.02
6011	778	0.01
6013	9798	0.16
6015	2291	0.04
6017	5403	0.09
6019	27421	0.45
6021	732	0.01
6023	9696	0.16
6025	7117	0.12
6027	2187	0.04
6029	27288	0.45
6031	413	0.01
6035	1914	0.03
6037	311860	5.10
6039	5336	0.09
6041	1950	0.03
6045	3579	0.06
6049	146	0.00
6051	739	0.01
6053	11672	0.19
6055	8708	0.14
6059	65800	1.08
6061	5887	0.10
6063	703	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
6065	29864	0.49
6067	60028	0.98
6071	17531	0.29
6073	91799	1.50
6075	20634	0.34
6077	35788	0.59
6079	16219	0.27
6081	10003	0.16
6083	12134	0.20
6085	46274	0.76
6087	4328	0.07
6093	3853	0.06
6097	14183	0.23
6099	14208	0.23
6105	1036	0.02
6107	4791	0.08
6109	1699	0.03
8001	5988	0.10
8005	23346	0.38
8015	1328	0.02
8021	793	0.01
8031	25732	0.42
8037	2133	0.03
8041	19883	0.33
8043	2852	0.05
8045	3595	0.06
8065	1213	0.02
8071	672	0.01
8073	351	0.01
8075	1751	0.03
8077	12666	0.21
8085	2854	0.05
8087	1185	0.02
8089	3008	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
8095	213	0.00
8097	1445	0.02
8099	1260	0.02
8103	428	0.01
8107	1580	0.03
8121	245	0.00
8125	480	0.01
12001	50183	0.82
12003	611	0.01
12005	20376	0.33
12007	799	0.01
12009	48971	0.80
12011	159189	2.61
12013	704	0.01
12015	17718	0.29
12017	10851	0.18
12019	9917	0.16
12021	19546	0.32
12023	5457	0.09
12025	253661	4.15
12027	3231	0.05
12031	109873	1.80
12033	47977	0.79
12035	1106	0.02
12037	603	0.01
12039	1821	0.03
12045	700	0.01
12047	1347	0.02
12049	755	0.01
12051	1457	0.02
12053	10980	0.18
12055	10270	0.17
12057	98020	1.60
12059	1161	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12061	14545	0.24
12063	4417	0.07
12069	16126	0.26
12071	49261	0.81
12073	30037	0.49
12075	769	0.01
12079	841	0.01
12081	13498	0.22
12083	13709	0.22
12085	13255	0.22
12087	7342	0.12
12089	1889	0.03
12091	4899	0.08
12093	3034	0.05
12095	113045	1.85
12097	5402	0.09
12099	102512	1.68
12101	26422	0.43
12103	121019	1.98
12105	51770	0.85
12107	6002	0.10
12109	6952	0.11
12111	5285	0.09
12113	6463	0.11
12115	41765	0.68
12117	2743	0.04
12121	753	0.01
12123	1657	0.03
12125	872	0.01
12127	38706	0.63
12131	913	0.01
12133	1383	0.02
17001	8016	0.13
17007	1739	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17019	13687	0.22
17021	2806	0.05
17029	8162	0.13
17031	351238	5.75
17037	5660	0.09
17039	919	0.02
17041	513	0.01
17043	27351	0.45
17051	1060	0.02
17053	953	0.02
17055	1674	0.03
17061	507	0.01
17065	1369	0.02
17067	1659	0.03
17069	1513	0.02
17075	2272	0.04
17077	8282	0.14
17089	27076	0.44
17095	5026	0.08
17097	17085	0.28
17099	6444	0.11
17107	2835	0.05
17111	13306	0.22
17113	16972	0.28
17115	11763	0.19
17119	13111	0.21
17121	1856	0.03
17125	668	0.01
17131	1131	0.02
17135	1842	0.03
17137	5805	0.10
17145	1572	0.03
17157	1449	0.02
17161	11101	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17163	3467	0.06
17167	25339	0.41
17179	4951	0.08
17185	1981	0.03
17189	1062	0.02
17195	6222	0.10
17199	3803	0.06
19001	328	0.01
19003	309	0.01
19005	741	0.01
19007	1320	0.02
19009	361	0.01
19011	573	0.01
19013	23474	0.38
19015	1738	0.03
19017	1519	0.02
19019	813	0.01
19025	2032	0.03
19027	2731	0.04
19029	2034	0.03
19033	14340	0.23
19035	1396	0.02
19037	1042	0.02
19039	512	0.01
19041	3750	0.06
19043	1009	0.02
19045	7520	0.12
19047	1480	0.02
19049	596	0.01
19053	811	0.01
19055	1381	0.02
19057	7116	0.12
19061	17078	0.28
19065	1664	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19067	1056	0.02
19069	672	0.01
19073	886	0.01
19075	51	0.00
19077	475	0.01
19079	1710	0.03
19081	399	0.01
19083	1529	0.03
19085	924	0.02
19087	1080	0.02
19089	642	0.01
19091	587	0.01
19093	754	0.01
19095	41	0.00
19097	1499	0.02
19101	1249	0.02
19103	38788	0.63
19105	278	0.00
19107	107	0.00
19109	983	0.02
19111	5833	0.10
19113	19693	0.32
19117	932	0.02
19119	413	0.01
19121	402	0.01
19123	1688	0.03
19125	2837	0.05
19127	5700	0.09
19131	1105	0.02
19133	1412	0.02
19135	622	0.01
19137	1711	0.03
19141	1583	0.03
19143	681	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19145	1978	0.03
19147	444	0.01
19149	1698	0.03
19151	376	0.01
19153	72401	1.18
19155	6354	0.10
19163	21187	0.35
19165	1391	0.02
19167	1430	0.02
19169	10021	0.16
19175	1632	0.03
19177	593	0.01
19179	6809	0.11
19183	1053	0.02
19185	715	0.01
19187	5586	0.09
19189	557	0.01
19191	1669	0.03
19193	11773	0.19
19197	790	0.01
25001	12278	0.20
25003	9852	0.16
25005	21502	0.35
25007	1645	0.03
25009	30362	0.50
25013	44157	0.72
25015	2093	0.03
25017	43160	0.71
25019	713	0.01
25021	28328	0.46
25023	19654	0.32
25025	117750	1.93
25027	51241	0.84
34001	23278	0.38

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34003	60673	0.99
34005	15131	0.25
34007	42238	0.69
34009	10540	0.17
34013	74527	1.22
34017	23964	0.39
34019	8497	0.14
34021	11856	0.19
34023	18135	0.30
34025	28173	0.46
34027	11193	0.18
34029	36315	0.59
34031	37592	0.62
34033	7016	0.11
34037	7922	0.13
34039	36077	0.59
42001	5226	0.09
42003	108437	1.77
42005	8425	0.14
42009	3659	0.06
42011	31492	0.52
42013	19574	0.32
42015	500	0.01
42017	13557	0.22
42021	8941	0.15
42027	3442	0.06
42029	14800	0.24
42031	3395	0.06
42033	14268	0.23
42035	276	0.00
42039	12082	0.20
42041	1399	0.02
42043	20152	0.33
42045	30635	0.50

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42047	2501	0.04
42049	21963	0.36
42051	2863	0.05
42055	3754	0.06
42057	1539	0.03
42059	3705	0.06
42061	3973	0.07
42065	2625	0.04
42069	21079	0.34
42071	38468	0.63
42073	3606	0.06
42075	3815	0.06
42077	41797	0.68
42079	8710	0.14
42081	11729	0.19
42085	16024	0.26
42087	9110	0.15
42089	10174	0.17
42091	41227	0.67
42097	3772	0.06
42101	118767	1.94
42105	3170	0.05
42107	11445	0.19
42115	3363	0.06
42119	6873	0.11
42125	24812	0.41
42127	3861	0.06
42129	8106	0.13
53001	73	0.00
53005	1228	0.02
53007	1039	0.02
53011	15249	0.25
53015	10444	0.17
53019	151	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53025	3467	0.06
53027	5463	0.09
53033	50593	0.83
53043	115	0.00
53047	700	0.01
53049	645	0.01
53051	298	0.00
53053	13445	0.22
53057	10864	0.18
53061	15700	0.26
53063	8476	0.14
53065	1560	0.03
53071	4325	0.07
53075	465	0.01
53077	512	0.01
55001	829	0.01
55003	4718	0.08
55005	1531	0.03
55009	26660	0.44
55013	631	0.01
55015	1186	0.02
55017	5679	0.09
55019	933	0.02
55021	1620	0.03
55025	57961	0.95
55027	7496	0.12
55031	2261	0.04
55033	2143	0.04
55035	17635	0.29
55039	11622	0.19
55043	3740	0.06
55045	6133	0.10
55047	2381	0.04
55049	1265	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55053	1696	0.03
55055	4699	0.08
55057	1812	0.03
55059	12562	0.21
55061	490	0.01
55063	9183	0.15
55067	2271	0.04
55071	9247	0.15
55079	173185	2.83
55081	1488	0.02
55083	1981	0.03
55085	8998	0.15
55087	20388	0.33
55089	2845	0.05
55091	876	0.01
55095	4341	0.07
55097	5519	0.09
55099	1002	0.02
55101	22742	0.37
55103	1721	0.03
55105	18283	0.30
55107	1307	0.02
55109	5204	0.09
55111	6873	0.11
55113	1142	0.02
55115	2497	0.04
55117	7191	0.12
55119	1412	0.02
55121	1035	0.02
55123	2266	0.04
55125	1267	0.02
55127	4432	0.07
55129	1915	0.03
55131	6589	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55133	30925	0.51
55135	2051	0.03
55137	557	0.01
55139	20649	0.34
55141	21611	0.35

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.: Missing	<= 10	**.**
.C: Inconsistent	15300	0.25
0 days	149527	2.45
1 day	779826	12.76
2 days	1176710	19.26
3 days	850372	13.92
4 days	680112	11.13
5 days	457331	7.48
6 days	322735	5.28
7 days	272742	4.46
8 days	223798	3.66
9 days	178358	2.92
10 days	145132	2.38
11 - 30 days	745022	12.19
31 - 60 days	90133	1.48
61 - 90 days	14300	0.23
91 - 120 days	4410	0.07
121 - 150 days	1670	0.03
151 - 180 days	842	0.01
181 - 210 days	482	0.01
211 - 240 days	282	0.00
241 - 270 days	192	0.00
271 - 300 days	139	0.00
301 - 330 days	97	0.00
331 - 365 days	88	0.00
365 - 1095 days	392	0.01
1104	<= 10	**.**
1115	<= 10	**.**
1122	<= 10	**.**
1146	<= 10	**.**
1151	<= 10	**.**
1154	<= 10	**.**
1166	<= 10	**.**
1175	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
1184	<= 10	**.*
1201	<= 10	**.*
1212	<= 10	**.*
1219	<= 10	**.*
1231	<= 10	**.*
1232	<= 10	**.*
1241	<= 10	**.*
1254	<= 10	**.*
1262	<= 10	**.*
1273	<= 10	**.*
1348	<= 10	**.*
1352	<= 10	**.*
1413	<= 10	**.*
1420	<= 10	**.*
1437	<= 10	**.*
1469	<= 10	**.*
1471	<= 10	**.*
1484	<= 10	**.*
1516	<= 10	**.*
1546	<= 10	**.*
1552	<= 10	**.*
1561	<= 10	**.*
1572	<= 10	**.*
1574	<= 10	**.*
1585	<= 10	**.*
1587	<= 10	**.*
1681	<= 10	**.*
1714	<= 10	**.*
1743	<= 10	**.*
1761	<= 10	**.*
1789	<= 10	**.*
1795	<= 10	**.*
1802	<= 10	**.*
1901	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
1918	<= 10	**.**
1919	<= 10	**.**
1972	<= 10	**.**
1989	<= 10	**.**
2064	<= 10	**.**
2080	<= 10	**.**
2093	<= 10	**.**
2153	<= 10	**.**
2224	<= 10	**.**
2284	<= 10	**.**
2314	<= 10	**.**
2491	<= 10	**.**
2604	<= 10	**.**
2614	<= 10	**.**
2818	<= 10	**.**
3020	<= 10	**.**
3048	<= 10	**.**
3168	<= 10	**.**
8594	<= 10	**.**
32166	<= 10	**.**

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

MDC10	Frequency	Percent of Total
0	6359	0.10
1	327641	5.36
2	32484	0.53
3	143083	2.34
4	493943	8.08
5	874046	14.31
6	534401	8.75
7	168680	2.76
8	501968	8.22
9	162517	2.66
10	146052	2.39
11	195816	3.20
12	87285	1.43
13	180349	2.95
14	843663	13.81
15	708963	11.60
16	48991	0.80
17	109962	1.80
18	90588	1.48
19	167010	2.73
20	88551	1.45
21	111247	1.82
22	8066	0.13
23	51258	0.84
24	12129	0.20
25	15012	0.25

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	3909678	63.99
Non-Blank	2200386	36.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NDX	Frequency	Percent of Total
0	1678	0.03
1	1357900	22.22
2	1325371	21.69
3	962558	15.75
4	735639	12.04
5	1406869	23.03
6	125359	2.05
7	62630	1.03
8	45105	0.74
9	52438	0.86
10	14152	0.23
11	6407	0.10
12	3956	0.06
13	2803	0.05
14	2106	0.03
15	2374	0.04
16	840	0.01
17	426	0.01
18	319	0.01
19	255	0.00
20	245	0.00
21	176	0.00
22	95	0.00
23	69	0.00
24	65	0.00
25	229	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	4547952	74.43
1: Maternal	857136	14.03
2: Neonatal	704248	11.53
3: Neonatal and Maternal	728	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NPR	Frequency	Percent of Total
0	2244048	36.73
1	1751732	28.67
2	956488	15.65
3	925566	15.15
4	100522	1.65
5	58212	0.95
6	24428	0.40
7	14931	0.24
8	16982	0.28
9	4616	0.08
10	5190	0.08
11	1816	0.03
12	1371	0.02
13	966	0.02
14	839	0.01
15	956	0.02
16	463	0.01
17	212	0.00
18	169	0.00
19	132	0.00
20	99	0.00
21	80	0.00
22	47	0.00
23	52	0.00
24	38	0.00
25	109	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1	Frequency	Percent of Total
B	733091	12.00
.: Missing	17304	0.28
.A: Invalid	321	0.01
1: Medicare	1656564	27.11
2: Medicaid	743266	12.16
3: Private Insurance	2237998	36.63
4: Self-pay	221738	3.63
5: No Charge	6952	0.11
6: Other	492830	8.07

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PAY2	Frequency	Percent of Total
B	3923467	64.21
C	114687	1.88
.: Missing	1219282	19.96
.A: Invalid	<= 10	**.*
1: Medicare	20334	0.33
2: Medicaid	69001	1.13
3: Private Insurance	374261	6.13
4: Self-pay	197959	3.24
5: No Charge	689	0.01
6: Other	190377	3.12

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1_N	Frequency	Percent of Total
.	208705	3.42
A	321	0.01
B	733091	12.00
1	1605194	26.27
2	717542	11.74
3	321458	5.26
4	1493087	24.44
5	308189	5.04
6	221738	3.63
7	6952	0.11
8	194	0.00
9	31057	0.51
10	4703	0.08
11	86547	1.42
12	371286	6.08

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	1219282	19.96
A	<= 10	**.**
B	3923467	64.21
C	114687	1.88
1	20334	0.33
2	69001	1.13
3	113615	1.86
4	232747	3.81
5	18753	0.31
6	197959	3.24
7	689	0.01
9	2505	0.04
10	870	0.01
11	5019	0.08
12	191129	3.13

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	2244221	36.73
A	4688	0.08
1	12804	0.21
2	4370	0.07
3	55222	0.90
4	54206	0.89
5	7707	0.13
6	2496	0.04
7	2243	0.04
8	2455	0.04
9	11791	0.19
10	8320	0.14
11	385	0.01
12	3994	0.07
13	2283	0.04
14	1537	0.03
15	5360	0.09
16	6130	0.10
17	307	0.01
18	261	0.00
19	5261	0.09
20	4288	0.07
21	2236	0.04
22	2132	0.03
23	2151	0.04
24	2302	0.04
25	244	0.00
26	4752	0.08
27	3349	0.05
28	9017	0.15
29	4179	0.07
30	25286	0.41
31	1500	0.02
32	4431	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	19653	0.32
34	5740	0.09
35	5179	0.08
36	9117	0.15
37	36338	0.59
38	2324	0.04
39	29560	0.48
40	3407	0.06
41	2227	0.04
42	8223	0.13
43	9893	0.16
44	41615	0.68
45	39696	0.65
46	198	0.00
47	115340	1.89
48	26318	0.43
49	7199	0.12
50	1193	0.02
51	11648	0.19
52	8160	0.13
53	4361	0.07
54	31860	0.52
55	15727	0.26
56	1354	0.02
57	11083	0.18
58	13830	0.23
59	865	0.01
60	4087	0.07
61	26678	0.44
62	5852	0.10
63	2756	0.05
64	562	0.01
65	16179	0.26
66	4146	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	11164	0.18
68	2676	0.04
69	1765	0.03
70	98967	1.62
71	9316	0.15
72	2606	0.04
73	1129	0.02
74	5001	0.08
75	7039	0.12
76	48540	0.79
77	4576	0.07
78	40657	0.67
79	753	0.01
80	42373	0.69
81	9488	0.16
82	7887	0.13
83	6421	0.11
84	81886	1.34
85	36552	0.60
86	17983	0.29
87	6420	0.11
88	7927	0.13
89	7772	0.13
90	11033	0.18
91	3562	0.06
92	1105	0.02
93	5385	0.09
94	15309	0.25
95	6737	0.11
96	26636	0.44
97	2661	0.04
98	3251	0.05
99	18510	0.30
100	24990	0.41

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	22698	0.37
102	4611	0.08
103	3857	0.06
104	6080	0.10
105	1914	0.03
106	6438	0.11
107	3955	0.06
108	2744	0.04
109	8092	0.13
110	3663	0.06
111	2974	0.05
112	12078	0.20
113	59426	0.97
114	6824	0.11
115	170917	2.80
116	2300	0.04
117	1258	0.02
118	13748	0.23
119	13987	0.23
120	10066	0.16
121	12266	0.20
122	7990	0.13
123	5820	0.10
124	85967	1.41
125	5574	0.09
126	2093	0.03
127	20412	0.33
128	8086	0.13
129	7920	0.13
130	1851	0.03
131	1588	0.03
132	8578	0.14
133	181551	2.97
134	161211	2.64

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	65713	1.08
136	12456	0.20
137	151870	2.49
138	2080	0.03
139	19623	0.32
140	76578	1.25
141	2279	0.04
142	10494	0.17
143	5608	0.09
144	8148	0.13
145	14900	0.24
146	45027	0.74
147	34970	0.57
148	20778	0.34
149	2990	0.05
150	1816	0.03
151	3941	0.06
152	32686	0.53
153	28528	0.47
154	23003	0.38
155	5227	0.09
156	886	0.01
157	14512	0.24
158	7156	0.12
159	4597	0.08
160	26036	0.43
161	8131	0.13
162	13920	0.23
163	1845	0.03
164	9758	0.16
165	2163	0.04
166	6328	0.10
167	22658	0.37
168	12008	0.20

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PCCHPR1	Frequency	Percent of Total
169	34466	0.56
170	9462	0.15
171	14865	0.24
172	7864	0.13
173	2983	0.05
174	9195	0.15
175	14186	0.23
176	593	0.01
177	85888	1.41
178	5573	0.09
179	18052	0.30
180	8476	0.14
181	19528	0.32
182	757	0.01
183	1336	0.02
184	269	0.00
185	10740	0.18
186	3572	0.06
187	15719	0.26
188	8999	0.15
189	4185	0.07
190	4083	0.07
191	14558	0.24
192	6491	0.11
193	40859	0.67
194	8549	0.14
195	7420	0.12
196	14733	0.24
197	17325	0.28
198	11661	0.19
199	12691	0.21
200	1183	0.02
201	11727	0.19
202	6018	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	31576	0.52
204	7043	0.12
205	34122	0.56
206	1645	0.03
207	9136	0.15
208	10899	0.18
209	15196	0.25
210	2206	0.04
211	13714	0.22
212	1727	0.03
213	22984	0.38
214	10989	0.18
215	7617	0.12
216	54449	0.89
217	33870	0.55
218	52100	0.85
219	12007	0.20
220	340	0.01
221	7120	0.12
222	21751	0.36
223	4146	0.07
224	67770	1.11
225	11259	0.18
226	12035	0.20
227	10310	0.17
228	217	0.00
229	1393	0.02
230	56	0.00
231	48778	0.80

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	2244221	36.73
Valid PR	3865843	63.27

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	1764788	28.88
.B: Unavail from Source	1305907	21.37
.C: Inconsistent	38832	0.64
-4 days	25	0.00
-3 days	35	0.00
-2 days	62	0.00
-1 day	1075	0.02
0 days	1591351	26.04
1 day	669049	10.95
2 days	228874	3.75
3 days	132707	2.17
4 days	88277	1.44
5 days	61018	1.00
6 - 30 days	220069	3.60
31 - 60 days	6492	0.11
61 - 90 days	960	0.02
91 - 120 days	279	0.00
121 - 150 days	74	0.00
151 - 180 days	59	0.00
181 - 210 days	21	0.00
211 - 240 days	14	0.00
241 - 270 days	11	0.00
271 - 300 days	<= 10	**.**
301 - 330 days	<= 10	**.**
331 - 365 days	<= 10	**.**
366	<= 10	**.**
367	<= 10	**.**
369	<= 10	**.**
370	<= 10	**.**
372	<= 10	**.**
375	<= 10	**.**
376	<= 10	**.**
377	<= 10	**.**
380	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
382	<= 10	**. **
384	<= 10	**. **
389	<= 10	**. **
391	<= 10	**. **
393	<= 10	**. **
398	<= 10	**. **
399	<= 10	**. **
410	<= 10	**. **
415	<= 10	**. **
422	<= 10	**. **
431	<= 10	**. **
440	<= 10	**. **
461	<= 10	**. **
466	<= 10	**. **
475	<= 10	**. **
510	<= 10	**. **
511	<= 10	**. **
523	<= 10	**. **
544	<= 10	**. **
548	<= 10	**. **
685	<= 10	**. **
708	<= 10	**. **
727	<= 10	**. **
731	<= 10	**. **
758	<= 10	**. **
851	<= 10	**. **
992	<= 10	**. **
1136	<= 10	**. **
1161	<= 10	**. **
1314	<= 10	**. **
1462	<= 10	**. **
1471	<= 10	**. **
1826	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
20099	<= 10	**. **
32151	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PRSYS	Frequency	Percent of Total
1	6110064	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	2244221	36.73
C	341	0.01
0	3860814	63.19
1	4688	0.08

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	109102	1.79
.B: Unavailable from Source	3984798	65.22
1: White	1499367	24.54
2: Black	179386	2.94
3: Hispanic	249901	4.09
4: Asian/Pacific Islander	54248	0.89
5: Native American	3159	0.05
6: Other	30103	0.49

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	134	0.00
A	<= 10	**. **
C	349	0.01
1	2572602	42.10
2	3536978	57.89

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

SURGID_S	Frequency	Percent of Total
Blank	4856836	79.49
Non-Blank	1253228	20.51

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	203259	3.33
.C: Inconsistent	15232	0.25
\$ 1- \$ 9	217	0.00
\$10	11	0.00
\$11- \$19	26	0.00
\$20	<= 10	**,**
\$21- \$24	<= 10	**,**
\$25- \$1,000	773933	12.67
\$1,001- \$5,000	3037814	49.72
\$5,001- \$10,000	1155931	18.92
\$10,001- \$50,000	859263	14.06
\$50,001- \$100,000	47393	0.78
\$100,001- \$200,000	13296	0.22
\$200,001- \$300,000	2376	0.04
\$300,001- \$400,000	735	0.01
\$400,001- \$500,000	287	0.00
\$500,001-\$1,000,000	265	0.00
1060036	<= 10	**,**
1084441	<= 10	**,**
1152629	<= 10	**,**
1170403	<= 10	**,**
1215114	<= 10	**,**
1247306	<= 10	**,**
1347974	<= 10	**,**
1397089	<= 10	**,**
1434870	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
89	6110064	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	233396	3.82
1: \$0-\$25,000	1925979	31.52
2: \$25,001-\$30,000	1297923	21.24
3: \$30,001-\$35,000	992174	16.24
4: \$35,001+	1660592	27.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC8	Frequency	Percent of Total
.: Missing	581757	9.52
1: \$0-\$15,000	164400	2.69
2: \$15,001-\$20,000	488448	7.99
3: \$20,001-\$25,000	1121595	18.36
4: \$25,001-\$30,000	1174460	19.22
5: \$30,001-\$35,000	955612	15.64
6: \$35,001-\$40,000	632363	10.35
7: \$40,001-\$45,000	416189	6.81
8: \$45,001+	575240	9.41

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	6102960	Sum Weights	6102960
Mean	43.5684684	Sum Observations	265896620
Std Deviation	27.9488395	Variance	781.13763
Skewness	-0.098235	Kurtosis	-1.2151581
Uncorrected SS	1.6352E10	Corrected SS	4767250930
Coeff Variation	64.1492357	Std Error Mean	0.01131341

Basic Statistical Measures			
Location		Variability	
Mean	43.56847	Std Deviation	27.94884
Median	43.00000	Variance	781.13763
Mode	0.00000	Range	124.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	3851.047	Pr > t 	<.0001
Sign	M	2647276	Pr >= M 	<.0001
Signed Rank	S	7.008E12	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	124
99%	91
95%	84
90%	79
75% Q3	69
50% Median	43
25% Q1	22
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	4126	0.07	58.08
A	890	0.01	12.53
C	2088	0.03	29.39
Total	7104	0.12	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	6094758	Sum Weights	6094758
Mean	6.19538101	Sum Observations	37759348
Std Deviation	17.8051335	Variance	317.022777
Skewness	1000.39581	Kurtosis	1756712.72
Uncorrected SS	2166110340	Corrected SS	1932176792
Coeff Variation	287.39368	Std Error Mean	0.00721219

Basic Statistical Measures			
Location		Variability	
Mean	6.195381	Std Deviation	17.80513
Median	4.000000	Variance	317.02278
Mode	2.000000	Range	32166
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	859.0155	Pr > t	<.0001
Sign	M	2972616	Pr >= M	<.0001
Signed Rank	S	8.836E12	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	32166
99%	40
95%	19
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	6	0.00	0.04
C	15300	0.25	99.96
Total	15306	0.25	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	6110058	Sum Weights	6110058
Mean	6.21823459	Sum Observations	37993774
Std Deviation	26.5476516	Variance	704.777807
Skewness	896.130581	Kurtosis	1020351.56
Uncorrected SS	4542486770	Corrected SS	4306232570
Coeff Variation	426.932295	Std Error Mean	0.01073998

Basic Statistical Measures			
Location		Variability	
Mean	6.218235	Std Deviation	26.54765
Median	4.000000	Variance	704.77781
Mode	2.000000	Range	32447
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	578.9801	Pr > t	<.0001
Sign	M	2979792	Pr >= M	<.0001
Signed Rank	S	8.879E12	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	32166
99%	40
95%	19
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-281

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	6	0.00	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	5891573	Sum Weights	5891573
Mean	6594.03331	Sum Observations	3.88492E10
Std Deviation	13506.8108	Variance	182433937
Skewness	15.7883657	Kurtosis	579.191815
Uncorrected SS	1.331E15	Corrected SS	1.07482E15
Coeff Variation	204.833827	Std Error Mean	5.56464142

Basic Statistical Measures			
Location		Variability	
Mean	6594.033	Std Deviation	13507
Median	3430.000	Variance	182433937
Mode	1260.000	Range	1434869
		Interquartile Range	5122

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1184.988	Pr > t 	<.0001
Sign	M	2945787	Pr >= M 	<.0001
Signed Rank	S	8.678E12	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1434870
99%	52381
95%	21493
90%	13819
75% Q3	6825
50% Median	3430
25% Q1	1703
10%	806
5%	527

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	300
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	203259	3.33	93.03
C	15232	0.25	6.97
Total	218491	3.58	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	5907055	Sum Weights	5907055
Mean	6590.21879	Sum Observations	3.89288E10
Std Deviation	13746.5957	Variance	188968894
Skewness	17.5742575	Kurtosis	790.851617
Uncorrected SS	1.3728E15	Corrected SS	1.11625E15
Coeff Variation	208.590885	Std Error Mean	5.65600329

Basic Statistical Measures			
Location		Variability	
Mean	6590.219	Std Deviation	13747
Median	3420.000	Variance	188968894
Mode	100.000	Range	2087000
		Interquartile Range	5120

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1165.172	Pr > t 	<.0001
Sign	M	2953528	Pr >= M 	<.0001
Signed Rank	S	8.723E12	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2087000.0
99%	52422.7
95%	21478.0
90%	13802.0
75% Q3	6812.0
50% Median	3420.0
25% Q1	1692.1
10%	792.0
5%	516.0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	285.0
0% Min	0.5

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	203009	3.32	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*