

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	611003	3	1.00	7.00	3.92	1.83
AGE : I:Age in years at admission	610333	673	0.00	119.00	43.58	27.96
AGEDAY : I:Age in days (when < 1 year)	80701	530305	0.00	364.00	17.46	59.44
AMONTH : I:Admission month	611004	2	1.00	12.00	6.47	3.46
ASOURCE : I:Admission source	535968	75038	1.00	5.00	3.50	1.91
ATYPE : I:Admission type	544243	66763	1.00	6.00	2.21	1.09
DCCHPR1 : I:CCHPR: principal diagnosis	607684	3322	1.00	259.00	149.80	63.91
DIED : I:Died during hospitalization	610448	558	0.00	1.00	0.03	0.17
DISP : I:Disposition of patient	610448	558	1.00	20.00	1.93	3.31
DQTR : I:Discharge quarter	611006	0	1.00	4.00	2.50	1.12
DRG : I:DRG in effect on discharge date	611006	0	1.00	477.00	258.66	135.09
DRG10 : I:DRG, Version 10	611006	0	1.00	492.00	260.69	135.05
DRGVER : I:DRG grouper version used on disch date	611006	0	5.00	6.00	5.25	0.43
DSNDX : I:Max number of diagnoses from source	611006	0	5.00	25.00	8.78	7.07
DSNPR : I:Max number of procedures from source	611006	0	3.00	25.00	7.25	7.86
DSNUM : I:Data source ID number	611006	0	3.00	13.00	6.57	3.52
DSTYPE : I:Data source type	611006	0	1.00	2.00	1.08	0.26
DXSYS : I:Diagnosis coding system	611006	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	610773	233	0.00	1.00	0.01	0.07
DXV2 : I:Validity flag: diagnosis 2	475262	135744	0.00	1.00	0.00	0.03
DXV3 : I:Validity flag: diagnosis 3	342512	268494	0.00	1.00	0.00	0.03
DXV4 : I:Validity flag: diagnosis 4	246059	364947	0.00	1.00	0.00	0.03
DXV5 : I:Validity flag: diagnosis 5	172822	438184	0.00	1.00	0.00	0.02
DXV6 : I:Validity flag: diagnosis 6	32063	578943	0.00	1.00	0.00	0.01
DXV7 : I:Validity flag: diagnosis 7	19483	591523	0.00	0.00	0.00	0.00
DXV8 : I:Validity flag: diagnosis 8	13254	597752	0.00	0.00	0.00	0.00
DXV9 : I:Validity flag: diagnosis 9	8708	602298	0.00	0.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	3449	607557	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	2042	608964	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	1397	609609	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	1005	610001	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	715	610291	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	491	610515	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	611006	0	4012.00	55171.00	22903.74	16317.01

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1989 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	611006	0	4003.00	55141.00	22810.37	16359.02
LOS : I:Length of stay (cleaned)	609461	1545	0.00	32166.00	6.27	44.53
LOS_X : I:Length of stay (uncleaned)	611004	2	-30.00	32166.00	6.27	44.50
MDC : I:MDC in effect on discharge date	611006	0	0.00	24.00	9.91	5.63
MDC10 : I:MDC, Version 10	611006	0	0.00	25.00	9.83	5.51
NDX : I:Number of diagnoses on this discharge	611006	0	0.00	25.00	3.16	1.86
NEOMAT : I:Neonatal and/or maternal DX and/or PR	611006	0	0.00	3.00	0.37	0.68
NPR : I:Number of procedures on this discharge	611006	0	0.00	25.00	1.26	1.42
PAY1 : I:Primary expected payer, uniform	535868	75138	1.00	6.00	2.56	1.44
PAY1_N : I:Primary expected payer, nonuniform	516728	94278	1.00	12.00	3.61	3.02
PAY2 : I:Secondary expected payer, uniform	85251	525755	1.00	6.00	3.77	1.35
PAY2_N : I:Secondary expected payer, nonuniform	85251	525755	1.00	12.00	5.97	3.53
PCCHPR1 : I:CCHPR: principal procedure	385991	225015	1.00	231.00	122.81	59.99
PRDAY1 : I:No. of days from admission to PR1	300001	311005	-4.00	32151.00	1.71	58.85
PROCESS : I:HCUP-3 discharge processing ID number	611006	0	8.904E10	8.9556E10	8.9232E10	163250323
PRSYS : I:Procedure coding system	611006	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	386428	224578	0.00	1.00	0.00	0.03
PRV2 : I:Validity flag: procedure 2	210849	400157	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	115531	495475	0.00	1.00	0.00	0.02
PRV4 : I:Validity flag: procedure 4	23185	587821	0.00	0.00	0.00	0.00
PRV5 : I:Validity flag: procedure 5	13144	597862	0.00	0.00	0.00	0.00
PRV6 : I:Validity flag: procedure 6	7422	603584	0.00	0.00	0.00	0.00
PRV7 : I:Validity flag: procedure 7	4965	606041	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	3449	607557	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	1739	609267	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	1265	609741	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	728	610278	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	552	610454	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	419	610587	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	320	610686	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	250	610756	0.00	0.00	0.00	0.00
RACE : I:Race	201752	409254	1.00	6.00	1.50	0.99
SEQ : I:HCUP-3 record sequence number	611006	0	4.0129E11	5.5172E12	2.2905E12	1.6317E12
SEX : I:Sex	610956	50	1.00	2.00	1.58	0.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
TOTCHG : I:Total charges (cleaned)	589148	21858	1.00	1397089.0	6609.01	13732.62
YEAR : Calendar year	611006	0	89.00	89.00	89.00	0.00
ZIPINC4 : I:Median income-pt s zip code-4 catgs	587683	23323	1.00	4.00	2.41	1.21
ZIPINC8 : I:Median income-pt s zip code-8 catgs	552893	58113	1.00	8.00	4.58	1.86
TOTCHG_X : I:Total charges (from data source)	590720	20286	1.00	1811636.0	6606.25	14082.07

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	<= 10	**. **
1	61088	10.00
2	106380	17.41
3	103362	16.92
4	97796	16.01
5	94757	15.51
6	88883	14.55
7	58737	9.61

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	388	0.06
A	86	0.01
C	199	0.03
0	80617	13.19
1	4719	0.77
2	2945	0.48
3	2239	0.37
4	1924	0.31
5	1724	0.28
6	1711	0.28
7	1529	0.25
8	1292	0.21
9	1272	0.21
10	1283	0.21
11	1256	0.21
12	1459	0.24
13	1554	0.25
14	2094	0.34
15	2748	0.45
16	3709	0.61
17	5250	0.86
18	5977	0.98
19	6567	1.07
20	6636	1.09
21	7032	1.15
22	7949	1.30
23	7732	1.27
24	8438	1.38
25	8871	1.45
26	9153	1.50
27	10386	1.70
28	9557	1.56
29	9392	1.54
30	9070	1.48

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8536	1.40
32	9114	1.49
33	7719	1.26
34	7130	1.17
35	6694	1.10
36	6174	1.01
37	6424	1.05
38	5436	0.89
39	5160	0.84
40	5166	0.85
41	4903	0.80
42	5845	0.96
43	4226	0.69
44	4355	0.71
45	4364	0.71
46	4622	0.76
47	4760	0.78
48	4244	0.69
49	4214	0.69
50	4328	0.71
51	4418	0.72
52	4772	0.78
53	4612	0.75
54	4791	0.78
55	4709	0.77
56	4894	0.80
57	5580	0.91
58	5669	0.93
59	5912	0.97
60	6120	1.00
61	6786	1.11
62	7361	1.20
63	7174	1.17
64	7488	1.23

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8132	1.33
66	8381	1.37
67	9304	1.52
68	8766	1.43
69	8788	1.44
70	8784	1.44
71	9140	1.50
72	9315	1.52
73	8893	1.46
74	8854	1.45
75	8745	1.43
76	8691	1.42
77	8697	1.42
78	7931	1.30
79	7545	1.23
80	7206	1.18
81	6841	1.12
82	6708	1.10
83	5809	0.95
84	5242	0.86
85	5138	0.84
86	4363	0.71
87	3752	0.61
88	3196	0.52
89	2672	0.44
90	2160	0.35
91	1760	0.29
92	1453	0.24
93	1224	0.20
94	875	0.14
95	637	0.10
96	569	0.09
97	337	0.06
98	248	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	168	0.03
100	113	0.02
101	45	0.01
102	24	0.00
103	12	0.00
104	12	0.00
105	<= 10	**. **
106	<= 10	**. **
107	<= 10	**. **
111	<= 10	**. **
112	<= 10	**. **
114	<= 10	**. **
119	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	530027	86.75
.A: Invalid	79	0.01
.C: Inconsistent	199	0.03
0 days	69137	11.32
1 day	417	0.07
2 days	197	0.03
3 days	259	0.04
4 days	270	0.04
5 days	164	0.03
6 days	152	0.02
7 days	116	0.02
8 days	90	0.01
9 days	78	0.01
10 days	72	0.01
11 - 30 days	1299	0.21
31 - 60 days	1694	0.28
61 - 90 days	1119	0.18
91 - 120 days	868	0.14
121 - 150 days	714	0.12
151 - 180 days	643	0.11
181 - 210 days	599	0.10
211 - 240 days	571	0.09
241 - 270 days	524	0.09
271 - 300 days	570	0.09
301 - 330 days	567	0.09
331 - 364 days	581	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
.: Missing	<= 10	**.**
1: January	54021	8.84
2: February	48557	7.95
3: March	53238	8.71
4: April	49644	8.12
5: May	51658	8.45
6: June	49565	8.11
7: July	49968	8.18
8: August	52019	8.51
9: September	49589	8.12
10: October	52701	8.63
11: November	50196	8.22
12: December	49848	8.16

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	19082	3.12
.A: Invalid	276	0.05
.B: Unavailable from Source	55680	9.11
1: Emergency Department	188538	30.86
2: Another Hospital	12895	2.11
3: Other Health Facility, incl. LTC	6307	1.03
4: Court/Law Enforcement	502	0.08
5: Routine, Birth, and Other	327726	53.64

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	10177	1.67
.A: Invalid	906	0.15
.B: Unavail from Source	55680	9.11
1: Emergency	178115	29.15
2: Urgent	157764	25.82
3: Elective	136363	22.32
4: Newborn	58330	9.55
5: Delivery	13657	2.24
6: Other	14	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	181	0.03
A	3141	0.51
1	314	0.05
2	3807	0.62
3	226	0.04
4	230	0.04
5	397	0.06
6	507	0.08
7	2649	0.43
8	292	0.05
9	216	0.04
10	<= 10	**,**
11	776	0.13
12	222	0.04
13	490	0.08
14	2081	0.34
15	942	0.15
16	162	0.03
17	514	0.08
18	295	0.05
19	2838	0.46
20	49	0.01
21	212	0.03
22	175	0.03
23	249	0.04
24	2979	0.49
25	632	0.10
26	667	0.11
27	472	0.08
28	114	0.02
29	2191	0.36
30	92	0.02
31	22	0.00
32	1411	0.23

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	496	0.08
34	74	0.01
35	520	0.09
36	202	0.03
37	151	0.02
38	907	0.15
39	736	0.12
40	244	0.04
41	254	0.04
42	4774	0.78
43	251	0.04
44	799	0.13
45	7702	1.26
46	2934	0.48
47	3063	0.50
48	590	0.10
49	168	0.03
50	6008	0.98
51	946	0.15
52	264	0.04
53	12	0.00
54	111	0.02
55	5977	0.98
56	106	0.02
57	48	0.01
58	866	0.14
59	1980	0.32
60	152	0.02
61	867	0.14
62	667	0.11
63	550	0.09
64	171	0.03
65	18	0.00
66	5724	0.94

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	3145	0.51
68	1593	0.26
69	7139	1.17
70	3185	0.52
71	862	0.14
72	1186	0.19
73	313	0.05
74	2675	0.44
75	11	0.00
76	1039	0.17
77	184	0.03
78	87	0.01
79	186	0.03
80	358	0.06
81	706	0.12
82	461	0.08
83	4172	0.68
84	1048	0.17
85	236	0.04
86	435	0.07
87	739	0.12
88	179	0.03
89	52	0.01
90	493	0.08
91	676	0.11
92	1068	0.17
93	1199	0.20
94	305	0.05
95	2104	0.34
96	1537	0.25
97	1747	0.29
98	684	0.11
99	2199	0.36
100	9413	1.54

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	24017	3.93
102	7418	1.21
103	1203	0.20
104	117	0.02
105	879	0.14
106	8355	1.37
107	388	0.06
108	13398	2.19
109	8952	1.47
110	1575	0.26
111	298	0.05
112	3179	0.52
113	26	0.00
114	2042	0.33
115	1423	0.23
116	1609	0.26
117	1889	0.31
118	2702	0.44
119	696	0.11
120	1046	0.17
121	236	0.04
122	16665	2.73
123	393	0.06
124	2902	0.47
125	5821	0.95
126	2678	0.44
127	3161	0.52
128	7651	1.25
129	1283	0.21
130	1693	0.28
131	2800	0.46
132	122	0.02
133	3130	0.51
134	2071	0.34

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2225	0.36
136	980	0.16
137	438	0.07
138	1925	0.32
139	1504	0.25
140	2538	0.42
141	636	0.10
142	4017	0.66
143	5695	0.93
144	969	0.16
145	4013	0.66
146	2996	0.49
147	1144	0.19
148	387	0.06
149	10058	1.65
150	866	0.14
151	1453	0.24
152	2478	0.41
153	6317	1.03
154	4342	0.71
155	2126	0.35
156	309	0.05
157	881	0.14
158	921	0.15
159	6409	1.05
160	4811	0.79
161	880	0.14
162	911	0.15
163	856	0.14
164	4863	0.80
165	548	0.09
166	785	0.13
167	759	0.12
168	2362	0.39

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1543	0.25
170	2298	0.38
171	1321	0.22
172	1601	0.26
173	175	0.03
174	141	0.02
175	2330	0.38
176	335	0.05
177	1348	0.22
178	604	0.10
179	121	0.02
180	1341	0.22
181	5661	0.93
182	1399	0.23
183	2477	0.41
184	5759	0.94
185	1838	0.30
186	1268	0.21
187	2744	0.45
188	3485	0.57
189	5596	0.92
190	7682	1.26
191	3127	0.51
192	4888	0.80
193	10326	1.69
194	2519	0.41
195	5669	0.93
196	16786	2.75
197	5638	0.92
198	270	0.04
199	1232	0.20
200	459	0.08
201	1244	0.20
202	634	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	4299	0.70
204	978	0.16
205	11087	1.81
206	45	0.01
207	990	0.16
208	711	0.12
209	616	0.10
210	353	0.06
211	2371	0.39
212	1633	0.27
213	815	0.13
214	374	0.06
215	362	0.06
216	132	0.02
217	1169	0.19
218	66445	10.87
219	568	0.09
220	30	0.00
221	152	0.02
222	644	0.11
223	20	0.00
224	825	0.14
225	2010	0.33
226	5095	0.83
227	252	0.04
228	1540	0.25
229	3482	0.57
230	5344	0.87
231	3739	0.61
232	3037	0.50
233	4112	0.67
234	2068	0.34
235	1699	0.28
236	2588	0.42

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	4868	0.80
238	4648	0.76
239	1470	0.24
240	833	0.14
241	1142	0.19
242	2692	0.44
243	645	0.11
244	2119	0.35
245	3408	0.56
246	1226	0.20
247	580	0.09
248	389	0.06
249	268	0.04
250	635	0.10
251	3250	0.53
252	199	0.03
253	425	0.07
254	2646	0.43
255	101	0.02
256	452	0.07
257	1366	0.22
258	<= 10	**, **
259	677	0.11

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	535	0.09
.A: Invalid	23	0.00
0: Did not Die in Hospital	593204	97.09
1: Died in Hospital	17244	2.82

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DISP	Frequency	Percent of Total
.	535	0.09
A	23	0.00
1	520127	85.13
2	11901	1.95
3	20844	3.41
4	4309	0.71
5	10415	1.70
6	20626	3.38
7	4982	0.82
20	17244	2.82

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	154393	25.27
2: Second Quarter	151571	24.81
3: Third Quarter	151628	24.82
4: Fourth Quarter	153414	25.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1406	0.23
2	338	0.06
3	310	0.05
4	424	0.07
5	1211	0.20
6	138	0.02
7	205	0.03
8	434	0.07
9	196	0.03
10	800	0.13
11	242	0.04
12	871	0.14
13	419	0.07
14	8222	1.35
15	3537	0.58
16	296	0.05
17	137	0.02
18	380	0.06
19	624	0.10
20	689	0.11
21	623	0.10
22	273	0.04
23	144	0.02
24	2008	0.33
25	2131	0.35
26	1354	0.22
27	406	0.07
28	412	0.07
29	602	0.10
30	544	0.09
31	314	0.05
32	757	0.12
33	519	0.08
34	557	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	454	0.07
36	765	0.13
37	188	0.03
38	16	0.00
39	426	0.07
40	270	0.04
41	54	0.01
42	653	0.11
43	85	0.01
44	276	0.05
45	139	0.02
46	117	0.02
47	136	0.02
48	105	0.02
49	192	0.03
50	335	0.05
51	42	0.01
52	193	0.03
53	861	0.14
54	88	0.01
55	728	0.12
56	527	0.09
57	186	0.03
58	462	0.08
59	529	0.09
60	1437	0.24
61	33	0.01
62	125	0.02
63	1251	0.20
64	233	0.04
65	1126	0.18
66	338	0.06
67	84	0.01
68	636	0.10

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
69	616	0.10
70	1369	0.22
71	736	0.12
72	102	0.02
73	399	0.07
74	222	0.04
75	1349	0.22
76	1142	0.19
77	270	0.04
78	878	0.14
79	2620	0.43
80	379	0.06
81	176	0.03
82	2396	0.39
83	342	0.06
84	169	0.03
85	447	0.07
86	106	0.02
87	1506	0.25
88	2736	0.45
89	8083	1.32
90	2317	0.38
91	3071	0.50
92	268	0.04
93	102	0.02
94	420	0.07
95	468	0.08
96	5635	0.92
97	3391	0.55
98	4739	0.78
99	1119	0.18
100	1018	0.17
101	731	0.12
102	432	0.07

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
103	33	0.01
104	481	0.08
105	562	0.09
106	2010	0.33
107	2141	0.35
108	563	0.09
110	1450	0.24
111	343	0.06
112	4355	0.71
113	752	0.12
114	247	0.04
115	170	0.03
116	1415	0.23
117	68	0.01
118	220	0.04
119	469	0.08
120	572	0.09
121	3762	0.62
122	4215	0.69
123	1299	0.21
124	3542	0.58
125	5151	0.84
126	242	0.04
127	12837	2.10
128	934	0.15
129	178	0.03
130	1789	0.29
131	1286	0.21
132	397	0.06
133	208	0.03
134	1238	0.20
135	254	0.04
136	141	0.02
137	127	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	4469	0.73
139	2790	0.46
140	10503	1.72
141	2059	0.34
142	1603	0.26
143	6144	1.01
144	1688	0.28
145	515	0.08
146	209	0.03
147	107	0.02
148	4270	0.70
149	1224	0.20
150	657	0.11
151	444	0.07
152	267	0.04
153	224	0.04
154	1598	0.26
155	429	0.07
156	233	0.04
157	567	0.09
158	1424	0.23
159	484	0.08
160	954	0.16
161	785	0.13
162	2206	0.36
163	330	0.05
164	362	0.06
165	825	0.14
166	343	0.06
167	2569	0.42
168	101	0.02
169	191	0.03
170	439	0.07
171	251	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	926	0.15
173	213	0.03
174	4057	0.66
175	1382	0.23
176	337	0.06
177	486	0.08
178	496	0.08
179	697	0.11
180	1627	0.27
181	1121	0.18
182	8016	1.31
183	6343	1.04
184	3403	0.56
185	379	0.06
186	180	0.03
187	213	0.03
188	1230	0.20
189	961	0.16
190	399	0.07
191	429	0.07
192	116	0.02
193	367	0.06
194	87	0.01
195	761	0.12
196	238	0.04
197	2400	0.39
198	4444	0.73
199	107	0.02
200	108	0.02
201	281	0.05
202	960	0.16
203	948	0.16
204	2146	0.35
205	961	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	394	0.06
207	987	0.16
208	959	0.16
209	6040	0.99
210	2483	0.41
211	1122	0.18
212	322	0.05
213	179	0.03
214	1480	0.24
215	4847	0.79
216	328	0.05
217	1049	0.17
218	715	0.12
219	2187	0.36
220	449	0.07
221	223	0.04
222	1694	0.28
223	915	0.15
224	1196	0.20
225	1122	0.18
226	261	0.04
227	1119	0.18
228	336	0.05
229	918	0.15
230	248	0.04
231	1105	0.18
232	148	0.02
233	258	0.04
234	561	0.09
235	431	0.07
236	1306	0.21
237	88	0.01
238	298	0.05
239	1640	0.27

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
240	406	0.07
241	383	0.06
242	205	0.03
243	7762	1.27
244	295	0.05
245	308	0.05
246	77	0.01
247	789	0.13
248	460	0.08
249	293	0.05
250	182	0.03
251	427	0.07
252	298	0.05
253	648	0.11
254	1106	0.18
255	440	0.07
256	677	0.11
257	977	0.16
258	1188	0.19
259	178	0.03
260	292	0.05
261	712	0.12
262	156	0.03
263	696	0.11
264	242	0.04
265	264	0.04
266	579	0.09
267	236	0.04
268	251	0.04
269	438	0.07
270	793	0.13
271	522	0.09
272	214	0.04
273	144	0.02

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
274	148	0.02
275	41	0.01
276	108	0.02
277	2232	0.37
278	1909	0.31
279	550	0.09
280	689	0.11
281	1362	0.22
282	390	0.06
283	248	0.04
284	347	0.06
285	103	0.02
286	121	0.02
287	178	0.03
288	149	0.02
289	156	0.03
290	807	0.13
291	60	0.01
292	140	0.02
293	32	0.01
294	3208	0.53
295	1275	0.21
296	4589	0.75
297	1546	0.25
298	1193	0.20
299	110	0.02
300	383	0.06
301	212	0.03
302	195	0.03
303	629	0.10
304	649	0.11
305	519	0.08
306	313	0.05
307	156	0.03

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
308	291	0.05
309	195	0.03
310	992	0.16
311	1208	0.20
312	131	0.02
313	121	0.02
314	17	0.00
315	866	0.14
316	1105	0.18
317	39	0.01
318	209	0.03
319	67	0.01
320	3511	0.57
321	1783	0.29
322	653	0.11
323	1276	0.21
324	2370	0.39
325	287	0.05
326	187	0.03
327	36	0.01
328	54	0.01
329	34	0.01
330	<= 10	**.**
331	817	0.13
332	466	0.08
333	176	0.03
334	385	0.06
335	323	0.05
336	2459	0.40
337	2710	0.44
338	433	0.07
339	364	0.06
340	188	0.03
341	648	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	27	0.00
343	16	0.00
344	83	0.01
345	53	0.01
346	218	0.04
347	76	0.01
348	115	0.02
349	102	0.02
350	458	0.07
351	<= 10	**.**
352	97	0.02
353	151	0.02
354	303	0.05
355	499	0.08
356	1263	0.21
357	351	0.06
358	2283	0.37
359	8328	1.36
360	522	0.09
361	609	0.10
362	62	0.01
363	230	0.04
364	528	0.09
365	343	0.06
366	182	0.03
367	74	0.01
368	1275	0.21
369	823	0.13
370	3200	0.52
371	12949	2.12
372	4480	0.73
373	46500	7.61
374	3225	0.53
375	39	0.01

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
376	705	0.12
377	197	0.03
378	1341	0.22
379	2724	0.45
380	497	0.08
381	1869	0.31
382	1089	0.18
383	3986	0.65
384	1636	0.27
385	1338	0.22
386	1144	0.19
387	1605	0.26
388	1432	0.23
389	6250	1.02
390	9847	1.61
391	49129	8.04
392	170	0.03
393	36	0.01
394	204	0.03
395	2457	0.40
396	412	0.07
397	570	0.09
398	589	0.10
399	318	0.05
400	367	0.06
401	220	0.04
402	153	0.03
403	781	0.13
404	353	0.06
405	109	0.02
406	165	0.03
407	77	0.01
408	353	0.06
409	309	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
410	6943	1.14
411	12	0.00
412	19	0.00
413	321	0.05
414	111	0.02
415	976	0.16
416	3042	0.50
417	493	0.08
418	742	0.12
419	528	0.09
420	210	0.03
421	956	0.16
422	1685	0.28
423	406	0.07
424	195	0.03
425	978	0.16
426	2017	0.33
427	942	0.15
428	459	0.08
429	1105	0.18
430	10351	1.69
431	422	0.07
432	189	0.03
433	1011	0.17
434	1449	0.24
435	5744	0.94
436	162	0.03
437	414	0.07
439	93	0.02
440	543	0.09
441	256	0.04
442	1134	0.19
443	965	0.16
444	273	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
445	659	0.11
446	182	0.03
447	204	0.03
448	25	0.00
449	1724	0.28
450	1743	0.29
451	936	0.15
452	849	0.14
453	573	0.09
454	223	0.04
455	452	0.07
456	17	0.00
457	11	0.00
458	177	0.03
459	69	0.01
460	478	0.08
461	433	0.07
462	2570	0.42
463	348	0.06
464	221	0.04
465	89	0.01
466	572	0.09
467	902	0.15
468	2706	0.44
469	28	0.00
470	925	0.15
471	171	0.03
472	29	0.00
473	364	0.06
475	2059	0.34
476	245	0.04
477	1704	0.28
478	1955	0.32
479	781	0.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
480	40	0.01
481	59	0.01
482	301	0.05
483	998	0.16
484	63	0.01
485	183	0.03
486	541	0.09
487	423	0.07
488	141	0.02
489	988	0.16
490	339	0.06
491	145	0.02
492	205	0.03

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
5	457592	74.89
6	153414	25.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	360375	58.98
6	58067	9.50
7	14482	2.37
9	83586	13.68
25	94496	15.47

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	421424	68.97
5	11500	1.88
8	45312	7.42
10	38274	6.26
25	94496	15.47

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
3	159457	26.10
4	94496	15.47
5	62524	10.23
6	38274	6.26
7	58067	9.50
8	14482	2.37
9	19140	3.13
10	45312	7.42
11	34445	5.64
12	11500	1.88
13	73309	12.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	565061	92.48
2	45945	7.52

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	181	0.03
Valid DX	610825	99.97

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	181	0.03
C	52	0.01
0	607632	99.45
1	3141	0.51

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPST	Frequency	Percent of Total
AZ	19140	3.13
CA	94496	15.47
CO	11500	1.88
FL	159457	26.10
IA	34445	5.64
IL	62524	10.23
MA	38274	6.26
NJ	45312	7.42
PA	73309	12.00
WA	14482	2.37
WI	58067	9.50

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
4003	203	0.03
4005	717	0.12
4013	12469	2.04
4015	1136	0.19
4017	283	0.05
4019	3778	0.62
4025	554	0.09
6001	4081	0.67
6005	209	0.03
6007	487	0.08
6009	141	0.02
6011	78	0.01
6013	980	0.16
6015	229	0.04
6017	541	0.09
6019	2742	0.45
6021	73	0.01
6023	969	0.16
6025	712	0.12
6027	219	0.04
6029	2729	0.45
6031	41	0.01
6035	192	0.03
6037	31188	5.10
6039	534	0.09
6041	195	0.03
6045	357	0.06
6049	14	0.00
6051	74	0.01
6053	1167	0.19
6055	870	0.14
6059	6579	1.08
6061	588	0.10
6063	71	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
6065	2987	0.49
6067	6002	0.98
6071	1754	0.29
6073	9180	1.50
6075	2063	0.34
6077	3580	0.59
6079	1622	0.27
6081	1000	0.16
6083	1213	0.20
6085	4626	0.76
6087	433	0.07
6093	386	0.06
6097	1418	0.23
6099	1420	0.23
6105	103	0.02
6107	479	0.08
6109	170	0.03
8001	599	0.10
8005	2333	0.38
8015	133	0.02
8021	80	0.01
8031	2573	0.42
8037	213	0.03
8041	1988	0.33
8043	285	0.05
8045	360	0.06
8065	122	0.02
8071	68	0.01
8073	35	0.01
8075	175	0.03
8077	1266	0.21
8085	285	0.05
8087	118	0.02
8089	301	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
8095	22	0.00
8097	145	0.02
8099	126	0.02
8103	43	0.01
8107	158	0.03
8121	24	0.00
8125	48	0.01
12001	5019	0.82
12003	61	0.01
12005	2037	0.33
12007	80	0.01
12009	4897	0.80
12011	15915	2.60
12013	71	0.01
12015	1773	0.29
12017	1085	0.18
12019	991	0.16
12021	1955	0.32
12023	546	0.09
12025	25367	4.15
12027	323	0.05
12031	10988	1.80
12033	4797	0.79
12035	111	0.02
12037	60	0.01
12039	182	0.03
12045	70	0.01
12047	135	0.02
12049	75	0.01
12051	146	0.02
12053	1097	0.18
12055	1028	0.17
12057	9803	1.60
12059	116	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12061	1454	0.24
12063	442	0.07
12069	1613	0.26
12071	4925	0.81
12073	3003	0.49
12075	77	0.01
12079	84	0.01
12081	1350	0.22
12083	1371	0.22
12085	1326	0.22
12087	736	0.12
12089	189	0.03
12091	489	0.08
12093	303	0.05
12095	11305	1.85
12097	540	0.09
12099	10250	1.68
12101	2642	0.43
12103	12102	1.98
12105	5178	0.85
12107	600	0.10
12109	696	0.11
12111	529	0.09
12113	646	0.11
12115	4176	0.68
12117	274	0.04
12121	75	0.01
12123	166	0.03
12125	87	0.01
12127	3872	0.63
12131	91	0.01
12133	138	0.02
17001	802	0.13
17007	174	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17019	1369	0.22
17021	281	0.05
17029	816	0.13
17031	35126	5.75
17037	566	0.09
17039	92	0.02
17041	51	0.01
17043	2735	0.45
17051	106	0.02
17053	95	0.02
17055	167	0.03
17061	51	0.01
17065	137	0.02
17067	165	0.03
17069	152	0.02
17075	227	0.04
17077	828	0.14
17089	2708	0.44
17095	503	0.08
17097	1707	0.28
17099	644	0.11
17107	283	0.05
17111	1330	0.22
17113	1696	0.28
17115	1177	0.19
17119	1312	0.21
17121	185	0.03
17125	67	0.01
17131	113	0.02
17135	185	0.03
17137	580	0.09
17145	157	0.03
17157	145	0.02
17161	1110	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17163	346	0.06
17167	2534	0.41
17179	495	0.08
17185	199	0.03
17189	106	0.02
17195	622	0.10
17199	380	0.06
19001	32	0.01
19003	31	0.01
19005	74	0.01
19007	132	0.02
19009	36	0.01
19011	57	0.01
19013	2349	0.38
19015	174	0.03
19017	152	0.02
19019	82	0.01
19025	204	0.03
19027	274	0.04
19029	203	0.03
19033	1434	0.23
19035	139	0.02
19037	104	0.02
19039	51	0.01
19041	375	0.06
19043	101	0.02
19045	752	0.12
19047	148	0.02
19049	59	0.01
19053	81	0.01
19055	138	0.02
19057	711	0.12
19061	1707	0.28
19065	166	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19067	105	0.02
19069	67	0.01
19073	89	0.01
19075	<= 10	**.**
19077	48	0.01
19079	171	0.03
19081	40	0.01
19083	153	0.03
19085	92	0.02
19087	108	0.02
19089	64	0.01
19091	59	0.01
19093	75	0.01
19095	<= 10	**.**
19097	150	0.02
19101	125	0.02
19103	3878	0.63
19105	28	0.00
19107	11	0.00
19109	98	0.02
19111	583	0.10
19113	1969	0.32
19117	93	0.02
19119	41	0.01
19121	40	0.01
19123	169	0.03
19125	283	0.05
19127	570	0.09
19131	110	0.02
19133	141	0.02
19135	63	0.01
19137	172	0.03
19141	158	0.03
19143	68	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19145	199	0.03
19147	44	0.01
19149	170	0.03
19151	38	0.01
19153	7240	1.18
19155	636	0.10
19163	2119	0.35
19165	139	0.02
19167	144	0.02
19169	1003	0.16
19175	163	0.03
19177	59	0.01
19179	681	0.11
19183	105	0.02
19185	71	0.01
19187	558	0.09
19189	56	0.01
19191	167	0.03
19193	1178	0.19
19197	79	0.01
25001	1228	0.20
25003	985	0.16
25005	2150	0.35
25007	165	0.03
25009	3037	0.50
25013	4415	0.72
25015	209	0.03
25017	4317	0.71
25019	71	0.01
25021	2833	0.46
25023	1965	0.32
25025	11774	1.93
25027	5125	0.84
34001	2328	0.38

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34003	6068	0.99
34005	1513	0.25
34007	4224	0.69
34009	1054	0.17
34013	7451	1.22
34017	2396	0.39
34019	849	0.14
34021	1186	0.19
34023	1814	0.30
34025	2817	0.46
34027	1119	0.18
34029	3632	0.59
34031	3759	0.62
34033	702	0.11
34037	792	0.13
34039	3608	0.59
42001	522	0.09
42003	10844	1.77
42005	843	0.14
42009	366	0.06
42011	3149	0.52
42013	1958	0.32
42015	50	0.01
42017	1356	0.22
42021	894	0.15
42027	344	0.06
42029	1480	0.24
42031	340	0.06
42033	1427	0.23
42035	28	0.00
42039	1209	0.20
42041	140	0.02
42043	2015	0.33
42045	3063	0.50

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42047	250	0.04
42049	2196	0.36
42051	286	0.05
42055	375	0.06
42057	154	0.03
42059	370	0.06
42061	397	0.06
42065	262	0.04
42069	2108	0.35
42071	3847	0.63
42073	360	0.06
42075	382	0.06
42077	4180	0.68
42079	871	0.14
42081	1173	0.19
42085	1602	0.26
42087	911	0.15
42089	1017	0.17
42091	4124	0.67
42097	378	0.06
42101	11877	1.94
42105	317	0.05
42107	1145	0.19
42115	335	0.05
42119	687	0.11
42125	2481	0.41
42127	386	0.06
42129	810	0.13
53001	<= 10	**.**
53005	123	0.02
53007	104	0.02
53011	1524	0.25
53015	1045	0.17
53019	16	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53025	348	0.06
53027	546	0.09
53033	5060	0.83
53043	11	0.00
53047	70	0.01
53049	64	0.01
53051	29	0.00
53053	1344	0.22
53057	1086	0.18
53061	1571	0.26
53063	847	0.14
53065	156	0.03
53071	433	0.07
53075	47	0.01
53077	51	0.01
55001	83	0.01
55003	472	0.08
55005	153	0.03
55009	2666	0.44
55013	63	0.01
55015	119	0.02
55017	568	0.09
55019	93	0.02
55021	162	0.03
55025	5796	0.95
55027	749	0.12
55031	226	0.04
55033	214	0.04
55035	1764	0.29
55039	1161	0.19
55043	373	0.06
55045	614	0.10
55047	239	0.04
55049	127	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55053	169	0.03
55055	470	0.08
55057	181	0.03
55059	1257	0.21
55061	49	0.01
55063	919	0.15
55067	228	0.04
55071	924	0.15
55079	17317	2.83
55081	148	0.02
55083	198	0.03
55085	899	0.15
55087	2040	0.33
55089	285	0.05
55091	88	0.01
55095	435	0.07
55097	552	0.09
55099	100	0.02
55101	2274	0.37
55103	172	0.03
55105	1828	0.30
55107	131	0.02
55109	521	0.09
55111	688	0.11
55113	114	0.02
55115	249	0.04
55117	719	0.12
55119	141	0.02
55121	105	0.02
55123	225	0.04
55125	126	0.02
55127	443	0.07
55129	191	0.03
55131	658	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55133	3093	0.51
55135	205	0.03
55137	56	0.01
55139	2065	0.34
55141	2162	0.35

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.: Missing	<= 10	**.**
.C: Inconsistent	1543	0.25
0 days	14923	2.44
1 day	78184	12.80
2 days	117339	19.20
3 days	85365	13.97
4 days	68180	11.16
5 days	45668	7.47
6 days	32377	5.30
7 days	26874	4.40
8 days	22487	3.68
9 days	17737	2.90
10 days	14482	2.37
11 - 30 days	74560	12.20
31 - 60 days	8968	1.47
61 - 90 days	1448	0.24
91 - 120 days	427	0.07
121 - 150 days	179	0.03
151 - 180 days	81	0.01
181 - 210 days	46	0.01
211 - 240 days	28	0.00
241 - 270 days	20	0.00
271 - 300 days	11	0.00
301 - 330 days	<= 10	**.**
331 - 365 days	12	0.00
367	<= 10	**.**
368	<= 10	**.**
378	<= 10	**.**
387	<= 10	**.**
392	<= 10	**.**
393	<= 10	**.**
394	<= 10	**.**
395	<= 10	**.**
396	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
404	<= 10	**.*
408	<= 10	**.*
420	<= 10	**.*
447	<= 10	**.*
462	<= 10	**.*
468	<= 10	**.*
469	<= 10	**.*
483	<= 10	**.*
492	<= 10	**.*
499	<= 10	**.*
506	<= 10	**.*
508	<= 10	**.*
510	<= 10	**.*
517	<= 10	**.*
520	<= 10	**.*
538	<= 10	**.*
548	<= 10	**.*
555	<= 10	**.*
558	<= 10	**.*
621	<= 10	**.*
631	<= 10	**.*
650	<= 10	**.*
651	<= 10	**.*
675	<= 10	**.*
686	<= 10	**.*
689	<= 10	**.*
714	<= 10	**.*
741	<= 10	**.*
769	<= 10	**.*
814	<= 10	**.*
849	<= 10	**.*
897	<= 10	**.*
970	<= 10	**.*
1175	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
1184	<= 10	**.**
1232	<= 10	**.**
1254	<= 10	**.**
1681	<= 10	**.**
1714	<= 10	**.**
2093	<= 10	**.**
2224	<= 10	**.**
2604	<= 10	**.**
2818	<= 10	**.**
8594	<= 10	**.**
32166	<= 10	**.**

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

MDC10	Frequency	Percent of Total
0	642	0.11
1	32882	5.38
2	3261	0.53
3	14312	2.34
4	49474	8.10
5	86923	14.23
6	53449	8.75
7	16857	2.76
8	50518	8.27
9	16195	2.65
10	14600	2.39
11	19632	3.21
12	8835	1.45
13	17889	2.93
14	84596	13.85
15	70773	11.58
16	4893	0.80
17	10919	1.79
18	9058	1.48
19	16660	2.73
20	8868	1.45
21	11159	1.83
22	792	0.13
23	5136	0.84
24	1212	0.20
25	1471	0.24

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	390926	63.98
Non-Blank	220080	36.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	179	0.03
1	135425	22.16
2	132813	21.74
3	96482	15.79
4	73262	11.99
5	140781	23.04
6	12580	2.06
7	6228	1.02
8	4547	0.74
9	5260	0.86
10	1407	0.23
11	645	0.11
12	392	0.06
13	290	0.05
14	224	0.04
15	225	0.04
16	77	0.01
17	31	0.01
18	32	0.01
19	26	0.00
20	29	0.00
21	20	0.00
22	14	0.00
23	<= 10	**.*
24	<= 10	**.*
25	26	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	454661	74.41
1: Maternal	85947	14.07
2: Neonatal	70331	11.51
3: Neonatal and Maternal	67	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NPR	Frequency	Percent of Total
0	224520	36.75
1	175630	28.74
2	95323	15.60
3	92348	15.11
4	10041	1.64
5	5722	0.94
6	2457	0.40
7	1516	0.25
8	1710	0.28
9	474	0.08
10	537	0.09
11	176	0.03
12	133	0.02
13	99	0.02
14	70	0.01
15	97	0.02
16	57	0.01
17	28	0.00
18	16	0.00
19	13	0.00
20	<= 10	**,**
21	<= 10	**,**
22	<= 10	**,**
23	<= 10	**,**
24	<= 10	**,**
25	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
B	73309	12.00
.: Missing	1801	0.29
.A: Invalid	28	0.00
1: Medicare	165700	27.12
2: Medicaid	74275	12.16
3: Private Insurance	223546	36.59
4: Self-pay	22220	3.64
5: No Charge	681	0.11
6: Other	49446	8.09

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	20941	3.43
A	28	0.00
B	73309	12.00
1	160583	26.28
2	71737	11.74
3	32155	5.26
4	148982	24.38
5	30879	5.05
6	22220	3.64
7	681	0.11
8	19	0.00
9	3085	0.50
10	475	0.08
11	8605	1.41
12	37307	6.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	392347	64.21
C	11515	1.88
.: Missing	121892	19.95
.A: Invalid	<= 10	**. **
1: Medicare	2038	0.33
2: Medicaid	6915	1.13
3: Private Insurance	37456	6.13
4: Self-pay	19804	3.24
5: No Charge	79	0.01
6: Other	18959	3.10

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	121892	19.95
A	<= 10	**.**
B	392347	64.21
C	11515	1.88
1	2038	0.33
2	6915	1.13
3	11452	1.87
4	23231	3.80
5	1864	0.31
6	19804	3.24
7	79	0.01
9	255	0.04
10	89	0.01
11	499	0.08
12	19025	3.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	224542	36.75
A	473	0.08
1	1286	0.21
2	428	0.07
3	5681	0.93
4	5311	0.87
5	790	0.13
6	285	0.05
7	220	0.04
8	249	0.04
9	1145	0.19
10	825	0.14
11	46	0.01
12	417	0.07
13	240	0.04
14	151	0.02
15	532	0.09
16	604	0.10
17	27	0.00
18	23	0.00
19	534	0.09
20	434	0.07
21	214	0.04
22	206	0.03
23	212	0.03
24	202	0.03
25	27	0.00
26	467	0.08
27	354	0.06
28	904	0.15
29	411	0.07
30	2460	0.40
31	160	0.03
32	406	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	2048	0.34
34	605	0.10
35	484	0.08
36	901	0.15
37	3551	0.58
38	244	0.04
39	3020	0.49
40	328	0.05
41	224	0.04
42	821	0.13
43	969	0.16
44	4288	0.70
45	3891	0.64
46	23	0.00
47	11326	1.85
48	2597	0.43
49	690	0.11
50	110	0.02
51	1181	0.19
52	819	0.13
53	436	0.07
54	3176	0.52
55	1579	0.26
56	134	0.02
57	1069	0.17
58	1392	0.23
59	94	0.02
60	410	0.07
61	2671	0.44
62	520	0.09
63	251	0.04
64	53	0.01
65	1653	0.27
66	415	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1131	0.19
68	256	0.04
69	171	0.03
70	9957	1.63
71	894	0.15
72	291	0.05
73	124	0.02
74	534	0.09
75	686	0.11
76	4809	0.79
77	452	0.07
78	4123	0.67
79	68	0.01
80	4185	0.68
81	919	0.15
82	807	0.13
83	625	0.10
84	8255	1.35
85	3645	0.60
86	1790	0.29
87	647	0.11
88	764	0.13
89	815	0.13
90	1135	0.19
91	323	0.05
92	126	0.02
93	529	0.09
94	1514	0.25
95	680	0.11
96	2625	0.43
97	253	0.04
98	350	0.06
99	1779	0.29
100	2442	0.40

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	2287	0.37
102	459	0.08
103	393	0.06
104	637	0.10
105	199	0.03
106	650	0.11
107	423	0.07
108	264	0.04
109	823	0.13
110	336	0.05
111	313	0.05
112	1225	0.20
113	6037	0.99
114	686	0.11
115	17118	2.80
116	227	0.04
117	134	0.02
118	1420	0.23
119	1446	0.24
120	1016	0.17
121	1269	0.21
122	797	0.13
123	570	0.09
124	8544	1.40
125	545	0.09
126	215	0.04
127	1990	0.33
128	802	0.13
129	751	0.12
130	179	0.03
131	159	0.03
132	855	0.14
133	18151	2.97
134	16117	2.64

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	6594	1.08
136	1250	0.20
137	15259	2.50
138	205	0.03
139	1961	0.32
140	7742	1.27
141	225	0.04
142	1077	0.18
143	589	0.10
144	805	0.13
145	1531	0.25
146	4533	0.74
147	3461	0.57
148	2086	0.34
149	310	0.05
150	163	0.03
151	357	0.06
152	3201	0.52
153	2882	0.47
154	2310	0.38
155	529	0.09
156	96	0.02
157	1459	0.24
158	771	0.13
159	484	0.08
160	2632	0.43
161	854	0.14
162	1385	0.23
163	175	0.03
164	970	0.16
165	225	0.04
166	607	0.10
167	2260	0.37
168	1151	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	3338	0.55
170	904	0.15
171	1579	0.26
172	748	0.12
173	291	0.05
174	918	0.15
175	1408	0.23
176	77	0.01
177	8640	1.41
178	543	0.09
179	1809	0.30
180	841	0.14
181	1988	0.33
182	88	0.01
183	120	0.02
184	25	0.00
185	1066	0.17
186	356	0.06
187	1555	0.25
188	866	0.14
189	391	0.06
190	435	0.07
191	1443	0.24
192	634	0.10
193	4107	0.67
194	867	0.14
195	744	0.12
196	1474	0.24
197	1692	0.28
198	1143	0.19
199	1218	0.20
200	124	0.02
201	1147	0.19
202	601	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	3170	0.52
204	754	0.12
205	3448	0.56
206	166	0.03
207	846	0.14
208	1031	0.17
209	1520	0.25
210	235	0.04
211	1356	0.22
212	169	0.03
213	2266	0.37
214	1107	0.18
215	789	0.13
216	5541	0.91
217	3478	0.57
218	5207	0.85
219	1216	0.20
220	43	0.01
221	717	0.12
222	2150	0.35
223	397	0.06
224	6779	1.11
225	1096	0.18
226	1196	0.20
227	1004	0.16
228	23	0.00
229	154	0.03
230	<= 10	**.**
231	4842	0.79

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	224542	36.75
Valid PR	386464	63.25

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
.: Missing	176573	28.90
.B: Unavail from Source	130591	21.37
.C: Inconsistent	3841	0.63
-4 days	<= 10	**.*
-3 days	<= 10	**.*
-2 days	<= 10	**.*
-1 day	110	0.02
0 days	159529	26.11
1 day	66820	10.94
2 days	22824	3.74
3 days	13182	2.16
4 days	8833	1.45
5 days	6018	0.98
6 - 30 days	21864	3.58
31 - 60 days	644	0.11
61 - 90 days	110	0.02
91 - 120 days	27	0.00
121 - 150 days	<= 10	**.*
151 - 180 days	<= 10	**.*
211 - 240 days	<= 10	**.*
241 - 270 days	<= 10	**.*
331 - 365 days	<= 10	**.*
366	<= 10	**.*
376	<= 10	**.*
32151	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	611006	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	224542	36.75
C	36	0.01
0	385955	63.17
1	473	0.08

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	10775	1.76
.B: Unavail from Source	398479	65.22
1: White	150011	24.55
2: Black	17900	2.93
3: Hispanic	25098	4.11
4: Asian/Pacific Islander	5490	0.90
5: Native American	305	0.05
6: Other	2948	0.48

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	12	0.00
C	38	0.01
1	257192	42.09
2	353764	57.90

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

SURGID_S	Frequency	Percent of Total
Blank	485682	79.49
Non-Blank	125324	20.51

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
.: Missing	20319	3.33
.C: Inconsistent	1539	0.25
\$ 1- \$ 9	20	0.00
\$10	<= 10	**. **
\$11- \$19	<= 10	**. **
\$20	<= 10	**. **
\$25- \$1,000	77585	12.70
\$1,001- \$5,000	304131	49.78
\$5,001- \$10,000	115072	18.83
\$10,001- \$50,000	85903	14.06
\$50,001- \$100,000	4661	0.76
\$100,001- \$200,000	1389	0.23
\$200,001- \$300,000	245	0.04
\$300,001- \$400,000	81	0.01
\$400,001- \$500,000	18	0.00
\$500,001-\$1,000,000	35	0.01
1397089	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
89	611006	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	23323	3.82
1: \$0-\$25,000	192616	31.52
2: \$25,001-\$30,000	129909	21.26
3: \$30,001-\$35,000	98833	16.18
4: \$35,001+	166325	27.22

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	58113	9.51
1: \$0-\$15,000	16373	2.68
2: \$15,001-\$20,000	48824	7.99
3: \$20,001-\$25,000	112255	18.37
4: \$25,001-\$30,000	117642	19.25
5: \$30,001-\$35,000	95115	15.57
6: \$35,001-\$40,000	63172	10.34
7: \$40,001-\$45,000	41775	6.84
8: \$45,001+	57737	9.45

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	610333	Sum Weights	610333
Mean	43.5810549	Sum Observations	26598956
Std Deviation	27.9553397	Variance	781.501018
Skewness	-0.0970827	Kurtosis	-1.2161898
Uncorrected SS	1636185642	Corrected SS	476975079
Coeff Variation	64.1456242	Std Error Mean	0.03578338

Basic Statistical Measures			
Location		Variability	
Mean	43.58105	Std Deviation	27.95534
Median	43.00000	Variance	781.50102
Mode	0.00000	Range	119.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1217.913	Pr > t 	<.0001
Sign	M	264858	Pr >= M 	<.0001
Signed Rank	S	7.015E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	119
99%	91
95%	84
90%	79
75% Q3	69
50% Median	43
25% Q1	22
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	388	0.06	57.65
A	86	0.01	12.78
C	199	0.03	29.57
Total	673	0.11	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	609461	Sum Weights	609461
Mean	6.26880309	Sum Observations	3820591
Std Deviation	44.5312515	Variance	1983.03236
Skewness	631.471743	Kurtosis	448666.392
Uncorrected SS	1232529437	Corrected SS	1208578904
Coeff Variation	710.362902	Std Error Mean	0.05704163

Basic Statistical Measures			
Location		Variability	
Mean	6.268803	Std Deviation	44.53125
Median	4.000000	Variance	1983
Mode	2.000000	Range	32166
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	109.8987	Pr > t 	<.0001
Sign	M	297269	Pr >= M 	<.0001
Signed Rank	S	8.837E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	32166
99%	40
95%	19
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	2	0.00	0.13
C	1543	0.25	99.87
Total	1545	0.25	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	611004	Sum Weights	611004
Mean	6.27400803	Sum Observations	3833444
Std Deviation	44.5004173	Variance	1980.28714
Skewness	631.200416	Kurtosis	448774.899
Uncorrected SS	1234012440	Corrected SS	1209961382
Coeff Variation	709.282122	Std Error Mean	0.05693011

Basic Statistical Measures			
Location		Variability	
Mean	6.274008	Std Deviation	44.50042
Median	4.000000	Variance	1980
Mode	2.000000	Range	32196
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	110.2054	Pr > t 	<.0001
Sign	M	297989	Pr >= M 	<.0001
Signed Rank	S	8.88E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	32166
99%	40
95%	19
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-30

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	2	0.00	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	589148	Sum Weights	589148
Mean	6609.01093	Sum Observations	3893685571
Std Deviation	13732.6164	Variance	188584752
Skewness	16.8851456	Kurtosis	689.079959
Uncorrected SS	1.36838E14	Corrected SS	1.11104E14
Coeff Variation	207.786256	Std Error Mean	17.8912665

Basic Statistical Measures			
Location		Variability	
Mean	6609.011	Std Deviation	13733
Median	3424.000	Variance	188584752
Mode	1260.000	Range	1397088
		Interquartile Range	5125

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	369.3987	Pr > t 	<.0001
Sign	M	294574	Pr >= M 	<.0001
Signed Rank	S	8.677E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1397089.0
99%	52212.0
95%	21516.0
90%	13861.0
75% Q3	6823.5
50% Median	3424.0
25% Q1	1699.0
10%	806.0
5%	529.0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	300.0
0% Min	1.0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	20319	3.33	92.96
C	1539	0.25	7.04
Total	21858	3.58	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	590720	Sum Weights	590720
Mean	6606.252	Sum Observations	3902445180
Std Deviation	14082.0729	Variance	198304777
Skewness	20.3379779	Kurtosis	1143.34076
Uncorrected SS	1.42923E14	Corrected SS	1.17142E14
Coeff Variation	213.162818	Std Error Mean	18.3221211

Basic Statistical Measures			
Location		Variability	
Mean	6606.252	Std Deviation	14082
Median	3413.000	Variance	198304777
Mode	100.000	Range	1811635
		Interquartile Range	5122

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	360.5615	Pr > t 	<.0001
Sign	M	295360	Pr >= M 	<.0001
Signed Rank	S	8.724E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1811636.00
99%	52291.00
95%	21505.00
90%	13845.00
75% Q3	6810.00
50% Median	3413.00
25% Q1	1687.68
10%	792.00
5%	517.73

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	284.00
0% Min	1.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	20286	3.32	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*