

HCUP Summary Statistics Report: NIS 1990 - N10Core1 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	626847	5	1.00	7.00	3.93	1.84
AGE : I:Age in years at admission	626170	682	0.00	116.00	43.77	28.10
AGEDAY : I:Age in days (when < 1 year)	84990	541862	0.00	364.00	16.78	58.46
AMONTH : I:Admission month	626851	1	1.00	12.00	6.44	3.46
ASOURCE : I:Admission source	565993	60859	1.00	5.00	3.47	1.91
ATYPE : I:Admission type	573421	53431	1.00	5.00	2.22	1.10
DCCHPR1 : I:CCHPR: principal diagnosis	626668	184	1.00	259.00	150.24	64.07
DIED : I:Died during hospitalization	626364	488	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	626364	488	1.00	20.00	1.97	3.31
DQTR : I:Discharge quarter	626852	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	626852	0	1.00	490.00	258.23	133.83
DRG10 : I:DRG, Version 10	626852	0	1.00	492.00	261.14	134.75
DRGVER : I:DRG grouper version used on disch date	626852	0	6.00	7.00	6.25	0.43
DSNDX : I:Max number of diagnoses from source	626852	0	5.00	30.00	9.71	8.95
DSNPR : I:Max number of procedures from source	626852	0	3.00	21.00	6.80	6.55
DSNUM : I:Data source ID number	626852	0	3.00	13.00	6.51	3.49
DSTYPE : I:Data source type	626852	0	1.00	2.00	1.07	0.26
DXSYS : I:Diagnosis coding system	626852	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	626670	182	0.00	1.00	0.00	0.01
DXV2 : I:Validity flag: diagnosis 2	496811	130041	0.00	1.00	0.00	0.01
DXV3 : I:Validity flag: diagnosis 3	365100	261752	0.00	1.00	0.00	0.01
DXV4 : I:Validity flag: diagnosis 4	266380	360472	0.00	1.00	0.00	0.01
DXV5 : I:Validity flag: diagnosis 5	189201	437651	0.00	1.00	0.00	0.01
DXV6 : I:Validity flag: diagnosis 6	37192	589660	0.00	1.00	0.00	0.01
DXV7 : I:Validity flag: diagnosis 7	22297	604555	0.00	1.00	0.00	0.01
DXV8 : I:Validity flag: diagnosis 8	15101	611751	0.00	0.00	0.00	0.00
DXV9 : I:Validity flag: diagnosis 9	9974	616878	0.00	0.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	3906	622946	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	2243	624609	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	1487	625365	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	1027	625825	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	681	626171	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	465	626387	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	626852	0	4012.00	55171.00	22760.99	16211.32

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1990 - N10Core1 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	626852	0	4003.00	55141.00	22670.06	16250.11
LOS : I:Length of stay (cleaned)	626193	659	0.00	2437.00	6.13	11.66
LOS_X : I:Length of stay (uncleaned)	626851	1	-364.00	25571.00	6.17	34.39
MDC : I:MDC in effect on discharge date	626852	0	0.00	25.00	9.79	5.42
MDC10 : I:MDC, Version 10	626852	0	0.00	25.00	9.85	5.48
NDX : I:Number of diagnoses on this discharge	626852	0	0.00	26.00	3.25	1.88
NEOMAT : I:Neonatal and/or maternal DX and/or PR	626852	0	0.00	3.00	0.38	0.69
NPR : I:Number of procedures on this discharge	626852	0	0.00	21.00	1.27	1.41
PAY1 : I:Primary expected payer, uniform	623932	2920	1.00	6.00	2.47	1.37
PAY1_N : I:Primary expected payer, nonuniform	606346	20506	1.00	12.00	3.38	2.79
PAY2 : I:Secondary expected payer, uniform	98400	528452	1.00	6.00	3.79	1.38
PAY2_N : I:Secondary expected payer, nonuniform	98400	528452	1.00	12.00	6.04	3.60
PCCHPR1 : I:CCHPR: principal procedure	396841	230011	1.00	231.00	122.37	60.04
PRDAY1 : I:No. of days from admission to PR1	312660	314192	-4.00	1906.00	1.61	6.40
PROCESS : I:HCUP-3 discharge processing ID number	626852	0	9.004E10	9.0556E10	9.0231E10	162140038
PRSYS : I:Procedure coding system	626852	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	396865	229987	0.00	1.00	0.00	0.01
PRV2 : I:Validity flag: procedure 2	218780	408072	0.00	1.00	0.00	0.01
PRV3 : I:Validity flag: procedure 3	120981	505871	0.00	1.00	0.00	0.04
PRV4 : I:Validity flag: procedure 4	25107	601745	0.00	1.00	0.00	0.01
PRV5 : I:Validity flag: procedure 5	13903	612949	0.00	0.00	0.00	0.00
PRV6 : I:Validity flag: procedure 6	7319	619533	0.00	0.00	0.00	0.00
PRV7 : I:Validity flag: procedure 7	4751	622101	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	3271	623581	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	1625	625227	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	1171	625681	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	671	626181	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	492	626360	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	365	626487	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	258	626594	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	186	626666	0.00	0.00	0.00	0.00
RACE : I:Race	234056	392796	1.00	6.00	1.49	0.98
SEQ : I:HCUP-3 record sequence number	626852	0	4.0129E11	5.5172E12	2.2762E12	1.6211E12
SEX : I:Sex	626823	29	1.00	2.00	1.58	0.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
TOTCHG : I:Total charges (cleaned)	608723	18129	1.00	1486499.0	7575.84	15987.28
YEAR : Calendar year	626852	0	90.00	90.00	90.00	0.00
ZIPINC4 : I:Median income-pt s zip code-4 catags	608018	18834	1.00	4.00	2.41	1.21
ZIPINC8 : I:Median income-pt s zip code-8 catags	574507	52345	1.00	8.00	4.58	1.85
TOTCHG_X : I:Total charges (from data source)	609389	17463	1.00	1486499.6	7592.47	16461.77

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	<= 10	**.**
1	62522	9.97
2	108308	17.28
3	104953	16.74
4	99644	15.90
5	98545	15.72
6	91825	14.65
7	61050	9.74

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	306	0.05
A	225	0.04
C	151	0.02
0	84959	13.55
1	4747	0.76
2	2844	0.45
3	2097	0.33
4	1931	0.31
5	1758	0.28
6	1609	0.26
7	1498	0.24
8	1327	0.21
9	1281	0.20
10	1253	0.20
11	1269	0.20
12	1472	0.23
13	1585	0.25
14	1919	0.31
15	2753	0.44
16	3582	0.57
17	4882	0.78
18	5704	0.91
19	6743	1.08
20	6974	1.11
21	6933	1.11
22	7731	1.23
23	7538	1.20
24	8016	1.28
25	8597	1.37
26	9054	1.44
27	10127	1.62
28	9488	1.51
29	9464	1.51
30	9468	1.51

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8943	1.43
32	9409	1.50
33	7915	1.26
34	7409	1.18
35	7073	1.13
36	6592	1.05
37	6593	1.05
38	5851	0.93
39	5256	0.84
40	5189	0.83
41	5049	0.81
42	5606	0.89
43	5306	0.85
44	4452	0.71
45	4441	0.71
46	4616	0.74
47	5338	0.85
48	4595	0.73
49	4488	0.72
50	4465	0.71
51	4405	0.70
52	4813	0.77
53	4561	0.73
54	4784	0.76
55	4849	0.77
56	4810	0.77
57	5704	0.91
58	5548	0.89
59	5970	0.95
60	6556	1.05
61	6601	1.05
62	7218	1.15
63	7466	1.19
64	7452	1.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8308	1.33
66	8662	1.38
67	8951	1.43
68	9187	1.47
69	9221	1.47
70	9347	1.49
71	9037	1.44
72	9688	1.55
73	9090	1.45
74	9279	1.48
75	8944	1.43
76	8969	1.43
77	9149	1.46
78	8349	1.33
79	7850	1.25
80	7647	1.22
81	6892	1.10
82	7210	1.15
83	6130	0.98
84	5644	0.90
85	5423	0.87
86	4629	0.74
87	4029	0.64
88	3499	0.56
89	2829	0.45
90	2302	0.37
91	1846	0.29
92	1573	0.25
93	1254	0.20
94	964	0.15
95	746	0.12
96	514	0.08
97	414	0.07
98	251	0.04

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGE	Frequency	Percent of Total
99	173	0.03
100	117	0.02
101	58	0.01
102	20	0.00
103	15	0.00
104	11	0.00
105	<= 10	**. **
106	<= 10	**. **
107	<= 10	**. **
108	<= 10	**. **
109	<= 10	**. **
116	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	541490	86.38
.A: Invalid	221	0.04
.C: Inconsistent	151	0.02
0 days	73165	11.67
1 day	393	0.06
2 days	224	0.04
3 days	274	0.04
4 days	343	0.05
5 days	187	0.03
6 days	129	0.02
7 days	119	0.02
8 days	87	0.01
9 days	91	0.01
10 days	99	0.02
11 - 30 days	1341	0.21
31 - 60 days	1805	0.29
61 - 90 days	1103	0.18
91 - 120 days	799	0.13
121 - 150 days	706	0.11
151 - 180 days	642	0.10
181 - 210 days	607	0.10
211 - 240 days	602	0.10
241 - 270 days	556	0.09
271 - 300 days	545	0.09
301 - 330 days	584	0.09
331 - 364 days	589	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
.: Missing	<= 10	**.**
1: January	56774	9.06
2: February	49766	7.94
3: March	54482	8.69
4: April	51827	8.27
5: May	53056	8.46
6: June	50809	8.11
7: July	52138	8.32
8: August	52602	8.39
9: September	50226	8.01
10: October	53604	8.55
11: November	51169	8.16
12: December	50398	8.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	14601	2.33
.A: Invalid	384	0.06
.B: Unavailable from Source	45874	7.32
1: Emergency Department	202778	32.35
2: Another Hospital	13994	2.23
3: Other Health Facility, incl. LTC	6877	1.10
4: Court/Law Enforcement	424	0.07
5: Routine, Birth, and Other	341920	54.55

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	6677	1.07
.A: Invalid	880	0.14
.B: Unavail from Source	45874	7.32
1: Emergency	187737	29.95
2: Urgent	166930	26.63
3: Elective	138825	22.15
4: Newborn	64398	10.27
5: Delivery	15531	2.48

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	141	0.02
A	43	0.01
1	331	0.05
2	4375	0.70
3	252	0.04
4	261	0.04
5	335	0.05
6	563	0.09
7	2762	0.44
8	283	0.05
9	217	0.03
10	<= 10	**,**
11	690	0.11
12	266	0.04
13	467	0.07
14	2107	0.34
15	950	0.15
16	181	0.03
17	536	0.09
18	293	0.05
19	2897	0.46
20	57	0.01
21	259	0.04
22	177	0.03
23	220	0.04
24	3034	0.48
25	720	0.11
26	752	0.12
27	471	0.08
28	123	0.02
29	2347	0.37
30	76	0.01
31	14	0.00
32	1278	0.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	497	0.08
34	76	0.01
35	569	0.09
36	247	0.04
37	192	0.03
38	921	0.15
39	759	0.12
40	283	0.05
41	255	0.04
42	4925	0.79
43	239	0.04
44	766	0.12
45	7533	1.20
46	3344	0.53
47	2938	0.47
48	599	0.10
49	179	0.03
50	5973	0.95
51	1023	0.16
52	281	0.04
53	11	0.00
54	153	0.02
55	6534	1.04
56	79	0.01
57	42	0.01
58	893	0.14
59	1955	0.31
60	157	0.03
61	1008	0.16
62	687	0.11
63	626	0.10
64	164	0.03
65	17	0.00
66	5757	0.92

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	2209	0.35
68	1692	0.27
69	7217	1.15
70	3279	0.52
71	1007	0.16
72	1144	0.18
73	335	0.05
74	2746	0.44
75	<= 10	**.**
76	951	0.15
77	199	0.03
78	100	0.02
79	219	0.03
80	378	0.06
81	658	0.10
82	416	0.07
83	4290	0.68
84	962	0.15
85	212	0.03
86	275	0.04
87	755	0.12
88	183	0.03
89	42	0.01
90	480	0.08
91	544	0.09
92	974	0.16
93	1143	0.18
94	293	0.05
95	2115	0.34
96	1615	0.26
97	1664	0.27
98	653	0.10
99	2808	0.45
100	10654	1.70

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	24647	3.93
102	8379	1.34
103	1223	0.20
104	146	0.02
105	956	0.15
106	8608	1.37
107	360	0.06
108	13954	2.23
109	9442	1.51
110	1526	0.24
111	330	0.05
112	3008	0.48
113	20	0.00
114	2026	0.32
115	1416	0.23
116	1616	0.26
117	1793	0.29
118	2672	0.43
119	608	0.10
120	939	0.15
121	230	0.04
122	18416	2.94
123	371	0.06
124	2510	0.40
125	5809	0.93
126	2229	0.36
127	3574	0.57
128	7638	1.22
129	1432	0.23
130	1665	0.27
131	3174	0.51
132	157	0.03
133	3147	0.50
134	1612	0.26

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2486	0.40
136	892	0.14
137	412	0.07
138	2139	0.34
139	1441	0.23
140	2350	0.37
141	636	0.10
142	4027	0.64
143	4984	0.80
144	1009	0.16
145	4261	0.68
146	3148	0.50
147	1023	0.16
148	378	0.06
149	10794	1.72
150	904	0.14
151	1447	0.23
152	2665	0.43
153	6374	1.02
154	4110	0.66
155	2206	0.35
156	315	0.05
157	915	0.15
158	760	0.12
159	6764	1.08
160	4607	0.73
161	894	0.14
162	833	0.13
163	842	0.13
164	4940	0.79
165	558	0.09
166	651	0.10
167	779	0.12
168	2299	0.37

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1659	0.26
170	2460	0.39
171	1295	0.21
172	1632	0.26
173	153	0.02
174	111	0.02
175	2330	0.37
176	236	0.04
177	1152	0.18
178	510	0.08
179	116	0.02
180	1285	0.20
181	5871	0.94
182	1388	0.22
183	2606	0.42
184	5899	0.94
185	1920	0.31
186	1335	0.21
187	2917	0.47
188	3593	0.57
189	5768	0.92
190	8451	1.35
191	3468	0.55
192	4922	0.79
193	11118	1.77
194	2381	0.38
195	6078	0.97
196	16487	2.63
197	5724	0.91
198	245	0.04
199	1221	0.19
200	408	0.07
201	1229	0.20
202	654	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	5125	0.82
204	926	0.15
205	11044	1.76
206	42	0.01
207	1108	0.18
208	539	0.09
209	593	0.09
210	346	0.06
211	2274	0.36
212	1690	0.27
213	830	0.13
214	418	0.07
215	342	0.05
216	118	0.02
217	1039	0.17
218	72782	11.61
219	578	0.09
220	34	0.01
221	169	0.03
222	738	0.12
223	13	0.00
224	901	0.14
225	2043	0.33
226	5238	0.84
227	237	0.04
228	1612	0.26
229	3480	0.56
230	5392	0.86
231	3769	0.60
232	2976	0.47
233	4027	0.64
234	2197	0.35
235	1731	0.28
236	2438	0.39

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	5715	0.91
238	5009	0.80
239	1403	0.22
240	867	0.14
241	1080	0.17
242	2432	0.39
243	655	0.10
244	2165	0.35
245	3594	0.57
246	1324	0.21
247	536	0.09
248	322	0.05
249	246	0.04
250	557	0.09
251	3249	0.52
252	183	0.03
253	414	0.07
254	3188	0.51
255	80	0.01
256	556	0.09
257	1339	0.21
258	<= 10	**, **
259	665	0.11

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	419	0.07
.A: Invalid	69	0.01
0: Did not Die in Hospital	608904	97.14
1: Died in Hospital	17460	2.79

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DISP	Frequency	Percent of Total
.	419	0.07
A	69	0.01
1	526847	84.05
2	12617	2.01
3	23207	3.70
4	4473	0.71
5	11795	1.88
6	24811	3.96
7	5154	0.82
20	17460	2.79

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	160601	25.62
2: Second Quarter	156438	24.96
3: Third Quarter	154564	24.66
4: Fourth Quarter	155249	24.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1503	0.24
2	399	0.06
3	369	0.06
4	432	0.07
5	1228	0.20
6	89	0.01
7	272	0.04
8	430	0.07
9	170	0.03
10	811	0.13
11	253	0.04
12	838	0.13
13	431	0.07
14	8765	1.40
15	3302	0.53
16	316	0.05
17	114	0.02
18	480	0.08
19	528	0.08
20	669	0.11
21	642	0.10
22	261	0.04
23	130	0.02
24	2158	0.34
25	2009	0.32
26	1281	0.20
27	400	0.06
28	496	0.08
29	559	0.09
30	470	0.07
31	305	0.05
32	664	0.11
33	433	0.07
34	557	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	395	0.06
36	759	0.12
37	195	0.03
38	15	0.00
39	281	0.04
40	197	0.03
41	48	0.01
42	592	0.09
43	74	0.01
44	263	0.04
45	111	0.02
46	118	0.02
47	142	0.02
48	106	0.02
49	158	0.03
50	280	0.04
51	34	0.01
52	169	0.03
53	714	0.11
54	95	0.02
55	643	0.10
56	433	0.07
57	169	0.03
58	396	0.06
59	483	0.08
60	1177	0.19
61	30	0.00
62	93	0.01
63	1278	0.20
64	212	0.03
65	1061	0.17
66	280	0.04
67	75	0.01
68	641	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	601	0.10
70	1276	0.20
71	413	0.07
72	90	0.01
73	384	0.06
74	206	0.03
75	1415	0.23
76	1241	0.20
77	220	0.04
78	912	0.15
79	3134	0.50
80	370	0.06
81	214	0.03
82	2421	0.39
83	372	0.06
84	180	0.03
85	460	0.07
86	95	0.02
87	1590	0.25
88	3921	0.63
89	9027	1.44
90	2405	0.38
91	3219	0.51
92	271	0.04
93	105	0.02
94	471	0.08
95	447	0.07
96	5178	0.83
97	2958	0.47
98	4709	0.75
99	1134	0.18
100	1042	0.17
101	741	0.12
102	429	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	35	0.01
104	561	0.09
105	615	0.10
106	2292	0.37
107	2168	0.35
108	539	0.09
110	1626	0.26
111	358	0.06
112	5396	0.86
113	776	0.12
114	219	0.03
115	180	0.03
116	1574	0.25
117	106	0.02
118	219	0.03
119	380	0.06
120	829	0.13
121	3955	0.63
122	4024	0.64
123	1254	0.20
124	4114	0.66
125	4991	0.80
126	213	0.03
127	13661	2.18
128	802	0.13
129	160	0.03
130	1920	0.31
131	1195	0.19
132	335	0.05
133	189	0.03
134	1163	0.19
135	197	0.03
136	110	0.02
137	104	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	4724	0.75
139	2696	0.43
140	10592	1.69
141	2183	0.35
142	1580	0.25
143	6987	1.11
144	1891	0.30
145	589	0.09
146	270	0.04
147	92	0.01
148	4542	0.72
149	1116	0.18
150	773	0.12
151	467	0.07
152	166	0.03
153	176	0.03
154	1314	0.21
155	293	0.05
156	274	0.04
157	576	0.09
158	1180	0.19
159	578	0.09
160	878	0.14
161	720	0.11
162	1605	0.26
163	263	0.04
164	376	0.06
165	689	0.11
166	405	0.06
167	2605	0.42
168	96	0.02
169	156	0.02
170	450	0.07
171	222	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	1024	0.16
173	174	0.03
174	4591	0.73
175	1167	0.19
176	449	0.07
177	480	0.08
178	465	0.07
179	712	0.11
180	1853	0.30
181	1098	0.18
182	8578	1.37
183	5850	0.93
184	3377	0.54
185	498	0.08
186	195	0.03
187	148	0.02
188	1457	0.23
189	714	0.11
190	368	0.06
191	535	0.09
192	108	0.02
193	378	0.06
194	79	0.01
195	691	0.11
196	199	0.03
197	2707	0.43
198	4766	0.76
199	103	0.02
200	113	0.02
201	248	0.04
202	988	0.16
203	964	0.15
204	2331	0.37
205	1035	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	431	0.07
207	1108	0.18
208	1001	0.16
209	7056	1.13
210	2683	0.43
211	1027	0.16
212	327	0.05
213	196	0.03
214	1905	0.30
215	5012	0.80
216	356	0.06
217	1257	0.20
218	850	0.14
219	2183	0.35
220	485	0.08
221	278	0.04
222	1715	0.27
223	1113	0.18
224	1252	0.20
225	966	0.15
226	277	0.04
227	1025	0.16
228	321	0.05
229	738	0.12
230	282	0.04
231	1164	0.19
232	144	0.02
233	257	0.04
234	506	0.08
235	403	0.06
236	1393	0.22
237	105	0.02
238	311	0.05
239	1742	0.28

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	430	0.07
241	354	0.06
242	175	0.03
243	6938	1.11
244	319	0.05
245	322	0.05
246	68	0.01
247	600	0.10
248	425	0.07
249	363	0.06
250	178	0.03
251	395	0.06
252	271	0.04
253	652	0.10
254	1025	0.16
255	397	0.06
256	640	0.10
257	1012	0.16
258	1217	0.19
259	170	0.03
260	285	0.05
261	770	0.12
262	92	0.01
263	809	0.13
264	251	0.04
265	271	0.04
266	550	0.09
267	205	0.03
268	258	0.04
269	449	0.07
270	629	0.10
271	474	0.08
272	215	0.03
273	138	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	157	0.03
275	34	0.01
276	106	0.02
277	2329	0.37
278	1840	0.29
279	532	0.08
280	756	0.12
281	1268	0.20
282	358	0.06
283	249	0.04
284	292	0.05
285	136	0.02
286	153	0.02
287	180	0.03
288	162	0.03
289	158	0.03
290	854	0.14
291	53	0.01
292	127	0.02
293	31	0.00
294	3030	0.48
295	1279	0.20
296	4953	0.79
297	1488	0.24
298	1452	0.23
299	102	0.02
300	395	0.06
301	238	0.04
302	274	0.04
303	625	0.10
304	677	0.11
305	508	0.08
306	314	0.05
307	141	0.02

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
308	300	0.05
309	166	0.03
310	1046	0.17
311	1054	0.17
312	98	0.02
313	103	0.02
314	15	0.00
315	883	0.14
316	1340	0.21
317	50	0.01
318	232	0.04
319	53	0.01
320	3807	0.61
321	1781	0.28
322	709	0.11
323	1264	0.20
324	2217	0.35
325	278	0.04
326	185	0.03
327	41	0.01
328	55	0.01
329	23	0.00
330	<= 10	**.**
331	915	0.15
332	409	0.07
333	196	0.03
334	560	0.09
335	336	0.05
336	2542	0.41
337	2677	0.43
338	384	0.06
339	301	0.05
340	169	0.03
341	570	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	27	0.00
343	<= 10	**.*
344	102	0.02
345	75	0.01
346	214	0.03
347	57	0.01
348	137	0.02
349	100	0.02
350	453	0.07
352	97	0.02
353	186	0.03
354	348	0.06
355	553	0.09
356	1340	0.21
357	363	0.06
358	2846	0.45
359	8725	1.39
360	513	0.08
361	517	0.08
362	21	0.00
363	270	0.04
364	336	0.05
365	288	0.05
366	206	0.03
367	77	0.01
368	1184	0.19
369	822	0.13
370	3826	0.61
371	13020	2.08
372	4904	0.78
373	48376	7.72
374	3441	0.55
375	37	0.01
376	768	0.12

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
377	238	0.04
378	1285	0.20
379	2761	0.44
380	514	0.08
381	1514	0.24
382	916	0.15
383	3934	0.63
384	1601	0.26
385	1380	0.22
386	1235	0.20
387	1704	0.27
388	1539	0.25
389	5709	0.91
390	11757	1.88
391	51893	8.28
392	196	0.03
393	32	0.01
394	178	0.03
395	2507	0.40
396	456	0.07
397	611	0.10
398	684	0.11
399	288	0.05
400	402	0.06
401	218	0.03
402	146	0.02
403	879	0.14
404	364	0.06
405	113	0.02
406	170	0.03
407	68	0.01
408	297	0.05
409	319	0.05
410	6843	1.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
411	13	0.00
412	<= 10	**.*
413	344	0.05
414	121	0.02
415	1106	0.18
416	3586	0.57
417	444	0.07
418	796	0.13
419	581	0.09
420	210	0.03
421	978	0.16
422	1786	0.28
423	414	0.07
424	198	0.03
425	973	0.16
426	1974	0.31
427	956	0.15
428	420	0.07
429	1254	0.20
430	10743	1.71
431	475	0.08
432	128	0.02
433	901	0.14
434	1334	0.21
435	3324	0.53
436	618	0.10
437	1694	0.27
439	112	0.02
440	541	0.09
441	221	0.04
442	530	0.08
443	596	0.10
444	298	0.05
445	587	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
446	186	0.03
447	210	0.03
448	31	0.00
449	1745	0.28
450	1517	0.24
451	839	0.13
452	611	0.10
453	419	0.07
454	276	0.04
455	470	0.07
456	32	0.01
457	11	0.00
458	180	0.03
459	72	0.01
460	512	0.08
461	448	0.07
462	3096	0.49
463	328	0.05
464	205	0.03
465	62	0.01
466	550	0.09
467	1006	0.16
468	2640	0.42
469	17	0.00
470	506	0.08
471	172	0.03
472	32	0.01
473	382	0.06
475	2383	0.38
476	280	0.04
477	1605	0.26
478	2503	0.40
479	755	0.12
480	82	0.01

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
481	59	0.01
482	263	0.04
483	1050	0.17
484	78	0.01
485	206	0.03
486	643	0.10
487	461	0.07
488	194	0.03
489	1163	0.19
490	368	0.06
491	183	0.03
492	179	0.03

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
6	471603	75.23
7	155249	24.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	361906	57.73
6	60121	9.59
7	12726	2.03
9	92083	14.69
30	100016	15.96

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	421745	67.28
5	13008	2.08
8	43561	6.95
10	48522	7.74
21	100016	15.96

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DSNUM	Frequency	Percent of Total
3	161824	25.82
4	100016	15.96
5	63110	10.07
6	48522	7.74
7	60121	9.59
8	12726	2.03
9	17586	2.81
10	43561	6.95
11	32866	5.24
12	13008	2.08
13	73512	11.73

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	580978	92.68
2	45874	7.32

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	141	0.02
Valid DX	626711	99.98

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	141	0.02
C	41	0.01
0	626627	99.96
1	43	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	17586	2.81
CA	100016	15.96
CO	13008	2.08
FL	161824	25.82
IA	32866	5.24
IL	63110	10.07
MA	48522	7.74
NJ	43561	6.95
PA	73512	11.73
WA	12726	2.03
WI	60121	9.59

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
4003	98	0.02
4005	767	0.12
4013	11814	1.88
4015	1156	0.18
4017	294	0.05
4019	2935	0.47
4025	522	0.08
6001	2688	0.43
6005	180	0.03
6007	483	0.08
6009	140	0.02
6011	74	0.01
6013	581	0.09
6015	241	0.04
6017	523	0.08
6019	2726	0.43
6021	61	0.01
6023	648	0.10
6025	675	0.11
6027	223	0.04
6029	2918	0.47
6031	68	0.01
6035	167	0.03
6037	32344	5.16
6039	510	0.08
6041	186	0.03
6045	315	0.05
6049	<= 10	**.**
6051	72	0.01
6053	1233	0.20
6055	868	0.14
6059	7842	1.25
6061	627	0.10
6063	71	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
6065	3940	0.63
6067	6277	1.00
6071	2216	0.35
6073	13001	2.07
6075	2083	0.33
6077	3752	0.60
6079	1432	0.23
6081	1042	0.17
6083	1217	0.19
6085	2256	0.36
6087	1522	0.24
6093	412	0.07
6097	1423	0.23
6099	2204	0.35
6105	103	0.02
6107	496	0.08
6109	166	0.03
8001	627	0.10
8005	2785	0.44
8015	128	0.02
8021	83	0.01
8031	2648	0.42
8037	234	0.04
8041	2768	0.44
8043	268	0.04
8045	318	0.05
8065	77	0.01
8071	134	0.02
8073	36	0.01
8075	187	0.03
8077	1303	0.21
8085	272	0.04
8087	255	0.04
8089	318	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
8095	22	0.00
8097	146	0.02
8099	131	0.02
8103	39	0.01
8107	172	0.03
8121	<= 10	**.**
8125	51	0.01
12001	5007	0.80
12003	51	0.01
12005	2104	0.34
12007	89	0.01
12009	5033	0.80
12011	14512	2.32
12013	59	0.01
12015	1852	0.30
12017	1157	0.18
12019	80	0.01
12021	2149	0.34
12023	576	0.09
12025	25541	4.07
12027	286	0.05
12031	11016	1.76
12033	4774	0.76
12035	103	0.02
12037	68	0.01
12039	156	0.02
12045	90	0.01
12047	87	0.01
12049	81	0.01
12051	132	0.02
12053	1173	0.19
12055	1132	0.18
12057	10201	1.63
12059	111	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12061	1441	0.23
12063	518	0.08
12069	1706	0.27
12071	5024	0.80
12073	3204	0.51
12075	72	0.01
12079	77	0.01
12081	1389	0.22
12083	2210	0.35
12085	1421	0.23
12087	755	0.12
12089	195	0.03
12091	506	0.08
12093	296	0.05
12095	11705	1.87
12097	1402	0.22
12099	11129	1.78
12101	2613	0.42
12103	11714	1.87
12105	5253	0.84
12107	595	0.09
12109	708	0.11
12111	504	0.08
12113	661	0.11
12115	4310	0.69
12117	286	0.05
12121	86	0.01
12123	108	0.02
12125	74	0.01
12127	4021	0.64
12131	75	0.01
12133	146	0.02
17001	783	0.12
17007	196	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17011	372	0.06
17021	330	0.05
17029	866	0.14
17031	35952	5.74
17037	542	0.09
17041	22	0.00
17043	2784	0.44
17051	109	0.02
17053	135	0.02
17055	182	0.03
17061	43	0.01
17065	111	0.02
17067	165	0.03
17069	143	0.02
17075	249	0.04
17077	801	0.13
17081	168	0.03
17089	2966	0.47
17095	514	0.08
17097	1843	0.29
17099	593	0.09
17107	316	0.05
17111	1395	0.22
17113	1709	0.27
17115	1116	0.18
17119	1456	0.23
17121	196	0.03
17125	74	0.01
17131	104	0.02
17135	180	0.03
17137	628	0.10
17145	147	0.02
17157	154	0.02
17161	1121	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17163	385	0.06
17165	267	0.04
17167	2606	0.42
17179	48	0.01
17185	167	0.03
17189	110	0.02
17195	666	0.11
17199	396	0.06
19001	40	0.01
19003	57	0.01
19005	70	0.01
19007	130	0.02
19009	45	0.01
19011	51	0.01
19013	1367	0.22
19015	176	0.03
19017	158	0.03
19019	81	0.01
19025	207	0.03
19027	266	0.04
19029	190	0.03
19033	1481	0.24
19035	106	0.02
19037	102	0.02
19039	41	0.01
19041	323	0.05
19043	94	0.01
19045	692	0.11
19047	139	0.02
19049	66	0.01
19053	71	0.01
19055	144	0.02
19057	737	0.12
19061	1689	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19065	173	0.03
19067	71	0.01
19069	76	0.01
19073	68	0.01
19075	<= 10	**.**
19077	47	0.01
19079	220	0.04
19081	50	0.01
19083	157	0.03
19085	83	0.01
19087	107	0.02
19089	72	0.01
19091	57	0.01
19093	82	0.01
19095	<= 10	**.**
19097	158	0.03
19101	134	0.02
19103	2831	0.45
19107	<= 10	**.**
19109	103	0.02
19111	575	0.09
19113	1860	0.30
19117	78	0.01
19119	45	0.01
19121	39	0.01
19123	176	0.03
19125	303	0.05
19127	573	0.09
19131	95	0.02
19133	141	0.02
19135	59	0.01
19137	162	0.03
19141	176	0.03
19143	56	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19145	200	0.03
19147	71	0.01
19149	155	0.02
19151	42	0.01
19153	7345	1.17
19155	1246	0.20
19159	34	0.01
19163	2035	0.32
19165	133	0.02
19167	141	0.02
19169	993	0.16
19175	72	0.01
19177	57	0.01
19179	716	0.11
19183	127	0.02
19185	83	0.01
19187	579	0.09
19189	56	0.01
19191	149	0.02
19193	1197	0.19
19197	73	0.01
25001	1318	0.21
25003	972	0.16
25005	4153	0.66
25009	2790	0.45
25013	4431	0.71
25015	201	0.03
25017	9002	1.44
25019	72	0.01
25021	4001	0.64
25023	799	0.13
25025	12939	2.06
25027	7844	1.25
34001	2736	0.44

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34003	5896	0.94
34005	1504	0.24
34007	4742	0.76
34009	1088	0.17
34013	7123	1.14
34017	2492	0.40
34019	863	0.14
34021	1207	0.19
34023	1676	0.27
34025	2873	0.46
34027	1157	0.18
34029	3666	0.58
34031	3738	0.60
34033	744	0.12
34037	790	0.13
34039	1266	0.20
42001	551	0.09
42003	11562	1.84
42005	843	0.13
42009	331	0.05
42011	3228	0.51
42013	2011	0.32
42017	1273	0.20
42021	1130	0.18
42027	360	0.06
42029	1599	0.26
42031	337	0.05
42033	1439	0.23
42035	34	0.01
42039	888	0.14
42043	2022	0.32
42045	681	0.11
42047	296	0.05
42049	2098	0.33

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42051	254	0.04
42055	369	0.06
42057	153	0.02
42059	352	0.06
42061	368	0.06
42065	255	0.04
42069	1765	0.28
42071	3927	0.63
42073	346	0.06
42075	457	0.07
42077	4271	0.68
42079	878	0.14
42081	1328	0.21
42085	1566	0.25
42087	912	0.15
42089	1088	0.17
42091	4128	0.66
42097	357	0.06
42101	13951	2.23
42105	341	0.05
42107	1093	0.17
42115	272	0.04
42119	761	0.12
42125	2429	0.39
42127	383	0.06
42129	825	0.13
53001	<= 10	**.**
53005	128	0.02
53007	117	0.02
53011	1634	0.26
53015	1100	0.18
53019	19	0.00
53021	365	0.06
53025	348	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53027	536	0.09
53029	243	0.04
53033	4059	0.65
53043	<= 10	**.*
53047	59	0.01
53049	61	0.01
53051	34	0.01
53053	1094	0.17
53057	1162	0.19
53061	206	0.03
53063	901	0.14
53065	151	0.02
53071	408	0.07
53075	53	0.01
53077	32	0.01
55001	79	0.01
55003	462	0.07
55005	147	0.02
55009	2566	0.41
55013	55	0.01
55015	115	0.02
55017	561	0.09
55019	84	0.01
55021	165	0.03
55025	6005	0.96
55027	742	0.12
55031	206	0.03
55033	201	0.03
55035	1737	0.28
55039	1178	0.19
55043	391	0.06
55045	594	0.09
55047	236	0.04
55049	132	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55053	147	0.02
55055	469	0.07
55059	1415	0.23
55061	44	0.01
55063	2650	0.42
55065	72	0.01
55067	210	0.03
55071	966	0.15
55079	17582	2.80
55081	156	0.02
55083	170	0.03
55085	923	0.15
55087	2060	0.33
55089	294	0.05
55091	93	0.01
55095	420	0.07
55097	590	0.09
55099	106	0.02
55101	2203	0.35
55103	168	0.03
55105	1851	0.30
55107	125	0.02
55109	494	0.08
55111	680	0.11
55113	110	0.02
55115	252	0.04
55117	1172	0.19
55119	140	0.02
55121	118	0.02
55123	236	0.04
55125	106	0.02
55129	226	0.04
55131	701	0.11
55133	2955	0.47

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55135	200	0.03
55137	60	0.01
55139	2034	0.32
55141	2267	0.36

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.: Missing	<= 10	**. **
.C: Inconsistent	658	0.10
0 days	12835	2.05
1 day	82970	13.24
2 days	124649	19.88
3 days	86693	13.83
4 days	69410	11.07
5 days	45479	7.26
6 days	33091	5.28
7 days	28584	4.56
8 days	23022	3.67
9 days	18235	2.91
10 days	14800	2.36
11 - 30 days	74910	11.95
31 - 60 days	9213	1.47
61 - 90 days	1467	0.23
91 - 120 days	435	0.07
121 - 150 days	157	0.03
151 - 180 days	66	0.01
181 - 210 days	44	0.01
211 - 240 days	35	0.01
241 - 270 days	16	0.00
271 - 300 days	<= 10	**. **
301 - 330 days	16	0.00
331 - 365 days	<= 10	**. **
369	<= 10	**. **
372	<= 10	**. **
373	<= 10	**. **
382	<= 10	**. **
386	<= 10	**. **
387	<= 10	**. **
393	<= 10	**. **
408	<= 10	**. **
409	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
412	<= 10	***
430	<= 10	***
435	<= 10	***
448	<= 10	***
454	<= 10	***
455	<= 10	***
466	<= 10	***
483	<= 10	***
489	<= 10	***
494	<= 10	***
537	<= 10	***
543	<= 10	***
555	<= 10	***
556	<= 10	***
576	<= 10	***
614	<= 10	***
618	<= 10	***
624	<= 10	***
627	<= 10	***
629	<= 10	***
646	<= 10	***
683	<= 10	***
684	<= 10	***
693	<= 10	***
719	<= 10	***
746	<= 10	***
779	<= 10	***
858	<= 10	***
875	<= 10	***
927	<= 10	***
952	<= 10	***
998	<= 10	***
1346	<= 10	***
1703	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
2047	<= 10	**. **
2250	<= 10	**. **
2437	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	173	0.03
1	33078	5.28
2	2925	0.47
3	12834	2.05
4	52165	8.32
5	91719	14.63
6	53014	8.46
7	18004	2.87
8	51620	8.23
9	16000	2.55
10	15107	2.41
11	20070	3.20
12	8866	1.41
13	18663	2.98
14	87216	13.91
15	75235	12.00
16	5097	0.81
17	10933	1.74
18	9930	1.58
19	17122	2.73
20	7968	1.27
21	9457	1.51
22	845	0.13
23	5695	0.91
24	1391	0.22
25	1725	0.28

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	407421	64.99
Non-Blank	219431	35.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	140	0.02
1	129834	20.71
2	131727	21.01
3	98733	15.75
4	77201	12.32
5	152020	24.25
6	14900	2.38
7	7195	1.15
8	5127	0.82
9	6068	0.97
10	1664	0.27
11	756	0.12
12	460	0.07
13	346	0.06
14	216	0.03
15	242	0.04
16	68	0.01
17	41	0.01
18	25	0.00
19	24	0.00
20	22	0.00
21	13	0.00
22	<= 10	**. **
23	<= 10	**. **
24	<= 10	**. **
25	14	0.00
26	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	462369	73.76
1: Maternal	88557	14.13
2: Neonatal	75871	12.10
3: Neonatal and Maternal	55	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	229951	36.68
1	178103	28.41
2	97816	15.60
3	95875	15.29
4	11204	1.79
5	6584	1.05
6	2568	0.41
7	1480	0.24
8	1646	0.26
9	454	0.07
10	500	0.08
11	179	0.03
12	127	0.02
13	107	0.02
14	72	0.01
15	87	0.01
16	35	0.01
17	19	0.00
18	<= 10	**,**
19	<= 10	**,**
20	<= 10	**,**
21	22	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
.: Missing	2467	0.39
.A: Invalid	453	0.07
1: Medicare	199872	31.89
2: Medicaid	95181	15.18
3: Private Insurance	257180	41.03
4: Self-pay	23980	3.83
5: No Charge	829	0.13
6: Other	46890	7.48

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PAY1_N	Frequency	Percent of Total
.	20053	3.20
A	453	0.07
1	195473	31.18
2	92104	14.69
3	48089	7.67
4	157334	25.10
5	42068	6.71
6	23980	3.83
7	829	0.13
8	30	0.00
9	4689	0.75
10	466	0.07
11	8942	1.43
12	32342	5.16

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	398812	63.62
C	11391	1.82
.: Missing	118249	18.86
1: Medicare	2424	0.39
2: Medicaid	8299	1.32
3: Private Insurance	43167	6.89
4: Self-pay	21352	3.41
5: No Charge	107	0.02
6: Other	23051	3.68

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	118249	18.86
B	398812	63.62
C	11391	1.82
1	2424	0.39
2	8299	1.32
3	13067	2.08
4	26366	4.21
5	2546	0.41
6	21352	3.41
7	107	0.02
8	<= 10	**,**
9	338	0.05
10	104	0.02
11	481	0.08
12	23313	3.72

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	229960	36.68
A	51	0.01
1	1409	0.22
2	446	0.07
3	6191	0.99
4	5701	0.91
5	816	0.13
6	193	0.03
7	268	0.04
8	259	0.04
9	1319	0.21
10	876	0.14
11	46	0.01
12	468	0.07
13	186	0.03
14	148	0.02
15	353	0.06
16	618	0.10
17	29	0.00
18	31	0.00
19	516	0.08
20	443	0.07
21	196	0.03
22	189	0.03
23	172	0.03
24	179	0.03
25	34	0.01
26	437	0.07
27	319	0.05
28	725	0.12
29	325	0.05
30	2124	0.34
31	157	0.03
32	398	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1795	0.29
34	664	0.11
35	532	0.08
36	979	0.16
37	3702	0.59
38	255	0.04
39	3091	0.49
40	341	0.05
41	223	0.04
42	665	0.11
43	1100	0.18
44	4590	0.73
45	4726	0.75
46	22	0.00
47	11879	1.90
48	2760	0.44
49	824	0.13
50	21	0.00
51	1201	0.19
52	842	0.13
53	346	0.06
54	3377	0.54
55	1612	0.26
56	165	0.03
57	1043	0.17
58	1565	0.25
59	99	0.02
60	430	0.07
61	2747	0.44
62	732	0.12
63	547	0.09
64	55	0.01
65	1659	0.26
66	416	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1117	0.18
68	214	0.03
69	171	0.03
70	10348	1.65
71	1234	0.20
72	273	0.04
73	126	0.02
74	499	0.08
75	713	0.11
76	4889	0.78
77	369	0.06
78	4191	0.67
79	30	0.00
80	4214	0.67
81	835	0.13
82	644	0.10
83	720	0.11
84	8810	1.41
85	2909	0.46
86	1808	0.29
87	644	0.10
88	829	0.13
89	773	0.12
90	1212	0.19
91	403	0.06
92	114	0.02
93	938	0.15
94	1346	0.21
95	829	0.13
96	2395	0.38
97	259	0.04
98	603	0.10
99	1907	0.30
100	2422	0.39

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	2155	0.34
102	471	0.08
103	420	0.07
104	668	0.11
105	276	0.04
106	705	0.11
107	315	0.05
108	234	0.04
109	722	0.12
110	439	0.07
111	315	0.05
112	1202	0.19
113	6076	0.97
114	864	0.14
115	18154	2.90
116	190	0.03
117	115	0.02
118	1234	0.20
119	1583	0.25
120	998	0.16
121	1212	0.19
122	801	0.13
123	543	0.09
124	9437	1.51
125	542	0.09
126	180	0.03
127	1719	0.27
128	620	0.10
129	813	0.13
130	180	0.03
131	158	0.03
132	816	0.13
133	18887	3.01
134	16806	2.68

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	6975	1.11
136	1199	0.19
137	16438	2.62
138	241	0.04
139	2227	0.36
140	8164	1.30
141	251	0.04
142	1014	0.16
143	476	0.08
144	911	0.15
145	1498	0.24
146	4661	0.74
147	3535	0.56
148	1981	0.32
149	285	0.05
150	176	0.03
151	338	0.05
152	3984	0.64
153	4345	0.69
154	1326	0.21
155	563	0.09
156	84	0.01
157	1499	0.24
158	831	0.13
159	472	0.08
160	2573	0.41
161	881	0.14
162	1394	0.22
163	219	0.03
164	942	0.15
165	159	0.03
166	585	0.09
167	2316	0.37
168	1195	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	3928	0.63
170	802	0.13
171	1516	0.24
172	743	0.12
173	295	0.05
174	1048	0.17
175	1462	0.23
176	118	0.02
177	7808	1.25
178	623	0.10
179	1818	0.29
180	699	0.11
181	1573	0.25
182	80	0.01
183	150	0.02
184	14	0.00
185	943	0.15
186	295	0.05
187	1425	0.23
188	835	0.13
189	409	0.07
190	383	0.06
191	1291	0.21
192	616	0.10
193	4144	0.66
194	719	0.11
195	699	0.11
196	1393	0.22
197	1654	0.26
198	1359	0.22
199	1099	0.18
200	58	0.01
201	1181	0.19
202	611	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	2710	0.43
204	638	0.10
205	3227	0.51
206	127	0.02
207	730	0.12
208	986	0.16
209	1201	0.19
210	162	0.03
211	1409	0.22
212	182	0.03
213	2378	0.38
214	1038	0.17
215	697	0.11
216	6346	1.01
217	3589	0.57
218	1749	0.28
219	5595	0.89
220	42	0.01
221	652	0.10
222	2227	0.36
223	408	0.07
224	6885	1.10
225	1138	0.18
226	1198	0.19
227	981	0.16
228	35	0.01
229	126	0.02
230	<= 10	**.**
231	5633	0.90

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	229960	36.68
Valid PR	396892	63.32

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
.: Missing	187837	29.97
.B: Unavail from Source	126288	20.15
.C: Inconsistent	67	0.01
-4 days	<= 10	**.**
-3 days	<= 10	**.**
-2 days	28	0.00
-1 day	287	0.05
0 days	168462	26.87
1 day	67795	10.82
2 days	22981	3.67
3 days	13786	2.20
4 days	9062	1.45
5 days	6310	1.01
6 - 30 days	23132	3.69
31 - 60 days	655	0.10
61 - 90 days	91	0.01
91 - 120 days	29	0.00
121 - 150 days	<= 10	**.**
151 - 180 days	<= 10	**.**
181 - 210 days	<= 10	**.**
211 - 240 days	<= 10	**.**
241 - 270 days	<= 10	**.**
301 - 330 days	<= 10	**.**
331 - 365 days	<= 10	**.**
375	<= 10	**.**
377	<= 10	**.**
405	<= 10	**.**
737	<= 10	**.**
795	<= 10	**.**
924	<= 10	**.**
1027	<= 10	**.**
1906	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	626852	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	229960	36.68
C	27	0.00
0	396814	63.30
1	51	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

RACE	Frequency	Percent of Total
.: Missing	20511	3.27
.B: Unavail from Source	372285	59.39
1: White	174695	27.87
2: Black	20296	3.24
3: Hispanic	29360	4.68
4: Asian/Pacific Islander	6005	0.96
5: Native American	390	0.06
6: Other	3310	0.53

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	<= 10	**. **
C	22	0.00
1	262246	41.84
2	364577	58.16

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	500264	79.81
Non-Blank	126588	20.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	17481	2.79
.C: Inconsistent	648	0.10
\$ 1- \$ 9	18	0.00
\$20	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	70369	11.23
\$1,001- \$5,000	292594	46.68
\$5,001- \$10,000	132415	21.12
\$10,001- \$50,000	104542	16.68
\$50,001- \$100,000	6428	1.03
\$100,001- \$200,000	1799	0.29
\$200,001- \$300,000	343	0.05
\$300,001- \$400,000	104	0.02
\$400,001- \$500,000	48	0.01
\$500,001-\$1,000,000	54	0.01
1045750	<= 10	**. **
1101450	<= 10	**. **
1126585	<= 10	**. **
1127920	<= 10	**. **
1140046	<= 10	**. **
1486499	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
90	626852	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	18834	3.00
1: \$0-\$25,000	198575	31.68
2: \$25,001-\$30,000	133219	21.25
3: \$30,001-\$35,000	104494	16.67
4: \$35,001+	171730	27.40

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	52345	8.35
1: \$0-\$15,000	16286	2.60
2: \$15,001-\$20,000	50537	8.06
3: \$20,001-\$25,000	117022	18.67
4: \$25,001-\$30,000	121419	19.37
5: \$30,001-\$35,000	101226	16.15
6: \$35,001-\$40,000	66007	10.53
7: \$40,001-\$45,000	43258	6.90
8: \$45,001+	58752	9.37

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	626170	Sum Weights	626170
Mean	43.7732501	Sum Observations	27409496
Std Deviation	28.098083	Variance	789.502267
Skewness	-0.1087653	Kurtosis	-1.2166844
Uncorrected SS	1694164568	Corrected SS	494361845
Coeff Variation	64.1900771	Std Error Mean	0.03550836

Basic Statistical Measures			
Location		Variability	
Mean	43.77325	Std Deviation	28.09808
Median	43.00000	Variance	789.50227
Mode	0.00000	Range	116.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1232.759	Pr > t 	<.0001
Sign	M	270605.5	Pr >= M 	<.0001
Signed Rank	S	7.323E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	116
99%	91
95%	84
90%	80
75% Q3	69
50% Median	43
25% Q1	22
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	306	0.05	44.87
A	225	0.04	32.99
C	151	0.02	22.14
Total	682	0.11	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	626193	Sum Weights	626193
Mean	6.12983377	Sum Observations	3838459
Std Deviation	11.655039	Variance	135.839933
Skewness	56.127966	Kurtosis	8411.90651
Uncorrected SS	108590995	Corrected SS	85061879.4
Coeff Variation	190.136297	Std Error Mean	0.01472854

Basic Statistical Measures			
Location		Variability	
Mean	6.129834	Std Deviation	11.65504
Median	4.000000	Variance	135.83993
Mode	2.000000	Range	2437
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	416.1875	Pr > t 	<.0001
Sign	M	306679	Pr >= M 	<.0001
Signed Rank	S	9.405E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2437
99%	40
95%	19
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	0.00	0.15
C	658	0.10	99.85
Total	659	0.11	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	626851	Sum Weights	626851
Mean	6.17461885	Sum Observations	3870566
Std Deviation	34.3875457	Variance	1182.5033
Skewness	657.726972	Kurtosis	487421.4
Uncorrected SS	765151464	Corrected SS	741252194
Coeff Variation	556.917707	Std Error Mean	0.04343292

Basic Statistical Measures			
Location		Variability	
Mean	6.174619	Std Deviation	34.38755
Median	4.000000	Variance	1183
Mode	2.000000	Range	25935
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	142.1645	Pr > t 	<.0001
Sign	M	306982	Pr >= M 	<.0001
Signed Rank	S	9.424E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	25571
99%	40
95%	19
90%	13
75% Q3	7
50% Median	4
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-364

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	0.00	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	608723	Sum Weights	608723
Mean	7575.84093	Sum Observations	4611588621
Std Deviation	15987.2773	Variance	255593036
Skewness	17.0944953	Kurtosis	663.812913
Uncorrected SS	1.90522E14	Corrected SS	1.55585E14
Coeff Variation	211.029738	Std Error Mean	20.4910707

Basic Statistical Measures			
Location		Variability	
Mean	7575.841	Std Deviation	15987
Median	3921.000	Variance	255593036
Mode	1900.000	Range	1486498
		Interquartile Range	5851

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	369.7143	Pr > t 	<.0001
Sign	M	304361.5	Pr >= M 	<.0001
Signed Rank	S	9.264E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1486499
99%	60532
95%	24525
90%	15836
75% Q3	7784
50% Median	3921
25% Q1	1933
10%	892
5%	582

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	335
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	17481	2.79	96.43
C	648	0.10	3.57
Total	18129	2.89	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	609389	Sum Weights	609389
Mean	7592.47388	Sum Observations	4626770068
Std Deviation	16461.7654	Variance	270989721
Skewness	18.5413023	Kurtosis	746.459116
Uncorrected SS	2.00267E14	Corrected SS	1.65138E14
Coeff Variation	216.816886	Std Error Mean	21.0876946

Basic Statistical Measures			
Location		Variability	
Mean	7592.474	Std Deviation	16462
Median	3916.720	Variance	270989721
Mode	1900.000	Range	1486499
		Interquartile Range	5850

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	360.0429	Pr > t 	<.0001
Sign	M	304694.5	Pr >= M 	<.0001
Signed Rank	S	9.284E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1486499.65
99%	60688.00
95%	24536.00
90%	15837.50
75% Q3	7779.15
50% Median	3916.72
25% Q1	1929.00
10%	886.00
5%	578.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	327.90
0% Min	1.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	17463	2.79	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*