

HCUP Summary Statistics Report: NIS 1992 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	619572	2	1.00	7.00	3.93	1.83
AGE : I:Age in years at admission	619204	370	0.00	112.00	44.98	28.35
AGEDAY : I:Age in days (when < 1 year)	83284	536290	0.00	364.00	16.74	57.57
AMONTH : I:Admission month	619574	0	1.00	12.00	6.44	3.47
ASOURCE : I:Admission source	563189	56385	1.00	5.00	3.46	1.91
ATYPE : I:Admission type	566304	53270	1.00	6.00	2.20	1.10
DCCHPR1 : I:CCHPR: principal diagnosis	619167	407	1.00	259.00	148.41	64.46
DIED : I:Died during hospitalization	619001	573	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	619001	573	1.00	20.00	2.05	3.32
DQTR : I:Discharge quarter	619574	0	1.00	4.00	2.48	1.12
DRG : I:DRG in effect on discharge date	619574	0	1.00	492.00	260.43	135.50
DRG10 : I:DRG, Version 10	619574	0	1.00	492.00	260.27	135.48
DRGVER : I:DRG grouper version used on disch date	619574	0	9.00	10.00	9.25	0.43
DSNDX : I:Max number of diagnoses from source	619574	0	5.00	30.00	11.03	8.56
DSNPR : I:Max number of procedures from source	619574	0	3.00	21.00	8.64	6.21
DSNUM : I:Data source ID number	619574	0	3.00	13.00	6.55	3.55
DSTYPE : I:Data source type	619574	0	1.00	2.00	1.08	0.28
DXSYS : I:Diagnosis coding system	619574	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	619399	175	0.00	1.00	0.00	0.02
DXV2 : I:Validity flag: diagnosis 2	510528	109046	0.00	1.00	0.00	0.02
DXV3 : I:Validity flag: diagnosis 3	391590	227984	0.00	1.00	0.00	0.02
DXV4 : I:Validity flag: diagnosis 4	296906	322668	0.00	1.00	0.00	0.02
DXV5 : I:Validity flag: diagnosis 5	218724	400850	0.00	1.00	0.00	0.02
DXV6 : I:Validity flag: diagnosis 6	88487	531087	0.00	1.00	0.00	0.01
DXV7 : I:Validity flag: diagnosis 7	60509	559065	0.00	0.00	0.00	0.00
DXV8 : I:Validity flag: diagnosis 8	42909	576665	0.00	0.00	0.00	0.00
DXV9 : I:Validity flag: diagnosis 9	29827	589747	0.00	0.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	15077	604497	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	3283	616291	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	2316	617258	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	1554	618020	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	1050	618524	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	653	618921	0.00	0.00	0.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	619574	0	4009.00	55172.00	22331.63	15990.65

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1992 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	619574	0	4003.00	55141.00	22233.67	16030.79
LOS : I:Length of stay (cleaned)	618607	967	0.00	3186.00	5.93	12.17
LOS_X : I:Length of stay (uncleaned)	619574	0	-723.00	3186.00	5.93	12.25
MDC : I:MDC in effect on discharge date	619574	0	0.00	25.00	9.83	5.53
MDC10 : I:MDC, Version 10	619574	0	0.00	25.00	9.83	5.53
NDX : I:Number of diagnoses on this discharge	619574	0	0.00	27.00	3.69	2.27
NEOMAT : I:Neonatal and/or maternal DX and/or PR	619574	0	0.00	3.00	0.37	0.69
NPR : I:Number of procedures on this discharge	619574	0	0.00	21.00	1.33	1.57
PAY1 : I:Primary expected payer, uniform	617208	2366	1.00	6.00	2.31	1.21
PAY1_N : I:Primary expected payer, nonuniform	601315	18259	1.00	12.00	3.04	2.27
PAY2 : I:Secondary expected payer, uniform	88048	531526	1.00	6.00	3.62	1.33
PAY2_N : I:Secondary expected payer, nonuniform	88048	531526	1.00	12.00	5.62	3.44
PCCHPR1 : I:CCHPR: principal procedure	387324	232250	1.00	231.00	121.68	60.48
PRDAY1 : I:No. of days from admission to PR1	294010	325564	-4.00	1494.00	1.55	5.04
PROCESS : I:HCUP-3 discharge processing ID number	619574	0	9.204E10	9.2556E10	9.2226E10	159499908
PRSYS : I:Procedure coding system	619574	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	387453	232121	0.00	1.00	0.00	0.02
PRV2 : I:Validity flag: procedure 2	216419	403155	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	122674	496900	0.00	1.00	0.00	0.02
PRV4 : I:Validity flag: procedure 4	40211	579363	0.00	1.00	0.00	0.00
PRV5 : I:Validity flag: procedure 5	21932	597642	0.00	1.00	0.00	0.01
PRV6 : I:Validity flag: procedure 6	12425	607149	0.00	0.00	0.00	0.00
PRV7 : I:Validity flag: procedure 7	7873	611701	0.00	1.00	0.00	0.01
PRV8 : I:Validity flag: procedure 8	5312	614262	0.00	1.00	0.00	0.01
PRV9 : I:Validity flag: procedure 9	3196	616378	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	2280	617294	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	854	618720	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	614	618960	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	456	619118	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	335	619239	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	245	619329	0.00	0.00	0.00	0.00
RACE : I:Race	421089	198485	1.00	6.00	1.42	0.91
SEQ : I:HCUP-3 record sequence number	619574	0	4.0099E11	5.5173E12	2.2333E12	1.5991E12
SEX : I:Sex	619523	51	1.00	2.00	1.58	0.49

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
TOTCHG : I:Total charges (cleaned)	594784	24790	1.00	2604083.0	9806.07	20158.80
YEAR : Calendar year	619574	0	92.00	92.00	92.00	0.00
ZIPINC4 : I:Median income-pt s zip code-4 catags	597928	21646	1.00	4.00	2.43	1.21
ZIPINC8 : I:Median income-pt s zip code-8 catags	563501	56073	1.00	8.00	4.61	1.86
TOTCHG_X : I:Total charges (from data source)	595764	23810	1.00	2604083.0	9813.57	20399.55

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	<= 10	**. **
1	60552	9.77
2	108775	17.56
3	104519	16.87
4	98302	15.87
5	96539	15.58
6	90928	14.68
7	59957	9.68

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	188	0.03
A	58	0.01
C	124	0.02
0	83281	13.44
1	4625	0.75
2	2947	0.48
3	2150	0.35
4	1850	0.30
5	1667	0.27
6	1529	0.25
7	1356	0.22
8	1182	0.19
9	1197	0.19
10	1203	0.19
11	1232	0.20
12	1467	0.24
13	1508	0.24
14	1904	0.31
15	2481	0.40
16	3315	0.54
17	4439	0.72
18	4846	0.78
19	5552	0.90
20	6066	0.98
21	6686	1.08
22	7174	1.16
23	6707	1.08
24	6743	1.09
25	7161	1.16
26	7631	1.23
27	8915	1.44
28	8591	1.39
29	8658	1.40
30	8691	1.40

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8360	1.35
32	8875	1.43
33	7728	1.25
34	7403	1.19
35	6930	1.12
36	6429	1.04
37	6914	1.12
38	5870	0.95
39	5435	0.88
40	5305	0.86
41	4940	0.80
42	5590	0.90
43	4837	0.78
44	5091	0.82
45	5274	0.85
46	4369	0.71
47	4918	0.79
48	4682	0.76
49	4779	0.77
50	4758	0.77
51	4681	0.76
52	4973	0.80
53	4733	0.76
54	4740	0.77
55	4760	0.77
56	4943	0.80
57	5572	0.90
58	5275	0.85
59	5558	0.90
60	5960	0.96
61	6385	1.03
62	7126	1.15
63	6896	1.11
64	7402	1.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8245	1.33
66	8459	1.37
67	9693	1.56
68	9183	1.48
69	9125	1.47
70	9677	1.56
71	9843	1.59
72	10406	1.68
73	9254	1.49
74	9617	1.55
75	9399	1.52
76	9148	1.48
77	9667	1.56
78	8967	1.45
79	8347	1.35
80	7972	1.29
81	7572	1.22
82	7631	1.23
83	6618	1.07
84	6200	1.00
85	5996	0.97
86	4913	0.79
87	4412	0.71
88	3876	0.63
89	3225	0.52
90	2693	0.43
91	2232	0.36
92	1755	0.28
93	1338	0.22
94	1024	0.17
95	770	0.12
96	569	0.09
97	400	0.06
98	274	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	190	0.03
100	92	0.01
101	70	0.01
102	40	0.01
103	35	0.01
104	<= 10	**. **
105	<= 10	**. **
106	<= 10	**. **
107	<= 10	**. **
108	<= 10	**. **
109	<= 10	**. **
112	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	536112	86.53
.A: Invalid	56	0.01
.C: Inconsistent	122	0.02
0 days	71550	11.55
1 day	413	0.07
2 days	176	0.03
3 days	257	0.04
4 days	250	0.04
5 days	167	0.03
6 days	128	0.02
7 days	97	0.02
8 days	91	0.01
9 days	79	0.01
10 days	77	0.01
11 - 30 days	1401	0.23
31 - 60 days	1825	0.29
61 - 90 days	1139	0.18
91 - 120 days	889	0.14
121 - 150 days	809	0.13
151 - 180 days	655	0.11
181 - 210 days	615	0.10
211 - 240 days	550	0.09
241 - 270 days	517	0.08
271 - 300 days	551	0.09
301 - 330 days	519	0.08
331 - 364 days	529	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	55216	8.91
2: February	50554	8.16
3: March	54768	8.84
4: April	51913	8.38
5: May	51191	8.26
6: June	50925	8.22
7: July	51299	8.28
8: August	50374	8.13
9: September	50550	8.16
10: October	51560	8.32
11: November	49400	7.97
12: December	51824	8.36

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	4899	0.79
.A: Invalid	275	0.04
.B: Unavailable from Source	51211	8.27
1: Emergency Department	201270	32.49
2: Another Hospital	16629	2.68
3: Other Health Facility, incl. LTC	6971	1.13
4: Court/Law Enforcement	592	0.10
5: Routine, Birth, and Other	337727	54.51

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	2054	0.33
.A: Invalid	<= 10	**.**
.B: Unavail from Source	51211	8.27
1: Emergency	187523	30.27
2: Urgent	169672	27.39
3: Elective	130268	21.03
4: Newborn	63899	10.31
5: Delivery	14938	2.41
6: Other	<= 10	**.**

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPRI	Frequency	Percent of Total
.	156	0.03
A	251	0.04
1	350	0.06
2	5377	0.87
3	290	0.05
4	268	0.04
5	339	0.05
6	498	0.08
7	2430	0.39
8	302	0.05
9	163	0.03
10	<= 10	**,**
11	582	0.09
12	247	0.04
13	449	0.07
14	2070	0.33
15	918	0.15
16	197	0.03
17	591	0.10
18	329	0.05
19	2908	0.47
20	51	0.01
21	245	0.04
22	141	0.02
23	155	0.03
24	3046	0.49
25	739	0.12
26	662	0.11
27	445	0.07
28	149	0.02
29	2808	0.45
30	45	0.01
31	14	0.00
32	1182	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	500	0.08
34	65	0.01
35	583	0.09
36	291	0.05
37	146	0.02
38	912	0.15
39	772	0.12
40	286	0.05
41	230	0.04
42	4965	0.80
43	182	0.03
44	736	0.12
45	7236	1.17
46	3473	0.56
47	2856	0.46
48	612	0.10
49	176	0.03
50	6437	1.04
51	1015	0.16
52	259	0.04
53	13	0.00
54	126	0.02
55	7256	1.17
56	141	0.02
57	33	0.01
58	825	0.13
59	1815	0.29
60	161	0.03
61	1013	0.16
62	787	0.13
63	704	0.11
64	128	0.02
65	<= 10	**.**
66	5540	0.89

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	2758	0.45
68	1851	0.30
69	8196	1.32
70	3858	0.62
71	958	0.15
72	1219	0.20
73	314	0.05
74	2528	0.41
75	<= 10	**.**
76	909	0.15
77	191	0.03
78	93	0.02
79	232	0.04
80	403	0.07
81	736	0.12
82	400	0.06
83	4037	0.65
84	813	0.13
85	204	0.03
86	120	0.02
87	551	0.09
88	96	0.02
89	41	0.01
90	421	0.07
91	367	0.06
92	702	0.11
93	1254	0.20
94	231	0.04
95	1882	0.30
96	1500	0.24
97	1476	0.24
98	593	0.10
99	3475	0.56
100	11729	1.89

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	25224	4.07
102	9144	1.48
103	1274	0.21
104	99	0.02
105	1052	0.17
106	9450	1.53
107	390	0.06
108	16033	2.59
109	10196	1.65
110	2095	0.34
111	331	0.05
112	3169	0.51
113	13	0.00
114	2002	0.32
115	1426	0.23
116	1529	0.25
117	1685	0.27
118	2855	0.46
119	415	0.07
120	674	0.11
121	217	0.04
122	17866	2.88
123	212	0.03
124	1406	0.23
125	3844	0.62
126	1986	0.32
127	6552	1.06
128	7795	1.26
129	1840	0.30
130	1683	0.27
131	2517	0.41
132	162	0.03
133	3009	0.49
134	1246	0.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2480	0.40
136	793	0.13
137	354	0.06
138	2266	0.37
139	1134	0.18
140	2920	0.47
141	705	0.11
142	4035	0.65
143	3623	0.58
144	1093	0.18
145	4502	0.73
146	3545	0.57
147	923	0.15
148	319	0.05
149	10411	1.68
150	893	0.14
151	1478	0.24
152	2946	0.48
153	5685	0.92
154	3628	0.59
155	2444	0.39
156	273	0.04
157	1108	0.18
158	628	0.10
159	6810	1.10
160	4009	0.65
161	798	0.13
162	634	0.10
163	710	0.11
164	3855	0.62
165	457	0.07
166	505	0.08
167	657	0.11
168	1855	0.30

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1626	0.26
170	2597	0.42
171	1377	0.22
172	1453	0.23
173	167	0.03
174	72	0.01
175	2271	0.37
176	153	0.02
177	824	0.13
178	325	0.05
179	107	0.02
180	1045	0.17
181	5980	0.97
182	1306	0.21
183	2654	0.43
184	5641	0.91
185	1785	0.29
186	1551	0.25
187	2772	0.45
188	3117	0.50
189	5322	0.86
190	7904	1.28
191	3623	0.58
192	4989	0.81
193	11131	1.80
194	2028	0.33
195	6072	0.98
196	14073	2.27
197	5578	0.90
198	240	0.04
199	1270	0.20
200	317	0.05
201	1258	0.20
202	610	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	6140	0.99
204	993	0.16
205	10456	1.69
206	46	0.01
207	1298	0.21
208	336	0.05
209	547	0.09
210	370	0.06
211	2121	0.34
212	1675	0.27
213	831	0.13
214	439	0.07
215	311	0.05
216	151	0.02
217	973	0.16
218	71026	11.46
219	477	0.08
220	20	0.00
221	192	0.03
222	621	0.10
223	11	0.00
224	937	0.15
225	1876	0.30
226	5879	0.95
227	215	0.03
228	1273	0.21
229	2948	0.48
230	5062	0.82
231	3269	0.53
232	2800	0.45
233	3346	0.54
234	1920	0.31
235	1193	0.19
236	1592	0.26

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	6710	1.08
238	5608	0.91
239	1158	0.19
240	777	0.13
241	1255	0.20
242	2343	0.38
243	571	0.09
244	1808	0.29
245	3425	0.55
246	1211	0.20
247	490	0.08
248	250	0.04
249	200	0.03
250	505	0.08
251	2981	0.48
252	184	0.03
253	426	0.07
254	4120	0.66
255	68	0.01
256	412	0.07
257	1174	0.19
258	<= 10	**, **
259	620	0.10

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	459	0.07
.A: Invalid	114	0.02
0: Did not Die in Hospital	602055	97.17
1: Died in Hospital	16946	2.74

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DISP	Frequency	Percent of Total
.	459	0.07
A	114	0.02
1	504383	81.41
2	13830	2.23
3	27863	4.50
4	5534	0.89
5	12786	2.06
6	32197	5.20
7	5462	0.88
20	16946	2.74

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	159511	25.75
2: Second Quarter	154920	25.00
3: Third Quarter	152033	24.54
4: Fourth Quarter	153110	24.71

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1553	0.25
2	292	0.05
3	408	0.07
4	463	0.07
5	1769	0.29
6	41	0.01
7	273	0.04
8	320	0.05
9	161	0.03
10	851	0.14
11	210	0.03
12	851	0.14
13	454	0.07
14	9462	1.53
15	3526	0.57
16	313	0.05
17	117	0.02
18	544	0.09
19	445	0.07
20	577	0.09
21	621	0.10
22	264	0.04
23	149	0.02
24	2206	0.36
25	1599	0.26
26	1185	0.19
27	370	0.06
28	508	0.08
29	407	0.07
30	463	0.07
31	262	0.04
32	433	0.07
33	346	0.06
34	611	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	294	0.05
36	532	0.09
37	158	0.03
38	11	0.00
39	131	0.02
40	126	0.02
41	40	0.01
42	409	0.07
43	53	0.01
44	212	0.03
45	122	0.02
46	114	0.02
47	100	0.02
48	77	0.01
49	135	0.02
50	265	0.04
51	25	0.00
52	141	0.02
53	532	0.09
54	69	0.01
55	366	0.06
56	215	0.03
57	146	0.02
58	230	0.04
59	192	0.03
60	600	0.10
61	16	0.00
62	86	0.01
63	1097	0.18
64	160	0.03
65	1198	0.19
66	263	0.04
67	63	0.01
68	536	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	404	0.07
70	1086	0.18
71	430	0.07
72	67	0.01
73	325	0.05
74	180	0.03
75	1542	0.25
76	1392	0.22
77	196	0.03
78	899	0.15
79	3864	0.62
80	309	0.05
81	207	0.03
82	2432	0.39
83	325	0.05
84	137	0.02
85	502	0.08
86	101	0.02
87	1307	0.21
88	7254	1.17
89	9043	1.46
90	1665	0.27
91	2890	0.47
92	297	0.05
93	73	0.01
94	451	0.07
95	345	0.06
96	2683	0.43
97	2342	0.38
98	5467	0.88
99	1006	0.16
100	958	0.15
101	777	0.13
102	339	0.05

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
103	32	0.01
104	708	0.11
105	683	0.11
106	2887	0.47
107	2341	0.38
108	458	0.07
110	1763	0.28
111	253	0.04
112	7137	1.15
113	820	0.13
114	217	0.04
115	224	0.04
116	1824	0.29
117	101	0.02
118	209	0.03
119	225	0.04
120	904	0.15
121	4376	0.71
122	3742	0.60
123	1284	0.21
124	4789	0.77
125	4005	0.65
126	219	0.04
127	15684	2.53
128	749	0.12
129	143	0.02
130	2200	0.36
131	1102	0.18
132	420	0.07
133	150	0.02
134	1112	0.18
135	190	0.03
136	86	0.01
137	107	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	5345	0.86
139	2495	0.40
140	10144	1.64
141	2249	0.36
142	1314	0.21
143	7771	1.25
144	2046	0.33
145	493	0.08
146	325	0.05
147	76	0.01
148	4884	0.79
149	885	0.14
150	830	0.13
151	396	0.06
152	259	0.04
153	175	0.03
154	1233	0.20
155	238	0.04
156	276	0.04
157	536	0.09
158	818	0.13
159	575	0.09
160	676	0.11
161	563	0.09
162	748	0.12
163	190	0.03
164	474	0.08
165	677	0.11
166	478	0.08
167	2525	0.41
168	93	0.02
169	121	0.02
170	476	0.08
171	206	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	1000	0.16
173	113	0.02
174	6433	1.04
175	1124	0.18
176	432	0.07
177	402	0.06
178	303	0.05
179	788	0.13
180	2186	0.35
181	1001	0.16
182	7530	1.22
183	4919	0.79
184	3337	0.54
185	381	0.06
186	163	0.03
187	110	0.02
188	1671	0.27
189	594	0.10
190	313	0.05
191	545	0.09
192	83	0.01
193	334	0.05
194	52	0.01
195	503	0.08
196	92	0.01
197	3221	0.52
198	4400	0.71
199	93	0.02
200	108	0.02
201	61	0.01
202	1161	0.19
203	1034	0.17
204	2570	0.41
205	1107	0.18

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRG10	Frequency	Percent of Total
206	291	0.05
207	1209	0.20
208	830	0.13
209	8351	1.35
210	3249	0.52
211	820	0.13
212	388	0.06
213	207	0.03
214	2466	0.40
215	5094	0.82
216	315	0.05
217	1094	0.18
218	1003	0.16
219	2144	0.35
220	514	0.08
221	322	0.05
222	1792	0.29
223	1251	0.20
224	1118	0.18
225	706	0.11
226	324	0.05
227	850	0.14
228	264	0.04
229	471	0.08
230	211	0.03
231	1155	0.19
232	137	0.02
233	236	0.04
234	340	0.05
235	410	0.07
236	1493	0.24
237	85	0.01
238	320	0.05
239	1832	0.30

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	551	0.09
241	279	0.05
242	152	0.02
243	5247	0.85
244	401	0.06
245	314	0.05
246	92	0.01
247	601	0.10
248	395	0.06
249	404	0.07
250	132	0.02
251	248	0.04
252	218	0.04
253	642	0.10
254	782	0.13
255	320	0.05
256	600	0.10
257	1033	0.17
258	1071	0.17
259	179	0.03
260	373	0.06
261	618	0.10
262	72	0.01
263	905	0.15
264	195	0.03
265	250	0.04
266	429	0.07
267	90	0.01
268	193	0.03
269	484	0.08
270	473	0.08
271	521	0.08
272	214	0.03
273	108	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	141	0.02
275	28	0.00
276	97	0.02
277	2556	0.41
278	1570	0.25
279	531	0.09
280	632	0.10
281	834	0.13
282	265	0.04
283	261	0.04
284	262	0.04
285	194	0.03
286	143	0.02
287	212	0.03
288	145	0.02
289	156	0.03
290	787	0.13
291	24	0.00
292	163	0.03
293	30	0.00
294	3114	0.50
295	1233	0.20
296	5533	0.89
297	1306	0.21
298	1665	0.27
299	91	0.01
300	462	0.07
301	219	0.04
302	199	0.03
303	656	0.11
304	667	0.11
305	401	0.06
306	315	0.05
307	78	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	292	0.05
309	137	0.02
310	1132	0.18
311	831	0.13
312	68	0.01
313	62	0.01
314	<= 10	**. **
315	891	0.14
316	1713	0.28
317	40	0.01
318	183	0.03
319	23	0.00
320	4264	0.69
321	1391	0.22
322	692	0.11
323	1203	0.19
324	1768	0.29
325	258	0.04
326	139	0.02
327	26	0.00
328	35	0.01
329	17	0.00
331	1059	0.17
332	295	0.05
333	170	0.03
334	1060	0.17
335	544	0.09
336	2322	0.37
337	1882	0.30
338	272	0.04
339	222	0.04
340	132	0.02
341	385	0.06
342	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
343	<= 10	**. **
344	193	0.03
345	54	0.01
346	169	0.03
347	19	0.00
348	93	0.02
349	34	0.01
350	374	0.06
351	<= 10	**. **
352	68	0.01
353	200	0.03
354	426	0.07
355	460	0.07
356	1456	0.24
357	375	0.06
358	3538	0.57
359	8021	1.29
360	518	0.08
361	377	0.06
362	20	0.00
363	246	0.04
364	241	0.04
365	247	0.04
366	199	0.03
367	54	0.01
368	911	0.15
369	685	0.11
370	4038	0.65
371	11332	1.83
372	4874	0.79
373	46561	7.52
374	3410	0.55
375	45	0.01
376	698	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
377	175	0.03
378	1045	0.17
379	2656	0.43
380	422	0.07
381	1061	0.17
382	641	0.10
383	3825	0.62
384	1273	0.21
385	1433	0.23
386	1251	0.20
387	1872	0.30
388	1710	0.28
389	5938	0.96
390	11659	1.88
391	49435	7.98
392	169	0.03
393	26	0.00
394	170	0.03
395	2356	0.38
396	445	0.07
397	693	0.11
398	754	0.12
399	274	0.04
400	391	0.06
401	232	0.04
402	106	0.02
403	1024	0.17
404	246	0.04
405	115	0.02
406	167	0.03
407	65	0.01
408	199	0.03
409	298	0.05
410	6437	1.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
411	<= 10	**.*
413	286	0.05
414	68	0.01
415	1386	0.22
416	4281	0.69
417	472	0.08
418	823	0.13
419	570	0.09
420	171	0.03
421	739	0.12
422	1578	0.25
423	440	0.07
424	160	0.03
425	962	0.16
426	1762	0.28
427	1050	0.17
428	412	0.07
429	1434	0.23
430	12373	2.00
431	461	0.07
432	84	0.01
433	1047	0.17
434	1429	0.23
435	3188	0.51
436	618	0.10
437	1891	0.31
439	64	0.01
440	436	0.07
441	161	0.03
442	606	0.10
443	506	0.08
444	233	0.04
445	357	0.06
446	132	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
447	216	0.03
448	34	0.01
449	1948	0.31
450	1362	0.22
451	797	0.13
452	690	0.11
453	389	0.06
454	304	0.05
455	388	0.06
456	18	0.00
457	<= 10	**,**
458	183	0.03
459	61	0.01
460	440	0.07
461	440	0.07
462	4003	0.65
463	332	0.05
464	144	0.02
465	38	0.01
466	578	0.09
467	758	0.12
468	2720	0.44
469	<= 10	**,**
470	421	0.07
471	299	0.05
472	29	0.00
473	403	0.07
475	2478	0.40
476	202	0.03
477	1421	0.23
478	2966	0.48
479	560	0.09
480	78	0.01
481	111	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
482	282	0.05
483	1291	0.21
484	63	0.01
485	213	0.03
486	528	0.09
487	431	0.07
488	206	0.03
489	1533	0.25
490	544	0.09
491	262	0.04
492	371	0.06

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
9	466464	75.29
10	153110	24.71

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
5	204247	32.97
6	54762	8.84
7	11227	1.81
9	85515	13.80
10	164064	26.48
30	99759	16.10

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
3	252834	40.81
5	17402	2.81
8	42500	6.86
10	207079	33.42
21	99759	16.10

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
3	164064	26.48
4	99759	16.10
5	62339	10.06
6	43015	6.94
7	54762	8.84
8	11227	1.81
9	15893	2.57
10	42500	6.86
11	33809	5.46
12	17402	2.81
13	74804	12.07

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	568363	91.73
2	51211	8.27

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	156	0.03
Valid DX	619418	99.97

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	156	0.03
C	19	0.00
0	619148	99.93
1	251	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPST	Frequency	Percent of Total
AZ	15893	2.57
CA	99759	16.10
CO	17402	2.81
FL	164064	26.48
IA	33809	5.46
IL	62339	10.06
MA	43015	6.94
NJ	42500	6.86
PA	74804	12.07
WA	11227	1.81
WI	54762	8.84

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
4003	136	0.02
4013	11483	1.85
4015	553	0.09
4017	296	0.05
4019	3066	0.49
4021	93	0.02
4023	266	0.04
6001	2182	0.35
6005	256	0.04
6007	453	0.07
6009	151	0.02
6015	249	0.04
6019	2866	0.46
6021	33	0.01
6023	1314	0.21
6025	687	0.11
6027	193	0.03
6029	2958	0.48
6031	413	0.07
6035	142	0.02
6037	25370	4.09
6041	221	0.04
6045	790	0.13
6049	<= 10	**.*
6051	66	0.01
6055	839	0.14
6059	8613	1.39
6061	613	0.10
6063	69	0.01
6065	3483	0.56
6067	7757	1.25
6071	4568	0.74
6073	14392	2.32
6075	4332	0.70

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HOSPSTCO	Frequency	Percent of Total
6077	3859	0.62
6079	650	0.10
6081	1390	0.22
6083	1288	0.21
6085	2789	0.45
6087	1443	0.23
6091	<= 10	**.**
6093	382	0.06
6097	2189	0.35
6099	2037	0.33
6105	104	0.02
6107	435	0.07
6109	166	0.03
8001	665	0.11
8005	1608	0.26
8013	684	0.11
8015	111	0.02
8031	8089	1.31
8037	260	0.04
8041	2310	0.37
8043	280	0.05
8045	330	0.05
8065	76	0.01
8071	135	0.02
8073	32	0.01
8075	214	0.03
8077	1331	0.21
8085	299	0.05
8087	300	0.05
8089	267	0.04
8095	20	0.00
8097	149	0.02
8099	129	0.02
8103	28	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
8105	39	0.01
8125	46	0.01
12001	5196	0.84
12003	13	0.00
12005	2108	0.34
12007	75	0.01
12009	5111	0.82
12011	15114	2.44
12013	83	0.01
12015	1898	0.31
12017	1393	0.22
12019	14	0.00
12021	2267	0.37
12023	530	0.09
12025	25577	4.13
12027	359	0.06
12031	10675	1.72
12033	4949	0.80
12035	130	0.02
12037	69	0.01
12045	97	0.02
12047	64	0.01
12051	96	0.02
12053	973	0.16
12055	1183	0.19
12057	9933	1.60
12059	79	0.01
12061	1396	0.23
12063	516	0.08
12069	1871	0.30
12071	4994	0.81
12073	3401	0.55
12075	80	0.01
12079	51	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12081	1484	0.24
12083	2253	0.36
12085	1387	0.22
12087	760	0.12
12089	235	0.04
12091	518	0.08
12093	297	0.05
12095	12076	1.95
12097	1350	0.22
12099	11912	1.92
12101	2826	0.46
12103	12218	1.97
12105	5215	0.84
12107	640	0.10
12111	585	0.09
12113	619	0.10
12115	4504	0.73
12117	406	0.07
12121	43	0.01
12123	34	0.01
12125	57	0.01
12127	4095	0.66
12131	109	0.02
12133	146	0.02
17001	725	0.12
17007	138	0.02
17021	277	0.04
17029	756	0.12
17031	36679	5.92
17043	2827	0.46
17045	113	0.02
17051	125	0.02
17053	105	0.02
17055	127	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17061	32	0.01
17067	124	0.02
17069	92	0.01
17075	234	0.04
17077	806	0.13
17089	2280	0.37
17091	1055	0.17
17095	491	0.08
17097	1918	0.31
17099	546	0.09
17111	1178	0.19
17113	1077	0.17
17115	2072	0.33
17119	1488	0.24
17125	65	0.01
17131	88	0.01
17135	178	0.03
17141	143	0.02
17143	712	0.11
17145	131	0.02
17149	152	0.02
17157	138	0.02
17161	1029	0.17
17163	452	0.07
17165	195	0.03
17167	2506	0.40
17179	42	0.01
17183	48	0.01
17185	146	0.02
17195	658	0.11
17199	391	0.06
19001	47	0.01
19003	58	0.01
19005	68	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19007	125	0.02
19009	42	0.01
19011	27	0.00
19013	2132	0.34
19015	170	0.03
19017	98	0.02
19019	53	0.01
19021	213	0.03
19025	178	0.03
19027	293	0.05
19029	155	0.03
19033	1342	0.22
19035	99	0.02
19037	88	0.01
19039	38	0.01
19041	301	0.05
19043	86	0.01
19045	589	0.10
19047	78	0.01
19049	73	0.01
19051	76	0.01
19053	73	0.01
19057	671	0.11
19059	145	0.02
19061	1563	0.25
19063	167	0.03
19065	95	0.02
19067	114	0.02
19073	72	0.01
19075	16	0.00
19077	41	0.01
19079	205	0.03
19081	34	0.01
19083	145	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19085	77	0.01
19087	127	0.02
19089	81	0.01
19091	57	0.01
19093	76	0.01
19095	<= 10	**.**
19097	142	0.02
19101	152	0.02
19103	2868	0.46
19109	83	0.01
19111	576	0.09
19113	2868	0.46
19117	38	0.01
19119	30	0.00
19121	29	0.00
19123	168	0.03
19125	277	0.04
19127	483	0.08
19131	80	0.01
19133	138	0.02
19135	50	0.01
19137	172	0.03
19141	41	0.01
19143	56	0.01
19145	161	0.03
19147	70	0.01
19149	120	0.02
19151	39	0.01
19153	7315	1.18
19155	1227	0.20
19157	230	0.04
19159	27	0.00
19163	1985	0.32
19165	97	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19167	144	0.02
19169	936	0.15
19175	147	0.02
19177	62	0.01
19179	651	0.11
19183	111	0.02
19185	87	0.01
19187	556	0.09
19189	29	0.00
19191	141	0.02
19193	1151	0.19
19197	79	0.01
25001	1397	0.23
25003	1029	0.17
25005	4207	0.68
25007	71	0.01
25009	2094	0.34
25013	4584	0.74
25015	1034	0.17
25017	11891	1.92
25019	79	0.01
25021	2731	0.44
25025	6757	1.09
25027	7141	1.15
34001	2703	0.44
34003	5797	0.94
34005	2053	0.33
34007	4842	0.78
34009	1025	0.17
34013	5123	0.83
34017	3310	0.53
34019	854	0.14
34021	1106	0.18
34023	1698	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34025	2841	0.46
34027	1094	0.18
34029	3769	0.61
34031	3665	0.59
34033	650	0.10
34037	777	0.13
34039	1193	0.19
42003	14488	2.34
42005	743	0.12
42009	328	0.05
42011	3180	0.51
42013	2100	0.34
42015	25	0.00
42017	1412	0.23
42021	1218	0.20
42027	112	0.02
42029	1857	0.30
42031	315	0.05
42033	1316	0.21
42035	20	0.00
42039	884	0.14
42041	169	0.03
42045	2879	0.46
42047	394	0.06
42049	1968	0.32
42051	250	0.04
42055	369	0.06
42057	108	0.02
42059	337	0.05
42061	370	0.06
42065	488	0.08
42069	1441	0.23
42071	3833	0.62
42073	337	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42075	1065	0.17
42077	4140	0.67
42079	892	0.14
42081	1314	0.21
42083	132	0.02
42085	1331	0.21
42087	885	0.14
42089	1045	0.17
42091	3930	0.63
42097	457	0.07
42101	13860	2.24
42105	297	0.05
42107	830	0.13
42115	299	0.05
42119	724	0.12
42125	1158	0.19
42127	388	0.06
42129	1116	0.18
53001	16	0.00
53003	106	0.02
53005	127	0.02
53007	106	0.02
53011	1623	0.26
53015	1093	0.18
53019	18	0.00
53021	376	0.06
53025	363	0.06
53027	470	0.08
53033	2668	0.43
53043	<= 10	**.**
53047	57	0.01
53049	49	0.01
53051	33	0.01
53053	1163	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
53057	1171	0.19
53061	214	0.03
53063	918	0.15
53065	170	0.03
53071	408	0.07
53075	52	0.01
53077	16	0.00
55001	66	0.01
55003	417	0.07
55005	121	0.02
55009	2340	0.38
55013	51	0.01
55015	96	0.02
55017	480	0.08
55019	89	0.01
55021	151	0.02
55025	5915	0.95
55027	614	0.10
55031	173	0.03
55033	204	0.03
55035	1596	0.26
55039	1082	0.17
55043	367	0.06
55045	529	0.09
55047	234	0.04
55049	140	0.02
55053	148	0.02
55055	446	0.07
55059	1354	0.22
55061	30	0.00
55063	2516	0.41
55065	60	0.01
55071	842	0.14
55075	492	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55079	14892	2.40
55081	127	0.02
55083	151	0.02
55085	923	0.15
55087	2005	0.32
55089	262	0.04
55091	65	0.01
55095	405	0.07
55097	547	0.09
55099	109	0.02
55101	2133	0.34
55103	157	0.03
55105	1723	0.28
55107	120	0.02
55109	425	0.07
55111	433	0.07
55115	263	0.04
55117	1087	0.18
55119	119	0.02
55121	96	0.02
55123	229	0.04
55125	98	0.02
55129	206	0.03
55131	164	0.03
55133	3053	0.49
55135	201	0.03
55137	53	0.01
55139	1913	0.31
55141	2250	0.36

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
.C: Inconsistent	967	0.16
0 days	12008	1.94
1 day	89307	14.41
2 days	125622	20.28
3 days	87571	14.13
4 days	63148	10.19
5 days	42785	6.91
6 days	33016	5.33
7 days	28964	4.67
8 days	22930	3.70
9 days	17487	2.82
10 days	14365	2.32
11 - 30 days	71028	11.46
31 - 60 days	8379	1.35
61 - 90 days	1308	0.21
91 - 120 days	368	0.06
121 - 150 days	146	0.02
151 - 180 days	55	0.01
181 - 210 days	37	0.01
211 - 240 days	15	0.00
241 - 270 days	13	0.00
271 - 300 days	<= 10	**.**
301 - 330 days	<= 10	**.**
331 - 365 days	<= 10	**.**
366	<= 10	**.**
367	<= 10	**.**
390	<= 10	**.**
392	<= 10	**.**
399	<= 10	**.**
400	<= 10	**.**
414	<= 10	**.**
434	<= 10	**.**
450	<= 10	**.**
451	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
452	<= 10	**. **
471	<= 10	**. **
503	<= 10	**. **
540	<= 10	**. **
558	<= 10	**. **
563	<= 10	**. **
597	<= 10	**. **
616	<= 10	**. **
636	<= 10	**. **
873	<= 10	**. **
894	<= 10	**. **
909	<= 10	**. **
929	<= 10	**. **
1008	<= 10	**. **
1016	<= 10	**. **
1162	<= 10	**. **
1167	<= 10	**. **
1180	<= 10	**. **
1220	<= 10	**. **
1221	<= 10	**. **
1459	<= 10	**. **
1772	<= 10	**. **
1992	<= 10	**. **
2215	<= 10	**. **
2699	<= 10	**. **
3186	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	194	0.03
1	33302	5.37
2	2107	0.34
3	10051	1.62
4	52301	8.44
5	97512	15.74
6	51281	8.28
7	17907	2.89
8	51267	8.27
9	14607	2.36
10	15809	2.55
11	19350	3.12
12	7882	1.27
13	18031	2.91
14	82218	13.27
15	73309	11.83
16	5013	0.81
17	10497	1.69
18	10506	1.70
19	18699	3.02
20	8295	1.34
21	8868	1.43
22	753	0.12
23	6294	1.02
24	1238	0.20
25	2283	0.37

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	243075	39.23
Non-Blank	376499	60.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	156	0.03
1	108819	17.56
2	118972	19.20
3	94697	15.28
4	78194	12.62
5	130244	21.02
6	27980	4.52
7	17601	2.84
8	13082	2.11
9	14751	2.38
10	11795	1.90
11	967	0.16
12	762	0.12
13	504	0.08
14	397	0.06
15	318	0.05
16	99	0.02
17	58	0.01
18	46	0.01
19	35	0.01
20	26	0.00
21	16	0.00
22	<= 10	**. **
23	<= 10	**. **
24	11	0.00
25	16	0.00
26	<= 10	**. **
27	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	462110	74.59
1: Maternal	83451	13.47
2: Neonatal	73972	11.94
3: Neonatal and Maternal	41	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	232033	37.45
1	171110	27.62
2	93756	15.13
3	82464	13.31
4	18279	2.95
5	9506	1.53
6	4553	0.73
7	2561	0.41
8	2116	0.34
9	916	0.15
10	1426	0.23
11	240	0.04
12	158	0.03
13	121	0.02
14	90	0.01
15	109	0.02
16	45	0.01
17	25	0.00
18	15	0.00
19	11	0.00
20	<= 10	**,**
21	33	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1	Frequency	Percent of Total
.: Missing	2343	0.38
.A: Invalid	23	0.00
1: Medicare	212862	34.36
2: Medicaid	104407	16.85
3: Private Insurance	241844	39.03
4: Self-pay	34210	5.52
5: No Charge	584	0.09
6: Other	23301	3.76

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PAY1_N	Frequency	Percent of Total
.	18236	2.94
A	23	0.00
1	209114	33.75
2	100695	16.25
3	41786	6.74
4	129242	20.86
5	62133	10.03
6	34210	5.52
7	584	0.09
8	46	0.01
9	4820	0.78
10	2418	0.39
11	8152	1.32
12	8115	1.31

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	405731	65.49
C	12064	1.95
.: Missing	113593	18.33
.A: Invalid	138	0.02
1: Medicare	2520	0.41
2: Medicaid	9133	1.47
3: Private Insurance	41271	6.66
4: Self-pay	18115	2.92
5: No Charge	144	0.02
6: Other	16865	2.72

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	113593	18.33
A	138	0.02
B	405731	65.49
C	12064	1.95
1	2520	0.41
2	9133	1.47
3	12005	1.94
4	25547	4.12
5	2810	0.45
6	18115	2.92
7	144	0.02
8	<= 10	**,**
9	24	0.00
10	110	0.02
11	591	0.10
12	17047	2.75

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	232077	37.46
A	173	0.03
1	1293	0.21
2	485	0.08
3	6661	1.08
4	5523	0.89
5	882	0.14
6	129	0.02
7	261	0.04
8	279	0.05
9	1130	0.18
10	806	0.13
11	39	0.01
12	372	0.06
13	98	0.02
14	81	0.01
15	194	0.03
16	432	0.07
17	31	0.01
18	30	0.00
19	400	0.06
20	380	0.06
21	168	0.03
22	83	0.01
23	120	0.02
24	146	0.02
25	<= 10	**.**
26	318	0.05
27	385	0.06
28	416	0.07
29	304	0.05
30	1115	0.18
31	147	0.02
32	310	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1539	0.25
34	973	0.16
35	528	0.09
36	1032	0.17
37	3733	0.60
38	221	0.04
39	3023	0.49
40	422	0.07
41	197	0.03
42	813	0.13
43	1150	0.19
44	5421	0.87
45	6006	0.97
46	20	0.00
47	12059	1.95
48	3049	0.49
49	1191	0.19
50	31	0.01
51	1748	0.28
52	827	0.13
53	204	0.03
54	3006	0.49
55	1632	0.26
56	182	0.03
57	1180	0.19
58	1883	0.30
59	83	0.01
60	421	0.07
61	2995	0.48
62	818	0.13
63	645	0.10
64	109	0.02
65	1475	0.24
66	370	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1247	0.20
68	25	0.00
69	226	0.04
70	10873	1.75
71	1297	0.21
72	258	0.04
73	100	0.02
74	471	0.08
75	768	0.12
76	4742	0.77
77	297	0.05
78	4338	0.70
79	21	0.00
80	4264	0.69
81	558	0.09
82	771	0.12
83	658	0.11
84	8715	1.41
85	1756	0.28
86	1583	0.26
87	642	0.10
88	906	0.15
89	640	0.10
90	1207	0.19
91	406	0.07
92	106	0.02
93	1345	0.22
94	1289	0.21
95	935	0.15
96	2311	0.37
97	305	0.05
98	768	0.12
99	1882	0.30
100	1843	0.30

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	2006	0.32
102	474	0.08
103	416	0.07
104	667	0.11
105	205	0.03
106	762	0.12
107	169	0.03
108	207	0.03
109	550	0.09
110	422	0.07
111	398	0.06
112	1125	0.18
113	4890	0.79
114	1525	0.25
115	18306	2.95
116	156	0.03
117	130	0.02
118	927	0.15
119	1453	0.23
120	852	0.14
121	1308	0.21
122	655	0.11
123	413	0.07
124	9716	1.57
125	566	0.09
126	142	0.02
127	1256	0.20
128	417	0.07
129	860	0.14
130	163	0.03
131	124	0.02
132	836	0.13
133	16380	2.64
134	15345	2.48

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PCCHPR1	Frequency	Percent of Total
135	6967	1.12
136	1415	0.23
137	16910	2.73
138	257	0.04
139	1847	0.30
140	8440	1.36
141	209	0.03
142	938	0.15
143	273	0.04
144	702	0.11
145	1245	0.20
146	4953	0.80
147	3432	0.55
148	1645	0.27
149	191	0.03
150	138	0.02
151	306	0.05
152	5231	0.84
153	4801	0.77
154	1529	0.25
155	544	0.09
156	86	0.01
157	1662	0.27
158	964	0.16
159	461	0.07
160	2380	0.38
161	857	0.14
162	1284	0.21
163	176	0.03
164	859	0.14
165	114	0.02
166	663	0.11
167	2202	0.36
168	1017	0.16

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PCCHPR1	Frequency	Percent of Total
169	3610	0.58
170	656	0.11
171	1337	0.22
172	600	0.10
173	278	0.04
174	1940	0.31
175	1060	0.17
176	123	0.02
177	6658	1.07
178	511	0.08
179	1652	0.27
180	534	0.09
181	820	0.13
182	41	0.01
183	200	0.03
184	<= 10	**,**
185	617	0.10
186	194	0.03
187	895	0.14
188	675	0.11
189	334	0.05
190	322	0.05
191	898	0.14
192	643	0.10
193	4028	0.65
194	398	0.06
195	699	0.11
196	1350	0.22
197	1469	0.24
198	1493	0.24
199	818	0.13
200	41	0.01
201	1397	0.23
202	396	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	1871	0.30
204	521	0.08
205	2709	0.44
206	117	0.02
207	580	0.09
208	776	0.13
209	902	0.15
210	107	0.02
211	1448	0.23
212	217	0.04
213	2389	0.39
214	860	0.14
215	635	0.10
216	7571	1.22
217	3757	0.61
218	1814	0.29
219	6597	1.06
220	42	0.01
221	654	0.11
222	2505	0.40
223	627	0.10
224	6735	1.09
225	1250	0.20
226	882	0.14
227	1242	0.20
228	458	0.07
229	91	0.01
230	<= 10	**.**
231	5186	0.84

*For more information about the coding of HCUP data elements,
 please refer to the section on Description of Data Elements.*

PR1	Frequency	Percent of Total
Blank	232077	37.46
Valid PR	387497	62.54

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	189563	30.60
.B: Unavail from Source	123268	19.90
.C: Inconsistent	12733	2.06
-4 days	<= 10	**.*
-3 days	15	0.00
-2 days	99	0.02
-1 day	656	0.11
0 days	161358	26.04
1 day	61717	9.96
2 days	21194	3.42
3 days	12730	2.05
4 days	8710	1.41
5 days	5926	0.96
6 - 30 days	20870	3.37
31 - 60 days	593	0.10
61 - 90 days	98	0.02
91 - 120 days	21	0.00
121 - 150 days	<= 10	**.*
151 - 180 days	<= 10	**.*
181 - 210 days	<= 10	**.*
211 - 240 days	<= 10	**.*
241 - 270 days	<= 10	**.*
331 - 365 days	<= 10	**.*
366	<= 10	**.*
574	<= 10	**.*
1494	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	619574	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	232077	37.46
C	44	0.01
0	387280	62.51
1	173	0.03

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	16807	2.71
.A: Invalid	13	0.00
.B: Unavail from Source	181665	29.32
1: White	323453	52.21
2: Black	43903	7.09
3: Hispanic	39173	6.32
4: Asian/Pacific Islander	8243	1.33
5: Native American	908	0.15
6: Other	5409	0.87

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	<= 10	**. **
C	42	0.01
1	259492	41.88
2	360031	58.11

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	400770	64.68
Non-Blank	218804	35.32

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	23831	3.85
.C: Inconsistent	959	0.15
\$ 1- \$ 9	<= 10	**. **
\$11- \$19	12	0.00
\$20	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	51838	8.37
\$1,001- \$5,000	239169	38.60
\$5,001- \$10,000	150208	24.24
\$10,001- \$50,000	140107	22.61
\$50,001- \$100,000	9784	1.58
\$100,001- \$200,000	2693	0.43
\$200,001- \$300,000	576	0.09
\$300,001- \$400,000	197	0.03
\$400,001- \$500,000	90	0.01
\$500,001-\$1,000,000	94	0.02
1152449	<= 10	**. **
1256318	<= 10	**. **
1424714	<= 10	**. **
2604083	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
92	619574	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	21646	3.49
1: \$0-\$25,000	191748	30.95
2: \$25,001-\$30,000	130625	21.08
3: \$30,001-\$35,000	102014	16.47
4: \$35,001+	173541	28.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	56073	9.05
1: \$0-\$15,000	15934	2.57
2: \$15,001-\$20,000	46939	7.58
3: \$20,001-\$25,000	114050	18.41
4: \$25,001-\$30,000	118478	19.12
5: \$30,001-\$35,000	98219	15.85
6: \$35,001-\$40,000	66636	10.76
7: \$40,001-\$45,000	43056	6.95
8: \$45,001+	60189	9.71

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	619204	Sum Weights	619204
Mean	44.9794284	Sum Observations	27851442
Std Deviation	28.3489888	Variance	803.665166
Skewness	-0.1729064	Kurtosis	-1.2084891
Uncorrected SS	1750373824	Corrected SS	497631882
Coeff Variation	63.0265652	Std Error Mean	0.03602639

Basic Statistical Measures			
Location		Variability	
Mean	44.97943	Std Deviation	28.34899
Median	46.00000	Variance	803.66517
Mode	0.00000	Range	112.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1248.513	Pr > t 	<.0001
Sign	M	267961.5	Pr >= M 	<.0001
Signed Rank	S	7.18E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	112
99%	92
95%	85
90%	81
75% Q3	70
50% Median	46
25% Q1	23
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	188	0.03	50.81
A	58	0.01	15.68
C	124	0.02	33.51
Total	370	0.06	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	618607	Sum Weights	618607
Mean	5.92717347	Sum Observations	3666591
Std Deviation	12.1696424	Variance	148.100196
Skewness	87.1738163	Kurtosis	16541.1785
Uncorrected SS	113348191	Corrected SS	91615670.1
Coeff Variation	205.319491	Std Error Mean	0.01547285

Basic Statistical Measures			
Location		Variability	
Mean	5.927173	Std Deviation	12.16964
Median	3.000000	Variance	148.10020
Mode	2.000000	Range	3186
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	383.0692	Pr > t 	<.0001
Sign	M	303299.5	Pr >= M 	<.0001
Signed Rank	S	9.199E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3186
99%	38
95%	18
90%	12
75% Q3	7
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	967	0.16	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	619574	Sum Weights	619574
Mean	5.92769871	Sum Observations	3672648
Std Deviation	12.2547029	Variance	150.177744
Skewness	85.2020659	Kurtosis	16092.2126
Uncorrected SS	114816426	Corrected SS	93046075.2
Coeff Variation	206.736265	Std Error Mean	0.01556884

Basic Statistical Measures			
Location		Variability	
Mean	5.927699	Std Deviation	12.25470
Median	3.000000	Variance	150.17774
Mode	2.000000	Range	3909
		Interquartile Range	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	380.7412	Pr > t 	<.0001
Sign	M	303756.5	Pr >= M 	<.0001
Signed Rank	S	9.227E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3186
99%	38
95%	18
90%	12
75% Q3	7
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-723

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	594784	Sum Weights	594784
Mean	9806.0716	Sum Observations	5832494489
Std Deviation	20158.7969	Variance	406377092
Skewness	16.9638257	Kurtosis	832.588583
Uncorrected SS	2.989E14	Corrected SS	2.41706E14
Coeff Variation	205.574645	Std Error Mean	26.1387594

Basic Statistical Measures			
Location		Variability	
Mean	9806.072	Std Deviation	20159
Median	5140.000	Variance	406377092
Mode	1900.000	Range	2604082
		Interquartile Range	7739

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	375.1544	Pr > t 	<.0001
Sign	M	297392	Pr >= M 	<.0001
Signed Rank	S	8.844E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2604083
99%	77760
95%	31501
90%	20370
75% Q3	10281
50% Median	5140
25% Q1	2542
10%	1129
5%	697

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	388
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	23831	3.85	96.13
C	959	0.15	3.87
Total	24790	4.00	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	595764	Sum Weights	595764
Mean	9813.56941	Sum Observations	5846571363
Std Deviation	20399.551	Variance	416141683
Skewness	17.3923227	Kurtosis	848.728634
Uncorrected SS	3.05298E14	Corrected SS	2.47922E14
Coeff Variation	207.870859	Std Error Mean	26.4291674

Basic Statistical Measures			
Location		Variability	
Mean	9813.569	Std Deviation	20400
Median	5132.175	Variance	416141683
Mode	1900.000	Range	2604082
		Interquartile Range	7741

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	371.3159	Pr > t 	<.0001
Sign	M	297882	Pr >= M 	<.0001
Signed Rank	S	8.873E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2604083.00
99%	77969.00
95%	31508.00
90%	20377.00
75% Q3	10275.00
50% Median	5132.17
25% Q1	2534.00
10%	1117.41
5%	686.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	376.00
0% Min	1.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	23810	3.84	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*