

HCUP Summary Statistics Report: NIS 1995
Means of Continuous Data Elements

16:42 Tuesday, March 15, 2005 1

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
AGE : I:Age in years at admission	6713084	1851	0.00	123.00	46.05	28.34
AGEDAY : I:Age in days (when < 1 year)	873731	5841204	0.00	364.00	16.46	57.47
DCCHPR1 : I:CCHPR: principal diagnosis	6710681	4254	1.00	260.00	146.58	64.99
DIED : I:Died during hospitalization	6708561	6374	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	6708561	6374	1.00	20.00	2.16	3.28
DQTR : I:Discharge quarter	6714935	0	1.00	4.00	2.48	1.12
DRG : I:DRG in effect on discharge date	6714935	0	1.00	495.00	260.99	139.76
DRG10 : I:DRG, Version 10	6714935	0	1.00	492.00	258.65	138.26
DRGVER : I:DRG grouper version used on disch date	6714935	0	12.00	13.00	12.25	0.43
DXV1 : I:Validity flag: principal diagnosis	6711690	3245	0.00	1.00	0.00	0.01
HOSPID : HCUP-3 hospital ID number (SSHHH)	6714935	0	4005.00	55175.00	24978.68	15386.50
LOS : I:Length of stay (cleaned)	6696550	18385	0.00	32205.00	5.26	23.76
MDC : I:MDC in effect on discharge date	6714935	0	0.00	25.00	9.82	5.68
MDC10 : I:MDC, Version 10	6714935	0	0.00	25.00	9.82	5.68
NDX : I:Number of diagnoses on this discharge	6714935	0	0.00	30.00	4.46	2.86
NPR : I:Number of procedures on this discharge	6714935	0	0.00	25.00	1.44	1.78
PAY1 : I:Primary expected payer, uniform	6680194	34741	1.00	6.00	2.26	1.20
PCCHPR1 : I:CCHPR: principal procedure	4168524	2546411	1.00	231.00	123.38	62.25
PRV1 : I:Validity flag: principal procedure	4169572	2545363	0.00	1.00	0.00	0.02
RACE : I:Race	5432843	1282092	1.00	6.00	1.45	0.93
SEQ : I:HCUP-3 record sequence number	6714935	0	4.006E11	5.5176E12	2.498E12	1.5387E12
SEX : I:Sex	6713905	1030	1.00	2.00	1.58	0.49
TOTCHG : I:Total charges (cleaned)	6560269	154666	1.00	5389763.0	10375.38	20846.76
ZIPINC4 : I:Median income-pt's zip code-4 catags	6453454	261481	1.00	4.00	2.41	1.23
DISCWT_U : H:Weight to discharges in universe	6714935	0	1.07	32.37	5.18	1.55
ASOURCE : I:Admission source	6427705	287230	1.00	5.00	3.37	1.92
ATYPE : I:Admission type	5774892	940043	1.00	6.00	2.09	1.07
LOS_X : I:Length of stay (uncleaned)	6714932	3	-364.00	32513.00	5.41	60.08
NEOMAT : I:Neonatal and/or maternal DX and/or PR	6714935	0	0.00	3.00	0.36	0.68
PRDAY1 : I:No. of days from admission to PR1	3564339	3150596	-4.00	32191.00	1.47	43.58
TOTCHG_X : I:Total charges (from data source)	6578947	135988	-8282.00	7137438.7	10436.30	21750.77
ZIPINC8 : I:Median income-pt's zip code-8 catags	5947069	767866	1.00	8.00	4.60	1.92
ADAYWK : I:Admission day of week	5440289	1274646	1.00	7.00	3.96	1.83
AMONTH : I:Admission month	6714934	1	1.00	12.00	6.45	3.47

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1995
Means of Continuous Data Elements

16:42 Tuesday, March 15, 2005 2

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
DSNDX : I:Max number of diagnoses from source	6714935	0	9.00	30.00	15.21	7.96
DSNPR : I:Max number of procedures from source	6714935	0	6.00	30.00	12.08	6.40
DSNUM : I:Data source ID number	6714935	0	2.00	20.00	8.56	5.83
DSTYPE : I:Data source type	6714935	0	1.00	2.00	1.17	0.38
DXSYS : I:Diagnosis coding system	6714935	0	1.00	1.00	1.00	0.00
HOSPSTCO : Hospital state/county FIPS code	5975255	739680	4001.00	55141.00	22988.27	14825.75
PAY1_N : I:Primary expected payer, nonuniform	6289380	425555	1.00	12.00	2.97	2.22
PAY2 : I:Secondary expected payer, uniform	1889117	4825818	1.00	6.00	3.24	0.93
PAY2_N : I:Secondary expected payer, nonuniform	1765256	4949679	1.00	12.00	4.53	2.19
PROCESS : I:HCUP-3 discharge processing ID number	6714935	0	9.504E10	9.5551E10	9.5249E10	154091268
PRSYS : I:Procedure coding system	6647233	67702	1.00	1.00	1.00	0.00
SEQ_SID : I:HCUP-3 SID record sequence number	6714935	0	4.008E11	5.515E12	2.4928E12	1.5406E12
DXV2 : I:Validity flag: diagnosis 2	5788289	926646	0.00	1.00	0.00	0.01
DXV3 : I:Validity flag: diagnosis 3	4644686	2070249	0.00	1.00	0.00	0.01
DXV4 : I:Validity flag: diagnosis 4	3661017	3053918	0.00	1.00	0.00	0.02
DXV5 : I:Validity flag: diagnosis 5	2828176	3886759	0.00	1.00	0.00	0.01
DXV6 : I:Validity flag: diagnosis 6	2091923	4623012	0.00	1.00	0.00	0.01
DXV7 : I:Validity flag: diagnosis 7	1544064	5170871	0.00	1.00	0.00	0.01
DXV8 : I:Validity flag: diagnosis 8	1127495	5587440	0.00	1.00	0.00	0.01
DXV9 : I:Validity flag: diagnosis 9	794591	5920344	0.00	1.00	0.00	0.01
DXV10 : I:Validity flag: diagnosis 10	364666	6350269	0.00	1.00	0.00	0.02
DXV11 : I:Validity flag: diagnosis 11	132495	6582440	0.00	1.00	0.00	0.01
DXV12 : I:Validity flag: diagnosis 12	93027	6621908	0.00	1.00	0.00	0.01
DXV13 : I:Validity flag: diagnosis 13	62943	6651992	0.00	1.00	0.00	0.01
DXV14 : I:Validity flag: diagnosis 14	45795	6669140	0.00	1.00	0.00	0.01
DXV15 : I:Validity flag: diagnosis 15	32593	6682342	0.00	1.00	0.00	0.01
PRV2 : I:Validity flag: procedure 2	2386470	4328465	0.00	1.00	0.00	0.03
PRV3 : I:Validity flag: procedure 3	1374158	5340777	0.00	1.00	0.00	0.03
PRV4 : I:Validity flag: procedure 4	741567	5973368	0.00	1.00	0.00	0.03
PRV5 : I:Validity flag: procedure 5	424114	6290821	0.00	1.00	0.00	0.03
PRV6 : I:Validity flag: procedure 6	254778	6460157	0.00	1.00	0.00	0.02
PRV7 : I:Validity flag: procedure 7	110399	6604536	0.00	1.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	74004	6640931	0.00	1.00	0.00	0.01
PRV9 : I:Validity flag: procedure 9	47886	6667049	0.00	1.00	0.00	0.00

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
PRV10 : I:Validity flag: procedure 10	32704	6682231	0.00	1.00	0.00	0.01
PRV11 : I:Validity flag: procedure 11	15154	6699781	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	10975	6703960	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	7521	6707414	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	5680	6709255	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	4183	6710752	0.00	0.00	0.00	0.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	1200788	17.88
B	73858	1.10
1	519146	7.73
2	921014	13.72
3	909355	13.54
4	878065	13.08
5	858512	12.79
6	824665	12.28
7	529532	7.89

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 1995
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
.	111	0.00
A	228	0.00
C	1512	0.02
0	873741	13.01
1	47532	0.71
2	29136	0.43
3	22092	0.33
4	18643	0.28
5	17267	0.26
6	14830	0.22
7	13573	0.20
8	11957	0.18
9	11358	0.17
10	11504	0.17
11	11683	0.17
12	13960	0.21
13	15374	0.23
14	19599	0.29
15	26955	0.40
16	35388	0.53
17	45716	0.68
18	53041	0.79
19	57044	0.85
20	59443	0.89
21	60378	0.90
22	65371	0.97
23	66045	0.98
24	72192	1.08
25	73795	1.10
26	74399	1.11
27	79735	1.19
28	79912	1.19
29	82811	1.23
30	87324	1.30

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HCUP Summary Statistics Report: NIS 1995
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
31	88364	1.32
32	91990	1.37
33	83583	1.24
34	81276	1.21
35	77787	1.16
36	74018	1.10
37	77569	1.16
38	68483	1.02
39	64825	0.97
40	62945	0.94
41	61948	0.92
42	64804	0.97
43	57754	0.86
44	56998	0.85
45	56731	0.84
46	57310	0.85
47	64089	0.95
48	62905	0.94
49	52054	0.78
50	53519	0.80
51	56354	0.84
52	64036	0.95
53	56826	0.85
54	55461	0.83
55	56288	0.84
56	56579	0.84
57	61701	0.92
58	58871	0.88
59	61177	0.91
60	64205	0.96
61	64414	0.96
62	70667	1.05
63	70545	1.05
64	73751	1.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 1995
Frequency Distribution for AGE

AGE	Frequency	Percent of Total
65	85236	1.27
66	86688	1.29
67	95851	1.43
68	95202	1.42
69	98134	1.46
70	101862	1.52
71	103974	1.55
72	108445	1.61
73	107892	1.61
74	107818	1.61
75	105944	1.58
76	100368	1.49
77	105915	1.58
78	97794	1.46
79	93755	1.40
80	92029	1.37
81	87603	1.30
82	88068	1.31
83	77288	1.15
84	72086	1.07
85	72617	1.08
86	59212	0.88
87	53537	0.80
88	46419	0.69
89	40041	0.60
90	33413	0.50
91	27689	0.41
92	22706	0.34
93	17455	0.26
94	13886	0.21
95	10684	0.16
96	6807	0.10
97	4960	0.07
98	3701	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	2493	0.04
100	1636	0.02
101	927	0.01
102	573	0.01
103	273	0.00
104	168	0.00
105	130	0.00
106	78	0.00
107	39	0.00
108	18	0.00
109	18	0.00
110	14	0.00
111	<= 10	**, **
112	<= 10	**, **
113	<= 10	**, **
114	<= 10	**, **
116	<= 10	**, **
117	<= 10	**, **
118	<= 10	**, **
119	<= 10	**, **
123	<= 10	**, **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGEDAY	Frequency	Percent of Total
.: Missing	5839494	86.96
.A: Invalid	198	0.00
.C: Inconsistent	1512	0.02
0 days	754037	11.23
1 day	4107	0.06
2 days	1928	0.03
3 days	2765	0.04
4 days	2839	0.04
5 days	1964	0.03
6 days	1344	0.02
7 days	1076	0.02
8 days	896	0.01
9 days	757	0.01
10 days	747	0.01
11 - 30 days	13923	0.21
31 - 60 days	18126	0.27
61 - 90 days	11483	0.17
91 - 120 days	8668	0.13
121 - 150 days	7591	0.11
151 - 180 days	6930	0.10
181 - 210 days	6413	0.10
211 - 240 days	5961	0.09
241 - 270 days	5579	0.08
271 - 300 days	5529	0.08
301 - 330 days	5238	0.08
331 - 364 days	5830	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
.: Missing	<= 10	**.**
1: January	594144	8.85
2: February	546912	8.14
3: March	597119	8.89
4: April	543978	8.10
5: May	571366	8.51
6: June	544487	8.11
7: July	547365	8.15
8: August	566529	8.44
9: September	539874	8.04
10: October	562255	8.37
11: November	546485	8.14
12: December	554420	8.26

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	115746	1.72
.A: Invalid	1738	0.03
.B: Unavailable from Source	169746	2.53
1: Emergency Department	2393401	35.64
2: Another Hospital	222800	3.32
3: Other Health Facility, incl. LTC	119085	1.77
4: Court/Law Enforcement	6499	0.10
5: Routine, Birth, and Other	3685920	54.89

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ATYPE	Frequency	Percent of Total
.: Missing	77171	1.15
.A: Invalid	618	0.01
.B: Unavail from Source	862254	12.84
1: Emergency	2263617	33.71
2: Urgent	1459997	21.74
3: Elective	1400300	20.85
4: Newborn	591671	8.81
5: Delivery	50515	0.75
6: Other	8792	0.13

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	2982	0.04
A	1272	0.02
1	3023	0.05
2	71505	1.06
3	2614	0.04
4	3214	0.05
5	29401	0.44
6	4185	0.06
7	22609	0.34
8	3368	0.05
9	1402	0.02
10	219	0.00
11	6676	0.10
12	2563	0.04
13	4959	0.07
14	22029	0.33
15	9014	0.13
16	2135	0.03
17	6048	0.09
18	3416	0.05
19	30071	0.45
20	565	0.01
21	2357	0.04
22	1068	0.02
23	1401	0.02
24	26564	0.40
25	7652	0.11
26	7041	0.10
27	5014	0.07
28	1511	0.02
29	21501	0.32
30	403	0.01
31	169	0.00
32	10468	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	5478	0.08
34	656	0.01
35	6182	0.09
36	3213	0.05
37	1220	0.02
38	9691	0.14
39	7693	0.11
40	3298	0.05
41	1861	0.03
42	52574	0.78
43	1661	0.02
44	7976	0.12
45	59373	0.88
46	41773	0.62
47	29401	0.44
48	7161	0.11
49	1876	0.03
50	77882	1.16
51	7249	0.11
52	2977	0.04
53	95	0.00
54	1596	0.02
55	89972	1.34
56	1075	0.02
57	229	0.00
58	9247	0.14
59	18321	0.27
60	1902	0.03
61	15007	0.22
62	8629	0.13
63	8328	0.12
64	1402	0.02
65	112	0.00
66	54324	0.81

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	46168	0.69
68	25066	0.37
69	107286	1.60
70	45883	0.68
71	10888	0.16
72	13187	0.20
73	3577	0.05
74	28202	0.42
75	78	0.00
76	9595	0.14
77	1808	0.03
78	1089	0.02
79	3055	0.05
80	3963	0.06
81	6859	0.10
82	3797	0.06
83	43355	0.65
84	9757	0.15
85	2737	0.04
86	1668	0.02
87	4462	0.07
88	1708	0.03
89	411	0.01
90	4071	0.06
91	3369	0.05
92	5157	0.08
93	10648	0.16
94	1993	0.03
95	20157	0.30
96	16408	0.24
97	15504	0.23
98	7409	0.11
99	43508	0.65
100	138225	2.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	265267	3.95
102	97346	1.45
103	15831	0.24
104	1363	0.02
105	12257	0.18
106	106028	1.58
107	3497	0.05
108	178996	2.67
109	119129	1.77
110	31330	0.47
111	4488	0.07
112	34422	0.51
113	103	0.00
114	24950	0.37
115	16109	0.24
116	11534	0.17
117	17011	0.25
118	35707	0.53
119	3542	0.05
120	4981	0.07
121	2408	0.04
122	237700	3.54
123	2539	0.04
124	8868	0.13
125	41608	0.62
126	21510	0.32
127	96185	1.43
128	85182	1.27
129	28572	0.43
130	18966	0.28
131	33344	0.50
132	1473	0.02
133	30862	0.46
134	10161	0.15

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	24268	0.36
136	6377	0.09
137	3530	0.05
138	28875	0.43
139	11174	0.17
140	28000	0.42
141	7965	0.12
142	41937	0.62
143	32050	0.48
144	12085	0.18
145	49210	0.73
146	41241	0.61
147	7929	0.12
148	4100	0.06
149	95022	1.42
150	11764	0.18
151	14741	0.22
152	36272	0.54
153	60617	0.90
154	29937	0.45
155	26867	0.40
156	2665	0.04
157	14817	0.22
158	5484	0.08
159	74722	1.11
160	37221	0.55
161	8143	0.12
162	6272	0.09
163	6394	0.10
164	25650	0.38
165	4398	0.07
166	3364	0.05
167	6804	0.10
168	16775	0.25

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DCCHPR1	Frequency	Percent of Total
169	15890	0.24
170	30651	0.46
171	13553	0.20
172	12027	0.18
173	1967	0.03
174	357	0.01
175	21924	0.33
176	852	0.01
177	5890	0.09
178	3045	0.05
179	795	0.01
180	8464	0.13
181	67984	1.01
182	11845	0.18
183	33489	0.50
184	53383	0.79
185	21133	0.31
186	15471	0.23
187	30216	0.45
188	29797	0.44
189	52711	0.78
190	81253	1.21
191	40564	0.60
192	52904	0.79
193	130758	1.95
194	22183	0.33
195	72912	1.09
196	117508	1.75
197	65409	0.97
198	2152	0.03
199	14548	0.22
200	2643	0.04
201	13495	0.20
202	5331	0.08

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DCCHPR1	Frequency	Percent of Total
203	74196	1.10
204	8089	0.12
205	99023	1.47
206	403	0.01
207	14141	0.21
208	1775	0.03
209	5624	0.08
210	3728	0.06
211	20468	0.30
212	16989	0.25
213	7039	0.10
214	3505	0.05
215	2752	0.04
216	1240	0.02
217	8847	0.13
218	749206	11.16
219	4516	0.07
220	210	0.00
221	1421	0.02
222	6952	0.10
223	163	0.00
224	10250	0.15
225	13960	0.21
226	64815	0.97
227	2616	0.04
228	11509	0.17
229	28279	0.42
230	53390	0.80
231	32944	0.49
232	18454	0.27
233	33582	0.50
234	20147	0.30
235	10829	0.16
236	12874	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	88577	1.32
238	61789	0.92
239	9873	0.15
240	8461	0.13
241	14146	0.21
242	26020	0.39
243	5701	0.08
244	17054	0.25
245	36020	0.54
246	13283	0.20
247	4131	0.06
248	10026	0.15
249	1586	0.02
250	5820	0.09
251	29548	0.44
252	2438	0.04
253	3963	0.06
254	60217	0.90
255	980	0.01
256	4004	0.06
257	14901	0.22
258	156	0.00
259	8559	0.13
260	1802	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DIED	Frequency	Percent of Total
.: Missing	4062	0.06
.A: Invalid	2312	0.03
0: Did not Die in Hospital	6535717	97.33
1: Died in Hospital	172844	2.57

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DISP	Frequency	Percent of Total
.	4062	0.06
A	2312	0.03
1	5253737	78.24
2	155801	2.32
3	336508	5.01
4	55246	0.82
5	227771	3.39
6	445869	6.64
7	60785	0.91
20	172844	2.57

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	1728588	25.74
2: Second Quarter	1667583	24.83
3: Third Quarter	1655434	24.65
4: Fourth Quarter	1663330	24.77

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
1	19013	0.28
2	3800	0.06
3	3775	0.06
4	5151	0.08
5	28948	0.43
6	311	0.00
7	3502	0.05
8	2660	0.04
9	1762	0.03
10	9378	0.14
11	1815	0.03
12	9988	0.15
13	4445	0.07
14	106572	1.59
15	40578	0.60
16	3759	0.06
17	1344	0.02
18	8158	0.12
19	3952	0.06
20	6664	0.10
21	6450	0.10
22	890	0.01
23	2141	0.03
24	24734	0.37
25	17029	0.25
26	12259	0.18
27	4661	0.07
28	6306	0.09
29	4133	0.06
30	4020	0.06
31	2275	0.03
32	2634	0.04
33	1826	0.03
34	7720	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	3151	0.05
36	4762	0.07
37	1716	0.03
38	83	0.00
39	1471	0.02
40	1022	0.02
41	279	0.00
42	4629	0.07
43	422	0.01
44	2105	0.03
45	1327	0.02
46	1276	0.02
47	931	0.01
48	834	0.01
49	1450	0.02
50	2108	0.03
51	253	0.00
52	1234	0.02
53	2923	0.04
54	452	0.01
55	2636	0.04
56	988	0.01
57	1837	0.03
58	1431	0.02
59	707	0.01
60	2534	0.04
61	148	0.00
62	823	0.01
63	8994	0.13
64	1674	0.02
65	10189	0.15
66	2481	0.04
67	740	0.01
68	5788	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	4043	0.06
70	11316	0.17
71	6290	0.09
72	584	0.01
73	3169	0.05
74	1550	0.02
75	19064	0.28
76	14451	0.22
77	1596	0.02
78	11445	0.17
79	60026	0.89
80	3498	0.05
81	2453	0.04
82	25534	0.38
83	3453	0.05
84	1328	0.02
85	5993	0.09
86	654	0.01
87	17539	0.26
88	102073	1.52
89	122853	1.83
90	19828	0.30
91	39460	0.59
92	4153	0.06
93	772	0.01
94	6720	0.10
95	3784	0.06
96	27432	0.41
97	26355	0.39
98	59934	0.89
99	10739	0.16
100	8560	0.13
101	8895	0.13
102	4163	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	315	0.00
104	9701	0.14
105	8775	0.13
106	40027	0.60
107	26214	0.39
108	4810	0.07
110	21330	0.32
111	2865	0.04
112	97478	1.45
113	11775	0.18
114	2777	0.04
115	2751	0.04
116	23248	0.35
117	1342	0.02
118	1816	0.03
119	1186	0.02
120	10174	0.15
121	48431	0.72
122	38264	0.57
123	11537	0.17
124	52721	0.79
125	32687	0.49
126	2545	0.04
127	181560	2.70
128	6663	0.10
129	1266	0.02
130	31174	0.46
131	12236	0.18
132	43354	0.65
133	2540	0.04
134	12870	0.19
135	2463	0.04
136	649	0.01
137	826	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	59718	0.89
139	25976	0.39
140	56354	0.84
141	24487	0.36
142	13847	0.21
143	81593	1.22
144	26855	0.40
145	4591	0.07
146	3263	0.05
147	795	0.01
148	52455	0.78
149	8682	0.13
150	9627	0.14
151	3981	0.06
152	2074	0.03
153	1721	0.03
154	13804	0.21
155	4064	0.06
156	2359	0.04
157	4691	0.07
158	5162	0.08
159	6500	0.10
160	6492	0.10
161	4152	0.06
162	3519	0.05
163	1277	0.02
164	5355	0.08
165	7019	0.10
166	5667	0.08
167	24196	0.36
168	1019	0.02
169	959	0.01
170	4920	0.07
171	1573	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	11337	0.17
173	1033	0.02
174	72570	1.08
175	9513	0.14
176	5539	0.08
177	4170	0.06
178	2568	0.04
179	9063	0.13
180	25917	0.39
181	9551	0.14
182	85595	1.27
183	46655	0.69
184	25360	0.38
185	3755	0.06
186	1258	0.02
187	888	0.01
188	22369	0.33
189	5582	0.08
190	2865	0.04
191	5928	0.09
192	768	0.01
193	3105	0.05
194	394	0.01
195	3433	0.05
196	602	0.01
197	34205	0.51
198	36342	0.54
199	955	0.01
200	949	0.01
201	673	0.01
202	15247	0.23
203	10918	0.16
204	30995	0.46
205	11125	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	2235	0.03
207	12919	0.19
208	7407	0.11
209	98035	1.46
210	36219	0.54
211	8236	0.12
212	3539	0.05
213	2276	0.03
214	27517	0.41
215	55076	0.82
216	2881	0.04
217	12603	0.19
218	11597	0.17
219	22690	0.34
220	4984	0.07
221	2906	0.04
222	12089	0.18
223	11242	0.17
224	9369	0.14
225	5306	0.08
226	2895	0.04
227	6463	0.10
228	2020	0.03
229	3290	0.05
230	1581	0.02
231	9624	0.14
232	768	0.01
233	2764	0.04
234	2974	0.04
235	3712	0.06
236	16239	0.24
237	813	0.01
238	3451	0.05
239	19210	0.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	5811	0.09
241	2411	0.04
242	1609	0.02
243	38422	0.57
244	5531	0.08
245	4056	0.06
246	695	0.01
247	5591	0.08
248	4434	0.07
249	4750	0.07
250	1483	0.02
251	1893	0.03
252	1421	0.02
253	7075	0.11
254	6416	0.10
255	2286	0.03
256	3238	0.05
257	9575	0.14
258	8800	0.13
259	2062	0.03
260	3065	0.05
261	6518	0.10
262	456	0.01
263	9876	0.15
264	2135	0.03
265	2288	0.03
266	2963	0.04
267	458	0.01
268	1589	0.02
269	4986	0.07
270	3691	0.05
271	6833	0.10
272	2229	0.03
273	861	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	1340	0.02
275	204	0.00
276	1059	0.02
277	31871	0.47
278	17753	0.26
279	5763	0.09
280	6514	0.10
281	5972	0.09
282	1903	0.03
283	2666	0.04
284	2184	0.03
285	1861	0.03
286	1726	0.03
287	2485	0.04
288	2076	0.03
289	2543	0.04
290	9113	0.14
291	275	0.00
292	1659	0.02
293	241	0.00
294	34090	0.51
295	14322	0.21
296	63021	0.94
297	12181	0.18
298	22719	0.34
299	942	0.01
300	5762	0.09
301	2018	0.03
302	2609	0.04
303	7288	0.11
304	6905	0.10
305	4494	0.07
306	3204	0.05
307	776	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	2979	0.04
309	1518	0.02
310	10323	0.15
311	6915	0.10
312	623	0.01
313	432	0.01
314	96	0.00
315	9223	0.14
316	23052	0.34
317	220	0.00
318	2060	0.03
319	225	0.00
320	49539	0.74
321	12717	0.19
322	8757	0.13
323	11931	0.18
324	14452	0.22
325	2248	0.03
326	1026	0.02
327	238	0.00
328	248	0.00
329	56	0.00
330	21	0.00
331	13415	0.20
332	2989	0.04
333	1576	0.02
334	8804	0.13
335	5146	0.08
336	16012	0.24
337	11388	0.17
338	1269	0.02
339	1213	0.02
340	780	0.01
341	2783	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	81	0.00
343	64	0.00
344	1383	0.02
345	445	0.01
346	1578	0.02
347	197	0.00
348	885	0.01
349	273	0.00
350	3596	0.05
352	553	0.01
353	2180	0.03
354	4714	0.07
355	5056	0.08
356	14646	0.22
357	4009	0.06
358	41512	0.62
359	78927	1.18
360	8241	0.12
361	2520	0.04
362	90	0.00
363	2242	0.03
364	1881	0.03
365	2471	0.04
366	2181	0.03
367	429	0.01
368	8538	0.13
369	6790	0.10
370	47102	0.70
371	107581	1.60
372	66247	0.99
373	485282	7.23
374	35989	0.54
375	1336	0.02
376	7631	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
377	1597	0.02
378	8461	0.13
379	22897	0.34
380	4454	0.07
381	7568	0.11
382	4330	0.06
383	39559	0.59
384	11263	0.17
385	15301	0.23
386	13214	0.20
387	21541	0.32
388	18638	0.28
389	64202	0.96
390	174677	2.60
391	464338	6.92
392	1905	0.03
393	329	0.00
394	1476	0.02
395	28778	0.43
396	4994	0.07
397	7626	0.11
398	9567	0.14
399	2483	0.04
400	3824	0.06
401	2459	0.04
402	886	0.01
403	12655	0.19
404	1969	0.03
405	892	0.01
406	1619	0.02
407	469	0.01
408	1497	0.02
409	2974	0.04
410	50958	0.76

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
411	26	0.00
412	16	0.00
413	3376	0.05
414	503	0.01
415	16271	0.24
416	59008	0.88
417	5492	0.08
418	11051	0.16
419	5956	0.09
420	1482	0.02
421	7402	0.11
422	16820	0.25
423	5419	0.08
424	1588	0.02
425	9748	0.15
426	21016	0.31
427	10046	0.15
428	4174	0.06
429	20437	0.30
430	157517	2.35
431	5890	0.09
432	840	0.01
433	13939	0.21
434	20256	0.30
435	43553	0.65
436	5825	0.09
437	15711	0.23
439	694	0.01
440	4040	0.06
441	1480	0.02
442	6892	0.10
443	3733	0.06
444	2028	0.03
445	2460	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
446	801	0.01
447	2427	0.04
448	295	0.00
449	24523	0.37
450	12776	0.19
451	8037	0.12
452	8107	0.12
453	2946	0.04
454	3626	0.05
455	3359	0.05
456	167	0.00
457	87	0.00
458	2259	0.03
459	556	0.01
460	4751	0.07
461	3891	0.06
462	59042	0.88
463	4653	0.07
464	1764	0.03
465	575	0.01
466	8926	0.13
467	7475	0.11
468	26655	0.40
469	858	0.01
470	7944	0.12
471	3134	0.05
472	256	0.00
473	3849	0.06
475	33406	0.50
476	1746	0.03
477	13047	0.19
478	34782	0.52
479	6709	0.10
480	634	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
481	2318	0.03
482	3582	0.05
483	15777	0.23
484	682	0.01
485	2494	0.04
486	5970	0.09
487	4970	0.07
488	2459	0.04
489	28701	0.43
490	7376	0.11
491	3031	0.05
492	4421	0.07

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
12	5051605	75.23
13	1663330	24.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
9	606072	9.03
10	3190312	47.51
11	394694	5.88
15	85589	1.27
16	523380	7.79
17	513564	7.65
30	1401324	20.87

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
6	2277680	33.92
8	247165	3.68
10	1666233	24.81
15	1122533	16.72
21	862254	12.84
25	465212	6.93
30	73858	1.10

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
2	513564	7.65
3	1200713	17.88
4	862254	12.84
5	606072	9.03
6	243863	3.63
7	425128	6.33
8	84205	1.25
9	150831	2.25
10	247165	3.68
11	198185	2.95
12	85589	1.27
13	398263	5.93
14	221657	3.30
15	66719	0.99
16	523380	7.79
17	295466	4.40
18	73858	1.10
19	169746	2.53
20	348277	5.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	5543814	82.56
2	1171121	17.44

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	2982	0.04
Valid DX	6711953	99.96

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	2982	0.04
C	263	0.00
0	6710418	99.93
1	1272	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	150831	2.25
CA	862254	12.84
CO	85589	1.27
CT	73858	1.10
FL	1200713	17.88
IA	198185	2.95
IL	606072	9.03
KS	169746	2.53
MA	243863	3.63
MD	523380	7.79
MO	295466	4.40
NJ	247165	3.68
NY	513564	7.65
OR	66719	0.99
PA	398263	5.93
SC	221657	3.30
TN	348277	5.19
WA	84205	1.25
WI	425128	6.33

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 1995
Frequency Distribution for HOSPSTCO

HOSPSTCO	Frequency	Percent of Total
.	739680	11.02
04001	843	0.01
04003	2334	0.03
04005	9398	0.14
04007	1863	0.03
04013	103857	1.55
04017	3734	0.06
04019	27425	0.41
04021	1377	0.02
06001	25210	0.38
06007	7210	0.11
06009	1544	0.02
06013	4121	0.06
06015	2885	0.04
06019	25892	0.39
06021	284	0.00
06023	13033	0.19
06025	12540	0.19
06027	1664	0.02
06029	20178	0.30
06031	4804	0.07
06033	2522	0.04
06037	235804	3.51
06041	2346	0.03
06055	8886	0.13
06059	89389	1.33
06061	11417	0.17
06063	647	0.01
06065	41217	0.61
06067	60329	0.90
06071	56366	0.84
06073	100331	1.49
06075	2448	0.04
06077	31806	0.47

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
06079	6663	0.10
06081	12285	0.18
06083	8701	0.13
06085	15948	0.24
06087	13922	0.21
06091	81	0.00
06093	3415	0.05
06097	20491	0.31
06099	134	0.00
06101	10048	0.15
06107	4196	0.06
06109	1702	0.03
06111	1795	0.03
08001	5696	0.08
08013	7797	0.12
08015	1030	0.02
08031	18186	0.27
08037	2335	0.03
08043	3429	0.05
08059	15280	0.23
08065	927	0.01
08071	1266	0.02
08075	1960	0.03
08083	2696	0.04
08085	3205	0.05
08087	2698	0.04
08089	3176	0.05
08095	207	0.00
08097	1511	0.02
08099	1597	0.02
08101	10553	0.16
08103	301	0.00
08107	1259	0.02
08125	480	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
09001	23649	0.35
09003	37607	0.56
09005	4279	0.06
09013	3790	0.06
09015	4533	0.07
12001	25309	0.38
12003	155	0.00
12005	12628	0.19
12007	641	0.01
12009	40734	0.61
12011	122694	1.83
12013	449	0.01
12015	20625	0.31
12017	14282	0.21
12019	10473	0.16
12023	5946	0.09
12025	168327	2.51
12027	2779	0.04
12031	87909	1.31
12033	35976	0.54
12035	1403	0.02
12037	654	0.01
12039	620	0.01
12045	517	0.01
12047	463	0.01
12051	1050	0.02
12053	16234	0.24
12055	13193	0.20
12057	54545	0.81
12059	1072	0.02
12061	14849	0.22
12063	4836	0.07
12069	9415	0.14
12071	44072	0.66

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12073	33833	0.50
12075	808	0.01
12079	433	0.01
12083	15429	0.23
12087	7699	0.11
12089	1867	0.03
12091	6326	0.09
12093	3795	0.06
12095	70637	1.05
12097	8575	0.13
12099	93268	1.39
12101	9800	0.15
12103	110548	1.65
12105	34099	0.51
12107	6867	0.10
12109	8387	0.12
12111	6581	0.10
12113	5616	0.08
12115	44546	0.66
12117	6231	0.09
12121	169	0.00
12123	899	0.01
12125	359	0.01
12127	9753	0.15
12131	947	0.01
12133	1391	0.02
17007	1404	0.02
17029	7116	0.11
17031	319556	4.76
17043	44836	0.67
17045	798	0.01
17051	1050	0.02
17053	1342	0.02
17061	240	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17067	1363	0.02
17069	722	0.01
17077	9111	0.14
17089	14128	0.21
17091	9680	0.14
17095	4177	0.06
17097	2293	0.03
17099	5567	0.08
17105	2722	0.04
17109	3974	0.06
17111	13404	0.20
17115	8474	0.13
17119	13546	0.20
17121	10859	0.16
17125	638	0.01
17141	1012	0.02
17143	42477	0.63
17147	402	0.01
17165	1846	0.03
17167	45651	0.68
17177	6022	0.09
17179	744	0.01
17183	343	0.01
17185	1277	0.02
17195	6639	0.10
17199	6013	0.09
17201	16646	0.25
19001	361	0.01
19003	541	0.01
19011	245	0.00
19013	9407	0.14
19019	472	0.01
19025	1908	0.03
19027	2883	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19029	1828	0.03
19035	965	0.01
19041	2644	0.04
19043	800	0.01
19045	6238	0.09
19049	542	0.01
19057	7440	0.11
19059	1540	0.02
19067	1199	0.02
19075	180	0.00
19077	409	0.01
19085	619	0.01
19087	1384	0.02
19089	427	0.01
19103	25523	0.38
19107	86	0.00
19109	441	0.01
19111	6067	0.09
19113	26061	0.39
19119	337	0.01
19123	1783	0.03
19125	1248	0.02
19131	730	0.01
19143	548	0.01
19145	604	0.01
19149	1122	0.02
19151	320	0.00
19153	32408	0.48
19155	5066	0.08
19157	2415	0.04
19163	20290	0.30
19165	1114	0.02
19167	124	0.00
19169	9681	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19175	1393	0.02
19179	6555	0.10
19185	947	0.01
19193	11290	0.17
24001	9769	0.15
24003	32434	0.48
24005	290974	4.33
24009	6190	0.09
24019	4076	0.06
24021	14684	0.22
24023	3239	0.05
24025	6613	0.10
24029	2917	0.04
24031	78867	1.17
24033	20929	0.31
24037	6180	0.09
24039	659	0.01
24041	8975	0.13
24043	15733	0.23
24045	19103	0.28
24047	2038	0.03
25003	18407	0.27
25005	23755	0.35
25007	1569	0.02
25009	8386	0.12
25013	41579	0.62
25015	7566	0.11
25017	25285	0.38
25021	14907	0.22
25023	7176	0.11
25025	55587	0.83
25027	39646	0.59
29001	6313	0.09
29007	5141	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
29019	6593	0.10
29021	17249	0.26
29031	9773	0.15
29037	1166	0.02
29039	880	0.01
29047	7823	0.12
29049	1253	0.02
29051	6015	0.09
29071	1541	0.02
29073	458	0.01
29075	715	0.01
29077	26615	0.40
29093	777	0.01
29095	8643	0.13
29097	28810	0.43
29099	7274	0.11
29109	1556	0.02
29113	1633	0.02
29145	1873	0.03
29155	2775	0.04
29161	8288	0.12
29167	3108	0.05
29171	412	0.01
29177	1108	0.02
29181	577	0.01
29183	20024	0.30
29189	108659	1.62
29195	2354	0.04
29207	1032	0.02
29213	4614	0.07
29221	414	0.01
34003	40338	0.60
34005	4922	0.07
34007	66059	0.98

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34009	9824	0.15
34013	50282	0.75
34017	16281	0.24
34021	11002	0.16
34025	18906	0.28
34029	15801	0.24
34033	5987	0.09
34037	7763	0.12
36001	87	0.00
36003	3630	0.05
36005	42201	0.63
36009	1437	0.02
36013	13297	0.20
36017	2006	0.03
36027	25101	0.37
36029	45420	0.68
36031	1244	0.02
36047	79302	1.18
36053	3703	0.06
36055	36954	0.55
36059	26713	0.40
36061	57734	0.86
36063	11661	0.17
36065	12280	0.18
36067	12738	0.19
36069	2663	0.04
36071	3260	0.05
36075	7977	0.12
36077	13320	0.20
36081	19290	0.29
36083	9084	0.14
36087	2981	0.04
36089	595	0.01
36097	1590	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
36101	5806	0.09
36103	32493	0.48
36105	6597	0.10
36111	9842	0.15
36117	6435	0.10
36119	16123	0.24
41007	3662	0.05
41011	7141	0.11
41017	1807	0.03
41019	6980	0.10
41023	250	0.00
41033	3347	0.05
41035	7289	0.11
41039	26181	0.39
41047	2633	0.04
41051	1400	0.02
41059	2169	0.03
41061	2054	0.03
41065	1806	0.03
42003	113658	1.69
42005	7233	0.11
42011	25806	0.38
42013	822	0.01
42017	9641	0.14
42021	8668	0.13
42029	19439	0.29
42031	3821	0.06
42033	5443	0.08
42035	215	0.00
42041	936	0.01
42043	33341	0.50
42045	13178	0.20
42049	814	0.01
42057	1096	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 1995
Frequency Distribution for HOSPSTCO

HOSPSTCO	Frequency	Percent of Total
42061	3542	0.05
42065	1755	0.03
42071	12413	0.18
42077	5588	0.08
42079	2015	0.03
42081	875	0.01
42085	2901	0.04
42091	37338	0.56
42097	562	0.01
42101	59401	0.88
42105	1420	0.02
42107	8761	0.13
42115	1783	0.03
42119	6588	0.10
42129	9210	0.14
53001	132	0.00
53005	1155	0.02
53007	1120	0.02
53009	5345	0.08
53011	17865	0.27
53019	371	0.01
53025	707	0.01
53027	4305	0.06
53033	23613	0.35
53043	569	0.01
53049	569	0.01
53053	12990	0.19
53061	1730	0.03
53063	8846	0.13
53071	4100	0.06
53075	788	0.01
55003	3964	0.06
55005	860	0.01
55013	637	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55015	667	0.01
55017	1111	0.02
55019	880	0.01
55021	1757	0.03
55025	58909	0.88
55027	2142	0.03
55033	1937	0.03
55035	16635	0.25
55039	9927	0.15
55043	3495	0.05
55045	4065	0.06
55055	4227	0.06
55059	13277	0.20
55061	280	0.00
55071	1817	0.03
55079	140316	2.09
55081	1230	0.02
55083	788	0.01
55085	5281	0.08
55087	19702	0.29
55091	641	0.01
55095	540	0.01
55097	4977	0.07
55101	12816	0.19
55103	1457	0.02
55105	16795	0.25
55107	1240	0.02
55109	3350	0.05
55111	4887	0.07
55115	2878	0.04
55117	7117	0.11
55119	1225	0.02
55121	359	0.01
55125	653	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55127	3876	0.06
55129	1729	0.03
55131	1735	0.03
55133	30462	0.45
55135	1926	0.03
55137	443	0.01
55139	10177	0.15
55141	21941	0.33

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.: Missing	<= 10	**.**
.A: Invalid	<= 10	**.**
.C: Inconsistent	18382	0.27
0 days	139005	2.07
1 day	1312687	19.55
2 days	1313843	19.57
3 days	958028	14.27
4 days	646773	9.63
5 days	471107	7.02
6 days	357629	5.33
7 days	293943	4.38
8 days	216077	3.22
9 days	159805	2.38
10 days	126638	1.89
11 - 30 days	615196	9.16
31 - 60 days	67899	1.01
61 - 90 days	11328	0.17
91 - 120 days	3487	0.05
121 - 150 days	1285	0.02
151 - 180 days	614	0.01
181 - 210 days	324	0.00
211 - 240 days	159	0.00
241 - 270 days	134	0.00
271 - 300 days	77	0.00
301 - 330 days	67	0.00
331 - 365 days	57	0.00
365 - 1095 days	265	0.00
1096	<= 10	**.**
1102	<= 10	**.**
1104	<= 10	**.**
1118	<= 10	**.**
1126	<= 10	**.**
1153	<= 10	**.**
1170	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
1198	<= 10	***
1218	<= 10	***
1219	<= 10	***
1221	<= 10	***
1225	<= 10	***
1229	<= 10	***
1242	<= 10	***
1254	<= 10	***
1261	<= 10	***
1288	<= 10	***
1297	<= 10	***
1300	<= 10	***
1305	<= 10	***
1313	<= 10	***
1339	<= 10	***
1343	<= 10	***
1363	<= 10	***
1391	<= 10	***
1392	<= 10	***
1395	<= 10	***
1404	<= 10	***
1411	<= 10	***
1423	<= 10	***
1460	<= 10	***
1469	<= 10	***
1470	<= 10	***
1477	<= 10	***
1479	<= 10	***
1483	<= 10	***
1486	<= 10	***
1506	<= 10	***
1518	<= 10	***
1520	<= 10	***
1522	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
1537	<= 10	***
1552	<= 10	***
1571	<= 10	***
1593	<= 10	***
1602	<= 10	***
1626	<= 10	***
1632	<= 10	***
1637	<= 10	***
1642	<= 10	***
1651	<= 10	***
1672	<= 10	***
1686	<= 10	***
1689	<= 10	***
1692	<= 10	***
1737	<= 10	***
1772	<= 10	***
1783	<= 10	***
1796	<= 10	***
1801	<= 10	***
1808	<= 10	***
1810	<= 10	***
1844	<= 10	***
1849	<= 10	***
1874	<= 10	***
1881	<= 10	***
1885	<= 10	***
1896	<= 10	***
1901	<= 10	***
1903	<= 10	***
1934	<= 10	***
1957	<= 10	***
1958	<= 10	***
1965	<= 10	***
1998	<= 10	***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
2000	<= 10	**.*
2005	<= 10	**.*
2008	<= 10	**.*
2012	<= 10	**.*
2077	<= 10	**.*
2105	<= 10	**.*
2110	<= 10	**.*
2151	<= 10	**.*
2220	<= 10	**.*
2225	<= 10	**.*
2234	<= 10	**.*
2282	<= 10	**.*
2329	<= 10	**.*
2344	<= 10	**.*
2377	<= 10	**.*
2406	<= 10	**.*
2530	<= 10	**.*
2534	<= 10	**.*
2535	<= 10	**.*
2554	<= 10	**.*
2574	<= 10	**.*
2587	<= 10	**.*
2815	<= 10	**.*
2851	<= 10	**.*
2874	<= 10	**.*
2901	<= 10	**.*
2925	<= 10	**.*
2932	<= 10	**.*
2951	<= 10	**.*
3026	<= 10	**.*
3052	<= 10	**.*
3055	<= 10	**.*
3096	<= 10	**.*
3100	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
3823	<= 10	**.**
3955	<= 10	**.**
4112	<= 10	**.**
4479	<= 10	**.**
5275	<= 10	**.**
12912	<= 10	**.**
15920	<= 10	**.**
23214	<= 10	**.**
27746	<= 10	**.**
32205	<= 10	**.**

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

MDC10	Frequency	Percent of Total
0	5809	0.09
1	376573	5.61
2	21102	0.31
3	88479	1.32
4	658183	9.80
5	1093296	16.28
6	529092	7.88
7	180363	2.69
8	508824	7.58
9	147927	2.20
10	179895	2.68
11	205013	3.05
12	56847	0.85
13	187069	2.79
14	852088	12.69
15	772897	11.51
16	58748	0.87
17	94225	1.40
18	129391	1.93
19	231275	3.44
20	100479	1.50
21	89996	1.34
22	8218	0.12
23	86412	1.29
24	14144	0.21
25	38590	0.57

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	2475937	36.87
Non-Blank	4238998	63.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NDX	Frequency	Percent of Total
0	2951	0.04
1	923044	13.75
2	1143810	17.03
3	983778	14.65
4	832964	12.40
5	736343	10.97
6	547877	8.16
7	416612	6.20
8	332922	4.96
9	429957	6.40
10	232182	3.46
11	39466	0.59
12	30084	0.45
13	17149	0.26
14	13201	0.20
15	20608	0.31
16	5907	0.09
17	1720	0.03
18	1107	0.02
19	789	0.01
20	686	0.01
21	404	0.01
22	319	0.00
23	232	0.00
24	262	0.00
25	339	0.01
26	90	0.00
27	81	0.00
28	23	0.00
29	<= 10	**.**
30	19	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	5070837	75.52
1: Maternal	863919	12.87
2: Neonatal	779728	11.61
3: Neonatal and Maternal	451	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NPR	Frequency	Percent of Total
0	2543414	37.88
1	1784954	26.58
2	1012363	15.08
3	632617	9.42
4	317442	4.73
5	169355	2.52
6	144390	2.15
7	36396	0.54
8	26118	0.39
9	15182	0.23
10	17550	0.26
11	4179	0.06
12	3454	0.05
13	1841	0.03
14	1497	0.02
15	2590	0.04
16	387	0.01
17	256	0.00
18	189	0.00
19	146	0.00
20	136	0.00
21	446	0.01
22	11	0.00
23	<= 10	**.**
24	<= 10	**.**
25	11	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
.: Missing	25432	0.38
.A: Invalid	9309	0.14
1: Medicare	2388082	35.56
2: Medicaid	1232912	18.36
3: Private Insurance	2473991	36.84
4: Self-pay	342388	5.10
5: No Charge	10846	0.16
6: Other	231975	3.45

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PAY2	Frequency	Percent of Total
B	2497572	37.19
C	269679	4.02
.: Missing	2055621	30.61
.A: Invalid	2946	0.04
1: Medicare	56173	0.84
2: Medicaid	238231	3.55
3: Private Insurance	951303	14.17
4: Self-pay	560991	8.35
5: No Charge	2561	0.04
6: Other	79858	1.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1_N	Frequency	Percent of Total
.	416246	6.20
A	9309	0.14
1	2246556	33.46
2	1160884	17.29
3	360962	5.38
4	1177080	17.53
5	795597	11.85
6	323828	4.82
7	10846	0.16
8	183	0.00
9	42784	0.64
10	26397	0.39
11	60501	0.90
12	83762	1.25

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	2190085	32.62
A	2946	0.04
B	2497572	37.19
C	259076	3.86
1	51523	0.77
2	207969	3.10
3	318798	4.75
4	487536	7.26
5	59704	0.89
6	555706	8.28
7	2561	0.04
8	56	0.00
9	764	0.01
10	1821	0.03
11	7702	0.11
12	71116	1.06

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	2545138	37.90
A	1273	0.02
1	15013	0.22
2	5263	0.08
3	69957	1.04
4	54732	0.82
5	9391	0.14
6	1007	0.01
7	3009	0.04
8	2479	0.04
9	12406	0.18
10	9403	0.14
11	442	0.01
12	5405	0.08
13	948	0.01
14	1589	0.02
15	2140	0.03
16	2732	0.04
17	275	0.00
18	231	0.00
19	4038	0.06
20	4275	0.06
21	1604	0.02
22	421	0.01
23	1248	0.02
24	1002	0.01
25	67	0.00
26	2575	0.04
27	3524	0.05
28	2493	0.04
29	2422	0.04
30	5447	0.08
31	1279	0.02
32	2636	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	14032	0.21
34	12248	0.18
35	5357	0.08
36	12800	0.19
37	35066	0.52
38	2851	0.04
39	33134	0.49
40	3609	0.05
41	2853	0.04
42	8228	0.12
43	14234	0.21
44	68359	1.02
45	88567	1.32
46	159	0.00
47	122135	1.82
48	36643	0.55
49	12448	0.19
50	128	0.00
51	28465	0.42
52	8387	0.12
53	987	0.01
54	38747	0.58
55	20321	0.30
56	2211	0.03
57	13096	0.20
58	26331	0.39
59	1143	0.02
60	3690	0.05
61	36655	0.55
62	7561	0.11
63	8082	0.12
64	1930	0.03
65	12822	0.19
66	4039	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	10532	0.16
68	20	0.00
69	2072	0.03
70	116095	1.73
71	17206	0.26
72	2212	0.03
73	1311	0.02
74	4500	0.07
75	8505	0.13
76	45917	0.68
77	3063	0.05
78	47004	0.70
79	299	0.00
80	43908	0.65
81	3297	0.05
82	7937	0.12
83	5536	0.08
84	79676	1.19
85	10740	0.16
86	16990	0.25
87	3969	0.06
88	11272	0.17
89	5191	0.08
90	12845	0.19
91	4351	0.06
92	1574	0.02
93	18144	0.27
94	15942	0.24
95	10944	0.16
96	20842	0.31
97	3005	0.04
98	10171	0.15
99	19119	0.28
100	13978	0.21

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	18631	0.28
102	6273	0.09
103	4793	0.07
104	7720	0.11
105	2644	0.04
106	9452	0.14
107	1328	0.02
108	3135	0.05
109	4563	0.07
110	4076	0.06
111	4190	0.06
112	10936	0.16
113	32863	0.49
114	13689	0.20
115	209107	3.11
116	823	0.01
117	972	0.01
118	6695	0.10
119	13943	0.21
120	6718	0.10
121	13434	0.20
122	4907	0.07
123	2590	0.04
124	106409	1.58
125	6690	0.10
126	1142	0.02
127	9285	0.14
128	3081	0.05
129	8821	0.13
130	1836	0.03
131	1321	0.02
132	10759	0.16
133	150944	2.25
134	154397	2.30

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PCCHPR1	Frequency	Percent of Total
135	75930	1.13
136	14362	0.21
137	202955	3.02
138	1973	0.03
139	14615	0.22
140	102773	1.53
141	1971	0.03
142	7872	0.12
143	1049	0.02
144	6222	0.09
145	11571	0.17
146	53155	0.79
147	36486	0.54
148	16313	0.24
149	1118	0.02
150	1065	0.02
151	2057	0.03
152	56676	0.84
153	53734	0.80
154	12101	0.18
155	5684	0.08
156	981	0.01
157	20944	0.31
158	13718	0.20
159	4584	0.07
160	20389	0.30
161	7472	0.11
162	12101	0.18
163	1868	0.03
164	7132	0.11
165	958	0.01
166	5886	0.09
167	19104	0.28
168	13055	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	41764	0.62
170	5357	0.08
171	13868	0.21
172	6686	0.10
173	2819	0.04
174	26869	0.40
175	10677	0.16
176	1153	0.02
177	61681	0.92
178	5691	0.08
179	17475	0.26
180	4041	0.06
181	2587	0.04
182	258	0.00
183	2313	0.03
184	188	0.00
185	3794	0.06
186	1208	0.02
187	6506	0.10
188	7395	0.11
189	2678	0.04
190	2881	0.04
191	6717	0.10
192	7055	0.11
193	49016	0.73
194	3116	0.05
195	7074	0.11
196	13684	0.20
197	16529	0.25
198	16611	0.25
199	5801	0.09
200	90	0.00
201	16236	0.24
202	7453	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	21480	0.32
204	4196	0.06
205	19337	0.29
206	1719	0.03
207	3998	0.06
208	8069	0.12
209	7211	0.11
210	744	0.01
211	14981	0.22
212	2465	0.04
213	28671	0.43
214	7943	0.12
215	9622	0.14
216	86083	1.28
217	38541	0.57
218	30414	0.45
219	79845	1.19
220	587	0.01
221	6172	0.09
222	37807	0.56
223	8576	0.13
224	58306	0.87
225	14403	0.21
226	10059	0.15
227	10297	0.15
228	58954	0.88
229	957	0.01
230	15	0.00
231	78822	1.17

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

PR1	Frequency	Percent of Total
Blank	2545138	37.90
Valid PR	4169797	62.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
.: Missing	2237005	33.31
.B: Unavail from Source	860023	12.81
.C: Inconsistent	53568	0.80
-4 days	71	0.00
-3 days	679	0.01
-2 days	2049	0.03
-1 day	16010	0.24
0 days	2012170	29.97
1 day	726681	10.82
2 days	265919	3.96
3 days	155070	2.31
4 days	100122	1.49
5 days	67329	1.00
6 - 30 days	211281	3.15
31 - 60 days	5631	0.08
61 - 90 days	851	0.01
91 - 120 days	240	0.00
121 - 150 days	75	0.00
151 - 180 days	33	0.00
181 - 210 days	23	0.00
211 - 240 days	<= 10	**.**
241 - 270 days	<= 10	**.**
271 - 300 days	<= 10	**.**
301 - 330 days	<= 10	**.**
331 - 365 days	<= 10	**.**
366	<= 10	**.**
369	<= 10	**.**
370	<= 10	**.**
386	<= 10	**.**
388	<= 10	**.**
389	<= 10	**.**
390	<= 10	**.**
391	<= 10	**.**
396	<= 10	**.**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
408	<= 10	**. **
451	<= 10	**. **
453	<= 10	**. **
456	<= 10	**. **
476	<= 10	**. **
540	<= 10	**. **
546	<= 10	**. **
574	<= 10	**. **
587	<= 10	**. **
643	<= 10	**. **
682	<= 10	**. **
693	<= 10	**. **
735	<= 10	**. **
755	<= 10	**. **
767	<= 10	**. **
798	<= 10	**. **
810	<= 10	**. **
819	<= 10	**. **
905	<= 10	**. **
968	<= 10	**. **
1095	<= 10	**. **
1218	<= 10	**. **
1233	<= 10	**. **
1253	<= 10	**. **
1269	<= 10	**. **
1337	<= 10	**. **
1346	<= 10	**. **
1385	<= 10	**. **
1551	<= 10	**. **
1750	<= 10	**. **
1869	<= 10	**. **
1925	<= 10	**. **
2359	<= 10	**. **
2560	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRDAY1	Frequency	Percent of Total
3042	<= 10	**.*
3631	<= 10	**.*
3653	<= 10	**.*
5319	<= 10	**.*
5733	<= 10	**.*
8752	<= 10	**.*
8838	<= 10	**.*
9212	<= 10	**.*
9787	<= 10	**.*
10764	<= 10	**.*
14852	<= 10	**.*
15901	<= 10	**.*
16575	<= 10	**.*
19688	<= 10	**.*
21055	<= 10	**.*
23533	<= 10	**.*
25429	<= 10	**.*
27326	<= 10	**.*
27703	<= 10	**.*
28204	<= 10	**.*
32191	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
.	67702	1.01
1	6647233	98.99

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	2545138	37.90
C	225	0.00
0	4168299	62.08
1	1273	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	176491	2.63
.A: Invalid	328	0.00
.B: Unavailable from Source	1105273	16.46
1: White	4008351	59.69
2: Black	769018	11.45
3: Hispanic	472382	7.03
4: Asian/Pacific Islander	76886	1.14
5: Native American	21414	0.32
6: Other	84792	1.26

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	640	0.01
A	94	0.00
C	296	0.00
1	2787066	41.51
2	3926839	58.48

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	4286730	63.84
Non-Blank	2428205	36.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
.: Missing	136376	2.03
.A: Invalid	64	0.00
.C: Inconsistent	18226	0.27
\$ 1- \$ 9	184	0.00
\$10	<= 10	**. **
\$11- \$19	22	0.00
\$20	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	525442	7.82
\$1,001- \$5,000	2487651	37.05
\$5,001- \$10,000	1705694	25.40
\$10,001- \$50,000	1682723	25.06
\$50,001- \$100,000	115785	1.72
\$100,001- \$200,000	31917	0.48
\$200,001- \$300,000	6630	0.10
\$300,001- \$400,000	2155	0.03
\$400,001- \$500,000	936	0.01
\$500,001-\$1,000,000	1001	0.01
1004399	<= 10	**. **
1007557	<= 10	**. **
1010089	<= 10	**. **
1011176	<= 10	**. **
1012300	<= 10	**. **
1017407	<= 10	**. **
1022156	<= 10	**. **
1022247	<= 10	**. **
1026340	<= 10	**. **
1026558	<= 10	**. **
1028377	<= 10	**. **
1031855	<= 10	**. **
1034067	<= 10	**. **
1034576	<= 10	**. **
1038108	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
1038906	<= 10	***.
1039765	<= 10	***.
1043554	<= 10	***.
1049687	<= 10	***.
1051471	<= 10	***.
1054454	<= 10	***.
1061487	<= 10	***.
1062893	<= 10	***.
1064021	<= 10	***.
1067214	<= 10	***.
1070563	<= 10	***.
1075014	<= 10	***.
1076739	<= 10	***.
1078575	<= 10	***.
1080575	<= 10	***.
1084779	<= 10	***.
1085586	<= 10	***.
1099567	<= 10	***.
1109655	<= 10	***.
1110270	<= 10	***.
1112197	<= 10	***.
1112667	<= 10	***.
1113747	<= 10	***.
1131424	<= 10	***.
1131536	<= 10	***.
1135627	<= 10	***.
1136102	<= 10	***.
1137829	<= 10	***.
1143608	<= 10	***.
1159148	<= 10	***.
1161913	<= 10	***.
1165976	<= 10	***.
1166260	<= 10	***.
1177534	<= 10	***.

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
1184099	<= 10	***.
1184737	<= 10	***.
1186441	<= 10	***.
1188567	<= 10	***.
1194888	<= 10	***.
1198468	<= 10	***.
1199988	<= 10	***.
1216424	<= 10	***.
1222181	<= 10	***.
1229006	<= 10	***.
1234835	<= 10	***.
1248995	<= 10	***.
1249045	<= 10	***.
1262862	<= 10	***.
1289869	<= 10	***.
1289928	<= 10	***.
1298116	<= 10	***.
1313680	<= 10	***.
1349466	<= 10	***.
1351604	<= 10	***.
1360398	<= 10	***.
1361141	<= 10	***.
1374375	<= 10	***.
1376752	<= 10	***.
1377519	<= 10	***.
1381233	<= 10	***.
1384030	<= 10	***.
1403219	<= 10	***.
1408216	<= 10	***.
1418320	<= 10	***.
1424901	<= 10	***.
1425705	<= 10	***.
1429427	<= 10	***.
1430202	<= 10	***.

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

TOTCHG	Frequency	Percent of Total
1446902	<= 10	***.***
1456347	<= 10	***.***
1471793	<= 10	***.***
1485087	<= 10	***.***
1532371	<= 10	***.***
1558116	<= 10	***.***
1559281	<= 10	***.***
1571741	<= 10	***.***
1574247	<= 10	***.***
1632090	<= 10	***.***
1656602	<= 10	***.***
1666525	<= 10	***.***
1674513	<= 10	***.***
1714326	<= 10	***.***
1797250	<= 10	***.***
1865674	<= 10	***.***
1882084	<= 10	***.***
1883611	<= 10	***.***
1935351	<= 10	***.***
2144026	<= 10	***.***
2190200	<= 10	***.***
2248249	<= 10	***.***
2393205	<= 10	***.***
2614970	<= 10	***.***
2638561	<= 10	***.***
2817773	<= 10	***.***
3228328	<= 10	***.***
5307250	<= 10	***.***
5389763	<= 10	***.***

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC4	Frequency	Percent of Total
.: Missing	261481	3.89
1: \$0-\$25,000	2188598	32.59
2: \$25,001-\$30,000	1341732	19.98
3: \$30,001-\$35,000	1006410	14.99
4: \$35,001+	1916714	28.54

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC8	Frequency	Percent of Total
.: Missing	767866	11.44
1: \$0-\$15,000	190450	2.84
2: \$15,001-\$20,000	557709	8.31
3: \$20,001-\$25,000	1207189	17.98
4: \$25,001-\$30,000	1201603	17.89
5: \$30,001-\$35,000	963385	14.35
6: \$35,001-\$40,000	673222	10.03
7: \$40,001-\$45,000	444678	6.62
8: \$45,001+	708833	10.56

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	6713084	Sum Weights	6713084
Mean	46.0539196	Sum Observations	309163831
Std Deviation	28.3393987	Variance	803.121517
Skewness	-0.2154182	Kurtosis	-1.1631823
Uncorrected SS	1.96296E10	Corrected SS	5391421406
Coeff Variation	61.5352589	Std Error Mean	0.01093779

Basic Statistical Measures			
Location		Variability	
Mean	46.05392	Std Deviation	28.33940
Median	48.00000	Variance	803.12152
Mode	0.00000	Range	123.00000
		Interquartile Range	46.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4210.532	Pr > t 	<.0001
Sign	M	2919672	Pr >= M 	<.0001
Signed Rank	S	8.524E12	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	123
99%	92
95%	86
90%	81
75% Q3	71
50% Median	48
25% Q1	25
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	111	0.00	6.00
A	228	0.00	12.32
C	1512	0.02	81.69
Total	1851	0.03	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	6696550	Sum Weights	6696550
Mean	5.25985425	Sum Observations	35222877
Std Deviation	23.7624168	Variance	564.652452
Skewness	832.969198	Kurtosis	961707.156
Uncorrected SS	3966490009	Corrected SS	3781222810
Coeff Variation	451.769491	Std Error Mean	0.00918259

Basic Statistical Measures			
Location		Variability	
Mean	5.259854	Std Deviation	23.76242
Median	3.000000	Variance	564.65245
Mode	2.000000	Range	32205
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	572.8075	Pr > t	<.0001
Sign	M	3278773	Pr >= M	<.0001
Signed Rank	S	1.075E13	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	32205
99%	34
95%	16
90%	11
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	0.00	0.01
A	2	0.00	0.01
C	18382	0.27	99.98
Total	18385	0.27	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	6714932	Sum Weights	6714932
Mean	5.40765595	Sum Observations	36312042
Std Deviation	60.0816981	Variance	3609.81045
Skewness	379.035843	Kurtosis	159521.651
Uncorrected SS	2.4436E10	Corrected SS	2.42396E10
Coeff Variation	1111.04883	Std Error Mean	0.02318576

Basic Statistical Measures			
Location		Variability	
Mean	5.407656	Std Deviation	60.08170
Median	3.000000	Variance	3610
Mode	1.000000	Range	32877
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	233.2317	Pr > t 	<.0001
Sign	M	3287430	Pr >= M 	<.0001
Signed Rank	S	1.081E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	32513
99%	34
95%	16
90%	11
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-364

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	1	0.00	33.33
A	2	0.00	66.67
Total	3	0.00	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	6560269	Sum Weights	6560269
Mean	10375.3757	Sum Observations	6.80653E10
Std Deviation	20846.763	Variance	434587528
Skewness	21.6530947	Kurtosis	2088.47546
Uncorrected SS	3.55721E15	Corrected SS	2.85101E15
Coeff Variation	200.92538	Std Error Mean	8.13912663

Basic Statistical Measures			
Location		Variability	
Mean	10375.38	Std Deviation	20847
Median	5541.00	Variance	434587528
Mode	1900.00	Range	5389762
		Interquartile Range	8261

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1274.753	Pr > t 	<.0001
Sign	M	3280135	Pr >= M 	<.0001
Signed Rank	S	1.076E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	5389763
99%	79956
95%	33183
90%	21644
75% Q3	11053
50% Median	5541
25% Q1	2792
10%	1228
5%	725

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	415
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	136376	2.03	88.17
A	64	0.00	0.04
C	18226	0.27	11.78
Total	154666	2.30	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	6578947	Sum Weights	6578947
Mean	10436.3026	Sum Observations	6.86599E10
Std Deviation	21750.7734	Variance	473096142
Skewness	33.0538529	Kurtosis	5353.98425
Uncorrected SS	3.82903E15	Corrected SS	3.11247E15
Coeff Variation	208.414553	Std Error Mean	8.48001283

Basic Statistical Measures			
Location		Variability	
Mean	10436.30	Std Deviation	21751
Median	5542.00	Variance	473096142
Mode	1900.00	Range	7145721
		Interquartile Range	8297

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1230.694	Pr > t 	<.0001
Sign	M	3289460	Pr >= M 	<.0001
Signed Rank	S	1.082E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	7137438.67
99%	80721.00
95%	33391.00
90%	21786.00
75% Q3	11083.49
50% Median	5542.00
25% Q1	2786.00
10%	1216.67
5%	717.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	404.53
0% Min	-8282.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	135934	2.02	99.96
A	54	0.00	0.04
Total	135988	2.03	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure

Variable: DISCWT_U (H:Weight to discharges in universe)

Moments			
N	6714935	Sum Weights	6714935
Mean	5.18128591	Sum Observations	34791998.1
Std Deviation	1.55263745	Variance	2.41068304
Skewness	6.68373227	Kurtosis	87.8308827
Uncorrected SS	196454867	Corrected SS	16187577.5
Coeff Variation	29.9662569	Std Error Mean	0.00059917

Basic Statistical Measures			
Location		Variability	
Mean	5.181286	Std Deviation	1.55264
Median	4.955700	Variance	2.41068
Mode	4.875400	Range	31.29440
		Interquartile Range	0.95300

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8647.457	Pr > t 	<.0001
Sign	M	3357468	Pr >= M 	<.0001
Signed Rank	S	1.127E13	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	32.3654
99%	10.1421
95%	6.9278
90%	6.2543
75% Q3	5.5720
50% Median	4.9557
25% Q1	4.6190
10%	3.7852
5%	3.7038

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: DISCWT_U (H:Weight to discharges in universe)

Quantiles (Definition 5)	
Quantile	Estimate
1%	2.5583
0% Min	1.0710

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*