

HCUP Summary Statistics Report: NIS 1995 - N10Core2 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	544025	127468	1.00	7.00	3.96	1.83
AGE : I:Age in years at admission	671298	195	0.00	110.00	46.02	28.36
AGEDAY : I:Age in days (when < 1 year)	87752	583741	0.00	364.00	16.25	57.09
AMONTH : I:Admission month	671493	0	1.00	12.00	6.45	3.47
ASOURCE : I:Admission source	642807	28686	1.00	5.00	3.37	1.92
ATYPE : I:Admission type	577493	94000	1.00	6.00	2.09	1.07
D10CWT_U : H:10% sample discharge wght in universe	671493	0	10.71	323.65	51.81	15.53
DCCHPR1 : I:CCHPR: principal diagnosis	671048	445	1.00	260.00	146.64	64.98
DIED : I:Died during hospitalization	670871	622	0.00	1.00	0.03	0.16
DISP : I:Disposition of patient	670871	622	1.00	20.00	2.16	3.29
DQTR : I:Discharge quarter	671493	0	1.00	4.00	2.48	1.12
DRG : I:DRG in effect on discharge date	671493	0	1.00	495.00	261.10	139.65
DRG10 : I:DRG, Version 10	671493	0	1.00	492.00	258.77	138.15
DRGVER : I:DRG grouper version used on disch date	671493	0	12.00	13.00	12.25	0.43
DSNDX : I:Max number of diagnoses from source	671493	0	9.00	30.00	15.21	7.96
DSNPR : I:Max number of procedures from source	671493	0	6.00	30.00	12.08	6.40
DSNUM : I:Data source ID number	671493	0	2.00	20.00	8.56	5.83
DSTYPE : I:Data source type	671493	0	1.00	2.00	1.17	0.38
DXV1 : I:Validity flag: principal diagnosis	671160	333	0.00	1.00	0.00	0.01
DXSYS : I:Diagnosis coding system	671493	0	1.00	1.00	1.00	0.00
HOSPID : HCUP-3 hospital ID number (SSHHH)	671493	0	4005.00	55175.00	24978.66	15386.50
HOSPSTCO : Hospital state/county FIPS code	597525	73968	4001.00	55141.00	22988.27	14825.75
LOS : I:Length of stay (cleaned)	669616	1877	0.00	27746.00	5.31	40.00
LOS_X : I:Length of stay (uncleaned)	671492	1	-357.00	30212.00	5.54	81.06
MDC : I:MDC in effect on discharge date	671493	0	0.00	25.00	9.83	5.68
MDC10 : I:MDC, Version 10	671493	0	0.00	25.00	9.83	5.68
NDX : I:Number of diagnoses on this discharge	671493	0	0.00	30.00	4.46	2.86
NEOMAT : I:Neonatal and/or maternal DX and/or PR	671493	0	0.00	3.00	0.36	0.68
NPR : I:Number of procedures on this discharge	671493	0	0.00	25.00	1.44	1.77
PAY1 : I:Primary expected payer, uniform	668037	3456	1.00	6.00	2.26	1.20
PAY1_N : I:Primary expected payer, nonuniform	628961	42532	1.00	12.00	2.97	2.23
PAY2 : I:Secondary expected payer, uniform	189063	482430	1.00	6.00	3.24	0.93
PAY2_N : I:Secondary expected payer, nonuniform	176552	494941	1.00	12.00	4.53	2.18
PCCHPR1 : I:CCHPR: principal procedure	416757	254736	1.00	231.00	123.48	62.27

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
PRDAY1 : I:No. of days from admission to PR1	356244	315249	-4.00	27703.00	1.53	58.96
PROCESS : I:HCUP-3 discharge processing ID number	671493	0	9.504E10	9.5551E10	9.5249E10	154091258
PRSYS : I:Procedure coding system	664700	6793	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	416845	254648	0.00	1.00	0.00	0.02
RACE : I:Race	543403	128090	1.00	6.00	1.45	0.93
SEQ : I:HCUP-3 record sequence number	671493	0	4.006E11	5.5176E12	2.498E12	1.5386E12
SEQ_SID : I:HCUP-3 SID record sequence number	671493	0	4.008E11	5.515E12	2.4928E12	1.5406E12
SEX : I:Sex	671392	101	1.00	2.00	1.59	0.49
TOTCHG : I:Total charges (cleaned)	656005	15488	1.00	1666525.0	10337.97	19964.22
TOTCHG_X : I:Total charges (from data source)	657912	13581	-290.00	2437075.0	10400.46	20556.91
ZIPINC4 : I:Median income-pt's zip code-4 categs	645672	25821	1.00	4.00	2.41	1.23
ZIPINC8 : I:Median income-pt's zip code-8 categs	595003	76490	1.00	8.00	4.60	1.92
DXV2 : I:Validity flag: diagnosis 2	29238	642255	0.00	1.00	0.00	0.03
DXV3 : I:Validity flag: diagnosis 3	22480	649013	0.00	1.00	0.00	0.03
DXV4 : I:Validity flag: diagnosis 4	17065	654428	0.00	1.00	0.00	0.03
DXV5 : I:Validity flag: diagnosis 5	12783	658710	0.00	1.00	0.00	0.03
DXV6 : I:Validity flag: diagnosis 6	9514	661979	0.00	1.00	0.00	0.02
DXV7 : I:Validity flag: diagnosis 7	7081	664412	0.00	1.00	0.00	0.03
DXV8 : I:Validity flag: diagnosis 8	5262	666231	0.00	1.00	0.00	0.03
DXV9 : I:Validity flag: diagnosis 9	3825	667668	0.00	0.00	0.00	0.00
DXV10 : I:Validity flag: diagnosis 10	2266	669227	0.00	0.00	0.00	0.00
DXV11 : I:Validity flag: diagnosis 11	1593	669900	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	1208	670285	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	905	670588	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	691	670802	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	528	670965	0.00	0.00	0.00	0.00
PRV2 : I:Validity flag: procedure 2	36884	634609	0.00	1.00	0.00	0.04
PRV3 : I:Validity flag: procedure 3	22211	649282	0.00	1.00	0.00	0.05
PRV4 : I:Validity flag: procedure 4	12747	658746	0.00	1.00	0.00	0.05
PRV5 : I:Validity flag: procedure 5	7372	664121	0.00	1.00	0.00	0.04
PRV6 : I:Validity flag: procedure 6	4459	667034	0.00	1.00	0.00	0.03
PRV7 : I:Validity flag: procedure 7	2526	668967	0.00	0.00	0.00	0.00
PRV8 : I:Validity flag: procedure 8	1757	669736	0.00	0.00	0.00	0.00
PRV9 : I:Validity flag: procedure 9	1262	670231	0.00	0.00	0.00	0.00

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
PRV10 : I:Validity flag: procedure 10	943	670550	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	658	670835	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	499	670994	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	343	671150	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	257	671236	0.00	0.00	0.00	0.00
PRV15 : I:Validity flag: procedure 15	203	671290	0.00	0.00	0.00	0.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	120082	17.88
B	7386	1.10
1	51855	7.72
2	92007	13.70
3	90925	13.54
4	87744	13.07
5	86224	12.84
6	82305	12.26
7	52965	7.89

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	<= 10	**.**
A	31	0.00
C	157	0.02
0	87753	13.07
1	4848	0.72
2	2940	0.44
3	2202	0.33
4	1887	0.28
5	1730	0.26
6	1526	0.23
7	1377	0.21
8	1201	0.18
9	1119	0.17
10	1185	0.18
11	1177	0.18
12	1440	0.21
13	1517	0.23
14	1982	0.30
15	2659	0.40
16	3470	0.52
17	4662	0.69
18	5288	0.79
19	5712	0.85
20	5823	0.87
21	6056	0.90
22	6572	0.98
23	6548	0.98
24	7189	1.07
25	7337	1.09
26	7452	1.11
27	7915	1.18
28	7903	1.18
29	8318	1.24
30	8787	1.31

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8850	1.32
32	9198	1.37
33	8455	1.26
34	8013	1.19
35	7697	1.15
36	7388	1.10
37	7670	1.14
38	6729	1.00
39	6565	0.98
40	6145	0.92
41	6276	0.93
42	6398	0.95
43	5769	0.86
44	5720	0.85
45	5659	0.84
46	5858	0.87
47	6410	0.95
48	6314	0.94
49	5138	0.77
50	5443	0.81
51	5666	0.84
52	6396	0.95
53	5767	0.86
54	5388	0.80
55	5627	0.84
56	5616	0.84
57	6024	0.90
58	5889	0.88
59	6123	0.91
60	6353	0.95
61	6426	0.96
62	7210	1.07
63	7021	1.05
64	7236	1.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8501	1.27
66	8662	1.29
67	9699	1.44
68	9416	1.40
69	9906	1.48
70	10208	1.52
71	10386	1.55
72	10704	1.59
73	10850	1.62
74	10822	1.61
75	10586	1.58
76	10141	1.51
77	10608	1.58
78	9846	1.47
79	9375	1.40
80	9077	1.35
81	8878	1.32
82	8848	1.32
83	7886	1.17
84	7154	1.07
85	7292	1.09
86	5870	0.87
87	5358	0.80
88	4594	0.68
89	3904	0.58
90	3391	0.50
91	2779	0.41
92	2231	0.33
93	1790	0.27
94	1348	0.20
95	1022	0.15
96	631	0.09
97	531	0.08
98	337	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	262	0.04
100	178	0.03
101	85	0.01
102	61	0.01
103	27	0.00
104	<= 10	**. **
105	12	0.00
106	11	0.00
107	<= 10	**. **
108	<= 10	**. **
109	<= 10	**. **
110	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	583560	86.90
.A: Invalid	24	0.00
.C: Inconsistent	157	0.02
0 days	75842	11.29
1 day	417	0.06
2 days	189	0.03
3 days	278	0.04
4 days	297	0.04
5 days	212	0.03
6 days	118	0.02
7 days	110	0.02
8 days	97	0.01
9 days	75	0.01
10 days	69	0.01
11 - 30 days	1369	0.20
31 - 60 days	1791	0.27
61 - 90 days	1180	0.18
91 - 120 days	822	0.12
121 - 150 days	785	0.12
151 - 180 days	682	0.10
181 - 210 days	624	0.09
211 - 240 days	613	0.09
241 - 270 days	549	0.08
271 - 300 days	541	0.08
301 - 330 days	511	0.08
331 - 364 days	581	0.09

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
1: January	59413	8.85
2: February	54779	8.16
3: March	59626	8.88
4: April	54438	8.11
5: May	57234	8.52
6: June	54350	8.09
7: July	54784	8.16
8: August	56683	8.44
9: September	53966	8.04
10: October	56181	8.37
11: November	54710	8.15
12: December	55329	8.24

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	11543	1.72
.A: Invalid	168	0.03
.B: Unavailable from Source	16975	2.53
1: Emergency Department	239193	35.62
2: Another Hospital	22089	3.29
3: Other Health Facility, incl. LTC	11806	1.76
4: Court/Law Enforcement	695	0.10
5: Routine, Birth, and Other	369024	54.96

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	7714	1.15
.A: Invalid	61	0.01
.B: Unavail from Source	86225	12.84
1: Emergency	226428	33.72
2: Urgent	145576	21.68
3: Elective	140037	20.85
4: Newborn	59623	8.88
5: Delivery	4961	0.74
6: Other	868	0.13

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	305	0.05
A	140	0.02
1	302	0.04
2	7140	1.06
3	293	0.04
4	303	0.05
5	2972	0.44
6	424	0.06
7	2233	0.33
8	346	0.05
9	137	0.02
10	20	0.00
11	664	0.10
12	262	0.04
13	506	0.08
14	2148	0.32
15	930	0.14
16	217	0.03
17	595	0.09
18	334	0.05
19	3021	0.45
20	52	0.01
21	242	0.04
22	117	0.02
23	131	0.02
24	2660	0.40
25	780	0.12
26	739	0.11
27	477	0.07
28	139	0.02
29	2209	0.33
30	33	0.00
31	22	0.00
32	1078	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	521	0.08
34	61	0.01
35	602	0.09
36	346	0.05
37	117	0.02
38	914	0.14
39	724	0.11
40	319	0.05
41	189	0.03
42	5180	0.77
43	163	0.02
44	762	0.11
45	6020	0.90
46	4219	0.63
47	2928	0.44
48	685	0.10
49	190	0.03
50	7800	1.16
51	721	0.11
52	305	0.05
53	11	0.00
54	168	0.03
55	8970	1.34
56	101	0.02
57	26	0.00
58	886	0.13
59	1831	0.27
60	183	0.03
61	1513	0.23
62	871	0.13
63	812	0.12
64	143	0.02
65	<= 10	**.**
66	5310	0.79

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	4642	0.69
68	2445	0.36
69	10728	1.60
70	4615	0.69
71	1118	0.17
72	1309	0.19
73	341	0.05
74	2838	0.42
75	<= 10	**.**
76	942	0.14
77	162	0.02
78	125	0.02
79	305	0.05
80	400	0.06
81	670	0.10
82	390	0.06
83	4335	0.65
84	1000	0.15
85	263	0.04
86	157	0.02
87	445	0.07
88	168	0.03
89	43	0.01
90	406	0.06
91	327	0.05
92	504	0.08
93	1086	0.16
94	207	0.03
95	1986	0.30
96	1666	0.25
97	1537	0.23
98	756	0.11
99	4302	0.64
100	13692	2.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	26445	3.94
102	9863	1.47
103	1622	0.24
104	129	0.02
105	1240	0.18
106	10617	1.58
107	385	0.06
108	18113	2.70
109	11991	1.79
110	3046	0.45
111	387	0.06
112	3364	0.50
113	13	0.00
114	2507	0.37
115	1632	0.24
116	1106	0.16
117	1696	0.25
118	3555	0.53
119	356	0.05
120	492	0.07
121	242	0.04
122	23746	3.54
123	274	0.04
124	882	0.13
125	4109	0.61
126	2061	0.31
127	9561	1.42
128	8560	1.27
129	2840	0.42
130	1860	0.28
131	3299	0.49
132	161	0.02
133	3136	0.47
134	1038	0.15

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2469	0.37
136	630	0.09
137	353	0.05
138	2868	0.43
139	1077	0.16
140	2926	0.44
141	836	0.12
142	4201	0.63
143	3131	0.47
144	1218	0.18
145	5020	0.75
146	4154	0.62
147	809	0.12
148	396	0.06
149	9451	1.41
150	1174	0.17
151	1490	0.22
152	3734	0.56
153	6050	0.90
154	3030	0.45
155	2736	0.41
156	276	0.04
157	1516	0.23
158	520	0.08
159	7426	1.11
160	3580	0.53
161	803	0.12
162	622	0.09
163	634	0.09
164	2541	0.38
165	449	0.07
166	328	0.05
167	676	0.10
168	1675	0.25

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1589	0.24
170	3071	0.46
171	1359	0.20
172	1210	0.18
173	189	0.03
174	41	0.01
175	2201	0.33
176	76	0.01
177	587	0.09
178	305	0.05
179	84	0.01
180	821	0.12
181	6680	0.99
182	1204	0.18
183	3462	0.52
184	5412	0.81
185	2132	0.32
186	1540	0.23
187	3015	0.45
188	3059	0.46
189	5295	0.79
190	8141	1.21
191	4090	0.61
192	5466	0.81
193	12900	1.92
194	2202	0.33
195	7137	1.06
196	11650	1.73
197	6584	0.98
198	229	0.03
199	1431	0.21
200	263	0.04
201	1318	0.20
202	522	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	7521	1.12
204	802	0.12
205	9839	1.47
206	35	0.01
207	1417	0.21
208	195	0.03
209	551	0.08
210	351	0.05
211	1991	0.30
212	1720	0.26
213	683	0.10
214	318	0.05
215	302	0.04
216	133	0.02
217	872	0.13
218	75341	11.22
219	475	0.07
220	24	0.00
221	145	0.02
222	718	0.11
223	19	0.00
224	1048	0.16
225	1352	0.20
226	6488	0.97
227	260	0.04
228	1068	0.16
229	2818	0.42
230	5409	0.81
231	3279	0.49
232	1831	0.27
233	3334	0.50
234	2020	0.30
235	1060	0.16
236	1282	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	8763	1.31
238	6346	0.95
239	1002	0.15
240	845	0.13
241	1392	0.21
242	2605	0.39
243	569	0.08
244	1718	0.26
245	3596	0.54
246	1332	0.20
247	406	0.06
248	972	0.14
249	163	0.02
250	594	0.09
251	2859	0.43
252	230	0.03
253	396	0.06
254	6059	0.90
255	90	0.01
256	419	0.06
257	1477	0.22
258	19	0.00
259	873	0.13
260	190	0.03

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	380	0.06
.A: Invalid	242	0.04
0: Did not Die in Hospital	653543	97.33
1: Died in Hospital	17328	2.58

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DISP	Frequency	Percent of Total
.	380	0.06
A	242	0.04
1	525273	78.22
2	15466	2.30
3	33875	5.04
4	5628	0.84
5	22634	3.37
6	44651	6.65
7	6016	0.90
20	17328	2.58

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	172834	25.74
2: Second Quarter	166765	24.83
3: Third Quarter	165541	24.65
4: Fourth Quarter	166353	24.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	1858	0.28
2	403	0.06
3	371	0.06
4	556	0.08
5	2842	0.42
6	38	0.01
7	352	0.05
8	282	0.04
9	174	0.03
10	870	0.13
11	162	0.02
12	985	0.15
13	435	0.06
14	10734	1.60
15	3957	0.59
16	360	0.05
17	117	0.02
18	805	0.12
19	399	0.06
20	589	0.09
21	658	0.10
22	88	0.01
23	196	0.03
24	2497	0.37
25	1678	0.25
26	1237	0.18
27	491	0.07
28	618	0.09
29	389	0.06
30	374	0.06
31	227	0.03
32	246	0.04
33	183	0.03
34	789	0.12

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	304	0.05
36	468	0.07
37	170	0.03
38	<= 10	**.**
39	122	0.02
40	104	0.02
41	23	0.00
42	481	0.07
43	49	0.01
44	213	0.03
45	135	0.02
46	117	0.02
47	102	0.02
48	91	0.01
49	132	0.02
50	200	0.03
51	32	0.00
52	132	0.02
53	290	0.04
54	51	0.01
55	275	0.04
56	100	0.01
57	192	0.03
58	125	0.02
59	69	0.01
60	252	0.04
61	12	0.00
62	80	0.01
63	861	0.13
64	164	0.02
65	1047	0.16
66	269	0.04
67	71	0.01
68	548	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	392	0.06
70	1100	0.16
71	643	0.10
72	44	0.01
73	332	0.05
74	160	0.02
75	1922	0.29
76	1399	0.21
77	151	0.02
78	1182	0.18
79	6025	0.90
80	363	0.05
81	275	0.04
82	2584	0.38
83	369	0.05
84	144	0.02
85	555	0.08
86	66	0.01
87	1728	0.26
88	10206	1.52
89	12235	1.82
90	1988	0.30
91	3961	0.59
92	433	0.06
93	101	0.02
94	660	0.10
95	409	0.06
96	2636	0.39
97	2683	0.40
98	6045	0.90
99	1048	0.16
100	854	0.13
101	933	0.14
102	412	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	27	0.00
104	960	0.14
105	884	0.13
106	4025	0.60
107	2608	0.39
108	480	0.07
110	2092	0.31
111	278	0.04
112	9582	1.43
113	1120	0.17
114	262	0.04
115	268	0.04
116	2388	0.36
117	155	0.02
118	189	0.03
119	112	0.02
120	985	0.15
121	4841	0.72
122	3834	0.57
123	1137	0.17
124	5292	0.79
125	3218	0.48
126	275	0.04
127	18328	2.73
128	657	0.10
129	148	0.02
130	3101	0.46
131	1216	0.18
132	4314	0.64
133	268	0.04
134	1327	0.20
135	269	0.04
136	63	0.01
137	79	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	6050	0.90
139	2552	0.38
140	5614	0.84
141	2498	0.37
142	1376	0.20
143	8304	1.24
144	2566	0.38
145	441	0.07
146	314	0.05
147	69	0.01
148	5250	0.78
149	846	0.13
150	1002	0.15
151	356	0.05
152	209	0.03
153	186	0.03
154	1417	0.21
155	394	0.06
156	219	0.03
157	479	0.07
158	552	0.08
159	642	0.10
160	618	0.09
161	398	0.06
162	340	0.05
163	107	0.02
164	504	0.08
165	699	0.10
166	564	0.08
167	2489	0.37
168	87	0.01
169	108	0.02
170	469	0.07
171	164	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	1124	0.17
173	106	0.02
174	7311	1.09
175	950	0.14
176	574	0.09
177	401	0.06
178	251	0.04
179	932	0.14
180	2608	0.39
181	987	0.15
182	8677	1.29
183	4622	0.69
184	2535	0.38
185	353	0.05
186	125	0.02
187	96	0.01
188	2281	0.34
189	548	0.08
190	259	0.04
191	604	0.09
192	84	0.01
193	324	0.05
194	35	0.01
195	347	0.05
196	52	0.01
197	3472	0.52
198	3588	0.53
199	87	0.01
200	108	0.02
201	65	0.01
202	1504	0.22
203	1093	0.16
204	3195	0.48
205	1131	0.17

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	227	0.03
207	1268	0.19
208	713	0.11
209	9901	1.47
210	3596	0.54
211	837	0.12
212	376	0.06
213	244	0.04
214	2782	0.41
215	5472	0.81
216	266	0.04
217	1215	0.18
218	1123	0.17
219	2308	0.34
220	468	0.07
221	290	0.04
222	1178	0.18
223	1157	0.17
224	910	0.14
225	524	0.08
226	301	0.04
227	658	0.10
228	192	0.03
229	346	0.05
230	163	0.02
231	986	0.15
232	63	0.01
233	266	0.04
234	299	0.04
235	402	0.06
236	1566	0.23
237	97	0.01
238	363	0.05
239	1945	0.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	573	0.09
241	241	0.04
242	157	0.02
243	3740	0.56
244	584	0.09
245	400	0.06
246	68	0.01
247	550	0.08
248	426	0.06
249	456	0.07
250	144	0.02
251	206	0.03
252	138	0.02
253	716	0.11
254	671	0.10
255	248	0.04
256	278	0.04
257	965	0.14
258	841	0.13
259	193	0.03
260	354	0.05
261	669	0.10
262	42	0.01
263	990	0.15
264	186	0.03
265	203	0.03
266	316	0.05
267	49	0.01
268	151	0.02
269	473	0.07
270	376	0.06
271	678	0.10
272	253	0.04
273	80	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	155	0.02
275	18	0.00
276	87	0.01
277	3188	0.47
278	1844	0.27
279	536	0.08
280	650	0.10
281	582	0.09
282	210	0.03
283	255	0.04
284	229	0.03
285	217	0.03
286	177	0.03
287	228	0.03
288	184	0.03
289	228	0.03
290	932	0.14
291	25	0.00
292	163	0.02
293	28	0.00
294	3414	0.51
295	1480	0.22
296	6193	0.92
297	1187	0.18
298	2381	0.35
299	86	0.01
300	586	0.09
301	188	0.03
302	243	0.04
303	723	0.11
304	658	0.10
305	450	0.07
306	315	0.05
307	67	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	275	0.04
309	145	0.02
310	1015	0.15
311	672	0.10
312	67	0.01
313	43	0.01
314	<= 10	**. **
315	907	0.14
316	2349	0.35
317	22	0.00
318	189	0.03
319	26	0.00
320	4884	0.73
321	1287	0.19
322	902	0.13
323	1176	0.18
324	1410	0.21
325	229	0.03
326	104	0.02
327	20	0.00
328	26	0.00
329	<= 10	**. **
330	<= 10	**. **
331	1348	0.20
332	305	0.05
333	144	0.02
334	899	0.13
335	535	0.08
336	1593	0.24
337	1157	0.17
338	126	0.02
339	120	0.02
340	75	0.01
341	285	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	<= 10	**. **
343	<= 10	**. **
344	135	0.02
345	34	0.01
346	144	0.02
347	21	0.00
348	76	0.01
349	28	0.00
350	375	0.06
352	62	0.01
353	228	0.03
354	487	0.07
355	514	0.08
356	1502	0.22
357	393	0.06
358	4104	0.61
359	7940	1.18
360	819	0.12
361	235	0.03
362	<= 10	**. **
363	209	0.03
364	204	0.03
365	250	0.04
366	216	0.03
367	44	0.01
368	848	0.13
369	701	0.10
370	4777	0.71
371	10819	1.61
372	6706	1.00
373	48444	7.21
374	3598	0.54
375	117	0.02
376	753	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
377	134	0.02
378	821	0.12
379	2280	0.34
380	436	0.06
381	774	0.12
382	435	0.06
383	3883	0.58
384	1112	0.17
385	1566	0.23
386	1406	0.21
387	2212	0.33
388	1893	0.28
389	6444	0.96
390	17530	2.61
391	46641	6.95
392	186	0.03
393	31	0.00
394	143	0.02
395	2901	0.43
396	510	0.08
397	785	0.12
398	931	0.14
399	259	0.04
400	374	0.06
401	220	0.03
402	99	0.01
403	1214	0.18
404	205	0.03
405	76	0.01
406	168	0.03
407	52	0.01
408	156	0.02
409	292	0.04
410	5136	0.76

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
411	<= 10	**.*
412	<= 10	**.*
413	311	0.05
414	46	0.01
415	1658	0.25
416	5878	0.88
417	536	0.08
418	1150	0.17
419	564	0.08
420	153	0.02
421	759	0.11
422	1662	0.25
423	542	0.08
424	157	0.02
425	1009	0.15
426	2110	0.31
427	1020	0.15
428	389	0.06
429	1990	0.30
430	15791	2.35
431	568	0.08
432	91	0.01
433	1361	0.20
434	2054	0.31
435	4368	0.65
436	536	0.08
437	1505	0.22
439	65	0.01
440	427	0.06
441	136	0.02
442	716	0.11
443	388	0.06
444	200	0.03
445	255	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
446	88	0.01
447	257	0.04
448	30	0.00
449	2468	0.37
450	1239	0.18
451	799	0.12
452	824	0.12
453	283	0.04
454	369	0.05
455	312	0.05
456	15	0.00
457	<= 10	**. **
458	214	0.03
459	63	0.01
460	486	0.07
461	381	0.06
462	5954	0.89
463	441	0.07
464	181	0.03
465	50	0.01
466	877	0.13
467	741	0.11
468	2655	0.40
469	74	0.01
470	813	0.12
471	306	0.05
472	18	0.00
473	338	0.05
475	3250	0.48
476	174	0.03
477	1305	0.19
478	3467	0.52
479	641	0.10
480	68	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
481	248	0.04
482	360	0.05
483	1553	0.23
484	59	0.01
485	282	0.04
486	582	0.09
487	487	0.07
488	253	0.04
489	2868	0.43
490	788	0.12
491	281	0.04
492	478	0.07

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DRGVER	Frequency	Percent of Total
12	505140	75.23
13	166353	24.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
9	60608	9.03
10	319030	47.51
11	39469	5.88
15	8559	1.27
16	52338	7.79
17	51356	7.65
30	140133	20.87

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
6	227769	33.92
8	24716	3.68
10	166622	24.81
15	112253	16.72
21	86225	12.84
25	46522	6.93
30	7386	1.10

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
2	51356	7.65
3	120071	17.88
4	86225	12.84
5	60608	9.03
6	24386	3.63
7	42512	6.33
8	8421	1.25
9	15083	2.25
10	24716	3.68
11	19818	2.95
12	8559	1.27
13	39827	5.93
14	22165	3.30
15	6672	0.99
16	52338	7.79
17	29547	4.40
18	7386	1.10
19	16975	2.53
20	34828	5.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	554380	82.56
2	117113	17.44

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	305	0.05
Valid DX	671188	99.95

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	305	0.05
C	28	0.00
0	671020	99.93
1	140	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	15083	2.25
CA	86225	12.84
CO	8559	1.27
CT	7386	1.10
FL	120071	17.88
IA	19818	2.95
IL	60608	9.03
KS	16975	2.53
MA	24386	3.63
MD	52338	7.79
MO	29547	4.40
NJ	24716	3.68
NY	51356	7.65
OR	6672	0.99
PA	39827	5.93
SC	22165	3.30
TN	34828	5.19
WA	8421	1.25
WI	42512	6.33

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
.	73968	11.02
04001	84	0.01
04003	234	0.03
04005	940	0.14
04007	186	0.03
04013	10386	1.55
04017	374	0.06
04019	2742	0.41
04021	137	0.02
06001	2522	0.38
06007	721	0.11
06009	154	0.02
06013	412	0.06
06015	289	0.04
06019	2590	0.39
06021	29	0.00
06023	1304	0.19
06025	1253	0.19
06027	166	0.02
06029	2018	0.30
06031	480	0.07
06033	252	0.04
06037	23583	3.51
06041	234	0.03
06055	889	0.13
06059	8940	1.33
06061	1142	0.17
06063	65	0.01
06065	4121	0.61
06067	6032	0.90
06071	5635	0.84
06073	10032	1.49
06075	245	0.04
06077	3181	0.47

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
06079	666	0.10
06081	1229	0.18
06083	870	0.13
06085	1595	0.24
06087	1392	0.21
06091	<= 10	**.*
06093	342	0.05
06097	2048	0.30
06099	14	0.00
06101	1004	0.15
06107	419	0.06
06109	170	0.03
06111	179	0.03
08001	570	0.08
08013	779	0.12
08015	103	0.02
08031	1819	0.27
08037	234	0.03
08043	343	0.05
08059	1528	0.23
08065	92	0.01
08071	126	0.02
08075	196	0.03
08083	270	0.04
08085	321	0.05
08087	270	0.04
08089	317	0.05
08095	20	0.00
08097	152	0.02
08099	159	0.02
08101	1056	0.16
08103	30	0.00
08107	126	0.02
08125	48	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
09001	2364	0.35
09003	3761	0.56
09005	428	0.06
09013	379	0.06
09015	454	0.07
12001	2531	0.38
12003	16	0.00
12005	1263	0.19
12007	64	0.01
12009	4072	0.61
12011	12269	1.83
12013	45	0.01
12015	2062	0.31
12017	1429	0.21
12019	1048	0.16
12023	595	0.09
12025	16830	2.51
12027	277	0.04
12031	8791	1.31
12033	3597	0.54
12035	141	0.02
12037	66	0.01
12039	62	0.01
12045	51	0.01
12047	46	0.01
12051	105	0.02
12053	1623	0.24
12055	1321	0.20
12057	5454	0.81
12059	107	0.02
12061	1484	0.22
12063	484	0.07
12069	942	0.14
12071	4407	0.66

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12073	3384	0.50
12075	81	0.01
12079	43	0.01
12083	1543	0.23
12087	770	0.11
12089	187	0.03
12091	633	0.09
12093	379	0.06
12095	7064	1.05
12097	858	0.13
12099	9325	1.39
12101	980	0.15
12103	11056	1.65
12105	3410	0.51
12107	687	0.10
12109	839	0.12
12111	659	0.10
12113	561	0.08
12115	4455	0.66
12117	623	0.09
12121	16	0.00
12123	90	0.01
12125	36	0.01
12127	976	0.15
12131	95	0.01
12133	139	0.02
17007	140	0.02
17029	712	0.11
17031	31956	4.76
17043	4483	0.67
17045	80	0.01
17051	105	0.02
17053	134	0.02
17061	24	0.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17067	136	0.02
17069	72	0.01
17077	911	0.14
17089	1413	0.21
17091	968	0.14
17095	418	0.06
17097	229	0.03
17099	556	0.08
17105	273	0.04
17109	398	0.06
17111	1340	0.20
17115	847	0.13
17119	1356	0.20
17121	1087	0.16
17125	63	0.01
17141	101	0.02
17143	4247	0.63
17147	40	0.01
17165	184	0.03
17167	4566	0.68
17177	602	0.09
17179	74	0.01
17183	34	0.01
17185	128	0.02
17195	664	0.10
17199	602	0.09
17201	1665	0.25
19001	36	0.01
19003	54	0.01
19011	24	0.00
19013	940	0.14
19019	47	0.01
19025	191	0.03
19027	289	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19029	183	0.03
19035	97	0.01
19041	264	0.04
19043	81	0.01
19045	623	0.09
19049	54	0.01
19057	744	0.11
19059	154	0.02
19067	120	0.02
19075	18	0.00
19077	41	0.01
19085	62	0.01
19087	139	0.02
19089	43	0.01
19103	2552	0.38
19107	<= 10	**,**
19109	44	0.01
19111	607	0.09
19113	2606	0.39
19119	34	0.01
19123	178	0.03
19125	125	0.02
19131	73	0.01
19143	55	0.01
19145	60	0.01
19149	112	0.02
19151	32	0.00
19153	3240	0.48
19155	506	0.08
19157	241	0.04
19163	2029	0.30
19165	112	0.02
19167	12	0.00
19169	968	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19175	140	0.02
19179	656	0.10
19185	94	0.01
19193	1129	0.17
24001	977	0.15
24003	3244	0.48
24005	29096	4.33
24009	619	0.09
24019	408	0.06
24021	1468	0.22
24023	324	0.05
24025	661	0.10
24029	292	0.04
24031	7887	1.17
24033	2093	0.31
24037	618	0.09
24039	66	0.01
24041	897	0.13
24043	1574	0.23
24045	1911	0.28
24047	203	0.03
25003	1840	0.27
25005	2375	0.35
25007	157	0.02
25009	839	0.12
25013	4158	0.62
25015	757	0.11
25017	2527	0.38
25021	1491	0.22
25023	718	0.11
25025	5559	0.83
25027	3965	0.59
29001	632	0.09
29007	515	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
29019	661	0.10
29021	1725	0.26
29031	977	0.15
29037	116	0.02
29039	88	0.01
29047	782	0.12
29049	125	0.02
29051	601	0.09
29071	154	0.02
29073	46	0.01
29075	71	0.01
29077	2661	0.40
29093	77	0.01
29095	865	0.13
29097	2880	0.43
29099	728	0.11
29109	156	0.02
29113	163	0.02
29145	187	0.03
29155	277	0.04
29161	829	0.12
29167	311	0.05
29171	41	0.01
29177	110	0.02
29181	58	0.01
29183	2003	0.30
29189	10867	1.62
29195	235	0.03
29207	103	0.02
29213	462	0.07
29221	41	0.01
34003	4035	0.60
34005	492	0.07
34007	6605	0.98

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
34009	982	0.15
34013	5028	0.75
34017	1627	0.24
34021	1100	0.16
34025	1891	0.28
34029	1580	0.24
34033	599	0.09
34037	777	0.12
36001	<= 10	**.**
36003	363	0.05
36005	4219	0.63
36009	144	0.02
36013	1330	0.20
36017	200	0.03
36027	2509	0.37
36029	4543	0.68
36031	124	0.02
36047	7930	1.18
36053	370	0.06
36055	3695	0.55
36059	2671	0.40
36061	5774	0.86
36063	1166	0.17
36065	1228	0.18
36067	1274	0.19
36069	266	0.04
36071	326	0.05
36075	797	0.12
36077	1332	0.20
36081	1929	0.29
36083	909	0.14
36087	298	0.04
36089	60	0.01
36097	159	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
36101	581	0.09
36103	3250	0.48
36105	660	0.10
36111	984	0.15
36117	644	0.10
36119	1612	0.24
41007	366	0.05
41011	716	0.11
41017	180	0.03
41019	698	0.10
41023	25	0.00
41033	335	0.05
41035	729	0.11
41039	2617	0.39
41047	263	0.04
41051	140	0.02
41059	217	0.03
41061	205	0.03
41065	181	0.03
42003	11366	1.69
42005	724	0.11
42011	2580	0.38
42013	82	0.01
42017	964	0.14
42021	866	0.13
42029	1944	0.29
42031	382	0.06
42033	544	0.08
42035	22	0.00
42041	93	0.01
42043	3334	0.50
42045	1318	0.20
42049	82	0.01
42057	110	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42061	354	0.05
42065	176	0.03
42071	1242	0.18
42077	559	0.08
42079	202	0.03
42081	87	0.01
42085	290	0.04
42091	3734	0.56
42097	56	0.01
42101	5939	0.88
42105	142	0.02
42107	876	0.13
42115	179	0.03
42119	659	0.10
42129	921	0.14
53001	13	0.00
53005	115	0.02
53007	112	0.02
53009	535	0.08
53011	1787	0.27
53019	37	0.01
53025	71	0.01
53027	430	0.06
53033	2362	0.35
53043	57	0.01
53049	57	0.01
53053	1299	0.19
53061	173	0.03
53063	885	0.13
53071	410	0.06
53075	78	0.01
55003	396	0.06
55005	86	0.01
55013	64	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55015	67	0.01
55017	111	0.02
55019	88	0.01
55021	176	0.03
55025	5890	0.88
55027	214	0.03
55033	193	0.03
55035	1663	0.25
55039	992	0.15
55043	349	0.05
55045	406	0.06
55055	423	0.06
55059	1327	0.20
55061	28	0.00
55071	181	0.03
55079	14034	2.09
55081	123	0.02
55083	78	0.01
55085	528	0.08
55087	1971	0.29
55091	64	0.01
55095	54	0.01
55097	498	0.07
55101	1281	0.19
55103	146	0.02
55105	1679	0.25
55107	124	0.02
55109	335	0.05
55111	489	0.07
55115	288	0.04
55117	711	0.11
55119	123	0.02
55121	36	0.01
55125	65	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55127	388	0.06
55129	173	0.03
55131	174	0.03
55133	3047	0.45
55135	193	0.03
55137	44	0.01
55139	1018	0.15
55141	2194	0.33

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.A: Invalid	<= 10	**. **
.C: Inconsistent	1876	0.28
0 days	13880	2.07
1 day	131499	19.58
2 days	131235	19.54
3 days	95758	14.26
4 days	64986	9.68
5 days	47057	7.01
6 days	35694	5.32
7 days	29378	4.38
8 days	21288	3.17
9 days	15929	2.37
10 days	12753	1.90
11 - 30 days	61587	9.17
31 - 60 days	6787	1.01
61 - 90 days	1145	0.17
91 - 120 days	313	0.05
121 - 150 days	136	0.02
151 - 180 days	73	0.01
181 - 210 days	24	0.00
211 - 240 days	17	0.00
241 - 270 days	16	0.00
271 - 300 days	12	0.00
301 - 330 days	<= 10	**. **
331 - 365 days	<= 10	**. **
373	<= 10	**. **
377	<= 10	**. **
379	<= 10	**. **
399	<= 10	**. **
405	<= 10	**. **
409	<= 10	**. **
441	<= 10	**. **
448	<= 10	**. **
452	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
508	<= 10	***.
581	<= 10	***.
582	<= 10	***.
643	<= 10	***.
678	<= 10	***.
690	<= 10	***.
726	<= 10	***.
751	<= 10	***.
810	<= 10	***.
841	<= 10	***.
843	<= 10	***.
993	<= 10	***.
1095	<= 10	***.
1096	<= 10	***.
1219	<= 10	***.
1221	<= 10	***.
1261	<= 10	***.
1363	<= 10	***.
1404	<= 10	***.
1477	<= 10	***.
1522	<= 10	***.
1901	<= 10	***.
1934	<= 10	***.
2012	<= 10	***.
2077	<= 10	***.
2344	<= 10	***.
2932	<= 10	***.
3823	<= 10	***.
5275	<= 10	***.
12912	<= 10	***.
27746	<= 10	***.

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	604	0.09
1	37348	5.56
2	2112	0.31
3	8763	1.31
4	65802	9.80
5	109282	16.27
6	53034	7.90
7	18141	2.70
8	50783	7.56
9	14830	2.21
10	17995	2.68
11	20299	3.02
12	5722	0.85
13	18763	2.79
14	85160	12.68
15	77784	11.58
16	5879	0.88
17	9350	1.39
18	12958	1.93
19	23130	3.44
20	9952	1.48
21	9027	1.34
22	814	0.12
23	8635	1.29
24	1413	0.21
25	3913	0.58

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	247607	36.87
Non-Blank	423886	63.13

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	303	0.05
1	92430	13.76
2	114251	17.01
3	98480	14.67
4	83443	12.43
5	73856	11.00
6	54660	8.14
7	41527	6.18
8	33124	4.93
9	42809	6.38
10	23374	3.48
11	3909	0.58
12	3038	0.45
13	1722	0.26
14	1345	0.20
15	2041	0.30
16	575	0.09
17	165	0.02
18	95	0.01
19	90	0.01
20	75	0.01
21	39	0.01
22	32	0.00
23	23	0.00
24	27	0.00
25	29	0.00
26	13	0.00
27	11	0.00
28	<= 10	**. **
29	<= 10	**. **
30	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	506730	75.46
1: Maternal	86279	12.85
2: Neonatal	78442	11.68
3: Neonatal and Maternal	42	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	254448	37.89
1	178583	26.59
2	101700	15.15
3	63234	9.42
4	31455	4.68
5	16975	2.53
6	14182	2.11
7	3653	0.54
8	2620	0.39
9	1471	0.22
10	1713	0.26
11	390	0.06
12	348	0.05
13	182	0.03
14	137	0.02
15	249	0.04
16	36	0.01
17	26	0.00
18	20	0.00
19	16	0.00
20	15	0.00
21	39	0.01
25	<= 10	**. **

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1	Frequency	Percent of Total
.: Missing	2528	0.38
.A: Invalid	928	0.14
1: Medicare	238648	35.54
2: Medicaid	123965	18.46
3: Private Insurance	246929	36.77
4: Self-pay	34180	5.09
5: No Charge	1098	0.16
6: Other	23217	3.46

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	41604	6.20
A	928	0.14
1	224530	33.44
2	116690	17.38
3	36041	5.37
4	117541	17.50
5	79305	11.81
6	32272	4.81
7	1098	0.16
8	17	0.00
9	4196	0.62
10	2633	0.39
11	6101	0.91
12	8537	1.27

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	249756	37.19
C	26839	4.00
.: Missing	205539	30.61
.A: Invalid	296	0.04
1: Medicare	5701	0.85
2: Medicaid	23687	3.53
3: Private Insurance	95131	14.17
4: Self-pay	56286	8.38
5: No Charge	267	0.04
6: Other	7991	1.19

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	219099	32.63
A	296	0.04
B	249756	37.19
C	25790	3.84
1	5209	0.78
2	20669	3.08
3	31845	4.74
4	48776	7.26
5	5911	0.88
6	55770	8.31
7	267	0.04
8	<= 10	**,**
9	73	0.01
10	193	0.03
11	742	0.11
12	7087	1.06

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	254619	37.92
A	117	0.02
1	1495	0.22
2	515	0.08
3	6985	1.04
4	5502	0.82
5	992	0.15
6	112	0.02
7	294	0.04
8	244	0.04
9	1195	0.18
10	958	0.14
11	41	0.01
12	534	0.08
13	101	0.02
14	161	0.02
15	188	0.03
16	254	0.04
17	27	0.00
18	19	0.00
19	387	0.06
20	450	0.07
21	175	0.03
22	37	0.01
23	111	0.02
24	104	0.02
25	<= 10	**.**
26	255	0.04
27	369	0.05
28	245	0.04
29	274	0.04
30	558	0.08
31	144	0.02
32	233	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1397	0.21
34	1211	0.18
35	551	0.08
36	1292	0.19
37	3498	0.52
38	292	0.04
39	3350	0.50
40	331	0.05
41	251	0.04
42	862	0.13
43	1431	0.21
44	6842	1.02
45	8723	1.30
46	<= 10	**.**
47	12073	1.80
48	3707	0.55
49	1228	0.18
50	13	0.00
51	2787	0.42
52	859	0.13
53	94	0.01
54	3938	0.59
55	1977	0.29
56	218	0.03
57	1306	0.19
58	2631	0.39
59	109	0.02
60	347	0.05
61	3731	0.56
62	715	0.11
63	796	0.12
64	210	0.03
65	1260	0.19
66	416	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	993	0.15
68	<= 10	**.**
69	216	0.03
70	11756	1.75
71	1735	0.26
72	240	0.04
73	127	0.02
74	464	0.07
75	864	0.13
76	4630	0.69
77	326	0.05
78	4584	0.68
79	26	0.00
80	4411	0.66
81	310	0.05
82	767	0.11
83	557	0.08
84	7993	1.19
85	1023	0.15
86	1651	0.25
87	392	0.06
88	1096	0.16
89	478	0.07
90	1306	0.19
91	440	0.07
92	159	0.02
93	1792	0.27
94	1553	0.23
95	1083	0.16
96	2172	0.32
97	294	0.04
98	1070	0.16
99	1936	0.29
100	1352	0.20

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	1832	0.27
102	601	0.09
103	487	0.07
104	735	0.11
105	246	0.04
106	966	0.14
107	129	0.02
108	316	0.05
109	434	0.06
110	420	0.06
111	401	0.06
112	1088	0.16
113	3325	0.50
114	1399	0.21
115	20907	3.11
116	85	0.01
117	103	0.02
118	644	0.10
119	1416	0.21
120	670	0.10
121	1304	0.19
122	481	0.07
123	237	0.04
124	10656	1.59
125	683	0.10
126	104	0.02
127	955	0.14
128	315	0.05
129	906	0.13
130	188	0.03
131	139	0.02
132	1083	0.16
133	15292	2.28
134	15565	2.32

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	7583	1.13
136	1491	0.22
137	20170	3.00
138	172	0.03
139	1470	0.22
140	10222	1.52
141	216	0.03
142	743	0.11
143	118	0.02
144	582	0.09
145	1159	0.17
146	5346	0.80
147	3654	0.54
148	1577	0.23
149	102	0.02
150	94	0.01
151	199	0.03
152	5650	0.84
153	5469	0.81
154	1205	0.18
155	533	0.08
156	88	0.01
157	2054	0.31
158	1394	0.21
159	442	0.07
160	2076	0.31
161	782	0.12
162	1181	0.18
163	190	0.03
164	695	0.10
165	100	0.01
166	627	0.09
167	1870	0.28
168	1242	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	4172	0.62
170	545	0.08
171	1389	0.21
172	647	0.10
173	303	0.05
174	2644	0.39
175	1068	0.16
176	126	0.02
177	6061	0.90
178	601	0.09
179	1733	0.26
180	400	0.06
181	273	0.04
182	26	0.00
183	234	0.03
184	23	0.00
185	372	0.06
186	131	0.02
187	645	0.10
188	710	0.11
189	242	0.04
190	317	0.05
191	681	0.10
192	756	0.11
193	4939	0.74
194	313	0.05
195	695	0.10
196	1350	0.20
197	1625	0.24
198	1624	0.24
199	609	0.09
200	<= 10	**.**
201	1622	0.24
202	728	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	2141	0.32
204	424	0.06
205	1905	0.28
206	198	0.03
207	415	0.06
208	760	0.11
209	748	0.11
210	65	0.01
211	1502	0.22
212	283	0.04
213	2901	0.43
214	799	0.12
215	965	0.14
216	8609	1.28
217	3890	0.58
218	3072	0.46
219	7888	1.17
220	58	0.01
221	619	0.09
222	3841	0.57
223	877	0.13
224	5922	0.88
225	1496	0.22
226	1015	0.15
227	1058	0.16
228	5840	0.87
229	93	0.01
231	7932	1.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	254619	37.92
Valid PR	416874	62.08

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	223798	33.33
.B: Unavail from Source	86004	12.81
.C: Inconsistent	5447	0.81
-4 days	<= 10	**. **
-3 days	62	0.01
-2 days	200	0.03
-1 day	1621	0.24
0 days	201045	29.94
1 day	72730	10.83
2 days	26421	3.93
3 days	15502	2.31
4 days	9977	1.49
5 days	6760	1.01
6 - 30 days	21239	3.16
31 - 60 days	557	0.08
61 - 90 days	75	0.01
91 - 120 days	24	0.00
121 - 150 days	<= 10	**. **
151 - 180 days	<= 10	**. **
181 - 210 days	<= 10	**. **
211 - 240 days	<= 10	**. **
271 - 300 days	<= 10	**. **
301 - 330 days	<= 10	**. **
331 - 365 days	<= 10	**. **
389	<= 10	**. **
451	<= 10	**. **
1218	<= 10	**. **
8752	<= 10	**. **
19688	<= 10	**. **
27703	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
.	6793	1.01
1	664700	98.99

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRV1	Frequency	Percent of Total
.	254619	37.92
C	29	0.00
0	416728	62.06
1	117	0.02

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	17531	2.61
.A: Invalid	30	0.00
.B: Unavail from Source	110529	16.46
1: White	400379	59.63
2: Black	77435	11.53
3: Hispanic	47289	7.04
4: Asian/Pacific Islander	7738	1.15
5: Native American	2148	0.32
6: Other	8414	1.25

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	56	0.01
A	<= 10	**. **
C	36	0.01
1	278195	41.43
2	393197	58.56

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	428902	63.87
Non-Blank	242591	36.13

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	13629	2.03
.A: Invalid	<= 10	**. **
.C: Inconsistent	1855	0.28
\$ 1- \$ 9	19	0.00
\$10	<= 10	**. **
\$11- \$19	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	52727	7.85
\$1,001- \$5,000	248623	37.03
\$5,001- \$10,000	170901	25.45
\$10,001- \$50,000	167938	25.01
\$50,001- \$100,000	11578	1.72
\$100,001- \$200,000	3179	0.47
\$200,001- \$300,000	616	0.09
\$300,001- \$400,000	238	0.04
\$400,001- \$500,000	83	0.01
\$500,001-\$1,000,000	91	0.01
1051471	<= 10	**. **
1070563	<= 10	**. **
1099567	<= 10	**. **
1234835	<= 10	**. **
1574247	<= 10	**. **
1666525	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

ZIPINC4	Frequency	Percent of Total
.: Missing	25821	3.85
1: \$0-\$25,000	219098	32.63
2: \$25,001-\$30,000	134733	20.06
3: \$30,001-\$35,000	100301	14.94
4: \$35,001+	191540	28.52

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	76490	11.39
1: \$0-\$15,000	18961	2.82
2: \$15,001-\$20,000	56140	8.36
3: \$20,001-\$25,000	120589	17.96
4: \$25,001-\$30,000	120675	17.97
5: \$30,001-\$35,000	95949	14.29
6: \$35,001-\$40,000	67240	10.01
7: \$40,001-\$45,000	44464	6.62
8: \$45,001+	70985	10.57

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	671298	Sum Weights	671298
Mean	46.0213348	Sum Observations	30894030
Std Deviation	28.3647991	Variance	804.561829
Skewness	-0.2153512	Kurtosis	-1.166378
Uncorrected SS	1961884440	Corrected SS	540099942
Coeff Variation	61.634021	Std Error Mean	0.0346196

Basic Statistical Measures			
Location		Variability	
Mean	46.02133	Std Deviation	28.36480
Median	48.00000	Variance	804.56183
Mode	0.00000	Range	110.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1329.343	Pr > t 	<.0001
Sign	M	291772.5	Pr >= M 	<.0001
Signed Rank	S	8.513E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	110
99%	92
95%	86
90%	81
75% Q3	71
50% Median	48
25% Q1	24
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	7	0.00	3.59
A	31	0.00	15.90
C	157	0.02	80.51
Total	195	0.03	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	669616	Sum Weights	669616
Mean	5.31260603	Sum Observations	3557406
Std Deviation	39.9974416	Variance	1599.79534
Skewness	555.394484	Kurtosis	362433.906
Uncorrected SS	1090146050	Corrected SS	1071246953
Coeff Variation	752.877992	Std Error Mean	0.04887866

Basic Statistical Measures			
Location		Variability	
Mean	5.312606	Std Deviation	39.99744
Median	3.000000	Variance	1600
Mode	1.000000	Range	27746
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	108.6897	Pr > t	<.0001
Sign	M	327868	Pr >= M	<.0001
Signed Rank	S	1.075E11	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	27746
99%	34
95%	16
90%	11
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	1	0.00	0.05
C	1876	0.28	99.95
Total	1877	0.28	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	671492	Sum Weights	671492
Mean	5.53584704	Sum Observations	3717277
Std Deviation	81.062069	Variance	6571.05903
Skewness	294.222422	Kurtosis	93481.3636
Uncorrected SS	4432985273	Corrected SS	4412406996
Coeff Variation	1464.31194	Std Error Mean	0.098923

Basic Statistical Measures			
Location		Variability	
Mean	5.535847	Std Deviation	81.06207
Median	3.000000	Variance	6571
Mode	1.000000	Range	30569
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	55.96117	Pr > t	<.0001
Sign	M	328753	Pr >= M	<.0001
Signed Rank	S	1.081E11	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	30212
99%	34
95%	16
90%	11
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-357

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	1	0.00	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	656005	Sum Weights	656005
Mean	10337.9716	Sum Observations	6781761046
Std Deviation	19964.224	Variance	398570240
Skewness	13.7945824	Kurtosis	434.995096
Uncorrected SS	3.31573E14	Corrected SS	2.61464E14
Coeff Variation	193.115485	Std Error Mean	24.6489747

Basic Statistical Measures			
Location		Variability	
Mean	10337.97	Std Deviation	19964
Median	5538.00	Variance	398570240
Mode	1900.00	Range	1666524
		Interquartile Range	8255

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	419.4078	Pr > t 	<.0001
Sign	M	328002.5	Pr >= M 	<.0001
Signed Rank	S	1.076E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1666525
99%	79962
95%	33095
90%	21616
75% Q3	11040
50% Median	5538
25% Q1	2785
10%	1225
5%	723

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	416
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	13629	2.03	88.00
A	4	0.00	0.03
C	1855	0.28	11.98
Total	15488	2.31	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	657912	Sum Weights	657912
Mean	10400.4599	Sum Observations	6842587357
Std Deviation	20556.9109	Variance	422586587
Skewness	16.5053747	Kurtosis	769.282582
Uncorrected SS	3.4919E14	Corrected SS	2.78024E14
Coeff Variation	197.653865	Std Error Mean	25.3439294

Basic Statistical Measures			
Location		Variability	
Mean	10400.46	Std Deviation	20557
Median	5539.00	Variance	422586587
Mode	1900.00	Range	2437365
		Interquartile Range	8292

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	410.3728	Pr > t 	<.0001
Sign	M	328955	Pr >= M 	<.0001
Signed Rank	S	1.082E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2437075.00
99%	80840.00
95%	33310.00
90%	21764.00
75% Q3	11071.71
50% Median	5539.00
25% Q1	2779.49
10%	1213.00
5%	715.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	405.00
0% Min	-290.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	13577	2.02	99.97
A	4	0.00	0.03
Total	13581	2.02	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.