

HCUP Summary Statistics Report: NIS 1997 - N10CORE1 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
ADAYWK : I:Admission day of week	594857	119985	1.00	7.00	3.95	1.83
AGE : I:Age in years at admission	714654	188	0.00	118.00	46.89	28.44
AGEDAY : I:Age in days (when < 1 year)	91746	623096	0.00	364.00	16.88	57.66
AMONTH : I:Admission month	601555	113287	1.00	12.00	6.47	3.46
ASOURCE : I:Admission source	687055	27787	1.00	5.00	3.31	1.92
ATYPE : I:Admission type	613577	101265	1.00	6.00	2.08	1.07
DCCHPR1 : I:CCHPR: principal diagnosis	714443	399	1.00	259.00	146.71	64.57
DIED : I:Died during hospitalization	714182	660	0.00	1.00	0.02	0.16
DISP : I:Disposition of patient	714182	660	1.00	20.00	2.18	3.23
DQTR : I:Discharge quarter	714842	0	1.00	4.00	2.49	1.12
DRG : I:DRG in effect on discharge date	714842	0	1.00	503.00	259.49	140.42
DRG10 : I:DRG, Version 10	714842	0	1.00	492.00	256.44	138.23
DRGVER : I:DRG grouper version used on disch date	714842	0	14.00	15.00	14.25	0.43
DSNDX : I:Max number of diagnoses from source	714842	0	9.00	30.00	15.16	8.09
DSNPR : I:Max number of procedures from source	714842	0	6.00	30.00	12.14	6.33
DSNUM : I:Data source ID number	714842	0	2.00	23.00	9.71	6.84
DSTYPE : I:Data source type	714842	0	1.00	2.00	1.25	0.44
DXSYS : I:Diagnosis coding system	714842	0	1.00	1.00	1.00	0.00
DXV1 : I:Validity flag: principal diagnosis	714692	150	0.00	1.00	0.00	0.02
DXV2 : I:Validity flag: diagnosis 2	630761	84081	0.00	1.00	0.00	0.02
DXV3 : I:Validity flag: diagnosis 3	517117	197725	0.00	1.00	0.00	0.02
DXV4 : I:Validity flag: diagnosis 4	417745	297097	0.00	1.00	0.00	0.02
DXV5 : I:Validity flag: diagnosis 5	330674	384168	0.00	1.00	0.00	0.02
DXV6 : I:Validity flag: diagnosis 6	250721	464121	0.00	1.00	0.00	0.03
DXV7 : I:Validity flag: diagnosis 7	189804	525038	0.00	1.00	0.00	0.03
DXV8 : I:Validity flag: diagnosis 8	140944	573898	0.00	1.00	0.00	0.03
DXV9 : I:Validity flag: diagnosis 9	102039	612803	0.00	1.00	0.00	0.02
DXV10 : I:Validity flag: diagnosis 10	46152	668690	0.00	1.00	0.00	0.03
DXV11 : I:Validity flag: diagnosis 11	17827	697015	0.00	0.00	0.00	0.00
DXV12 : I:Validity flag: diagnosis 12	12619	702223	0.00	0.00	0.00	0.00
DXV13 : I:Validity flag: diagnosis 13	8945	705897	0.00	0.00	0.00	0.00
DXV14 : I:Validity flag: diagnosis 14	6507	708335	0.00	0.00	0.00	0.00
DXV15 : I:Validity flag: diagnosis 15	4495	710347	0.00	1.00	0.00	0.01
HOSPID : HCUP hospital ID number (SSHHH)	714842	0	4004.00	55175.00	23721.31	14989.52

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

HCUP Summary Statistics Report: NIS 1997 - N10CORE1 File
Means of Continuous Data Elements

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
HOSPSTCO : Hospital state/county FIPS code	586696	128146	4001.00	55141.00	22624.10	14717.62
LOS : I:Length of stay (cleaned)	712326	2516	0.00	3222.00	4.94	10.91
LOS_X : I:Length of stay (uncleaned)	714842	0	-4.00	6645.00	4.94	13.51
MDC : I:MDC in effect on discharge date	714842	0	0.00	25.00	9.71	5.64
MDC10 : I:MDC, Version 10	714842	0	0.00	25.00	9.71	5.64
NDX : I:Number of diagnoses on this discharge	714842	0	0.00	30.00	4.75	2.96
NEOMAT : I:Neonatal and/or maternal DX and/or PR	714842	0	0.00	3.00	0.36	0.68
NPR : I:Number of procedures on this discharge	714842	0	0.00	25.00	1.44	1.79
PAY1 : I:Primary expected payer, uniform	713203	1639	1.00	6.00	2.27	1.21
PAY1_N : I:Primary expected payer, nonuniform	668939	45903	1.00	12.00	3.04	2.27
PAY2 : I:Secondary expected payer, uniform	175520	539322	1.00	6.00	3.28	0.99
PAY2_N : I:Secondary expected payer, nonuniform	162605	552237	1.00	12.00	4.39	1.95
PCCHPR1 : I:CCHPR: principal procedure	439902	274940	1.00	231.00	121.76	61.78
PRDAY1 : I:No. of days from admission to PR1	381522	333320	-4.00	1163.00	1.33	4.51
PROCESS : I:HCUP discharge processing ID number	714842	0	9.704E10	9.7551E10	9.7237E10	150141222
PRSYS : I:Procedure coding system	714842	0	1.00	1.00	1.00	0.00
PRV1 : I:Validity flag: principal procedure	439946	274896	0.00	1.00	0.00	0.01
PRV2 : I:Validity flag: procedure 2	255114	459728	0.00	1.00	0.00	0.02
PRV3 : I:Validity flag: procedure 3	146893	567949	0.00	1.00	0.00	0.03
PRV4 : I:Validity flag: procedure 4	79014	635828	0.00	1.00	0.00	0.02
PRV5 : I:Validity flag: procedure 5	46292	668550	0.00	1.00	0.00	0.03
PRV6 : I:Validity flag: procedure 6	27645	687197	0.00	1.00	0.00	0.02
PRV7 : I:Validity flag: procedure 7	11951	702891	0.00	1.00	0.00	0.01
PRV8 : I:Validity flag: procedure 8	7976	706866	0.00	1.00	0.00	0.01
PRV9 : I:Validity flag: procedure 9	5116	709726	0.00	0.00	0.00	0.00
PRV10 : I:Validity flag: procedure 10	3551	711291	0.00	0.00	0.00	0.00
PRV11 : I:Validity flag: procedure 11	1735	713107	0.00	0.00	0.00	0.00
PRV12 : I:Validity flag: procedure 12	1325	713517	0.00	0.00	0.00	0.00
PRV13 : I:Validity flag: procedure 13	927	713915	0.00	0.00	0.00	0.00
PRV14 : I:Validity flag: procedure 14	670	714172	0.00	1.00	0.01	0.08
PRV15 : I:Validity flag: procedure 15	468	714374	0.00	1.00	0.01	0.09
RACE : I:Race	568332	146510	1.00	6.00	1.50	1.00
SEQ : I:HCUP record sequence number	714842	0	4.005E11	5.5176E12	2.3722E12	1.499E12
SEQ_SID : I:HCUP SID record sequence number	714842	0	4.004E11	5.5142E12	2.3675E12	1.5007E12

(Continued)

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

Variable / Label	N	N Miss	Minimum	Maximum	Mean	Std Dev
SEX : I:Sex	714760	82	1.00	2.00	1.59	0.49
TOTCHG : I:Total charges (cleaned)	701104	13738	1.00	1952522.0	11405.51	22277.28
TOTCHG_X : I:Total charges (from data source)	703669	11173	-1195.00	2558970.0	11464.26	22793.37
YEAR : Calendar year	714842	0	97.00	97.00	97.00	0.00
ZIPINC4 : I:Median income-pt's zip code-4 categs	673893	40949	1.00	4.00	2.42	1.23
ZIPINC8 : I:Median income-pt's zip code-8 categs	624294	90548	1.00	8.00	4.62	1.94
D10CWT_U : H:10% sample discharge wght in universe	714842	0	9.73	386.01	49.53	11.21

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

ADAYWK	Frequency	Percent of Total
.	113288	15.85
B	6697	0.94
1	57186	8.00
2	102289	14.31
3	99762	13.96
4	94747	13.25
5	92594	12.95
6	89876	12.57
7	58403	8.17

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

AGE	Frequency	Percent of Total
.	18	0.00
A	<= 10	**.*
C	166	0.02
0	91746	12.83
1	4976	0.70
2	2998	0.42
3	2355	0.33
4	1937	0.27
5	1722	0.24
6	1590	0.22
7	1470	0.21
8	1386	0.19
9	1278	0.18
10	1212	0.17
11	1256	0.18
12	1453	0.20
13	1521	0.21
14	1992	0.28
15	2569	0.36
16	3526	0.49
17	4660	0.65
18	5315	0.74
19	5780	0.81
20	6183	0.86
21	6246	0.87
22	6546	0.92
23	6285	0.88
24	6729	0.94
25	7370	1.03
26	7861	1.10
27	8308	1.16
28	8004	1.12
29	8037	1.12
30	8252	1.15

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
31	8146	1.14
32	8918	1.25
33	8544	1.20
34	8354	1.17
35	7969	1.11
36	7859	1.10
37	7920	1.11
38	7064	0.99
39	6893	0.96
40	6892	0.96
41	6404	0.90
42	7274	1.02
43	6409	0.90
44	6203	0.87
45	6187	0.87
46	6172	0.86
47	6762	0.95
48	6287	0.88
49	6555	0.92
50	6991	0.98
51	5956	0.83
52	6398	0.90
53	6170	0.86
54	6756	0.95
55	6459	0.90
56	6399	0.90
57	6885	0.96
58	6615	0.93
59	6652	0.93
60	6773	0.95
61	7104	0.99
62	7691	1.08
63	7270	1.02
64	7584	1.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
65	8617	1.21
66	9019	1.26
67	9928	1.39
68	9787	1.37
69	10224	1.43
70	10560	1.48
71	10780	1.51
72	12035	1.68
73	11371	1.59
74	11429	1.60
75	11788	1.65
76	11691	1.64
77	12038	1.68
78	10681	1.49
79	10568	1.48
80	10151	1.42
81	9752	1.36
82	10131	1.42
83	8816	1.23
84	8293	1.16
85	8228	1.15
86	6812	0.95
87	5853	0.82
88	5275	0.74
89	4595	0.64
90	3860	0.54
91	3237	0.45
92	2593	0.36
93	2143	0.30
94	1559	0.22
95	1155	0.16
96	928	0.13
97	626	0.09
98	383	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AGE	Frequency	Percent of Total
99	269	0.04
100	146	0.02
101	117	0.02
102	58	0.01
103	34	0.00
104	17	0.00
105	<= 10	**. **
106	<= 10	**. **
107	<= 10	**. **
108	<= 10	**. **
109	<= 10	**. **
110	<= 10	**. **
115	<= 10	**. **
118	<= 10	**. **

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

AGEDAY	Frequency	Percent of Total
.: Missing	622927	87.14
.A: Invalid	<= 10	**.**
.C: Inconsistent	166	0.02
0 days	78640	11.00
1 day	437	0.06
2 days	210	0.03
3 days	263	0.04
4 days	306	0.04
5 days	217	0.03
6 days	160	0.02
7 days	104	0.01
8 days	102	0.01
9 days	84	0.01
10 days	76	0.01
11 - 30 days	1732	0.24
31 - 60 days	1994	0.28
61 - 90 days	1224	0.17
91 - 120 days	964	0.13
121 - 150 days	818	0.11
151 - 180 days	763	0.11
181 - 210 days	715	0.10
211 - 240 days	632	0.09
241 - 270 days	642	0.09
271 - 300 days	576	0.08
301 - 330 days	555	0.08
331 - 364 days	532	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

AMONTH	Frequency	Percent of Total
B	113287	15.85
1: January	52496	7.34
2: February	47643	6.66
3: March	51952	7.27
4: April	51195	7.16
5: May	50560	7.07
6: June	48685	6.81
7: July	50390	7.05
8: August	48950	6.85
9: September	49727	6.96
10: October	51164	7.16
11: November	47313	6.62
12: December	51480	7.20

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ASOURCE	Frequency	Percent of Total
.: Missing	7389	1.03
.A: Invalid	31	0.00
.B: Unavailable from Source	20367	2.85
1: Emergency Department	262008	36.65
2: Another Hospital	27129	3.80
3: Other Health Facility, incl. LTC	13542	1.89
4: Court/Law Enforcement	1259	0.18
5: Routine, Birth, and Other	383117	53.59

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ATYPE	Frequency	Percent of Total
.: Missing	3827	0.54
.A: Invalid	15	0.00
.B: Unavail from Source	97423	13.63
1: Emergency	243818	34.11
2: Urgent	151633	21.21
3: Elective	150230	21.02
4: Newborn	62690	8.77
5: Delivery	3994	0.56
6: Other	1212	0.17

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DCCHPR1	Frequency	Percent of Total
.	116	0.02
A	283	0.04
1	285	0.04
2	8357	1.17
3	313	0.04
4	317	0.04
5	2087	0.29
6	483	0.07
7	2056	0.29
8	353	0.05
9	121	0.02
10	23	0.00
11	704	0.10
12	271	0.04
13	503	0.07
14	2342	0.33
15	893	0.12
16	228	0.03
17	596	0.08
18	367	0.05
19	3161	0.44
20	67	0.01
21	285	0.04
22	104	0.01
23	138	0.02
24	2568	0.36
25	806	0.11
26	743	0.10
27	495	0.07
28	150	0.02
29	2129	0.30
30	30	0.00
31	16	0.00
32	1007	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
33	580	0.08
34	60	0.01
35	694	0.10
36	402	0.06
37	100	0.01
38	1015	0.14
39	807	0.11
40	390	0.05
41	172	0.02
42	5342	0.75
43	166	0.02
44	901	0.13
45	4601	0.64
46	4747	0.66
47	3310	0.46
48	781	0.11
49	207	0.03
50	8388	1.17
51	815	0.11
52	329	0.05
53	15	0.00
54	204	0.03
55	9463	1.32
56	138	0.02
57	22	0.00
58	1111	0.16
59	1979	0.28
60	204	0.03
61	1651	0.23
62	1099	0.15
63	987	0.14
64	160	0.02
65	11	0.00
66	4946	0.69

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
67	3869	0.54
68	2670	0.37
69	11942	1.67
70	5340	0.75
71	1254	0.18
72	1291	0.18
73	357	0.05
74	2927	0.41
75	<= 10	**.**
76	1017	0.14
77	166	0.02
78	111	0.02
79	383	0.05
80	439	0.06
81	766	0.11
82	406	0.06
83	4457	0.62
84	1141	0.16
85	317	0.04
86	61	0.01
87	202	0.03
88	65	0.01
89	47	0.01
90	359	0.05
91	248	0.03
92	386	0.05
93	1113	0.16
94	206	0.03
95	2205	0.31
96	1890	0.26
97	1586	0.22
98	829	0.12
99	5250	0.73
100	15089	2.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
101	29175	4.08
102	10966	1.53
103	1632	0.23
104	120	0.02
105	1310	0.18
106	11523	1.61
107	388	0.05
108	20123	2.82
109	12745	1.78
110	3391	0.47
111	505	0.07
112	3903	0.55
113	58	0.01
114	3035	0.42
115	1686	0.24
116	1085	0.15
117	1812	0.25
118	3623	0.51
119	237	0.03
120	500	0.07
121	287	0.04
122	24920	3.49
123	273	0.04
124	772	0.11
125	4524	0.63
126	2092	0.29
127	11156	1.56
128	8872	1.24
129	3759	0.53
130	2170	0.30
131	4051	0.57
132	154	0.02
133	3252	0.45
134	1001	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
135	2867	0.40
136	602	0.08
137	315	0.04
138	3415	0.48
139	1034	0.14
140	2902	0.41
141	951	0.13
142	4506	0.63
143	3359	0.47
144	1445	0.20
145	5681	0.79
146	4734	0.66
147	766	0.11
148	429	0.06
149	9274	1.30
150	1269	0.18
151	1676	0.23
152	4048	0.57
153	6403	0.90
154	2889	0.40
155	3365	0.47
156	267	0.04
157	2011	0.28
158	605	0.08
159	8181	1.14
160	3617	0.51
161	888	0.12
162	650	0.09
163	662	0.09
164	2237	0.31
165	437	0.06
166	295	0.04
167	498	0.07
168	1595	0.22

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
169	1858	0.26
170	3352	0.47
171	1531	0.21
172	1237	0.17
173	224	0.03
174	19	0.00
175	2163	0.30
176	63	0.01
177	539	0.08
178	228	0.03
179	91	0.01
180	796	0.11
181	7436	1.04
182	1220	0.17
183	3862	0.54
184	5425	0.76
185	2102	0.29
186	1610	0.23
187	3278	0.46
188	2926	0.41
189	5567	0.78
190	8680	1.21
191	4150	0.58
192	5449	0.76
193	14911	2.09
194	2062	0.29
195	8266	1.16
196	11162	1.56
197	6918	0.97
198	221	0.03
199	1516	0.21
200	228	0.03
201	1482	0.21
202	509	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
203	8884	1.24
204	833	0.12
205	11131	1.56
206	36	0.01
207	1446	0.20
208	190	0.03
209	660	0.09
210	450	0.06
211	2210	0.31
212	1875	0.26
213	829	0.12
214	406	0.06
215	282	0.04
216	149	0.02
217	920	0.13
218	78134	10.93
219	470	0.07
220	17	0.00
221	176	0.02
222	725	0.10
223	25	0.00
224	1140	0.16
225	1094	0.15
226	6979	0.98
227	256	0.04
228	1082	0.15
229	2759	0.39
230	5252	0.73
231	3266	0.46
232	1544	0.22
233	3338	0.47
234	1918	0.27
235	978	0.14
236	1158	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DCCHPR1	Frequency	Percent of Total
237	10127	1.42
238	7272	1.02
239	1035	0.14
240	751	0.11
241	1322	0.18
242	2396	0.34
243	554	0.08
244	1690	0.24
245	3805	0.53
246	1316	0.18
247	383	0.05
248	1158	0.16
249	145	0.02
250	668	0.09
251	3208	0.45
252	296	0.04
253	349	0.05
254	7885	1.10
255	100	0.01
256	303	0.04
257	1749	0.24
258	16	0.00
259	1059	0.15

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

DIED	Frequency	Percent of Total
.: Missing	609	0.09
.A: Invalid	51	0.01
0: Did not Die in Hospital	696534	97.44
1: Died in Hospital	17648	2.47

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DISP	Frequency	Percent of Total
.	609	0.09
A	51	0.01
1	549795	76.91
2	17600	2.46
3	41358	5.79
4	5825	0.81
5	28897	4.04
6	47746	6.68
7	5313	0.74
20	17648	2.47

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DQTR	Frequency	Percent of Total
1: First Quarter	181925	25.45
2: Second Quarter	178587	24.98
3: Third Quarter	175583	24.56
4: Fourth Quarter	178747	25.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DRG10	Frequency	Percent of Total
1	2209	0.31
2	391	0.05
3	449	0.06
4	590	0.08
5	3208	0.45
6	23	0.00
7	389	0.05
8	212	0.03
9	207	0.03
10	1005	0.14
11	203	0.03
12	1707	0.24
13	505	0.07
14	11438	1.60
15	4437	0.62
16	406	0.06
17	151	0.02
18	986	0.14
19	420	0.06
20	624	0.09
21	739	0.10
22	90	0.01
23	262	0.04
24	2593	0.36
25	1783	0.25
26	1198	0.17
27	438	0.06
28	733	0.10
29	385	0.05
30	412	0.06
31	200	0.03
32	223	0.03
33	126	0.02
34	856	0.12

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
35	379	0.05
36	173	0.02
37	129	0.02
38	<= 10	**.**
39	61	0.01
40	74	0.01
41	22	0.00
42	233	0.03
43	28	0.00
44	179	0.03
45	149	0.02
46	146	0.02
47	86	0.01
48	91	0.01
49	157	0.02
50	223	0.03
51	14	0.00
52	107	0.01
53	230	0.03
54	31	0.00
55	208	0.03
56	86	0.01
57	169	0.02
58	133	0.02
59	54	0.01
60	217	0.03
61	17	0.00
62	98	0.01
63	808	0.11
64	181	0.03
65	1067	0.15
66	274	0.04
67	75	0.01
68	594	0.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
69	408	0.06
70	1018	0.14
71	574	0.08
72	69	0.01
73	336	0.05
74	162	0.02
75	2101	0.29
76	1647	0.23
77	136	0.02
78	1172	0.16
79	6755	0.94
80	338	0.05
81	257	0.04
82	2601	0.36
83	328	0.05
84	118	0.02
85	746	0.10
86	71	0.01
87	2062	0.29
88	11646	1.63
89	13913	1.95
90	1963	0.27
91	3556	0.50
92	500	0.07
93	94	0.01
94	673	0.09
95	374	0.05
96	2652	0.37
97	2529	0.35
98	6978	0.98
99	1115	0.16
100	851	0.12
101	935	0.13
102	478	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
103	28	0.00
104	1216	0.17
105	1115	0.16
106	4447	0.62
107	3199	0.45
108	612	0.09
110	2258	0.32
111	311	0.04
112	11764	1.65
113	1301	0.18
114	301	0.04
115	336	0.05
116	2576	0.36
117	117	0.02
118	192	0.03
119	90	0.01
120	1099	0.15
121	4947	0.69
122	4080	0.57
123	1112	0.16
124	6210	0.87
125	3775	0.53
126	262	0.04
127	20234	2.83
128	560	0.08
129	150	0.02
130	3318	0.46
131	1238	0.17
132	5627	0.79
133	300	0.04
134	1470	0.21
135	302	0.04
136	83	0.01
137	84	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
138	6272	0.88
139	2775	0.39
140	3922	0.55
141	2533	0.35
142	1496	0.21
143	9025	1.26
144	3167	0.44
145	481	0.07
146	404	0.06
147	105	0.01
148	5663	0.79
149	954	0.13
150	1006	0.14
151	428	0.06
152	248	0.03
153	183	0.03
154	1326	0.19
155	474	0.07
156	327	0.05
157	421	0.06
158	425	0.06
159	680	0.10
160	716	0.10
161	461	0.06
162	309	0.04
163	133	0.02
164	583	0.08
165	736	0.10
166	595	0.08
167	2598	0.36
168	95	0.01
169	94	0.01
170	519	0.07
171	158	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
172	1239	0.17
173	96	0.01
174	7969	1.11
175	983	0.14
176	689	0.10
177	408	0.06
178	233	0.03
179	1091	0.15
180	3066	0.43
181	1119	0.16
182	9312	1.30
183	4869	0.68
184	3393	0.47
185	375	0.05
186	117	0.02
187	93	0.01
188	2770	0.39
189	675	0.09
190	306	0.04
191	579	0.08
192	82	0.01
193	289	0.04
194	47	0.01
195	257	0.04
196	119	0.02
197	3406	0.48
198	3549	0.50
199	100	0.01
200	68	0.01
201	91	0.01
202	1696	0.24
203	1083	0.15
204	3438	0.48
205	1264	0.18

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
206	246	0.03
207	1291	0.18
208	758	0.11
209	11337	1.59
210	3863	0.54
211	951	0.13
212	360	0.05
213	271	0.04
214	3256	0.46
215	6171	0.86
216	266	0.04
217	1305	0.18
218	1191	0.17
219	2248	0.31
220	519	0.07
221	320	0.04
222	911	0.13
223	1049	0.15
224	810	0.11
225	505	0.07
226	353	0.05
227	626	0.09
228	166	0.02
229	282	0.04
230	128	0.02
231	969	0.14
232	67	0.01
233	309	0.04
234	283	0.04
235	356	0.05
236	1724	0.24
237	76	0.01
238	398	0.06
239	1914	0.27

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
240	692	0.10
241	267	0.04
242	157	0.02
243	4004	0.56
244	665	0.09
245	461	0.06
246	75	0.01
247	662	0.09
248	517	0.07
249	541	0.08
250	130	0.02
251	167	0.02
252	113	0.02
253	723	0.10
254	560	0.08
255	197	0.03
256	399	0.06
257	891	0.12
258	884	0.12
259	187	0.03
260	287	0.04
261	464	0.06
262	38	0.01
263	1011	0.14
264	221	0.03
265	225	0.03
266	269	0.04
267	39	0.01
268	146	0.02
269	452	0.06
270	337	0.05
271	756	0.11
272	254	0.04
273	89	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
274	145	0.02
275	15	0.00
276	99	0.01
277	3468	0.49
278	1821	0.25
279	605	0.08
280	679	0.09
281	582	0.08
282	174	0.02
283	245	0.03
284	199	0.03
285	238	0.03
286	242	0.03
287	239	0.03
288	333	0.05
289	290	0.04
290	960	0.13
291	16	0.00
292	166	0.02
293	23	0.00
294	3550	0.50
295	1533	0.21
296	7005	0.98
297	1349	0.19
298	2052	0.29
299	115	0.02
300	702	0.10
301	234	0.03
302	318	0.04
303	792	0.11
304	731	0.10
305	505	0.07
306	280	0.04
307	63	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
308	344	0.05
309	188	0.03
310	979	0.14
311	618	0.09
312	57	0.01
313	47	0.01
314	<= 10	**.*
315	1025	0.14
316	3137	0.44
317	43	0.01
318	234	0.03
319	24	0.00
320	5455	0.76
321	1388	0.19
322	942	0.13
323	1332	0.19
324	1257	0.18
325	246	0.03
326	94	0.01
327	17	0.00
328	30	0.00
329	<= 10	**.*
330	<= 10	**.*
331	1589	0.22
332	270	0.04
333	154	0.02
334	868	0.12
335	612	0.09
336	1397	0.20
337	961	0.13
338	72	0.01
339	120	0.02
340	56	0.01
341	216	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
342	<= 10	**. **
343	<= 10	**. **
344	131	0.02
345	56	0.01
346	156	0.02
347	26	0.00
348	96	0.01
349	36	0.01
350	360	0.05
352	61	0.01
353	276	0.04
354	469	0.07
355	556	0.08
356	1572	0.22
357	387	0.05
358	4552	0.64
359	8615	1.21
360	914	0.13
361	179	0.03
362	<= 10	**. **
363	231	0.03
364	176	0.02
365	246	0.03
366	215	0.03
367	35	0.00
368	795	0.11
369	713	0.10
370	5228	0.73
371	11220	1.57
372	7677	1.07
373	50776	7.10
374	3865	0.54
375	76	0.01
376	780	0.11

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
377	195	0.03
378	796	0.11
379	2315	0.32
380	462	0.06
381	620	0.09
382	350	0.05
383	4183	0.59
384	1121	0.16
385	1688	0.24
386	1396	0.20
387	2509	0.35
388	1915	0.27
389	6835	0.96
390	21805	3.05
391	44542	6.23
392	226	0.03
393	34	0.00
394	146	0.02
395	3160	0.44
396	542	0.08
397	981	0.14
398	1123	0.16
399	277	0.04
400	400	0.06
401	259	0.04
402	83	0.01
403	1436	0.20
404	201	0.03
405	107	0.01
406	165	0.02
407	47	0.01
408	130	0.02
409	319	0.04
410	3671	0.51

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
411	<= 10	**.*
412	<= 10	**.*
413	317	0.04
414	47	0.01
415	1847	0.26
416	6980	0.98
417	611	0.09
418	1214	0.17
419	601	0.08
420	143	0.02
421	672	0.09
422	1552	0.22
423	602	0.08
424	143	0.02
425	966	0.14
426	2185	0.31
427	923	0.13
428	394	0.06
429	1622	0.23
430	17968	2.51
431	617	0.09
432	93	0.01
433	896	0.13
434	2118	0.30
435	4151	0.58
436	449	0.06
437	1157	0.16
439	74	0.01
440	369	0.05
441	126	0.02
442	803	0.11
443	347	0.05
444	218	0.03
445	255	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
446	80	0.01
447	243	0.03
448	28	0.00
449	2329	0.33
450	1195	0.17
451	695	0.10
452	966	0.14
453	298	0.04
454	300	0.04
455	258	0.04
456	19	0.00
457	<= 10	**. **
458	258	0.04
459	62	0.01
460	348	0.05
461	406	0.06
462	7739	1.08
463	590	0.08
464	193	0.03
465	81	0.01
466	1195	0.17
467	617	0.09
468	2938	0.41
469	<= 10	**. **
470	971	0.14
471	466	0.07
472	23	0.00
473	402	0.06
475	3919	0.55
476	151	0.02
477	1222	0.17
478	3907	0.55
479	789	0.11
480	89	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRG10	Frequency	Percent of Total
481	244	0.03
482	343	0.05
483	1765	0.25
484	59	0.01
485	253	0.04
486	581	0.08
487	520	0.07
488	167	0.02
489	1834	0.26
490	557	0.08
491	359	0.05
492	509	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

DRGVER	Frequency	Percent of Total
14	536095	74.99
15	178747	25.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNDX	Frequency	Percent of Total
9	60745	8.50
10	382577	53.52
11	14171	1.98
15	10976	1.54
16	43948	6.15
17	48744	6.82
30	153681	21.50

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNPR	Frequency	Percent of Total
6	220655	30.87
8	29236	4.09
10	207602	29.04
15	103668	14.50
21	97423	13.63
25	49561	6.93
30	6697	0.94

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSNUM	Frequency	Percent of Total
2	48744	6.82
3	113287	15.85
4	97423	13.63
5	60745	8.50
6	21435	3.00
7	34734	4.86
8	6456	0.90
9	11480	1.61
10	29236	4.09
11	18833	2.63
12	10976	1.54
13	41780	5.84
14	19109	2.67
15	7009	0.98
16	43948	6.15
17	29194	4.08
18	6697	0.94
19	20367	2.85
20	34899	4.88
21	2691	0.38
22	4719	0.66
23	51080	7.15

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DSTYPE	Frequency	Percent of Total
1	533096	74.58
2	181746	25.42

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DX1	Frequency	Percent of Total
Blank	116	0.02
Valid DX	714726	99.98

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

DXVI	Frequency	Percent of Total
.	116	0.02
C	34	0.00
0	714409	99.94
1	283	0.04

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPST	Frequency	Percent of Total
AZ	11480	1.61
CA	97423	13.63
CO	10976	1.54
CT	6697	0.94
FL	113287	15.85
GA	51080	7.15
HI	2691	0.38
IA	18833	2.63
IL	60745	8.50
KS	20367	2.85
MA	21435	3.00
MD	43948	6.15
MO	29194	4.08
NJ	29236	4.09
NY	48744	6.82
OR	7009	0.98
PA	41780	5.84
SC	19109	2.67
TN	34899	4.88
UT	4719	0.66
WA	6456	0.90
WI	34734	4.86

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

HOSPSTCO	Frequency	Percent of Total
.	128146	17.93
04001	100	0.01
04003	194	0.03
04005	1021	0.14
04013	8101	1.13
04015	976	0.14
04017	446	0.06
04019	536	0.07
04021	106	0.01
06001	1798	0.25
06007	721	0.10
06013	408	0.06
06015	290	0.04
06019	3311	0.46
06021	31	0.00
06023	538	0.08
06025	1278	0.18
06027	159	0.02
06029	1821	0.25
06031	479	0.07
06033	275	0.04
06037	22691	3.17
06039	817	0.11
06041	252	0.04
06045	491	0.07
06055	829	0.12
06059	13100	1.83
06061	1253	0.18
06063	79	0.01
06065	3529	0.49
06067	9464	1.32
06069	288	0.04
06071	6139	0.86
06073	9448	1.32

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
06075	2986	0.42
06077	3132	0.44
06079	675	0.09
06081	2816	0.39
06083	925	0.13
06085	2625	0.37
06087	1266	0.18
06091	11	0.00
06093	355	0.05
06095	540	0.08
06097	1485	0.21
06101	975	0.14
06107	143	0.02
08001	638	0.09
08005	1851	0.26
08015	118	0.02
08031	3385	0.47
08037	254	0.04
08059	2465	0.34
08065	84	0.01
08071	118	0.02
08083	253	0.04
08089	327	0.05
08095	17	0.00
08097	178	0.02
08099	171	0.02
08101	1039	0.15
08103	28	0.00
08125	50	0.01
09001	2300	0.32
09003	251	0.04
09005	893	0.12
09009	2374	0.33
09013	418	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
09015	461	0.06
12001	2773	0.39
12003	18	0.00
12005	1368	0.19
12007	68	0.01
12009	4179	0.58
12011	10126	1.42
12013	53	0.01
12015	2171	0.30
12017	1554	0.22
12023	802	0.11
12025	21993	3.08
12027	315	0.04
12031	8026	1.12
12033	1329	0.19
12037	60	0.01
12039	36	0.01
12045	49	0.01
12047	47	0.01
12051	102	0.01
12053	1846	0.26
12055	1264	0.18
12057	5209	0.73
12059	87	0.01
12061	1118	0.16
12063	482	0.07
12069	1061	0.15
12071	4659	0.65
12073	3415	0.48
12079	38	0.01
12083	1787	0.25
12087	105	0.01
12089	206	0.03
12091	704	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
12093	197	0.03
12095	6447	0.90
12097	973	0.14
12099	5905	0.83
12101	916	0.13
12103	6348	0.89
12105	3635	0.51
12107	693	0.10
12109	987	0.14
12111	853	0.12
12113	579	0.08
12115	3573	0.50
12117	642	0.09
12121	41	0.01
12123	87	0.01
12127	4231	0.59
12133	130	0.02
17007	140	0.02
17029	710	0.10
17031	32974	4.61
17037	25	0.00
17043	4600	0.64
17045	84	0.01
17051	106	0.01
17053	111	0.02
17067	115	0.02
17069	68	0.01
17075	213	0.03
17077	940	0.13
17089	1312	0.18
17091	948	0.13
17095	439	0.06
17097	199	0.03
17099	529	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
17103	371	0.05
17105	226	0.03
17109	395	0.06
17111	921	0.13
17119	665	0.09
17121	929	0.13
17125	58	0.01
17141	104	0.01
17143	4301	0.60
17147	35	0.00
17159	290	0.04
17163	2892	0.40
17165	124	0.02
17167	2274	0.32
17177	596	0.08
17183	31	0.00
17185	108	0.02
17195	617	0.09
17199	657	0.09
17201	1638	0.23
19001	39	0.01
19003	46	0.01
19011	21	0.00
19013	775	0.11
19015	150	0.02
19019	43	0.01
19027	297	0.04
19029	208	0.03
19035	91	0.01
19041	264	0.04
19043	67	0.01
19045	617	0.09
19049	53	0.01
19057	720	0.10

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
19059	151	0.02
19067	127	0.02
19075	<= 10	**.*
19077	40	0.01
19085	46	0.01
19087	124	0.02
19089	48	0.01
19103	2408	0.34
19109	64	0.01
19111	657	0.09
19113	2604	0.36
19117	58	0.01
19119	38	0.01
19123	164	0.02
19125	141	0.02
19127	358	0.05
19131	61	0.01
19143	50	0.01
19145	67	0.01
19149	116	0.02
19151	27	0.00
19153	2125	0.30
19155	531	0.07
19157	242	0.03
19163	2173	0.30
19165	114	0.02
19167	14	0.00
19169	1001	0.14
19175	136	0.02
19179	582	0.08
19185	73	0.01
19193	1092	0.15
24001	858	0.12
24003	1478	0.21

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
24005	23980	3.35
24019	351	0.05
24023	321	0.04
24025	655	0.09
24029	272	0.04
24031	8438	1.18
24033	2217	0.31
24037	636	0.09
24039	97	0.01
24041	909	0.13
24043	1560	0.22
24045	1953	0.27
24047	223	0.03
25003	653	0.09
25005	673	0.09
25007	157	0.02
25009	988	0.14
25013	3291	0.46
25015	780	0.11
25017	6017	0.84
25021	457	0.06
25025	4475	0.63
25027	3944	0.55
29001	597	0.08
29007	508	0.07
29019	1967	0.28
29031	1104	0.15
29037	100	0.01
29039	99	0.01
29047	821	0.11
29049	168	0.02
29051	631	0.09
29071	186	0.03
29073	44	0.01

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
29075	93	0.01
29077	3105	0.43
29093	74	0.01
29095	531	0.07
29097	3000	0.42
29099	823	0.12
29109	187	0.03
29113	157	0.02
29145	192	0.03
29155	352	0.05
29161	808	0.11
29165	375	0.05
29167	304	0.04
29171	35	0.00
29177	145	0.02
29181	50	0.01
29183	1604	0.22
29189	10074	1.41
29195	218	0.03
29213	521	0.07
29217	275	0.04
29221	46	0.01
34003	4074	0.57
34005	2251	0.31
34007	2678	0.37
34009	1039	0.15
34013	8615	1.21
34017	2205	0.31
34021	2430	0.34
34023	2822	0.39
34025	1829	0.26
34033	516	0.07
34037	777	0.11
36003	340	0.05

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
36005	4228	0.59
36013	1261	0.18
36017	207	0.03
36025	183	0.03
36027	940	0.13
36029	3852	0.54
36031	79	0.01
36043	226	0.03
36045	220	0.03
36047	7651	1.07
36055	3453	0.48
36059	2601	0.36
36061	2592	0.36
36063	1075	0.15
36065	1310	0.18
36067	2208	0.31
36071	230	0.03
36075	795	0.11
36077	1316	0.18
36081	1987	0.28
36083	866	0.12
36087	331	0.05
36089	382	0.05
36101	592	0.08
36103	3423	0.48
36105	707	0.10
36111	139	0.02
36117	442	0.06
36119	4768	0.67
36121	340	0.05
41007	373	0.05
41011	66	0.01
41017	215	0.03
41019	1031	0.14

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
41023	56	0.01
41033	341	0.05
41035	715	0.10
41039	2054	0.29
41047	284	0.04
41051	1394	0.20
41061	213	0.03
41065	267	0.04
42001	482	0.07
42003	11492	1.61
42005	636	0.09
42011	2777	0.39
42013	1529	0.21
42015	40	0.01
42021	871	0.12
42029	3012	0.42
42031	388	0.05
42041	192	0.03
42045	956	0.13
42049	61	0.01
42057	135	0.02
42059	219	0.03
42065	213	0.03
42071	1213	0.17
42073	306	0.04
42079	217	0.03
42081	130	0.02
42085	344	0.05
42091	4435	0.62
42095	2635	0.37
42097	155	0.02
42101	5953	0.83
42105	276	0.04
42107	950	0.13

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
42111	444	0.06
42115	173	0.02
42119	666	0.09
42129	880	0.12
49001	60	0.01
49003	46	0.01
49013	194	0.03
49027	25	0.00
49035	391	0.05
49039	135	0.02
49041	149	0.02
49047	154	0.02
49049	257	0.04
49053	1027	0.14
49057	2281	0.32
53001	15	0.00
53005	104	0.01
53007	55	0.01
53009	554	0.08
53019	33	0.00
53025	80	0.01
53033	2729	0.38
53041	485	0.07
53043	<= 10	**.**
53049	61	0.01
53053	1375	0.19
53061	204	0.03
53063	36	0.01
53071	628	0.09
53075	87	0.01
55005	246	0.03
55013	69	0.01
55015	57	0.01
55017	109	0.02

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55019	90	0.01
55025	5815	0.81
55027	233	0.03
55033	182	0.03
55035	1673	0.23
55039	103	0.01
55043	322	0.05
55045	400	0.06
55055	421	0.06
55059	1254	0.18
55061	27	0.00
55063	1501	0.21
55071	172	0.02
55079	8004	1.12
55081	103	0.01
55083	76	0.01
55085	512	0.07
55087	1925	0.27
55091	62	0.01
55093	130	0.02
55095	55	0.01
55097	506	0.07
55101	345	0.05
55103	178	0.02
55105	1621	0.23
55107	107	0.01
55109	213	0.03
55111	458	0.06
55117	718	0.10
55119	112	0.02
55121	39	0.01
55125	41	0.01
55129	168	0.02
55131	209	0.03

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HOSPSTCO	Frequency	Percent of Total
55133	3179	0.44
55135	179	0.03
55137	36	0.01
55139	966	0.14
55141	2118	0.30

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

LOS	Frequency	Percent of Total
.C: Inconsistent	2516	0.35
0 days	12130	1.70
1 day	125478	17.55
2 days	164489	23.01
3 days	109419	15.31
4 days	72539	10.15
5 days	49556	6.93
6 days	36462	5.10
7 days	29172	4.08
8 days	20665	2.89
9 days	15205	2.13
10 days	12019	1.68
11 - 30 days	57512	8.05
31 - 60 days	6076	0.85
61 - 90 days	1031	0.14
91 - 120 days	337	0.05
121 - 150 days	98	0.01
151 - 180 days	40	0.01
181 - 210 days	21	0.00
211 - 240 days	19	0.00
241 - 270 days	<= 10	**.*
271 - 300 days	<= 10	**.*
301 - 330 days	<= 10	**.*
331 - 365 days	<= 10	**.*
366	<= 10	**.*
374	<= 10	**.*
392	<= 10	**.*
415	<= 10	**.*
430	<= 10	**.*
454	<= 10	**.*
469	<= 10	**.*
492	<= 10	**.*
518	<= 10	**.*
519	<= 10	**.*

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

LOS	Frequency	Percent of Total
545	<= 10	**. **
551	<= 10	**. **
575	<= 10	**. **
589	<= 10	**. **
627	<= 10	**. **
684	<= 10	**. **
733	<= 10	**. **
736	<= 10	**. **
755	<= 10	**. **
827	<= 10	**. **
833	<= 10	**. **
862	<= 10	**. **
872	<= 10	**. **
993	<= 10	**. **
1059	<= 10	**. **
1144	<= 10	**. **
1154	<= 10	**. **
1281	<= 10	**. **
1284	<= 10	**. **
1308	<= 10	**. **
1319	<= 10	**. **
1366	<= 10	**. **
1437	<= 10	**. **
1656	<= 10	**. **
1791	<= 10	**. **
2982	<= 10	**. **
3222	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

MDC10	Frequency	Percent of Total
0	834	0.12
1	41131	5.75
2	1400	0.20
3	8493	1.19
4	71817	10.05
5	120155	16.81
6	58291	8.15
7	18606	2.60
8	54489	7.62
9	14824	2.07
10	19333	2.70
11	22535	3.15
12	5274	0.74
13	20016	2.80
14	89738	12.55
15	80709	11.29
16	6638	0.93
17	8259	1.16
18	14276	2.00
19	24911	3.48
20	8813	1.23
21	8765	1.23
22	731	0.10
23	10822	1.51
24	1416	0.20
25	2566	0.36

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

MDID_S	Frequency	Percent of Total
Blank	299064	41.84
Non-Blank	415778	58.16

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NDX	Frequency	Percent of Total
0	115	0.02
1	83885	11.73
2	113690	15.90
3	99376	13.90
4	87091	12.18
5	79948	11.18
6	60925	8.52
7	48867	6.84
8	38902	5.44
9	55891	7.82
10	28325	3.96
11	5208	0.73
12	3674	0.51
13	2438	0.34
14	2012	0.28
15	2977	0.42
16	634	0.09
17	239	0.03
18	178	0.02
19	97	0.01
20	111	0.02
21	78	0.01
22	38	0.01
23	31	0.00
24	33	0.00
25	45	0.01
26	<= 10	**. **
27	12	0.00
28	<= 10	**. **
29	<= 10	**. **
30	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

NEOMAT	Frequency	Percent of Total
0: Not Neonatal or Maternal	542452	75.88
1: Maternal	90785	12.70
2: Neonatal	81579	11.41
3: Neonatal and Maternal	26	0.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

NPR	Frequency	Percent of Total
0	274812	38.44
1	184890	25.86
2	108227	15.14
3	67899	9.50
4	32721	4.58
5	18648	2.61
6	15694	2.20
7	3975	0.56
8	2859	0.40
9	1566	0.22
10	1816	0.25
11	410	0.06
12	398	0.06
13	257	0.04
14	202	0.03
15	303	0.04
16	45	0.01
17	25	0.00
18	19	0.00
19	17	0.00
20	17	0.00
21	36	0.01
22	<= 10	**,**
24	<= 10	**,**
25	<= 10	**,**

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PAY1	Frequency	Percent of Total
.: Missing	1438	0.20
.A: Invalid	201	0.03
1: Medicare	259296	36.27
2: Medicaid	117563	16.45
3: Private Insurance	275417	38.53
4: Self-pay	32598	4.56
5: No Charge	2505	0.35
6: Other	25824	3.61

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY1_N	Frequency	Percent of Total
.	45702	6.39
A	201	0.03
1	243052	34.00
2	110135	15.41
3	36629	5.12
4	112249	15.70
5	109749	15.35
6	31273	4.37
7	2505	0.35
8	107	0.01
9	4435	0.62
10	2563	0.36
11	5932	0.83
12	10310	1.44

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2	Frequency	Percent of Total
B	305770	42.77
C	31651	4.43
.: Missing	201712	28.22
.A: Invalid	189	0.03
1: Medicare	5615	0.79
2: Medicaid	24031	3.36
3: Private Insurance	81379	11.38
4: Self-pay	54791	7.66
5: No Charge	322	0.05
6: Other	9382	1.31

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PAY2_N	Frequency	Percent of Total
.	217194	30.38
A	189	0.03
B	305770	42.77
C	29084	4.07
1	5202	0.73
2	22009	3.08
3	27148	3.80
4	41639	5.82
5	7708	1.08
6	54169	7.58
7	322	0.05
8	<= 10	**,**
9	255	0.04
10	223	0.03
11	616	0.09
12	3306	0.46

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PCCHPR1	Frequency	Percent of Total
.	274870	38.45
A	70	0.01
1	1659	0.23
2	604	0.08
3	6904	0.97
4	5566	0.78
5	1080	0.15
6	92	0.01
7	308	0.04
8	266	0.04
9	1329	0.19
10	994	0.14
11	52	0.01
12	614	0.09
13	58	0.01
14	59	0.01
15	98	0.01
16	105	0.01
17	22	0.00
18	<= 10	**,**
19	291	0.04
20	203	0.03
21	137	0.02
22	24	0.00
23	142	0.02
24	67	0.01
25	<= 10	**,**
26	236	0.03
27	373	0.05
28	211	0.03
29	222	0.03
30	427	0.06
31	136	0.02
32	251	0.04

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
33	1420	0.20
34	1515	0.21
35	505	0.07
36	1327	0.19
37	3275	0.46
38	293	0.04
39	3514	0.49
40	404	0.06
41	375	0.05
42	923	0.13
43	1693	0.24
44	7857	1.10
45	10662	1.49
46	<= 10	**,**
47	13982	1.96
48	4148	0.58
49	1482	0.21
50	14	0.00
51	3139	0.44
52	926	0.13
53	59	0.01
54	5002	0.70
55	2246	0.31
56	223	0.03
57	1451	0.20
58	3674	0.51
59	109	0.02
60	376	0.05
61	4098	0.57
62	876	0.12
63	1116	0.16
64	223	0.03
65	1164	0.16
66	434	0.06

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
67	1060	0.15
68	<= 10	**.**
69	267	0.04
70	12807	1.79
71	1971	0.28
72	204	0.03
73	143	0.02
74	410	0.06
75	978	0.14
76	5153	0.72
77	281	0.04
78	5202	0.73
79	31	0.00
80	4735	0.66
81	242	0.03
82	688	0.10
83	617	0.09
84	7908	1.11
85	1051	0.15
86	1837	0.26
87	324	0.05
88	1335	0.19
89	475	0.07
90	1451	0.20
91	421	0.06
92	118	0.02
93	1863	0.26
94	1811	0.25
95	1338	0.19
96	2111	0.30
97	300	0.04
98	1174	0.16
99	2026	0.28
100	1160	0.16

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
101	1796	0.25
102	627	0.09
103	500	0.07
104	841	0.12
105	319	0.04
106	978	0.14
107	141	0.02
108	237	0.03
109	415	0.06
110	417	0.06
111	435	0.06
112	1192	0.17
113	2824	0.40
114	1462	0.20
115	22584	3.16
116	80	0.01
117	82	0.01
118	580	0.08
119	1417	0.20
120	709	0.10
121	1586	0.22
122	494	0.07
123	208	0.03
124	11812	1.65
125	728	0.10
126	65	0.01
127	840	0.12
128	272	0.04
129	980	0.14
130	187	0.03
131	143	0.02
132	1241	0.17
133	12073	1.69
134	16376	2.29

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
135	7600	1.06
136	1551	0.22
137	25381	3.55
138	152	0.02
139	1431	0.20
140	12076	1.69
141	188	0.03
142	817	0.11
143	80	0.01
144	529	0.07
145	1082	0.15
146	5645	0.79
147	3536	0.49
148	1567	0.22
149	115	0.02
150	125	0.02
151	162	0.02
152	6523	0.91
153	5971	0.84
154	1138	0.16
155	635	0.09
156	107	0.01
157	2332	0.33
158	2672	0.37
159	471	0.07
160	1969	0.28
161	784	0.11
162	1210	0.17
163	218	0.03
164	659	0.09
165	103	0.01
166	536	0.07
167	1840	0.26
168	1387	0.19

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
169	4426	0.62
170	478	0.07
171	1478	0.21
172	732	0.10
173	296	0.04
174	2480	0.35
175	924	0.13
176	146	0.02
177	5666	0.79
178	599	0.08
179	1911	0.27
180	404	0.06
181	204	0.03
182	18	0.00
183	431	0.06
184	12	0.00
185	327	0.05
186	74	0.01
187	516	0.07
188	709	0.10
189	306	0.04
190	311	0.04
191	614	0.09
192	577	0.08
193	4734	0.66
194	218	0.03
195	635	0.09
196	1290	0.18
197	1392	0.19
198	2000	0.28
199	485	0.07
200	<= 10	**.**
201	1884	0.26
202	502	0.07

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PCCHPR1	Frequency	Percent of Total
203	1998	0.28
204	338	0.05
205	1135	0.16
206	192	0.03
207	320	0.04
208	824	0.12
209	545	0.08
210	53	0.01
211	1576	0.22
212	260	0.04
213	3560	0.50
214	734	0.10
215	871	0.12
216	10078	1.41
217	3554	0.50
218	2381	0.33
219	7030	0.98
220	347	0.05
221	627	0.09
222	4961	0.69
223	1058	0.15
224	4477	0.63
225	1505	0.21
226	1122	0.16
227	1073	0.15
228	6902	0.97
229	96	0.01
230	<= 10	**.**
231	7712	1.08

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PR1	Frequency	Percent of Total
Blank	274870	38.45
Valid PR	439972	61.55

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRDAY1	Frequency	Percent of Total
.: Missing	240952	33.71
.B: Unavail from Source	92287	12.91
.C: Inconsistent	81	0.01
-4 days	<= 10	**. **
-3 days	61	0.01
-2 days	296	0.04
-1 day	2102	0.29
0 days	212224	29.69
1 day	79557	11.13
2 days	31369	4.39
3 days	17048	2.38
4 days	10487	1.47
5 days	6863	0.96
6 - 30 days	20845	2.92
31 - 60 days	556	0.08
61 - 90 days	77	0.01
91 - 120 days	18	0.00
121 - 150 days	<= 10	**. **
151 - 180 days	<= 10	**. **
181 - 210 days	<= 10	**. **
241 - 270 days	<= 10	**. **
271 - 300 days	<= 10	**. **
301 - 330 days	<= 10	**. **
331 - 365 days	<= 10	**. **
694	<= 10	**. **
1123	<= 10	**. **
1163	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

PRSYS	Frequency	Percent of Total
1	714842	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

PRV1	Frequency	Percent of Total
.	274870	38.45
C	26	0.00
0	439876	61.53
1	70	0.01

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

RACE	Frequency	Percent of Total
.: Missing	72295	10.11
.A: Invalid	<= 10	**. **
.B: Unavail from Source	74210	10.38
1: White	413659	57.87
2: Black	77210	10.80
3: Hispanic	52925	7.40
4: Asian/Pacific Islander	11070	1.55
5: Native American	1783	0.25
6: Other	11685	1.63

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SEX	Frequency	Percent of Total
.	47	0.01
C	35	0.00
1	293661	41.08
2	421099	58.91

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

SURGID_S	Frequency	Percent of Total
Blank	466260	65.23
Non-Blank	248582	34.77

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

TOTCHG	Frequency	Percent of Total
.: Missing	11218	1.57
.A: Invalid	<= 10	**. **
.C: Inconsistent	2513	0.35
\$ 1- \$ 9	<= 10	**. **
\$10	<= 10	**. **
\$11- \$19	<= 10	**. **
\$21- \$24	<= 10	**. **
\$25- \$1,000	46230	6.47
\$1,001- \$5,000	249952	34.97
\$5,001- \$10,000	186579	26.10
\$10,001- \$50,000	197915	27.69
\$50,001- \$100,000	14956	2.09
\$100,001- \$200,000	4094	0.57
\$200,001- \$300,000	820	0.11
\$300,001- \$400,000	302	0.04
\$400,001- \$500,000	103	0.01
\$500,001-\$1,000,000	127	0.02
1000339	<= 10	**. **
1081364	<= 10	**. **
1107580	<= 10	**. **
1111179	<= 10	**. **
1160044	<= 10	**. **
1167404	<= 10	**. **
1175258	<= 10	**. **
1177617	<= 10	**. **
1237327	<= 10	**. **
1261906	<= 10	**. **
1383933	<= 10	**. **
1399868	<= 10	**. **
1569014	<= 10	**. **
1746954	<= 10	**. **
1845950	<= 10	**. **
1952522	<= 10	**. **

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

YEAR	Frequency	Percent of Total
97	714842	100.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC4	Frequency	Percent of Total
.: Missing	40949	5.73
1: \$0-\$25,000	226911	31.74
2: \$25,001-\$30,000	139034	19.45
3: \$30,001-\$35,000	103706	14.51
4: \$35,001+	204242	28.57

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

ZIPINC8	Frequency	Percent of Total
.: Missing	90548	12.67
1: \$0-\$15,000	19975	2.79
2: \$15,001-\$20,000	57887	8.10
3: \$20,001-\$25,000	128331	17.95
4: \$25,001-\$30,000	125684	17.58
5: \$30,001-\$35,000	98900	13.84
6: \$35,001-\$40,000	67983	9.51
7: \$40,001-\$45,000	46894	6.56
8: \$45,001+	78640	11.00

***For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.***

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Moments			
N	714654	Sum Weights	714654
Mean	46.8854607	Sum Observations	33506882
Std Deviation	28.4440784	Variance	809.065597
Skewness	-0.2573511	Kurtosis	-1.1433678
Uncorrected SS	2149186754	Corrected SS	578201156
Coeff Variation	60.6671621	Std Error Mean	0.03364681

Basic Statistical Measures			
Location		Variability	
Mean	46.88546	Std Deviation	28.44408
Median	49.00000	Variance	809.06560
Mode	0.00000	Range	118.00000
		Interquartile Range	47.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1393.459	Pr > t 	<.0001
Sign	M	311454	Pr >= M 	<.0001
Signed Rank	S	9.7E10	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	118
99%	93
95%	86
90%	82
75% Q3	72
50% Median	49
25% Q1	25
10%	0
5%	0

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: AGE (I:Age in years at admission)

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	18	0.00	9.57
A	4	0.00	2.13
C	166	0.02	88.30
Total	188	0.03	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Moments			
N	712326	Sum Weights	712326
Mean	4.93693197	Sum Observations	3516705
Std Deviation	10.91305	Variance	119.09466
Skewness	105.070116	Kurtosis	22977.8103
Uncorrected SS	102195837	Corrected SS	84834103.7
Coeff Variation	221.049228	Std Error Mean	0.01293024

Basic Statistical Measures			
Location		Variability	
Mean	4.936932	Std Deviation	10.91305
Median	3.000000	Variance	119.09466
Mode	2.000000	Range	3222
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	381.8127	Pr > t 	<.0001
Sign	M	350098	Pr >= M 	<.0001
Signed Rank	S	1.226E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3222
99%	32
95%	15
90%	10
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS (I:Length of stay (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	0

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
C	2516	0.35	100.00

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Moments			
N	714842	Sum Weights	714842
Mean	4.94176475	Sum Observations	3532581
Std Deviation	13.5074665	Variance	182.451651
Skewness	221.895044	Kurtosis	91474.7217
Uncorrected SS	147881105	Corrected SS	130423921
Coeff Variation	273.332851	Std Error Mean	0.01597603

Basic Statistical Measures			
Location		Variability	
Mean	4.941765	Std Deviation	13.50747
Median	3.000000	Variance	182.45165
Mode	2.000000	Range	6649
		Interquartile Range	4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	309.3237	Pr > t 	<.0001
Sign	M	351315.5	Pr >= M 	<.0001
Signed Rank	S	1.234E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	6645
99%	32
95%	15
90%	10
75% Q3	6
50% Median	3
25% Q1	2
10%	1
5%	1

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: LOS_X (I:Length of stay (uncleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	0
0% Min	-4

*For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.*

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Moments			
N	701104	Sum Weights	701104
Mean	11405.514	Sum Observations	7996451509
Std Deviation	22277.2844	Variance	496277399
Skewness	15.4243703	Kurtosis	579.213552
Uncorrected SS	4.39145E14	Corrected SS	3.47942E14
Coeff Variation	195.320301	Std Error Mean	26.6054756

Basic Statistical Measures			
Location		Variability	
Mean	11405.51	Std Deviation	22277
Median	6062.00	Variance	496277399
Mode	3600.00	Range	1952521
		Interquartile Range	9039

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	428.6905	Pr > t 	<.0001
Sign	M	350552	Pr >= M 	<.0001
Signed Rank	S	1.229E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1952522
99%	88187
95%	36728
90%	23796
75% Q3	12133
50% Median	6062
25% Q1	3094
10%	1401
5%	856

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure
Variable: TOTCHG (I:Total charges (cleaned))

Quantiles (Definition 5)	
Quantile	Estimate
1%	471
0% Min	1

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	11218	1.57	81.66
A	7	0.00	0.05
C	2513	0.35	18.29
Total	13738	1.92	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Moments			
N	703669	Sum Weights	703669
Mean	11464.2606	Sum Observations	8067044774
Std Deviation	22793.3669	Variance	519537576
Skewness	17.7278645	Kurtosis	832.295965
Uncorrected SS	4.58065E14	Corrected SS	3.65582E14
Coeff Variation	198.821082	Std Error Mean	27.1721668

Basic Statistical Measures			
Location		Variability	
Mean	11464.26	Std Deviation	22793
Median	6071.00	Variance	519537576
Mode	3600.00	Range	2560165
		Interquartile Range	9105

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	421.9119	Pr > t 	<.0001
Sign	M	351830.5	Pr >= M 	<.0001
Signed Rank	S	1.238E11	Pr >= S 	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2558970.00
99%	88617.37
95%	36923.00
90%	23975.00
75% Q3	12195.20
50% Median	6071.00
25% Q1	3090.00
10%	1390.00
5%	846.80

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

The UNIVARIATE Procedure

Variable: TOTCHG_X (I:Total charges (from data source))

Quantiles (Definition 5)	
Quantile	Estimate
1%	456.05
0% Min	-1195.00

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	11170	1.56	99.97
A	3	0.00	0.03
Total	11173	1.56	100.00

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.