

HCUP Summary Statistics Report: NIS 2008 - Core File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|-----------|-----------|----------|-----------|-----------|-----------|
| AGE : Age in years at admission | 8,148,298 | 10,083 | 0.00 | 120.00 | 48.39 | 27.91 |
| AGEDAY : Age in days (when age < 1 year) | 778,855 | 7,379,526 | 0.00 | 364.00 | 11.54 | 48.43 |
| AMONTH : Admission month | 7,397,383 | 760,998 | 1.00 | 12.00 | 6.43 | 3.46 |
| ASOURCE : Admission source (uniform) | 2,923,967 | 5,234,414 | 1.00 | 5.00 | 2.96 | 1.96 |
| ATYPE : Admission type | 7,269,353 | 889,028 | 1.00 | 6.00 | 1.99 | 1.08 |
| AWEEKEND : Admission day is a weekend | 8,158,380 | 1 | 0.00 | 1.00 | 0.19 | 0.40 |
| DIED : Died during hospitalization | 8,153,383 | 4,998 | 0.00 | 1.00 | 0.02 | 0.14 |
| DISCWT : Weight to discharges in AHA universe | 8,158,381 | 0 | 3.53 | 20.93 | 4.89 | 0.53 |
| DISPUB04 : Disposition of patient (UB-04 standard coding) | 6,866,220 | 1,292,161 | 1.00 | 99.00 | 4.59 | 11.93 |
| DISPUNIFORM : Disposition of patient (uniform) | 8,153,383 | 4,998 | 1.00 | 99.00 | 2.50 | 3.78 |
| DQTR : Discharge quarter | 8,141,511 | 16,870 | 1.00 | 4.00 | 2.48 | 1.12 |
| DQTR_X : Discharge quarter (as received from source) | 8,141,511 | 16,870 | 1.00 | 4.00 | 2.48 | 1.12 |
| DRG : DRG in effect on discharge date | 8,158,381 | 0 | 1.00 | 999.00 | 532.56 | 269.62 |
| DRG24 : DRG, version 24 | 8,158,381 | 0 | 1.00 | 579.00 | 310.25 | 160.82 |
| DRGVER : DRG grouper version used on discharge date | 8,158,381 | 0 | 25.00 | 26.00 | 25.25 | 0.43 |
| DRG_NoPOA : DRG in use on discharge date, calculated without POA | 8,158,381 | 0 | 1.00 | 999.00 | 531.37 | 269.03 |
| DXCCS1 : CCS: diagnosis 1 | 8,155,685 | 2,696 | 1.00 | 670.00 | 177.45 | 127.83 |
| DXCCS2 : CCS: diagnosis 2 | 7,686,564 | 471,817 | 1.00 | 670.00 | 165.78 | 144.36 |
| DXCCS3 : CCS: diagnosis 3 | 6,867,524 | 1,290,857 | 1.00 | 670.00 | 168.78 | 157.25 |
| DXCCS4 : CCS: diagnosis 4 | 6,109,030 | 2,049,351 | 1.00 | 670.00 | 170.18 | 163.00 |
| DXCCS5 : CCS: diagnosis 5 | 5,400,253 | 2,758,128 | 1.00 | 670.00 | 171.06 | 166.27 |
| DXCCS6 : CCS: diagnosis 6 | 4,733,650 | 3,424,731 | 1.00 | 670.00 | 172.36 | 167.87 |
| DXCCS7 : CCS: diagnosis 7 | 4,124,712 | 4,033,669 | 1.00 | 670.00 | 172.78 | 168.14 |
| DXCCS8 : CCS: diagnosis 8 | 3,560,550 | 4,597,831 | 1.00 | 670.00 | 173.81 | 167.91 |
| DXCCS9 : CCS: diagnosis 9 | 3,031,457 | 5,126,924 | 1.00 | 670.00 | 174.01 | 167.33 |
| DXCCS10 : CCS: diagnosis 10 | 2,031,963 | 6,126,418 | 1.00 | 670.00 | 175.32 | 167.29 |
| DXCCS11 : CCS: diagnosis 11 | 1,698,425 | 6,459,956 | 1.00 | 670.00 | 176.25 | 166.98 |
| DXCCS12 : CCS: diagnosis 12 | 1,416,160 | 6,742,221 | 1.00 | 670.00 | 174.74 | 164.24 |
| DXCCS13 : CCS: diagnosis 13 | 1,177,877 | 6,980,504 | 1.00 | 670.00 | 174.81 | 162.67 |
| DXCCS14 : CCS: diagnosis 14 | 957,519 | 7,200,862 | 1.00 | 670.00 | 175.25 | 162.89 |
| DXCCS15 : CCS: diagnosis 15 | 771,316 | 7,387,065 | 1.00 | 670.00 | 173.88 | 157.56 |
| ELECTIVE : Elective versus non-elective admission | 8,132,808 | 25,573 | 0.00 | 1.00 | 0.24 | 0.43 |
| E_CCS1 : CCS: E Code 1 | 1,191,350 | 6,967,031 | 662.00 | 2,621.00 | 2,542.11 | 364.46 |
| E_CCS2 : CCS: E Code 2 | 491,257 | 7,667,124 | 662.00 | 2,621.00 | 2,575.57 | 286.95 |
| E_CCS3 : CCS: E Code 3 | 87,645 | 8,070,736 | 662.00 | 2,621.00 | 2,519.82 | 425.82 |
| E_CCS4 : CCS: E Code 4 | 25,787 | 8,132,594 | 662.00 | 2,621.00 | 2,533.33 | 401.19 |
| FEMALE : Indicator of sex | 8,135,679 | 22,702 | 0.00 | 1.00 | 0.59 | 0.49 |
| HCUP_ED : HCUP Emergency Department service indicator | 8,158,381 | 0 | 0.00 | 4.00 | 0.98 | 1.33 |
| HOSPBRTH : Indicator of birth in this hospital | 8,158,381 | 0 | 0.00 | 1.00 | 0.11 | 0.31 |
| HOSPID : HCUP hospital identification number | 8,158,381 | 0 | 4,001.00 | 56,024.00 | 27,862.56 | 15,677.38 |

(Continued)

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|---|-----------|-----------|----------|-----------|-----------|-----------|
| LOS : Length of stay (cleaned) | 8,157,924 | 457 | 0.00 | 364.00 | 4.60 | 6.83 |
| LOS_X : Length of stay (as received from source) | 8,139,491 | 18,890 | -1.00 | 7,095.00 | 4.65 | 11.54 |
| MDC : MDC in effect on discharge date | 8,158,381 | 0 | 0.00 | 25.00 | 9.76 | 5.60 |
| MDC24 : MDC, version 24 | 8,158,381 | 0 | 0.00 | 25.00 | 9.78 | 5.60 |
| MDNUM1_R : Physician 1 number (re-identified) | 4,852,675 | 3,305,706 | 2.00 | 85,823.00 | 28,507.18 | 21,513.98 |
| MDNUM2_R : Physician 2 number (re-identified) | 2,999,871 | 5,158,510 | 2.00 | 86,785.00 | 29,051.20 | 21,274.59 |
| NCHRONIC : Number of chronic conditions | 8,158,381 | 0 | 0.00 | 24.00 | 3.52 | 3.11 |
| NDX : Number of diagnoses on this record | 8,158,381 | 0 | 0.00 | 66.00 | 7.34 | 4.86 |
| NECODE : Number of E codes on this record | 8,158,381 | 0 | 0.00 | 10.00 | 0.22 | 0.60 |
| NEOMAT : Neonatal and/or maternal DX and/or PR | 8,158,381 | 0 | 0.00 | 3.00 | 0.34 | 0.67 |
| NIS_STRATUM : Stratum used to sample hospital | 8,158,381 | 0 | 1,011.00 | 4,413.00 | 2,700.90 | 1,062.20 |
| NPR : Number of procedures on this record | 8,158,381 | 0 | 0.00 | 32.00 | 1.61 | 2.09 |
| ORPROC : Major operating room procedure indicator | 8,158,381 | 0 | 0.00 | 1.00 | 0.30 | 0.46 |
| PAY1 : Primary expected payer (uniform) | 8,144,696 | 13,685 | 1.00 | 6.00 | 2.23 | 1.20 |
| PAY2 : Secondary expected payer (uniform) | 2,527,259 | 5,631,122 | 1.00 | 6.00 | 2.85 | 1.21 |
| PL_NCHS2006 : Patient Location: NCHS Urban-Rural Code (V2006) | 7,908,081 | 250,300 | 1.00 | 6.00 | 2.68 | 1.60 |
| PRCCS1 : CCS: procedure 1 | 5,143,889 | 3,014,492 | 1.00 | 231.00 | 126.95 | 63.29 |
| PRCCS2 : CCS: procedure 2 | 3,094,795 | 5,063,586 | 1.00 | 231.00 | 129.45 | 68.11 |
| PRCCS3 : CCS: procedure 3 | 1,813,935 | 6,344,446 | 1.00 | 231.00 | 125.46 | 70.28 |
| PRCCS4 : CCS: procedure 4 | 1,088,561 | 7,069,820 | 1.00 | 231.00 | 126.51 | 72.21 |
| PRCCS5 : CCS: procedure 5 | 705,093 | 7,453,288 | 1.00 | 231.00 | 125.26 | 75.23 |
| PRCCS6 : CCS: procedure 6 | 476,760 | 7,681,621 | 1.00 | 231.00 | 123.58 | 75.91 |
| PRCCS7 : CCS: procedure 7 | 262,921 | 7,895,460 | 1.00 | 231.00 | 122.03 | 76.75 |
| PRCCS8 : CCS: procedure 8 | 178,992 | 7,979,389 | 1.00 | 231.00 | 143.50 | 78.89 |
| PRCCS9 : CCS: procedure 9 | 114,363 | 8,044,018 | 1.00 | 231.00 | 145.35 | 77.93 |
| PRCCS10 : CCS: procedure 10 | 73,408 | 8,084,973 | 1.00 | 231.00 | 146.31 | 78.07 |
| PRCCS11 : CCS: procedure 11 | 50,150 | 8,108,231 | 1.00 | 231.00 | 146.16 | 77.90 |
| PRCCS12 : CCS: procedure 12 | 36,863 | 8,121,518 | 1.00 | 231.00 | 144.73 | 78.11 |
| PRCCS13 : CCS: procedure 13 | 26,707 | 8,131,674 | 1.00 | 231.00 | 144.25 | 78.34 |
| PRCCS14 : CCS: procedure 14 | 20,309 | 8,138,072 | 1.00 | 231.00 | 148.93 | 77.48 |
| PRCCS15 : CCS: procedure 15 | 15,000 | 8,143,381 | 1.00 | 231.00 | 140.59 | 79.19 |
| PRDAY1 : Number of days from admission to PR1 | 4,487,104 | 3,671,277 | -4.00 | 368.00 | 1.26 | 3.48 |
| PRDAY2 : Number of days from admission to PR2 | 2,433,591 | 5,724,790 | -4.00 | 366.00 | 1.55 | 4.12 |
| PRDAY3 : Number of days from admission to PR3 | 1,420,511 | 6,737,870 | -4.00 | 368.00 | 1.98 | 5.07 |
| PRDAY4 : Number of days from admission to PR4 | 851,917 | 7,306,464 | -4.00 | 368.00 | 2.50 | 6.16 |
| PRDAY5 : Number of days from admission to PR5 | 551,814 | 7,606,567 | -4.00 | 368.00 | 3.05 | 7.21 |
| PRDAY6 : Number of days from admission to PR6 | 371,186 | 7,787,195 | -4.00 | 368.00 | 3.54 | 8.11 |
| PRDAY7 : Number of days from admission to PR7 | 215,048 | 7,943,333 | -4.00 | 362.00 | 4.03 | 9.09 |
| PRDAY8 : Number of days from admission to PR8 | 146,657 | 8,011,724 | -4.00 | 333.00 | 4.81 | 9.98 |
| PRDAY9 : Number of days from admission to PR9 | 94,214 | 8,064,167 | -4.00 | 317.00 | 6.10 | 11.83 |
| PRDAY10 : Number of days from admission to PR10 | 65,045 | 8,093,336 | -4.00 | 349.00 | 7.34 | 13.47 |

(Continued)

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Means of Continuous Data Elements

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|-----------|-----------|-------------|---------------|-----------|-----------|
| PRDAY11 : Number of days from admission to PR11 | 44,702 | 8,113,679 | -4.00 | 337.00 | 8.61 | 15.20 |
| PRDAY12 : Number of days from admission to PR12 | 31,384 | 8,126,997 | -4.00 | 354.00 | 9.63 | 16.96 |
| PRDAY13 : Number of days from admission to PR13 | 22,597 | 8,135,784 | -4.00 | 343.00 | 10.81 | 17.82 |
| PRDAY14 : Number of days from admission to PR14 | 17,211 | 8,141,170 | -4.00 | 355.00 | 12.04 | 20.11 |
| PRDAY15 : Number of days from admission to PR15 | 12,692 | 8,145,689 | -4.00 | 364.00 | 12.64 | 21.01 |
| RACE : Race (uniform) | 6,520,461 | 1,637,920 | 1.00 | 6.00 | 1.66 | 1.20 |
| TOTCHG : Total charges (cleaned) | 7,982,349 | 176,032 | 100.00 | 1,499,552.00 | 28,970.84 | 50,803.78 |
| TOTCHG_X : Total charges (as received from source) | 7,965,893 | 192,488 | -810,406.00 | 17,370,114.48 | 29,323.88 | 59,243.54 |
| TRAN_IN : Transfer in indicator | 8,134,822 | 23,559 | 0.00 | 2.00 | 0.07 | 0.31 |
| YEAR : Calendar year | 8,158,381 | 0 | 2,008.00 | 2,008.00 | 2,008.00 | 0.00 |
| ZIPINC_QRTL : Median household income national quartile for patient ZIP Code | 7,990,079 | 168,302 | 1.00 | 4.00 | 2.37 | 1.11 |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for AGE

| AGE | Frequency | Percent of Total |
|-----|-----------|------------------|
| . | 9,178 | 0.11% |
| A | 42 | 0.00% |
| C | 863 | 0.01% |
| 0 | 984,369 | 12.07% |
| 1 | 36,655 | 0.45% |
| 2 | 33,363 | 0.41% |
| 3 | 15,794 | 0.19% |
| 4 | 13,484 | 0.17% |
| 5 | 11,965 | 0.15% |
| 6 | 11,046 | 0.14% |
| 7 | 16,580 | 0.20% |
| 8 | 10,325 | 0.13% |
| 9 | 11,872 | 0.15% |
| 10 | 9,904 | 0.12% |
| 11 | 10,264 | 0.13% |
| 12 | 16,969 | 0.21% |
| 13 | 12,774 | 0.16% |
| 14 | 15,842 | 0.19% |
| 15 | 21,045 | 0.26% |
| 16 | 36,588 | 0.45% |
| 17 | 39,263 | 0.48% |
| 18 | 48,962 | 0.60% |
| 19 | 69,752 | 0.85% |
| 20 | 63,128 | 0.77% |
| 21 | 64,251 | 0.79% |
| 22 | 106,793 | 1.31% |
| 23 | 69,096 | 0.85% |
| 24 | 71,748 | 0.88% |
| 25 | 74,818 | 0.92% |
| 26 | 80,037 | 0.98% |
| 27 | 120,315 | 1.47% |
| 28 | 82,382 | 1.01% |
| 29 | 80,567 | 0.99% |
| 30 | 79,085 | 0.97% |
| 31 | 89,715 | 1.10% |
| 32 | 107,016 | 1.31% |
| 33 | 71,199 | 0.87% |
| 34 | 68,113 | 0.83% |
| 35 | 67,319 | 0.83% |
| 36 | 66,712 | 0.82% |
| 37 | 94,902 | 1.16% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for AGE

| AGE | Frequency | Percent of Total |
|-----|-----------|------------------|
| 38 | 66,405 | 0.81% |
| 39 | 62,562 | 0.77% |
| 40 | 61,633 | 0.76% |
| 41 | 62,038 | 0.76% |
| 42 | 87,618 | 1.07% |
| 43 | 68,402 | 0.84% |
| 44 | 72,594 | 0.89% |
| 45 | 75,513 | 0.93% |
| 46 | 77,578 | 0.95% |
| 47 | 109,401 | 1.34% |
| 48 | 83,520 | 1.02% |
| 49 | 87,447 | 1.07% |
| 50 | 88,270 | 1.08% |
| 51 | 88,899 | 1.09% |
| 52 | 121,997 | 1.50% |
| 53 | 89,967 | 1.10% |
| 54 | 103,759 | 1.27% |
| 55 | 91,622 | 1.12% |
| 56 | 91,924 | 1.13% |
| 57 | 126,900 | 1.56% |
| 58 | 92,321 | 1.13% |
| 59 | 95,618 | 1.17% |
| 60 | 101,103 | 1.24% |
| 61 | 107,077 | 1.31% |
| 62 | 126,473 | 1.55% |
| 63 | 88,277 | 1.08% |
| 64 | 94,162 | 1.15% |
| 65 | 108,553 | 1.33% |
| 66 | 100,792 | 1.24% |
| 67 | 136,503 | 1.67% |
| 68 | 96,961 | 1.19% |
| 69 | 100,574 | 1.23% |
| 70 | 98,964 | 1.21% |
| 71 | 96,329 | 1.18% |
| 72 | 137,186 | 1.68% |
| 73 | 100,718 | 1.23% |
| 74 | 98,454 | 1.21% |
| 75 | 102,530 | 1.26% |
| 76 | 104,082 | 1.28% |
| 77 | 144,510 | 1.77% |
| 78 | 107,219 | 1.31% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for AGE

| AGE | Frequency | Percent of Total |
|-----|-----------|------------------|
| 79 | 105,864 | 1.30% |
| 80 | 106,654 | 1.31% |
| 81 | 106,286 | 1.30% |
| 82 | 139,758 | 1.71% |
| 83 | 102,079 | 1.25% |
| 84 | 98,051 | 1.20% |
| 85 | 91,130 | 1.12% |
| 86 | 86,404 | 1.06% |
| 87 | 103,938 | 1.27% |
| 88 | 68,766 | 0.84% |
| 89 | 57,407 | 0.70% |
| 90 | 63,853 | 0.78% |
| 91 | 41,082 | 0.50% |
| 92 | 34,087 | 0.42% |
| 93 | 28,112 | 0.34% |
| 94 | 22,125 | 0.27% |
| 95 | 16,324 | 0.20% |
| 96 | 12,048 | 0.15% |
| 97 | 8,299 | 0.10% |
| 98 | 5,896 | 0.07% |
| 99 | 3,737 | 0.05% |
| 100 | 2,409 | 0.03% |
| 101 | 1,456 | 0.02% |
| 102 | 832 | 0.01% |
| 103 | 525 | 0.01% |
| 104 | 286 | 0.00% |
| 105 | 150 | 0.00% |
| 106 | 91 | 0.00% |
| 107 | 91 | 0.00% |
| 108 | 55 | 0.00% |
| 109 | <= 10 | *.***% |
| 110 | <= 10 | *.***% |
| 111 | <= 10 | *.***% |
| 112 | <= 10 | *.***% |
| 113 | <= 10 | *.***% |
| 114 | 13 | 0.00% |
| 118 | <= 10 | *.***% |
| 120 | <= 10 | *.***% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for AGEDAY

| AGEDAY | Frequency | Percent of Total |
|------------------|-----------|------------------|
| .: Missing | 7,379,093 | 90.45% |
| .C: Inconsistent | 433 | 0.01% |
| 0 days | 697,758 | 8.55% |
| 1 day | 3,182 | 0.04% |
| 2 days | 1,616 | 0.02% |
| 3 days | 2,713 | 0.03% |
| 4 days | 2,656 | 0.03% |
| 5 days | 1,878 | 0.02% |
| 6 days | 1,123 | 0.01% |
| 7 days | 890 | 0.01% |
| 8 days | 624 | 0.01% |
| 9 days | 575 | 0.01% |
| 10 days | 533 | 0.01% |
| 11 - 30 days | 10,013 | 0.12% |
| 31 - 60 days | 12,155 | 0.15% |
| 61 - 90 days | 7,383 | 0.09% |
| 91 - 120 days | 5,521 | 0.07% |
| 121 - 150 days | 4,797 | 0.06% |
| 151 - 180 days | 4,233 | 0.05% |
| 181 - 210 days | 3,859 | 0.05% |
| 211 - 240 days | 3,659 | 0.04% |
| 241 - 270 days | 3,401 | 0.04% |
| 271 - 300 days | 3,382 | 0.04% |
| 301 - 330 days | 3,354 | 0.04% |
| 331 - 364 days | 3,550 | 0.04% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for AMONTH

| AMONTH | Frequency | Percent of Total |
|--------------|-----------|------------------|
| .: Missing | 760,998 | 9.33% |
| 1: January | 651,710 | 7.99% |
| 2: February | 625,041 | 7.66% |
| 3: March | 634,635 | 7.78% |
| 4: April | 616,559 | 7.56% |
| 5: May | 614,765 | 7.54% |
| 6: June | 600,906 | 7.37% |
| 7: July | 626,918 | 7.68% |
| 8: August | 609,795 | 7.47% |
| 9: September | 610,636 | 7.48% |
| 10: October | 620,353 | 7.60% |
| 11: November | 572,976 | 7.02% |
| 12: December | 613,089 | 7.51% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for ASOURCE

| ASOURCE | Frequency | Percent of Total |
|---|-----------|------------------|
| .: Missing | 5,234,380 | 64.16% |
| .A: Invalid | 34 | 0.00% |
| 1: Emergency department | 1,396,589 | 17.12% |
| 2: Another hospital | 98,047 | 1.20% |
| 3: Other health facility, including LTC | 38,809 | 0.48% |
| 4: Court/law enforcement | 2,505 | 0.03% |
| 5: Routine, birth, and other | 1,388,017 | 17.01% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for ASOURCEUB92

| ASOURCEUB92 | Frequency | Percent of Total |
|---|-----------|------------------|
| Blank/invalid | 6,299,516 | 77.22% |
| 1: Physician referral | 711,605 | 8.72% |
| 2: Clinic referral | 34,621 | 0.42% |
| 3: HMO referral | 1,594 | 0.02% |
| 4: Transfer from a hospital | 62,312 | 0.76% |
| 5: Transfer from a Skilled Nursing Facility | 11,108 | 0.14% |
| 6: Transfer from another health care facility | 10,423 | 0.13% |
| 7: Emergency Room | 1,023,744 | 12.55% |
| 8: Court/law enforcement | 1,561 | 0.02% |
| A: Transfer from a Critical Access Hospital | 110 | 0.00% |
| B: Transfer from another Home Health Agency | 30 | 0.00% |
| C: Readmission to same Home Health Agency | <= 10 | *.*** |
| D: Transfer within hospital | 1,747 | 0.02% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for ASOURCE_X

| ASOURCE_X | Frequency | Percent of Total |
|-----------|-----------|------------------|
| Blank | 5,206,486 | 63.82% |
| Non-blank | 2,951,895 | 36.18% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for ATYPE

| ATYPE | Frequency | Percent of Total |
|------------------|-----------|------------------|
| .: Missing | 888,974 | 10.90% |
| .A: Invalid | 54 | 0.00% |
| 1: Emergency | 3,427,300 | 42.01% |
| 2: Urgent | 1,303,165 | 15.97% |
| 3: Elective | 1,759,841 | 21.57% |
| 4: Newborn | 748,294 | 9.17% |
| 5: Trauma center | 25,703 | 0.32% |
| 6: Other | 5,050 | 0.06% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for AWEKEND

| AWEKEND | Frequency | Percent of Total |
|--------------------|-----------|------------------|
| .: Missing | <= 10 | *.**% |
| 0: Monday-Friday | 6,573,017 | 80.57% |
| 1: Saturday-Sunday | 1,585,363 | 19.43% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DIED

| DIED | Frequency | Percent of Total |
|----------------------------|-----------|------------------|
| .: Missing | 1,872 | 0.02% |
| .A: Invalid | 3,126 | 0.04% |
| 0: Did not die in hospital | 7,987,854 | 97.91% |
| 1: Died in hospital | 165,529 | 2.03% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DIS PUB04

| DIS PUB04 | Frequency | Percent of Total |
|--|-----------|------------------|
| .: Missing | 1,289,056 | 15.80% |
| .A: Invalid | 3,105 | 0.04% |
| 1: Routine | 4,933,722 | 60.47% |
| 2: Short-term hospital | 126,239 | 1.55% |
| 3: Skilled Nursing Facility | 573,951 | 7.04% |
| 4: Intermediate Care Facility | 52,272 | 0.64% |
| 5: Another type of health care institution not defined elsewhere | 27,713 | 0.34% |
| 6: Home health care | 662,203 | 8.12% |
| 7: Against medical advice | 63,856 | 0.78% |
| 8: Home IV provider | 1,084 | 0.01% |
| 20: Died in hospital | 138,189 | 1.69% |
| 40: Died at home | 93 | 0.00% |
| 41: Died in a medical facility | 383 | 0.00% |
| 42: Died, place unknown | <= 10 | *.*** |
| 43: Federal health facility | 3,255 | 0.04% |
| 50: Hospice - home | 38,130 | 0.47% |
| 51: Hospice - medical facility | 37,744 | 0.46% |
| 61: This institution to a swing bed | 20,624 | 0.25% |
| 62: Another rehab facility including distinct rehab units of a hospital | 108,217 | 1.33% |
| 63: Long term care hospital swing bed | 31,744 | 0.39% |
| 64: Nursing facility certified under Medicaid but not Medicare | 4,829 | 0.06% |
| 65: Psychiatric hospital or psychiatric distinct part unit of a hospital | 32,951 | 0.40% |
| 66: Critical Access Hospital | 479 | 0.01% |
| 70: Another type of health care institution not defined elsewhere | 7,397 | 0.09% |
| 71: Another institution for outpatient services | <= 10 | *.*** |
| 72: This institution for outpatient services | <= 10 | *.*** |
| 99: Discharged alive, destination unknown | 1,133 | 0.01% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DISPUNIFORM

| DISPUNIFORM | Frequency | Percent of Total |
|---|-----------|------------------|
| .: Missing | 1,872 | 0.02% |
| .A: Invalid | 3,126 | 0.04% |
| 1: Routine | 5,907,607 | 72.41% |
| 2: Transfer: short-term hospital | 178,321 | 2.19% |
| 5: Transfer: other type of facility | 1,021,985 | 12.53% |
| 6: Home health care | 800,750 | 9.82% |
| 7: Against medical advice | 75,436 | 0.92% |
| 20: Died in hospital | 165,529 | 2.03% |
| 99: Discharged alive, destination unknown | 3,755 | 0.05% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DQTR

| DQTR | Frequency | Percent of Total |
|-------------------|-----------|------------------|
| . | 16,870 | 0.21% |
| 1: First quarter | 2,093,300 | 25.66% |
| 2: Second quarter | 2,022,567 | 24.79% |
| 3: Third quarter | 2,023,046 | 24.80% |
| 4: Fourth quarter | 2,002,598 | 24.55% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|---|-----------|------------------|
| 1: CRANIOTOMY AGE >17 W CC | 13,246 | 0.16% |
| 2: CRANIOTOMY AGE >17 W/O CC | 9,702 | 0.12% |
| 3: CRANIOTOMY AGE 0-17 | 3,979 | 0.05% |
| 6: CARPAL TUNNEL RELEASE | 234 | 0.00% |
| 7: PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC | 6,379 | 0.08% |
| 8: PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W/O CC | 2,428 | 0.03% |
| 9: SPINAL DISORDERS & INJURIES | 1,255 | 0.02% |
| 10: NERVOUS SYSTEM NEOPLASMS W CC | 9,562 | 0.12% |
| 11: NERVOUS SYSTEM NEOPLASMS W/O CC | 2,459 | 0.03% |
| 12: DEGENERATIVE NERVOUS SYSTEM DISORDERS | 27,105 | 0.33% |
| 13: MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA | 5,377 | 0.07% |
| 14: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION | 98,863 | 1.21% |
| 15: NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT | 5,090 | 0.06% |
| 16: NONSPECIFIC CEREBROVASCULAR DISORDERS W CC | 8,369 | 0.10% |
| 17: NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC | 2,278 | 0.03% |
| 18: CRANIAL & PERIPHERAL NERVE DISORDERS W CC | 15,789 | 0.19% |
| 19: CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC | 6,452 | 0.08% |
| 21: VIRAL MENINGITIS | 6,845 | 0.08% |
| 22: HYPERTENSIVE ENCEPHALOPATHY | 1,954 | 0.02% |
| 23: NONTRAUMATIC STUPOR & COMA | 3,576 | 0.04% |
| 26: SEIZURE & HEADACHE AGE 0-17 | 13,403 | 0.16% |
| 27: TRAUMATIC STUPOR & COMA, COMA >1 HR | 5,574 | 0.07% |
| 28: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC | 10,131 | 0.12% |
| 29: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W/O CC | 5,268 | 0.06% |
| 30: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17 | 2,237 | 0.03% |
| 31: CONCUSSION AGE >17 W CC | 4,089 | 0.05% |
| 32: CONCUSSION AGE >17 W/O CC | 2,815 | 0.03% |
| 33: CONCUSSION AGE 0-17 | 1,448 | 0.02% |
| 34: OTHER DISORDERS OF NERVOUS SYSTEM W CC | 13,369 | 0.16% |
| 35: OTHER DISORDERS OF NERVOUS SYSTEM W/O CC | 7,168 | 0.09% |
| 36: RETINAL PROCEDURES | 120 | 0.00% |
| 37: ORBITAL PROCEDURES | 1,129 | 0.01% |
| 38: PRIMARY IRIS PROCEDURES | 28 | 0.00% |
| 39: LENS PROCEDURES WITH OR WITHOUT VITRECTOMY | 81 | 0.00% |
| 40: EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17 | 546 | 0.01% |
| 41: EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17 | 167 | 0.00% |
| 42: INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS | 743 | 0.01% |
| 43: HYPHEMA | 110 | 0.00% |
| 44: ACUTE MAJOR EYE INFECTIONS | 1,638 | 0.02% |
| 45: NEUROLOGICAL EYE DISORDERS | 2,046 | 0.03% |
| 46: OTHER DISORDERS OF THE EYE AGE >17 W CC | 1,766 | 0.02% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 47: OTHER DISORDERS OF THE EYE AGE >17 W/O CC | 1,137 | 0.01% |
| 48: OTHER DISORDERS OF THE EYE AGE 0-17 | 900 | 0.01% |
| 49: MAJOR HEAD & NECK PROCEDURES | 1,639 | 0.02% |
| 50: SIALOADENECTOMY | 1,209 | 0.01% |
| 51: SALIVARY GLAND PROCEDURES EXCEPT SIALOADENECTOMY | 163 | 0.00% |
| 52: CLEFT LIP & PALATE REPAIR | 1,018 | 0.01% |
| 53: SINUS & MASTOID PROCEDURES AGE >17 | 1,296 | 0.02% |
| 54: SINUS & MASTOID PROCEDURES AGE 0-17 | 227 | 0.00% |
| 55: MISCELLANEOUS EAR, NOSE, MOUTH & THROAT PROCEDURES | 1,428 | 0.02% |
| 56: RHINOPLASTY | 453 | 0.01% |
| 57: T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17 | 1,838 | 0.02% |
| 58: T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17 | 817 | 0.01% |
| 59: TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17 | 348 | 0.00% |
| 60: TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17 | 1,882 | 0.02% |
| 61: MYRINGOTOMY W TUBE INSERTION AGE >17 | 217 | 0.00% |
| 62: MYRINGOTOMY W TUBE INSERTION AGE 0-17 | 1,504 | 0.02% |
| 63: OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES | 5,601 | 0.07% |
| 64: EAR, NOSE, MOUTH & THROAT MALIGNANCY | 1,854 | 0.02% |
| 65: DYSEQUILIBRIUM | 16,160 | 0.20% |
| 66: EPISTAXIS | 3,102 | 0.04% |
| 67: EPIGLOTTITIS | 407 | 0.00% |
| 68: OTITIS MEDIA & URI AGE >17 W CC | 8,743 | 0.11% |
| 69: OTITIS MEDIA & URI AGE >17 W/O CC | 4,984 | 0.06% |
| 70: OTITIS MEDIA & URI AGE 0-17 | 9,135 | 0.11% |
| 71: LARYNGOTRACHEITIS | 2,279 | 0.03% |
| 72: NASAL TRAUMA & DEFORMITY | 1,183 | 0.01% |
| 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 | 5,838 | 0.07% |
| 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17 | 1,670 | 0.02% |
| 75: MAJOR CHEST PROCEDURES | 25,032 | 0.31% |
| 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC | 20,015 | 0.25% |
| 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC | 1,712 | 0.02% |
| 78: PULMONARY EMBOLISM | 28,254 | 0.35% |
| 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC | 54,389 | 0.67% |
| 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC | 3,605 | 0.04% |
| 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 | 2,515 | 0.03% |
| 82: RESPIRATORY NEOPLASMS | 24,443 | 0.30% |
| 83: MAJOR CHEST TRAUMA W CC | 4,326 | 0.05% |
| 84: MAJOR CHEST TRAUMA W/O CC | 1,130 | 0.01% |
| 85: PLEURAL EFFUSION W CC | 9,373 | 0.11% |
| 86: PLEURAL EFFUSION W/O CC | 825 | 0.01% |
| 87: PULMONARY EDEMA & RESPIRATORY FAILURE | 46,219 | 0.57% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|---|-----------|------------------|
| 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 166,659 | 2.04% |
| 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC | 155,539 | 1.91% |
| 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC | 21,673 | 0.27% |
| 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 | 29,159 | 0.36% |
| 92: INTERSTITIAL LUNG DISEASE W CC | 6,592 | 0.08% |
| 93: INTERSTITIAL LUNG DISEASE W/O CC | 801 | 0.01% |
| 94: PNEUMOTHORAX W CC | 7,975 | 0.10% |
| 95: PNEUMOTHORAX W/O CC | 4,076 | 0.05% |
| 96: BRONCHITIS & ASTHMA AGE >17 W CC | 27,002 | 0.33% |
| 97: BRONCHITIS & ASTHMA AGE >17 W/O CC | 20,403 | 0.25% |
| 98: BRONCHITIS & ASTHMA AGE 0-17 | 46,761 | 0.57% |
| 99: RESPIRATORY SIGNS & SYMPTOMS W CC | 8,937 | 0.11% |
| 100: RESPIRATORY SIGNS & SYMPTOMS W/O CC | 5,312 | 0.07% |
| 101: OTHER RESPIRATORY SYSTEM DIAGNOSES W CC | 11,426 | 0.14% |
| 102: OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC | 4,508 | 0.06% |
| 103: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM | 796 | 0.01% |
| 104: CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W CARDIAC CATH | 6,739 | 0.08% |
| 105: CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH | 14,416 | 0.18% |
| 106: CORONARY BYPASS W PTCA | 1,600 | 0.02% |
| 108: OTHER CARDIOTHORACIC PROCEDURES | 6,060 | 0.07% |
| 110: MAJOR CARDIOVASCULAR PROCEDURES W CC | 22,438 | 0.28% |
| 111: MAJOR CARDIOVASCULAR PROCEDURES W/O CC | 5,693 | 0.07% |
| 113: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE | 8,155 | 0.10% |
| 114: UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS | 2,438 | 0.03% |
| 117: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT | 2,932 | 0.04% |
| 118: CARDIAC PACEMAKER DEVICE REPLACEMENT | 2,192 | 0.03% |
| 119: VEIN LIGATION & STRIPPING | 349 | 0.00% |
| 120: OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 8,127 | 0.10% |
| 121: CIRCULATORY DISORDERS W AMI & MAJOR COMP, DISCHARGED ALIVE | 41,333 | 0.51% |
| 122: CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE | 21,522 | 0.26% |
| 123: CIRCULATORY DISORDERS W AMI, EXPIRED | 6,382 | 0.08% |
| 124: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG | 40,616 | 0.50% |
| 125: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG | 44,270 | 0.54% |
| 126: ACUTE & SUBACUTE ENDOCARDITIS | 2,378 | 0.03% |
| 127: HEART FAILURE & SHOCK | 190,628 | 2.34% |
| 128: DEEP VEIN THROMBOPHLEBITIS | 1,130 | 0.01% |
| 129: CARDIAC ARREST, UNEXPLAINED | 1,380 | 0.02% |
| 130: PERIPHERAL VASCULAR DISORDERS W CC | 34,124 | 0.42% |
| 131: PERIPHERAL VASCULAR DISORDERS W/O CC | 11,541 | 0.14% |
| 132: ATHEROSCLEROSIS W CC | 23,144 | 0.28% |
| 133: ATHEROSCLEROSIS W/O CC | 2,657 | 0.03% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|---|-----------|------------------|
| 134: HYPERTENSION | 21,430 | 0.26% |
| 135: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC | 2,693 | 0.03% |
| 136: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W/O CC | 481 | 0.01% |
| 137: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17 | 632 | 0.01% |
| 138: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC | 79,280 | 0.97% |
| 139: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC | 39,458 | 0.48% |
| 140: ANGINA PECTORIS | 9,678 | 0.12% |
| 141: SYNCOPE & COLLAPSE W CC | 45,074 | 0.55% |
| 142: SYNCOPE & COLLAPSE W/O CC | 23,149 | 0.28% |
| 143: CHEST PAIN | 123,844 | 1.52% |
| 144: OTHER CIRCULATORY SYSTEM DIAGNOSES W CC | 42,616 | 0.52% |
| 145: OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC | 4,333 | 0.05% |
| 146: RECTAL RESECTION W CC | 4,287 | 0.05% |
| 147: RECTAL RESECTION W/O CC | 2,047 | 0.03% |
| 149: MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC | 16,966 | 0.21% |
| 150: PERITONEAL ADHESIOLYSIS W CC | 11,872 | 0.15% |
| 151: PERITONEAL ADHESIOLYSIS W/O CC | 6,179 | 0.08% |
| 152: MINOR SMALL & LARGE BOWEL PROCEDURES W CC | 2,929 | 0.04% |
| 153: MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC | 2,555 | 0.03% |
| 155: STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W/O CC | 5,140 | 0.06% |
| 156: STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 0-17 | 3,198 | 0.04% |
| 157: ANAL & STOMAL PROCEDURES W CC | 4,347 | 0.05% |
| 158: ANAL & STOMAL PROCEDURES W/O CC | 4,249 | 0.05% |
| 159: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC | 8,435 | 0.10% |
| 160: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC | 8,729 | 0.11% |
| 161: INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC | 3,099 | 0.04% |
| 162: INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W/O CC | 2,452 | 0.03% |
| 163: HERNIA PROCEDURES AGE 0-17 | 891 | 0.01% |
| 164: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC | 5,947 | 0.07% |
| 165: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC | 8,817 | 0.11% |
| 166: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC | 7,489 | 0.09% |
| 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC | 37,798 | 0.46% |
| 168: MOUTH PROCEDURES W CC | 1,280 | 0.02% |
| 169: MOUTH PROCEDURES W/O CC | 1,315 | 0.02% |
| 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC | 7,896 | 0.10% |
| 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC | 2,143 | 0.03% |
| 172: DIGESTIVE MALIGNANCY W CC | 13,757 | 0.17% |
| 173: DIGESTIVE MALIGNANCY W/O CC | 1,258 | 0.02% |
| 174: G.I. HEMORRHAGE W CC | 84,049 | 1.03% |
| 175: G.I. HEMORRHAGE W/O CC | 14,405 | 0.18% |
| 176: COMPLICATED PEPTIC ULCER | 5,814 | 0.07% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 177: UNCOMPLICATED PEPTIC ULCER W CC | 3,316 | 0.04% |
| 178: UNCOMPLICATED PEPTIC ULCER W/O CC | 1,831 | 0.02% |
| 179: INFLAMMATORY BOWEL DISEASE | 17,141 | 0.21% |
| 180: G.I. OBSTRUCTION W CC | 35,312 | 0.43% |
| 181: G.I. OBSTRUCTION W/O CC | 17,986 | 0.22% |
| 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC | 114,277 | 1.40% |
| 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC | 66,225 | 0.81% |
| 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 | 19,236 | 0.24% |
| 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 | 4,989 | 0.06% |
| 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 | 1,352 | 0.02% |
| 187: DENTAL EXTRACTIONS & RESTORATIONS | 721 | 0.01% |
| 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC | 35,600 | 0.44% |
| 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC | 9,571 | 0.12% |
| 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 | 2,999 | 0.04% |
| 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC | 6,976 | 0.09% |
| 192: PANCREAS, LIVER & SHUNT PROCEDURES W/O CC | 1,616 | 0.02% |
| 193: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC | 1,604 | 0.02% |
| 194: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC | 364 | 0.00% |
| 195: CHOLECYSTECTOMY W C.D.E. W CC | 924 | 0.01% |
| 196: CHOLECYSTECTOMY W C.D.E. W/O CC | 486 | 0.01% |
| 197: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC | 5,878 | 0.07% |
| 198: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC | 2,775 | 0.03% |
| 199: HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY | 701 | 0.01% |
| 200: HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY | 582 | 0.01% |
| 201: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES | 1,244 | 0.02% |
| 202: CIRRHOSIS & ALCOHOLIC HEPATITIS | 19,779 | 0.24% |
| 203: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS | 14,140 | 0.17% |
| 204: DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 54,653 | 0.67% |
| 205: DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W CC | 21,891 | 0.27% |
| 206: DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA W/O CC | 2,850 | 0.03% |
| 207: DISORDERS OF THE BILIARY TRACT W CC | 17,167 | 0.21% |
| 208: DISORDERS OF THE BILIARY TRACT W/O CC | 8,449 | 0.10% |
| 210: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC | 38,949 | 0.48% |
| 211: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC | 10,525 | 0.13% |
| 212: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17 | 3,216 | 0.04% |
| 213: AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS | 3,210 | 0.04% |
| 216: BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE | 7,008 | 0.09% |
| 217: WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCSKELET & CONN TISS DIS | 8,139 | 0.10% |
| 218: LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W CC | 16,804 | 0.21% |
| 219: LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W/O CC | 23,556 | 0.29% |
| 220: LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 0-17 | 4,471 | 0.05% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 223: MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W CC | 4,880 | 0.06% |
| 224: SHOULDER,ELBOW OR FOREARM PROC,EXC MAJOR JOINT PROC, W/O CC | 6,708 | 0.08% |
| 225: FOOT PROCEDURES | 4,957 | 0.06% |
| 226: SOFT TISSUE PROCEDURES W CC | 4,699 | 0.06% |
| 227: SOFT TISSUE PROCEDURES W/O CC | 5,301 | 0.06% |
| 228: MAJOR THUMB OR JOINT PROC,OR OTH HAND OR WRIST PROC W CC | 1,805 | 0.02% |
| 229: HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC | 2,257 | 0.03% |
| 230: LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR | 1,488 | 0.02% |
| 232: ARTHROSCOPY | 196 | 0.00% |
| 233: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC | 8,030 | 0.10% |
| 234: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC | 5,041 | 0.06% |
| 235: FRACTURES OF FEMUR | 2,068 | 0.03% |
| 236: FRACTURES OF HIP & PELVIS | 14,524 | 0.18% |
| 237: SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH | 823 | 0.01% |
| 238: OSTEOMYELITIS | 5,332 | 0.07% |
| 239: PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY | 12,097 | 0.15% |
| 240: CONNECTIVE TISSUE DISORDERS W CC | 6,723 | 0.08% |
| 241: CONNECTIVE TISSUE DISORDERS W/O CC | 2,578 | 0.03% |
| 242: SEPTIC ARTHRITIS | 1,617 | 0.02% |
| 243: MEDICAL BACK PROBLEMS | 45,216 | 0.55% |
| 244: BONE DISEASES & SPECIFIC ARTHROPATHIES W CC | 5,886 | 0.07% |
| 245: BONE DISEASES & SPECIFIC ARTHROPATHIES W/O CC | 2,791 | 0.03% |
| 246: NON-SPECIFIC ARTHROPATHIES | 692 | 0.01% |
| 247: SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE | 9,752 | 0.12% |
| 248: TENDONITIS, MYOSITIS & BURSITIS | 11,862 | 0.15% |
| 249: AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE | 7,805 | 0.10% |
| 250: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W CC | 2,010 | 0.02% |
| 251: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W/O CC | 1,577 | 0.02% |
| 252: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 0-17 | 701 | 0.01% |
| 253: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W CC | 8,813 | 0.11% |
| 254: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W/O CC | 5,690 | 0.07% |
| 255: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE 0-17 | 989 | 0.01% |
| 256: OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES | 4,693 | 0.06% |
| 257: TOTAL MASTECTOMY FOR MALIGNANCY W CC | 6,323 | 0.08% |
| 258: TOTAL MASTECTOMY FOR MALIGNANCY W/O CC | 8,031 | 0.10% |
| 259: SUBTOTAL MASTECTOMY FOR MALIGNANCY W CC | 1,023 | 0.01% |
| 260: SUBTOTAL MASTECTOMY FOR MALIGNANCY W/O CC | 886 | 0.01% |
| 261: BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION | 2,061 | 0.03% |
| 262: BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY | 477 | 0.01% |
| 263: SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W CC | 7,588 | 0.09% |
| 264: SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W/O CC | 2,880 | 0.04% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 265: SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W CC | 2,072 | 0.03% |
| 266: SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/O CC | 2,215 | 0.03% |
| 267: PERIANAL & PILONIDAL PROCEDURES | 421 | 0.01% |
| 268: SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES | 1,328 | 0.02% |
| 269: OTHER SKIN, SUBCUT TISS & BREAST PROC W CC | 6,566 | 0.08% |
| 270: OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC | 4,028 | 0.05% |
| 271: SKIN ULCERS | 8,559 | 0.10% |
| 272: MAJOR SKIN DISORDERS W CC | 2,509 | 0.03% |
| 273: MAJOR SKIN DISORDERS W/O CC | 977 | 0.01% |
| 274: MALIGNANT BREAST DISORDERS W CC | 1,416 | 0.02% |
| 275: MALIGNANT BREAST DISORDERS W/O CC | 231 | 0.00% |
| 276: NON-MALIGNANT BREAST DISORDERS | 2,247 | 0.03% |
| 277: CELLULITIS AGE >17 W CC | 60,975 | 0.75% |
| 278: CELLULITIS AGE >17 W/O CC | 38,191 | 0.47% |
| 279: CELLULITIS AGE 0-17 | 13,098 | 0.16% |
| 280: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W CC | 7,680 | 0.09% |
| 281: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O CC | 4,260 | 0.05% |
| 282: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17 | 1,025 | 0.01% |
| 283: MINOR SKIN DISORDERS W CC | 3,829 | 0.05% |
| 284: MINOR SKIN DISORDERS W/O CC | 2,840 | 0.03% |
| 285: AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DISORDERS | 4,423 | 0.05% |
| 286: ADRENAL & PITUITARY PROCEDURES | 3,682 | 0.05% |
| 287: SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS | 2,260 | 0.03% |
| 288: O.R. PROCEDURES FOR OBESITY | 26,517 | 0.33% |
| 289: PARATHYROID PROCEDURES | 3,057 | 0.04% |
| 290: THYROID PROCEDURES | 12,650 | 0.16% |
| 291: THYROGLOSSAL PROCEDURES | 168 | 0.00% |
| 292: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC | 3,387 | 0.04% |
| 293: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC | 344 | 0.00% |
| 294: DIABETES AGE >35 | 50,893 | 0.62% |
| 295: DIABETES AGE 0-35 | 20,035 | 0.25% |
| 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC | 75,838 | 0.93% |
| 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC | 24,605 | 0.30% |
| 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17 | 17,864 | 0.22% |
| 299: INBORN ERRORS OF METABOLISM | 1,792 | 0.02% |
| 300: ENDOCRINE DISORDERS W CC | 10,245 | 0.13% |
| 301: ENDOCRINE DISORDERS W/O CC | 3,814 | 0.05% |
| 302: KIDNEY TRANSPLANT | 3,737 | 0.05% |
| 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM | 11,038 | 0.14% |
| 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC | 8,278 | 0.10% |
| 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC | 6,134 | 0.08% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|---|-----------|------------------|
| 306: PROSTATECTOMY W CC | 1,444 | 0.02% |
| 307: PROSTATECTOMY W/O CC | 473 | 0.01% |
| 308: MINOR BLADDER PROCEDURES W CC | 1,534 | 0.02% |
| 309: MINOR BLADDER PROCEDURES W/O CC | 1,380 | 0.02% |
| 310: TRANSURETHRAL PROCEDURES W CC | 11,870 | 0.15% |
| 311: TRANSURETHRAL PROCEDURES W/O CC | 3,897 | 0.05% |
| 312: URETHRAL PROCEDURES, AGE >17 W CC | 431 | 0.01% |
| 313: URETHRAL PROCEDURES, AGE >17 W/O CC | 376 | 0.00% |
| 314: URETHRAL PROCEDURES, AGE 0-17 | 64 | 0.00% |
| 315: OTHER KIDNEY & URINARY TRACT PROCEDURES | 10,069 | 0.12% |
| 316: RENAL FAILURE | 99,995 | 1.23% |
| 317: ADMIT FOR RENAL DIALYSIS | 891 | 0.01% |
| 318: KIDNEY & URINARY TRACT NEOPLASMS W CC | 2,567 | 0.03% |
| 319: KIDNEY & URINARY TRACT NEOPLASMS W/O CC | 296 | 0.00% |
| 320: KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC | 82,976 | 1.02% |
| 321: KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC | 22,166 | 0.27% |
| 322: KIDNEY & URINARY TRACT INFECTIONS AGE 0-17 | 9,238 | 0.11% |
| 323: URINARY STONES W CC, &/OR ESW LITHOTRIPSY | 16,294 | 0.20% |
| 324: URINARY STONES W/O CC | 5,701 | 0.07% |
| 325: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W CC | 3,410 | 0.04% |
| 326: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W/O CC | 1,206 | 0.01% |
| 327: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17 | 207 | 0.00% |
| 328: URETHRAL STRICTURE AGE >17 W CC | 218 | 0.00% |
| 329: URETHRAL STRICTURE AGE >17 W/O CC | 33 | 0.00% |
| 330: URETHRAL STRICTURE AGE 0-17 | 11 | 0.00% |
| 331: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC | 23,028 | 0.28% |
| 332: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC | 2,557 | 0.03% |
| 333: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17 | 1,553 | 0.02% |
| 334: MAJOR MALE PELVIC PROCEDURES W CC | 5,147 | 0.06% |
| 335: MAJOR MALE PELVIC PROCEDURES W/O CC | 14,507 | 0.18% |
| 336: TRANSURETHRAL PROSTATECTOMY W CC | 6,247 | 0.08% |
| 337: TRANSURETHRAL PROSTATECTOMY W/O CC | 6,030 | 0.07% |
| 338: TESTES PROCEDURES, FOR MALIGNANCY | 297 | 0.00% |
| 339: TESTES PROCEDURES, NON-MALIGNANCY AGE >17 | 783 | 0.01% |
| 340: TESTES PROCEDURES, NON-MALIGNANCY AGE 0-17 | 381 | 0.00% |
| 341: PENIS PROCEDURES | 1,496 | 0.02% |
| 342: CIRCUMCISION AGE >17 | 112 | 0.00% |
| 343: CIRCUMCISION AGE 0-17 | 65 | 0.00% |
| 344: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY | 558 | 0.01% |
| 345: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXCEPT FOR MALIGNANCY | 490 | 0.01% |
| 346: MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W CC | 1,232 | 0.02% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|---|-----------|------------------|
| 347: MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W/O CC | 155 | 0.00% |
| 348: BENIGN PROSTATIC HYPERTROPHY W CC | 1,379 | 0.02% |
| 349: BENIGN PROSTATIC HYPERTROPHY W/O CC | 215 | 0.00% |
| 350: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM | 5,155 | 0.06% |
| 352: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES | 883 | 0.01% |
| 353: PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY | 2,528 | 0.03% |
| 354: UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC | 4,023 | 0.05% |
| 355: UTERINE,ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC | 5,013 | 0.06% |
| 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 10,698 | 0.13% |
| 357: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY | 4,061 | 0.05% |
| 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC | 28,139 | 0.34% |
| 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC | 80,091 | 0.98% |
| 360: VAGINA, CERVIX & VULVA PROCEDURES | 6,847 | 0.08% |
| 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION | 664 | 0.01% |
| 362: ENDOSCOPIC TUBAL INTERRUPTION | 29 | 0.00% |
| 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY | 1,311 | 0.02% |
| 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY | 1,656 | 0.02% |
| 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES | 1,721 | 0.02% |
| 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC | 2,774 | 0.03% |
| 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC | 463 | 0.01% |
| 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM | 5,818 | 0.07% |
| 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS | 7,621 | 0.09% |
| 370: CESAREAN SECTION W CC | 73,326 | 0.90% |
| 371: CESAREAN SECTION W/O CC | 210,443 | 2.58% |
| 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES | 70,595 | 0.87% |
| 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES | 491,768 | 6.03% |
| 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C | 20,984 | 0.26% |
| 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C | 407 | 0.00% |
| 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE | 11,861 | 0.15% |
| 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE | 2,660 | 0.03% |
| 378: ECTOPIC PREGNANCY | 5,425 | 0.07% |
| 379: THREATENED ABORTION | 16,197 | 0.20% |
| 380: ABORTION W/O D&C | 4,074 | 0.05% |
| 381: ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 3,940 | 0.05% |
| 382: FALSE LABOR | 1,527 | 0.02% |
| 383: OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS | 44,326 | 0.54% |
| 384: OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS | 9,306 | 0.11% |
| 385: NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 15,506 | 0.19% |
| 386: EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 18,019 | 0.22% |
| 387: PREMATURITY W MAJOR PROBLEMS | 15,165 | 0.19% |
| 388: PREMATURITY W/O MAJOR PROBLEMS | 43,056 | 0.53% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 389: FULL TERM NEONATE W MAJOR PROBLEMS | 35,605 | 0.44% |
| 390: NEONATE W OTHER SIGNIFICANT PROBLEMS | 144,004 | 1.77% |
| 391: NORMAL NEWBORN | 632,853 | 7.76% |
| 392: SPLENECTOMY AGE >17 | 1,433 | 0.02% |
| 393: SPLENECTOMY AGE 0-17 | 191 | 0.00% |
| 394: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS | 2,064 | 0.03% |
| 395: RED BLOOD CELL DISORDERS AGE >17 | 55,697 | 0.68% |
| 396: RED BLOOD CELL DISORDERS AGE 0-17 | 4,300 | 0.05% |
| 397: COAGULATION DISORDERS | 7,743 | 0.09% |
| 398: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC | 4,077 | 0.05% |
| 399: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC | 2,523 | 0.03% |
| 401: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC | 2,738 | 0.03% |
| 402: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC | 941 | 0.01% |
| 403: LYMPHOMA & NON-ACUTE LEUKEMIA W CC | 9,497 | 0.12% |
| 404: LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC | 2,042 | 0.03% |
| 405: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17 | 1,055 | 0.01% |
| 406: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W CC | 1,489 | 0.02% |
| 407: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W/O CC | 526 | 0.01% |
| 408: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R.PROC | 1,271 | 0.02% |
| 409: RADIOTHERAPY | 816 | 0.01% |
| 410: CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS | 28,946 | 0.35% |
| 411: HISTORY OF MALIGNANCY W/O ENDOSCOPY | 11 | 0.00% |
| 412: HISTORY OF MALIGNANCY W ENDOSCOPY | <= 10 | *.*** |
| 413: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC | 2,464 | 0.03% |
| 414: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC | 425 | 0.01% |
| 417: SEPTICEMIA AGE 0-17 | 2,824 | 0.03% |
| 418: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS | 21,855 | 0.27% |
| 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC | 5,990 | 0.07% |
| 420: FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC | 1,766 | 0.02% |
| 421: VIRAL ILLNESS AGE >17 | 7,590 | 0.09% |
| 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 | 9,798 | 0.12% |
| 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES | 6,054 | 0.07% |
| 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS | 636 | 0.01% |
| 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 8,552 | 0.10% |
| 426: DEPRESSIVE NEUROSES | 22,735 | 0.28% |
| 427: NEUROSES EXCEPT DEPRESSIVE | 7,341 | 0.09% |
| 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL | 2,782 | 0.03% |
| 429: ORGANIC DISTURBANCES & MENTAL RETARDATION | 12,428 | 0.15% |
| 430: PSYCHOSES | 218,568 | 2.68% |
| 431: CHILDHOOD MENTAL DISORDERS | 5,307 | 0.07% |
| 432: OTHER MENTAL DISORDER DIAGNOSES | 716 | 0.01% |

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 10,036 | 0.12% |
| 439: SKIN GRAFTS FOR INJURIES | 1,620 | 0.02% |
| 440: WOUND DEBRIDEMENTS FOR INJURIES | 2,846 | 0.03% |
| 441: HAND PROCEDURES FOR INJURIES | 1,492 | 0.02% |
| 442: OTHER O.R. PROCEDURES FOR INJURIES W CC | 10,402 | 0.13% |
| 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC | 5,004 | 0.06% |
| 444: TRAUMATIC INJURY AGE >17 W CC | 2,586 | 0.03% |
| 445: TRAUMATIC INJURY AGE >17 W/O CC | 2,117 | 0.03% |
| 446: TRAUMATIC INJURY AGE 0-17 | 666 | 0.01% |
| 447: ALLERGIC REACTIONS AGE >17 | 4,399 | 0.05% |
| 448: ALLERGIC REACTIONS AGE 0-17 | 446 | 0.01% |
| 449: POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC | 41,875 | 0.51% |
| 450: POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O CC | 12,770 | 0.16% |
| 451: POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17 | 4,857 | 0.06% |
| 452: COMPLICATIONS OF TREATMENT W CC | 14,768 | 0.18% |
| 453: COMPLICATIONS OF TREATMENT W/O CC | 4,933 | 0.06% |
| 454: OTHER INJURY, POISONING & TOXIC EFFECT DIAG W CC | 3,044 | 0.04% |
| 455: OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O CC | 1,533 | 0.02% |
| 461: O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES | 5,272 | 0.06% |
| 462: REHABILITATION | 82,169 | 1.01% |
| 463: SIGNS & SYMPTOMS W CC | 25,774 | 0.32% |
| 464: SIGNS & SYMPTOMS W/O CC | 8,701 | 0.11% |
| 465: AFTERCARE W HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS | 430 | 0.01% |
| 466: AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS | 4,227 | 0.05% |
| 467: OTHER FACTORS INFLUENCING HEALTH STATUS | 5,206 | 0.06% |
| 468: EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 25,524 | 0.31% |
| 469: PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 43 | 0.00% |
| 470: UNGROUPABLE | 7,576 | 0.09% |
| 471: BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY | 7,696 | 0.09% |
| 473: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17 | 4,897 | 0.06% |
| 476: PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 674 | 0.01% |
| 477: NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 12,314 | 0.15% |
| 479: OTHER VASCULAR PROCEDURES W/O CC | 11,607 | 0.14% |
| 480: LIVER TRANSPLANT AND/OR INTESTINAL TRANSPLANT | 1,637 | 0.02% |
| 481: BONE MARROW TRANSPLANT | 3,457 | 0.04% |
| 482: TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSES | 3,054 | 0.04% |
| 484: CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 671 | 0.01% |
| 485: LIMB REATTACHMENT, HIP & FEMUR PROC FOR MULTIPLE SIGNIFICANT TRAUMA | 3,009 | 0.04% |
| 486: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA | 6,049 | 0.07% |
| 487: OTHER MULTIPLE SIGNIFICANT TRAUMA | 6,332 | 0.08% |
| 488: HIV W EXTENSIVE O.R. PROCEDURE | 602 | 0.01% |

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 489: HIV W MAJOR RELATED CONDITION | 12,257 | 0.15% |
| 490: HIV W OR W/O OTHER RELATED CONDITION | 3,232 | 0.04% |
| 491: MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITY | 9,907 | 0.12% |
| 492: CHEMO W ACUTE LEUKEMIA AS SDX OR W USE OF HIGH DOSE CHEMO AGENT | 7,051 | 0.09% |
| 493: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC | 33,628 | 0.41% |
| 494: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC | 33,400 | 0.41% |
| 495: LUNG TRANSPLANT | 329 | 0.00% |
| 496: COMBINED ANTERIOR/POSTERIOR SPINAL FUSION | 5,327 | 0.07% |
| 497: SPINAL FUSION EXCEPT CERVICAL W CC | 18,305 | 0.22% |
| 498: SPINAL FUSION EXCEPT CERVICAL W/O CC | 24,491 | 0.30% |
| 499: BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W CC | 12,764 | 0.16% |
| 500: BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC | 29,550 | 0.36% |
| 501: KNEE PROCEDURES W PDX OF INFECTION W CC | 1,443 | 0.02% |
| 502: KNEE PROCEDURES W PDX OF INFECTION W/O CC | 656 | 0.01% |
| 503: KNEE PROCEDURES W/O PDX OF INFECTION | 5,228 | 0.06% |
| 504: EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W SKIN GRAFT | 237 | 0.00% |
| 505: EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W/O SKIN GRAFT | 114 | 0.00% |
| 506: FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC OR SIG TRAUMA | 799 | 0.01% |
| 507: FULL THICKNESS BURN W SKIN GRFT OR INHAL INJ W/O CC OR SIG TRAUMA | 655 | 0.01% |
| 508: FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ W CC OR SIG TRAUMA | 350 | 0.00% |
| 509: FULL THICKNESS BURN W/O SKIN GRFT OR INH INJ W/O CC OR SIG TRAUMA | 380 | 0.00% |
| 510: NON-EXTENSIVE BURNS W CC OR SIGNIFICANT TRAUMA | 1,260 | 0.02% |
| 511: NON-EXTENSIVE BURNS W/O CC OR SIGNIFICANT TRAUMA | 2,118 | 0.03% |
| 512: SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 169 | 0.00% |
| 513: PANCREAS TRANSPLANT | 115 | 0.00% |
| 515: CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH | 15,717 | 0.19% |
| 518: PERCUTANEOUS CARDIOVASC PROC W/O CORONARY ARTERY STENT OR AMI | 14,956 | 0.18% |
| 519: CERVICAL SPINAL FUSION W CC | 8,692 | 0.11% |
| 520: CERVICAL SPINAL FUSION W/O CC | 22,923 | 0.28% |
| 521: ALCOHOL/DRUG ABUSE OR DEPENDENCE W CC | 33,289 | 0.41% |
| 522: ALCOHOL/DRUG ABUSE OR DEPENDENCE W REHABILITATION THERAPY W/O CC | 5,781 | 0.07% |
| 523: ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY W/O CC | 38,732 | 0.47% |
| 524: TRANSIENT ISCHEMIA | 39,273 | 0.48% |
| 525: OTHER HEART ASSIST SYSTEM IMPLANT | 110 | 0.00% |
| 528: INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE | 1,996 | 0.02% |
| 529: VENTRICULAR SHUNT PROCEDURES W CC | 2,184 | 0.03% |
| 530: VENTRICULAR SHUNT PROCEDURES W/O CC | 1,136 | 0.01% |
| 531: SPINAL PROCEDURES W CC | 3,756 | 0.05% |
| 532: SPINAL PROCEDURES W/O CC | 3,836 | 0.05% |
| 533: EXTRACRANIAL PROCEDURES W CC | 12,187 | 0.15% |
| 534: EXTRACRANIAL PROCEDURES W/O CC | 12,386 | 0.15% |

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 535: CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK | 3,217 | 0.04% |
| 536: CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK | 3,306 | 0.04% |
| 537: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXCEPT HIP & FEMUR W CC | 5,178 | 0.06% |
| 538: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXCEPT HIP & FEMUR W/O CC | 5,001 | 0.06% |
| 539: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W CC | 2,256 | 0.03% |
| 540: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W/O CC | 1,452 | 0.02% |
| 541: ECMO OR TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK W MAJ O.R. | 12,820 | 0.16% |
| 542: TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK W/O MAJ O.R. | 10,320 | 0.13% |
| 543: CRANIOTOMY W MAJOR DEVICE IMPLANT OR ACUTE COMPLEX CNS PDX | 3,685 | 0.05% |
| 544: MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY | 198,209 | 2.43% |
| 545: REVISION OF HIP OR KNEE REPLACEMENT | 19,282 | 0.24% |
| 546: SPINAL FUSION EXC CERV WITH CURVATURE OF THE SPINE OR MALIG | 3,709 | 0.05% |
| 547: CORONARY BYPASS W CARDIAC CATH W MAJOR CV DX | 11,580 | 0.14% |
| 548: CORONARY BYPASS W CARDIAC CATH W/O MAJOR CV DX | 10,046 | 0.12% |
| 549: CORONARY BYPASS W/O CARDIAC CATH W MAJOR CV DX | 5,017 | 0.06% |
| 550: CORONARY BYPASS W/O CARDIAC CATH W/O MAJOR CV DX | 12,654 | 0.16% |
| 551: PERMANENT CARDIAC PACEMAKER IMPL W MAJ CV DX OR AICD LEAD OR GNRTR | 13,705 | 0.17% |
| 552: OTHER PERMANENT CARDIAC PACEMAKER IMPLANT W/O MAJOR CV DX | 22,193 | 0.27% |
| 553: OTHER VASCULAR PROCEDURES W CC W MAJOR CV DX | 12,111 | 0.15% |
| 554: OTHER VASCULAR PROCEDURES W CC W/O MAJOR CV DX | 24,890 | 0.31% |
| 555: PERCUTANEOUS CARDIOVASCULAR PROC W MAJOR CV DX | 34,416 | 0.42% |
| 556: PERCUTANEOUS CARDIOVASC PROC W NON-DRUG-ELUTING STENT W/O MAJ CV DX | 16,128 | 0.20% |
| 557: PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W MAJOR CV DX | 41,286 | 0.51% |
| 558: PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W/O MAJ CV DX | 52,234 | 0.64% |
| 559: ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT | 2,520 | 0.03% |
| 560: BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM | 3,084 | 0.04% |
| 561: NON-BACTERIAL INFECTIONS OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS | 2,725 | 0.03% |
| 562: SEIZURE AGE >17 W CC | 26,466 | 0.32% |
| 563: SEIZURE AGE >17 W/O CC | 17,278 | 0.21% |
| 564: HEADACHES AGE >17 | 16,766 | 0.21% |
| 565: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 19,667 | 0.24% |
| 566: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 32,924 | 0.40% |
| 567: STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W CC W MAJOR GI DX | 4,726 | 0.06% |
| 568: STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W CC W/O MAJOR GI DX | 7,526 | 0.09% |
| 569: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC W MAJOR GI DX | 28,892 | 0.35% |
| 570: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC W/O MAJOR GI DX | 29,415 | 0.36% |
| 571: MAJOR ESOPHAGEAL DISORDERS | 6,481 | 0.08% |
| 572: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS | 32,211 | 0.39% |
| 573: MAJOR BLADDER PROCEDURES | 3,572 | 0.04% |
| 574: MAJOR HEMATOLOGIC/IMMUNOLOGIC DIAG EXC SICKLE CELL CRISIS & COAGUL | 16,512 | 0.20% |
| 575: SEPTICEMIA W MV 96+ HOURS AGE >17 | 10,359 | 0.13% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRG24

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 576: SEPTICEMIA W/O MV 96+ HOURS AGE >17 | 128,701 | 1.58% |
| 577: CAROTID ARTERY STENT PROCEDURE | 3,214 | 0.04% |
| 578: INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE | 19,138 | 0.23% |
| 579: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROCEDURE | 11,586 | 0.14% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DRGVER

| DRGVER | Frequency | Percent of Total |
|--------|-----------|------------------|
| 25 | 6,155,783 | 75.45% |
| 26 | 2,002,598 | 24.55% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DX1

| DX1 | Frequency | Percent of Total |
|------------------------|-----------|------------------|
| Blank | 1,368 | 0.02% |
| Valid DX | 8,155,685 | 99.97% |
| Inconsistent DX (incn) | 568 | 0.01% |
| Invalid DX (invl) | 760 | 0.01% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent of Total |
|---|-----------|------------------|
| .: Missing | 1,368 | 0.02% |
| A: Invalid diagnosis | 760 | 0.01% |
| C: Inconsistent | 568 | 0.01% |
| 1: Tuberculosis | 1,481 | 0.02% |
| 2: Septicemia (except in labor) | 161,243 | 1.98% |
| 3: Bacterial infection; unspecified site | 1,804 | 0.02% |
| 4: Mycoses | 5,588 | 0.07% |
| 5: HIV infection | 12,604 | 0.15% |
| 6: Hepatitis | 7,625 | 0.09% |
| 7: Viral infection | 16,585 | 0.20% |
| 8: Other infections; including parasitic | 4,098 | 0.05% |
| 9: Sexually transmitted infections (not HIV or hepatitis) | 950 | 0.01% |
| 10: Immunizations and screening for infectious disease | 285 | 0.00% |
| 11: Cancer of head and neck | 6,815 | 0.08% |
| 12: Cancer of esophagus | 2,647 | 0.03% |
| 13: Cancer of stomach | 5,054 | 0.06% |
| 14: Cancer of colon | 22,186 | 0.27% |
| 15: Cancer of rectum and anus | 9,444 | 0.12% |
| 16: Cancer of liver and intrahepatic bile duct | 4,746 | 0.06% |
| 17: Cancer of pancreas | 7,899 | 0.10% |
| 18: Cancer of other GI organs; peritoneum | 4,761 | 0.06% |
| 19: Cancer of bronchus; lung | 31,074 | 0.38% |
| 20: Cancer; other respiratory and intrathoracic | 501 | 0.01% |
| 21: Cancer of bone and connective tissue | 3,538 | 0.04% |
| 22: Melanomas of skin | 858 | 0.01% |
| 23: Other non-epithelial cancer of skin | 1,426 | 0.02% |
| 24: Cancer of breast | 18,920 | 0.23% |
| 25: Cancer of uterus | 8,666 | 0.11% |
| 26: Cancer of cervix | 4,520 | 0.06% |
| 27: Cancer of ovary | 5,561 | 0.07% |
| 28: Cancer of other female genital organs | 1,511 | 0.02% |
| 29: Cancer of prostate | 22,067 | 0.27% |
| 30: Cancer of testis | 454 | 0.01% |
| 31: Cancer of other male genital organs | 226 | 0.00% |
| 32: Cancer of bladder | 8,260 | 0.10% |
| 33: Cancer of kidney and renal pelvis | 10,270 | 0.13% |
| 34: Cancer of other urinary organs | 725 | 0.01% |
| 35: Cancer of brain and nervous system | 7,804 | 0.10% |
| 36: Cancer of thyroid | 6,301 | 0.08% |
| 37: Hodgkin`s disease | 1,081 | 0.01% |
| 38: Non-Hodgkin`s lymphoma | 9,181 | 0.11% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent of Total |
|---|-----------|------------------|
| 39: Leukemias | 9,201 | 0.11% |
| 40: Multiple myeloma | 3,908 | 0.05% |
| 41: Cancer; other and unspecified primary | 1,729 | 0.02% |
| 42: Secondary malignancies | 50,158 | 0.61% |
| 43: Malignant neoplasm without specification of site | 1,408 | 0.02% |
| 44: Neoplasms of unspecified nature or uncertain behavior | 10,933 | 0.13% |
| 45: Maintenance chemotherapy; radiotherapy | 37,467 | 0.46% |
| 46: Benign neoplasm of uterus | 39,046 | 0.48% |
| 47: Other and unspecified benign neoplasm | 34,825 | 0.43% |
| 48: Thyroid disorders | 10,323 | 0.13% |
| 49: Diabetes mellitus without complication | 4,262 | 0.05% |
| 50: Diabetes mellitus with complications | 106,273 | 1.30% |
| 51: Other endocrine disorders | 11,947 | 0.15% |
| 52: Nutritional deficiencies | 2,661 | 0.03% |
| 53: Disorders of lipid metabolism | 199 | 0.00% |
| 54: Gout and other crystal arthropathies | 3,684 | 0.05% |
| 55: Fluid and electrolyte disorders | 106,391 | 1.30% |
| 56: Cystic fibrosis | 3,109 | 0.04% |
| 57: Immunity disorders | 349 | 0.00% |
| 58: Other nutritional; endocrine; and metabolic disorders | 40,543 | 0.50% |
| 59: Deficiency and other anemia | 44,049 | 0.54% |
| 60: Acute posthemorrhagic anemia | 4,053 | 0.05% |
| 61: Sickle cell anemia | 15,567 | 0.19% |
| 62: Coagulation and hemorrhagic disorders | 8,769 | 0.11% |
| 63: Diseases of white blood cells | 14,004 | 0.17% |
| 64: Other hematologic conditions | 1,146 | 0.01% |
| 76: Meningitis (except that caused by tuberculosis or sexually transmitted disease) | 9,060 | 0.11% |
| 77: Encephalitis (except that caused by tuberculosis or sexually transmitted disease) | 2,060 | 0.03% |
| 78: Other CNS infection and poliomyelitis | 1,855 | 0.02% |
| 79: Parkinson`s disease | 2,789 | 0.03% |
| 80: Multiple sclerosis | 4,771 | 0.06% |
| 81: Other hereditary and degenerative nervous system conditions | 9,207 | 0.11% |
| 82: Paralysis | 1,752 | 0.02% |
| 83: Epilepsy; convulsions | 56,828 | 0.70% |
| 84: Headache; including migraine | 16,136 | 0.20% |
| 85: Coma; stupor; and brain damage | 4,507 | 0.06% |
| 86: Cataract | 51 | 0.00% |
| 87: Retinal detachments; defects; vascular occlusion; and retinopathy | 1,028 | 0.01% |
| 88: Glaucoma | 175 | 0.00% |
| 89: Blindness and vision defects | 1,154 | 0.01% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent of Total |
|--|-----------|------------------|
| 90: Inflammation; infection of eye (except that caused by tuberculosis or sexually transmitted disease) | 3,962 | 0.05% |
| 91: Other eye disorders | 1,511 | 0.02% |
| 92: Otitis media and related conditions | 2,909 | 0.04% |
| 93: Conditions associated with dizziness or vertigo | 16,419 | 0.20% |
| 94: Other ear and sense organ disorders | 1,861 | 0.02% |
| 95: Other nervous system disorders | 48,896 | 0.60% |
| 96: Heart valve disorders | 19,689 | 0.24% |
| 97: Peri-; endo-; and myocarditis; cardiomyopathy (except that caused by tuberculosis or sexually transmitted disease) | 16,402 | 0.20% |
| 98: Essential hypertension | 15,225 | 0.19% |
| 99: Hypertension with complications and secondary hypertension | 47,239 | 0.58% |
| 100: Acute myocardial infarction | 131,380 | 1.61% |
| 101: Coronary atherosclerosis and other heart disease | 187,663 | 2.30% |
| 102: Nonspecific chest pain | 148,634 | 1.82% |
| 103: Pulmonary heart disease | 36,316 | 0.45% |
| 104: Other and ill-defined heart disease | 1,427 | 0.02% |
| 105: Conduction disorders | 14,777 | 0.18% |
| 106: Cardiac dysrhythmias | 162,384 | 1.99% |
| 107: Cardiac arrest and ventricular fibrillation | 3,473 | 0.04% |
| 108: Congestive heart failure; nonhypertensive | 207,928 | 2.55% |
| 109: Acute cerebrovascular disease | 115,103 | 1.41% |
| 110: Occlusion or stenosis of precerebral arteries | 29,557 | 0.36% |
| 111: Other and ill-defined cerebrovascular disease | 6,029 | 0.07% |
| 112: Transient cerebral ischemia | 39,634 | 0.49% |
| 113: Late effects of cerebrovascular disease | 3,998 | 0.05% |
| 114: Peripheral and visceral atherosclerosis | 41,305 | 0.51% |
| 115: Aortic; peripheral; and visceral artery aneurysms | 19,356 | 0.24% |
| 116: Aortic and peripheral arterial embolism or thrombosis | 6,734 | 0.08% |
| 117: Other circulatory disease | 29,894 | 0.37% |
| 118: Phlebitis; thrombophlebitis and thromboembolism | 35,323 | 0.43% |
| 119: Varicose veins of lower extremity | 832 | 0.01% |
| 120: Hemorrhoids | 7,011 | 0.09% |
| 121: the diseases of veins and lymphatics | 5,567 | 0.07% |
| 122: Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 235,635 | 2.89% |
| 123: Influenza | 9,488 | 0.12% |
| 124: Acute and chronic tonsillitis | 6,653 | 0.08% |
| 125: Acute bronchitis | 36,912 | 0.45% |
| 126: Other upper respiratory infections | 15,496 | 0.19% |
| 127: Chronic obstructive pulmonary disease and bronchiectasis | 145,701 | 1.79% |
| 128: Asthma | 84,080 | 1.03% |
| 129: Aspiration pneumonitis; food/vomitus | 41,404 | 0.51% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

| DXCCS1 | Frequency | Percent of Total |
|---|-----------|------------------|
| 130: Pleurisy; pneumothorax; pulmonary collapse | 24,646 | 0.30% |
| 131: Respiratory failure; insufficiency; arrest (adult) | 88,354 | 1.08% |
| 132: Lung disease due to external agents | 1,500 | 0.02% |
| 133: Other lower respiratory disease | 28,584 | 0.35% |
| 134: Other upper respiratory disease | 9,772 | 0.12% |
| 135: Intestinal infection | 47,862 | 0.59% |
| 136: Disorders of teeth and jaw | 5,405 | 0.07% |
| 137: Diseases of mouth; excluding dental | 4,620 | 0.06% |
| 138: Esophageal disorders | 29,989 | 0.37% |
| 139: Gastroduodenal ulcer (except hemorrhage) | 9,057 | 0.11% |
| 140: Gastritis and duodenitis | 22,995 | 0.28% |
| 141: Other disorders of stomach and duodenum | 14,841 | 0.18% |
| 142: Appendicitis and other appendiceal conditions | 63,550 | 0.78% |
| 143: Abdominal hernia | 39,332 | 0.48% |
| 144: Regional enteritis and ulcerative colitis | 21,211 | 0.26% |
| 145: Intestinal obstruction without hernia | 70,754 | 0.87% |
| 146: Diverticulosis and diverticulitis | 65,100 | 0.80% |
| 147: Anal and rectal conditions | 10,398 | 0.13% |
| 148: Peritonitis and intestinal abscess | 5,888 | 0.07% |
| 149: Biliary tract disease | 97,902 | 1.20% |
| 151: Other liver diseases | 25,327 | 0.31% |
| 152: Pancreatic disorders (not diabetes) | 63,245 | 0.78% |
| 153: Gastrointestinal hemorrhage | 76,481 | 0.94% |
| 154: Noninfectious gastroenteritis | 30,799 | 0.38% |
| 155: Other gastrointestinal disorders | 44,337 | 0.54% |
| 156: Nephritis; nephrosis; renal sclerosis | 1,805 | 0.02% |
| 157: Acute and unspecified renal failure | 86,604 | 1.06% |
| 158: Chronic renal failure | 4,104 | 0.05% |
| 159: Urinary tract infections | 118,008 | 1.45% |
| 160: Calculus of urinary tract | 34,732 | 0.43% |
| 161: Other diseases of kidney and ureters | 9,851 | 0.12% |
| 162: Other diseases of bladder and urethra | 5,247 | 0.06% |
| 163: Genitourinary symptoms and ill-defined conditions | 7,442 | 0.09% |
| 164: Hyperplasia of prostate | 13,560 | 0.17% |
| 165: Inflammatory conditions of male genital organs | 5,435 | 0.07% |
| 166: Other male genital disorders | 2,585 | 0.03% |
| 167: Nonmalignant breast conditions | 4,265 | 0.05% |
| 168: Inflammatory diseases of female pelvic organs | 9,110 | 0.11% |
| 169: Endometriosis | 10,076 | 0.12% |
| 170: Prolapse of female genital organs | 26,825 | 0.33% |
| 171: Menstrual disorders | 22,292 | 0.27% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for DXCCS1

| DXCCS1 | Frequency | Percent of Total |
|---|-----------|------------------|
| 172: Ovarian cyst | 9,669 | 0.12% |
| 173: Menopausal disorders | 2,123 | 0.03% |
| 174: Female infertility | 39 | 0.00% |
| 175: Other female genital disorders | 15,020 | 0.18% |
| 176: Contraceptive and procreative management | 164 | 0.00% |
| 177: Spontaneous abortion | 3,328 | 0.04% |
| 178: Induced abortion | 1,040 | 0.01% |
| 179: Postabortion complications | 465 | 0.01% |
| 180: Ectopic pregnancy | 5,425 | 0.07% |
| 181: Other complications of pregnancy | 105,938 | 1.30% |
| 182: Hemorrhage during pregnancy; abruptio placenta; placenta previa | 11,003 | 0.13% |
| 183: Hypertension complicating pregnancy; childbirth and the puerperium | 46,994 | 0.58% |
| 184: Early or threatened labor | 43,778 | 0.54% |
| 185: Prolonged pregnancy | 53,656 | 0.66% |
| 186: Diabetes or abnormal glucose tolerance complicating pregnancy; childbirth; or the puerperium | 20,361 | 0.25% |
| 187: Malposition; malpresentation | 34,637 | 0.42% |
| 188: Fetopelvic disproportion; obstruction | 19,217 | 0.24% |
| 189: Previous C-section | 109,957 | 1.35% |
| 190: Fetal distress and abnormal forces of labor | 45,734 | 0.56% |
| 191: Polyhydramnios and other problems of amniotic cavity | 38,093 | 0.47% |
| 192: Umbilical cord complication | 41,541 | 0.51% |
| 193: OB-related trauma to perineum and vulva | 168,654 | 2.07% |
| 194: Forceps delivery | 4,399 | 0.05% |
| 195: Other complications of birth; puerperium affecting management of mother | 149,923 | 1.84% |
| 196: Normal pregnancy and/or delivery | 57,567 | 0.71% |
| 197: Skin and subcutaneous tissue infections | 126,131 | 1.55% |
| 198: Other inflammatory condition of skin | 2,377 | 0.03% |
| 199: Chronic ulcer of skin | 14,584 | 0.18% |
| 200: Other skin disorders | 2,780 | 0.03% |
| 201: Infective arthritis and osteomyelitis (except that caused by tuberculosis or sexually transmitted disease) | 17,073 | 0.21% |
| 202: Rheumatoid arthritis and related disease | 3,608 | 0.04% |
| 203: Osteoarthritis | 186,221 | 2.28% |
| 204: Other non-traumatic joint disorders | 9,573 | 0.12% |
| 205: Spondylosis; intervertebral disc disorders; other back problems | 135,069 | 1.66% |
| 206: Osteoporosis | 91 | 0.00% |
| 207: Pathological fracture | 15,857 | 0.19% |
| 208: Acquired foot deformities | 1,528 | 0.02% |
| 209: Other acquired deformities | 11,236 | 0.14% |
| 210: Systemic lupus erythematosus and connective tissue disorders | 4,296 | 0.05% |
| 211: Other connective tissue disease | 29,315 | 0.36% |

For more information about the coding of HCUP data elements,
please refer to the section on Description of Data Elements.

| DXCCS1 | Frequency | Percent of Total |
|--|-----------|------------------|
| 212: Other bone disease and musculoskeletal deformities | 19,046 | 0.23% |
| 213: Cardiac and circulatory congenital anomalies | 8,523 | 0.10% |
| 214: Digestive congenital anomalies | 4,557 | 0.06% |
| 215: Genitourinary congenital anomalies | 2,445 | 0.03% |
| 216: Nervous system congenital anomalies | 1,858 | 0.02% |
| 217: Other congenital anomalies | 10,561 | 0.13% |
| 218: Liveborn | 876,599 | 10.74% |
| 219: Short gestation; low birth weight; and fetal growth retardation | 4,031 | 0.05% |
| 220: Intrauterine hypoxia and birth asphyxia | 236 | 0.00% |
| 221: Respiratory distress syndrome | 1,802 | 0.02% |
| 222: Hemolytic jaundice and perinatal jaundice | 8,475 | 0.10% |
| 223: Birth trauma | 129 | 0.00% |
| 224: Other perinatal conditions | 13,714 | 0.17% |
| 225: Joint disorders and dislocations; trauma-related | 6,645 | 0.08% |
| 226: Fracture of neck of femur (hip) | 64,360 | 0.79% |
| 227: Spinal cord injury | 2,621 | 0.03% |
| 228: Skull and face fractures | 10,762 | 0.13% |
| 229: Fracture of upper limb | 31,879 | 0.39% |
| 230: Fracture of lower limb | 53,807 | 0.66% |
| 231: Other fractures | 44,902 | 0.55% |
| 232: Sprains and strains | 7,464 | 0.09% |
| 233: Intracranial injury | 39,820 | 0.49% |
| 234: Crushing injury or internal injury | 21,594 | 0.26% |
| 235: Open wounds of head; neck; and trunk | 7,199 | 0.09% |
| 236: Open wounds of extremities | 8,639 | 0.11% |
| 237: Complication of device; implant or graft | 140,149 | 1.72% |
| 238: Complications of surgical procedures or medical care | 105,418 | 1.29% |
| 239: Superficial injury; contusion | 9,685 | 0.12% |
| 240: Burns | 6,215 | 0.08% |
| 241: Poisoning by psychotropic agents | 18,371 | 0.23% |
| 242: Poisoning by other medications and drugs | 29,878 | 0.37% |
| 243: Poisoning by nonmedicinal substances | 3,723 | 0.05% |
| 244: Other injuries and conditions due to external causes | 20,450 | 0.25% |
| 245: Syncope | 56,040 | 0.69% |
| 246: Fever of unknown origin | 15,009 | 0.18% |
| 247: Lymphadenitis | 3,766 | 0.05% |
| 248: Gangrene | 7,614 | 0.09% |
| 249: Shock | 442 | 0.01% |
| 250: Nausea and vomiting | 9,662 | 0.12% |
| 251: Abdominal pain | 37,941 | 0.47% |
| 252: Malaise and fatigue | 6,739 | 0.08% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| DXCCS1 | Frequency | Percent of Total |
|--|-----------|------------------|
| 253: Allergic reactions | 5,460 | 0.07% |
| 254: Rehabilitation care; fitting of prostheses; and adjustment of devices | 83,632 | 1.03% |
| 255: Administrative/social admission | 462 | 0.01% |
| 256: Medical examination/evaluation | 2,548 | 0.03% |
| 257: Other aftercare | 7,158 | 0.09% |
| 258: Other screening for suspected conditions (not mental disorders or infectious disease) | 544 | 0.01% |
| 259: Residual codes; unclassified | 25,246 | 0.31% |
| 650: Adjustment disorders | 7,459 | 0.09% |
| 651: Anxiety disorders | 8,196 | 0.10% |
| 652: Attention-deficit, conduct, and disruptive behavior disorders | 3,723 | 0.05% |
| 653: Delirium, dementia, and amnestic and other cognitive disorders | 27,470 | 0.34% |
| 654: Developmental disorders | 528 | 0.01% |
| 655: Disorders usually diagnosed in infancy, childhood, or adolescence | 876 | 0.01% |
| 656: Impulse control disorders, NEC | 2,487 | 0.03% |
| 657: Mood disorders | 166,906 | 2.05% |
| 658: Personality disorders | 859 | 0.01% |
| 659: Schizophrenia and other psychotic disorders | 72,173 | 0.88% |
| 660: Alcohol-related disorders | 52,806 | 0.65% |
| 661: Substance-related disorders | 46,432 | 0.57% |
| 662: Suicide and intentional self-inflicted injury | 106 | 0.00% |
| 663: Screening and history of mental health and substance abuse codes | 16,165 | 0.20% |
| 670: Miscellaneous disorders | 9,382 | 0.11% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for ECODE1

| ECODE1 | Frequency | Percent of Total |
|-------------------|-----------|------------------|
| Blank | 6,960,878 | 85.32% |
| Valid DX | 1,191,350 | 14.60% |
| Invalid DX (invl) | 6,153 | 0.08% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for ELECTIVE

| ELECTIVE | Frequency | Percent of Total |
|---------------------------|-----------|------------------|
| .: Missing | 25,519 | 0.31% |
| .A: Invalid | 54 | 0.00% |
| 0: Non-elective admission | 6,189,151 | 75.86% |
| 1: Elective admission | 1,943,657 | 23.82% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for E_CCS1

| E_CCS1 | Frequency | Percent of Total |
|--|-----------|------------------|
| .: Missing | 6,960,878 | 85.32% |
| A: Invalid diagnosis | 6,153 | 0.08% |
| 662: Suicide and intentional self-inflicted injury | 43,136 | 0.53% |
| 2601: E Codes: Cut/pierceb | 9,813 | 0.12% |
| 2602: E Codes: Drowning/submersion | 657 | 0.01% |
| 2603: E Codes: Fall | 251,555 | 3.08% |
| 2604: E Codes: Fire/burn | 7,054 | 0.09% |
| 2605: E Codes: Firearm | 5,062 | 0.06% |
| 2606: E Codes: Machinery | 2,428 | 0.03% |
| 2607: E Codes: Motor vehicle traffic (MVT) | 52,155 | 0.64% |
| 2608: E Codes: Pedal cyclist; not MVT | 3,934 | 0.05% |
| 2609: E Codes: Pedestrian; not MVT | 591 | 0.01% |
| 2610: E Codes: Transport; not MVT | 9,868 | 0.12% |
| 2611: E Codes: Natural/environment | 13,905 | 0.17% |
| 2612: E Codes: Overexertion | 8,250 | 0.10% |
| 2613: E Codes: Poisoning | 37,784 | 0.46% |
| 2614: E Codes: Struck by; against | 19,536 | 0.24% |
| 2615: E Codes: Suffocation | 4,650 | 0.06% |
| 2616: E Codes: Adverse effects of medical care | 289,393 | 3.55% |
| 2617: E Codes: Adverse effects of medical drugs | 330,265 | 4.05% |
| 2618: E Codes: Other specified and classifiable | 29,471 | 0.36% |
| 2619: E Codes: Other specified; NEC | 15,349 | 0.19% |
| 2620: E Codes: Unspecified | 39,243 | 0.48% |
| 2621: E Codes: Place of occurrence | 17,251 | 0.21% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for FEMALE

| FEMALE | Frequency | Percent of Total |
|------------------|-----------|------------------|
| .: Missing | 22,156 | 0.27% |
| .A: Invalid | 35 | 0.00% |
| .C: Inconsistent | 511 | 0.01% |
| 0: Male | 3,371,390 | 41.32% |
| 1: Female | 4,764,289 | 58.40% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for HCUP_ED

| HCUP_ED | Frequency | Percent of Total |
|---|-----------|------------------|
| 0: Record does not meet any HCUP Emergency Department criteria | 4,115,801 | 50.45% |
| 1: Emergency Department revenue code on record | 2,219,687 | 27.21% |
| 2: Positive Emergency Department charge (when revenue center codes are not available) | 757,763 | 9.29% |
| 3: Emergency Department CPT procedure code on record | 2,845 | 0.03% |
| 4: Emergency Department admission source | 1,062,285 | 13.02% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for HOSPST

| HOSPST | Frequency | Percent of Total |
|--------|-----------|------------------|
| AR | 131,851 | 1.62% |
| AZ | 196,002 | 2.40% |
| CA | 865,219 | 10.61% |
| CO | 146,016 | 1.79% |
| CT | 103,641 | 1.27% |
| FL | 741,145 | 9.08% |
| GA | 236,324 | 2.90% |
| HI | 14,628 | 0.18% |
| IA | 65,816 | 0.81% |
| IL | 363,340 | 4.45% |
| IN | 206,787 | 2.53% |
| KS | 65,368 | 0.80% |
| KY | 121,265 | 1.49% |
| LA | 134,634 | 1.65% |
| MA | 210,299 | 2.58% |
| MD | 196,452 | 2.41% |
| ME | 18,881 | 0.23% |
| MI | 206,490 | 2.53% |
| MN | 155,766 | 1.91% |
| MO | 192,988 | 2.37% |
| NC | 254,324 | 3.12% |
| NE | 47,346 | 0.58% |
| NH | 21,500 | 0.26% |
| NJ | 249,926 | 3.06% |
| NV | 61,365 | 0.75% |
| NY | 520,630 | 6.38% |
| OH | 368,308 | 4.51% |
| OK | 113,592 | 1.39% |
| OR | 99,093 | 1.21% |
| PA | 394,590 | 4.84% |
| RI | 37,446 | 0.46% |
| SC | 126,705 | 1.55% |
| SD | 4,590 | 0.06% |
| TN | 258,085 | 3.16% |
| TX | 605,794 | 7.43% |
| UT | 83,235 | 1.02% |
| VA | 174,775 | 2.14% |
| VT | 6,462 | 0.08% |
| WA | 111,765 | 1.37% |
| WI | 156,898 | 1.92% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for HOSPST

| HOSPST | Frequency | Percent of Total |
|--------|-----------|------------------|
| WV | 80,983 | 0.99% |
| WY | 8,057 | 0.10% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for LOS

| LOS | Frequency | Percent of Total |
|------------------|-----------|------------------|
| .: Missing | <= 10 | *.***% |
| .C: Inconsistent | 448 | 0.01% |
| 0 days | 157,164 | 1.93% |
| 1 day | 1,302,360 | 15.96% |
| 2 days | 2,038,294 | 24.98% |
| 3 days | 1,458,799 | 17.88% |
| 4 days | 867,513 | 10.63% |
| 5 days | 539,484 | 6.61% |
| 6 days | 381,947 | 4.68% |
| 7 days | 292,692 | 3.59% |
| 8 days | 208,628 | 2.56% |
| 9 days | 150,096 | 1.84% |
| 10 days | 116,359 | 1.43% |
| 11 - 30 days | 568,077 | 6.96% |
| 31 - 60 days | 60,635 | 0.74% |
| 61 - 90 days | 10,043 | 0.12% |
| 91 - 120 days | 3,171 | 0.04% |
| 121 - 150 days | 1,223 | 0.01% |
| 151 - 180 days | 576 | 0.01% |
| 181 - 210 days | 313 | 0.00% |
| 211 - 240 days | 189 | 0.00% |
| 241 - 270 days | 159 | 0.00% |
| 271 - 300 days | 90 | 0.00% |
| 301 - 330 days | 62 | 0.00% |
| 331 - 365 days | 50 | 0.00% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for MDC24

| MDC24 | Frequency | Percent of Total |
|--|-----------|------------------|
| 0: PRINCIPAL DX CAN NOT BE ASSIGNED TO MDC | 7,576 | 0.09% |
| 1: DISEASES & DISORDERS OF THE NERVOUS SYSTEM | 457,580 | 5.61% |
| 2: DISEASES & DISORDERS OF THE EYE | 10,681 | 0.13% |
| 3: DISEASES & DISORDERS OF THE EAR, NOSE, MOUTH & THROAT | 88,387 | 1.08% |
| 4: DISEASES & DISORDERS OF THE RESPIRATORY SYSTEM | 805,759 | 9.88% |
| 5: DISEASES & DISORDERS OF THE CIRCULATORY SYSTEM | 1,209,109 | 14.82% |
| 6: DISEASES & DISORDERS OF THE DIGESTIVE SYSTEM | 715,002 | 8.76% |
| 7: DISEASES & DISORDERS OF THE HEPATOBILIARY SYSTEM & PANCREAS | 232,306 | 2.85% |
| 8: DISEASES & DISORDERS OF THE MUSCULOSKELETAL SYSTEM & CONN TISSUE | 697,174 | 8.55% |
| 9: DISEASES & DISORDERS OF THE SKIN, SUBCUTANEOUS TISSUE & BREAST | 196,556 | 2.41% |
| 10: ENDOCRINE, NUTRITIONAL & METABOLIC DISEASES & DISORDERS | 265,770 | 3.26% |
| 11: DISEASES & DISORDERS OF THE KIDNEY & URINARY TRACT | 340,164 | 4.17% |
| 12: DISEASES & DISORDERS OF THE MALE REPRODUCTIVE SYSTEM | 45,495 | 0.56% |
| 13: DISEASES & DISORDERS OF THE FEMALE REPRODUCTIVE SYSTEM | 164,162 | 2.01% |
| 14: PREGNANCY, CHILDBIRTH & THE PUERPERIUM | 967,305 | 11.86% |
| 15: NEWBORNS & OTHER NEONATES WITH CONDTN ORIG IN PERINATAL PERIOD | 904,492 | 11.09% |
| 16: DISEASES & DISORDERS OF BLOOD, BLOOD FORMING ORGANS, IMMUNOLOG DISOR | 96,569 | 1.18% |
| 17: MYELOPROLIFERATIVE DISEASES & DISORDERS, POORLY DIFFERENTIATED NEOPL | 70,943 | 0.87% |
| 18: INFECTIOUS & PARASITIC DISEASES, SYSTEMIC OR UNSPECIFIED SITES | 228,482 | 2.80% |
| 19: MENTAL DISEASES & DISORDERS | 279,080 | 3.42% |
| 20: ALCOHOL/DRUG USE & ALCOHOL/DRUG INDUCED ORGANIC MENTAL DISORDERS | 88,177 | 1.08% |
| 21: INJURIES, POISONINGS & TOXIC EFFECTS OF DRUGS | 117,423 | 1.44% |
| 22: BURNS | 6,089 | 0.07% |
| 23: FACTORS INFLUENCING HLTH STAT & OTHR CONTACTS WITH HLTH SERVCS | 131,808 | 1.62% |
| 24: MULTIPLE SIGNIFICANT TRAUMA | 16,093 | 0.20% |
| 25: HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 16,199 | 0.20% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for MNUM1_R

| MNUM1_R | Frequency | Percent of Total |
|------------|-----------|------------------|
| .: Missing | 3,305,706 | 40.52% |
| Valid | 4,852,675 | 59.48% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for MDNUM2_R

| MDNUM2_R | Frequency | Percent of Total |
|------------|-----------|------------------|
| .: Missing | 5,158,510 | 63.23% |
| Valid | 2,999,871 | 36.77% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for NDX

| NDX | Frequency | Percent of Total |
|-----|-----------|------------------|
| 0 | 1,357 | 0.02% |
| 1 | 469,983 | 5.76% |
| 2 | 819,246 | 10.04% |
| 3 | 758,587 | 9.30% |
| 4 | 708,803 | 8.69% |
| 5 | 666,645 | 8.17% |
| 6 | 608,954 | 7.46% |
| 7 | 564,183 | 6.92% |
| 8 | 529,107 | 6.49% |
| 9 | 999,515 | 12.25% |
| 10 | 333,539 | 4.09% |
| 11 | 282,234 | 3.46% |
| 12 | 238,278 | 2.92% |
| 13 | 220,417 | 2.70% |
| 14 | 186,206 | 2.28% |
| 15 | 298,304 | 3.66% |
| 16 | 85,918 | 1.05% |
| 17 | 70,506 | 0.86% |
| 18 | 93,457 | 1.15% |
| 19 | 40,102 | 0.49% |
| 20 | 38,214 | 0.47% |
| 21 | 30,527 | 0.37% |
| 22 | 21,091 | 0.26% |
| 23 | 18,740 | 0.23% |
| 24 | 18,088 | 0.22% |
| 25 | 31,473 | 0.39% |
| 26 | 4,480 | 0.05% |
| 27 | 4,045 | 0.05% |
| 28 | 3,594 | 0.04% |
| 29 | 4,424 | 0.05% |
| 30 | 6,338 | 0.08% |
| 31 | 1,888 | 0.02% |
| 32 | 25 | 0.00% |
| 33 | 15 | 0.00% |
| 34 | 22 | 0.00% |
| 35 | 11 | 0.00% |
| 36 | 11 | 0.00% |
| 37 | <= 10 | *.***% |
| 38 | <= 10 | *.***% |
| 39 | <= 10 | *.***% |
| 40 | <= 10 | *.***% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for NDX

| NDX | Frequency | Percent of Total |
|-----|-----------|------------------|
| 41 | <= 10 | *.***% |
| 42 | <= 10 | *.***% |
| 43 | <= 10 | *.***% |
| 44 | <= 10 | *.***% |
| 45 | <= 10 | *.***% |
| 47 | <= 10 | *.***% |
| 48 | <= 10 | *.***% |
| 49 | <= 10 | *.***% |
| 52 | <= 10 | *.***% |
| 53 | <= 10 | *.***% |
| 57 | <= 10 | *.***% |
| 59 | <= 10 | *.***% |
| 64 | <= 10 | *.***% |
| 66 | <= 10 | *.***% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for NECODE

| NECODE | Frequency | Percent of Total |
|--------|-----------|------------------|
| 0 | 6,960,878 | 85.32% |
| 1 | 705,411 | 8.65% |
| 2 | 404,392 | 4.96% |
| 3 | 61,913 | 0.76% |
| 4 | 22,125 | 0.27% |
| 5 | 2,703 | 0.03% |
| 6 | 803 | 0.01% |
| 7 | 114 | 0.00% |
| 8 | 36 | 0.00% |
| 9 | <= 10 | *.***% |
| 10 | <= 10 | *.***% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for NEOMAT

| NEOMAT | Frequency | Percent of Total |
|-----------------------------|-----------|------------------|
| 0: Not neonatal or maternal | 6,274,213 | 76.91% |
| 1: Maternal | 972,269 | 11.92% |
| 2: Neonatal | 911,844 | 11.18% |
| 3: Neonatal and maternal | 55 | 0.00% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for NPR

| NPR | Frequency | Percent of Total |
|-----|-----------|------------------|
| 0 | 3,012,677 | 36.93% |
| 1 | 2,047,236 | 25.09% |
| 2 | 1,282,498 | 15.72% |
| 3 | 725,493 | 8.89% |
| 4 | 383,816 | 4.70% |
| 5 | 228,701 | 2.80% |
| 6 | 214,263 | 2.63% |
| 7 | 84,030 | 1.03% |
| 8 | 65,299 | 0.80% |
| 9 | 40,955 | 0.50% |
| 10 | 23,255 | 0.29% |
| 11 | 13,295 | 0.16% |
| 12 | 10,156 | 0.12% |
| 13 | 6,398 | 0.08% |
| 14 | 5,309 | 0.07% |
| 15 | 9,250 | 0.11% |
| 16 | 1,362 | 0.02% |
| 17 | 807 | 0.01% |
| 18 | 714 | 0.01% |
| 19 | 551 | 0.01% |
| 20 | 493 | 0.01% |
| 21 | 742 | 0.01% |
| 22 | 243 | 0.00% |
| 23 | 137 | 0.00% |
| 24 | 170 | 0.00% |
| 25 | 228 | 0.00% |
| 26 | 40 | 0.00% |
| 27 | 27 | 0.00% |
| 28 | 37 | 0.00% |
| 29 | 34 | 0.00% |
| 30 | 71 | 0.00% |
| 31 | 93 | 0.00% |
| 32 | <= 10 | *.***% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for ORPROC

| ORPROC | Frequency | Percent of Total |
|--|-----------|------------------|
| 0: No major operating room procedure on record | 5,719,864 | 70.11% |
| 1: Major operating room procedure on record | 2,438,517 | 29.89% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for PAY1

| PAY1 | Frequency | Percent of Total |
|----------------------|-----------|------------------|
| .: Missing | 12,026 | 0.15% |
| .A: Invalid | 1,659 | 0.02% |
| 1: Medicare | 3,037,968 | 37.24% |
| 2: Medicaid | 1,514,110 | 18.56% |
| 3: Private insurance | 2,883,790 | 35.35% |
| 4: Self-pay | 393,744 | 4.83% |
| 5: No charge | 44,636 | 0.55% |
| 6: Other | 270,448 | 3.31% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for PAY1_X

| PAY1_X | Frequency | Percent of Total |
|-----------|-----------|------------------|
| Blank | 19,413 | 0.24% |
| Non-blank | 8,138,968 | 99.76% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for PAY2

| PAY2 | Frequency | Percent of Total |
|----------------------|-----------|------------------|
| .: Missing | 5,576,365 | 68.35% |
| .A: Invalid | 54,757 | 0.67% |
| 1: Medicare | 379,307 | 4.65% |
| 2: Medicaid | 527,015 | 6.46% |
| 3: Private insurance | 999,168 | 12.25% |
| 4: Self-pay | 477,487 | 5.85% |
| 5: No charge | 12,175 | 0.15% |
| 6: Other | 132,107 | 1.62% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for PAY2_X

| PAY2_X | Frequency | Percent of Total |
|-----------|-----------|------------------|
| Blank | 5,178,483 | 63.47% |
| Non-blank | 2,979,898 | 36.53% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for PL_NCHS2006

| PL_NCHS2006 | Frequency | Percent of Total |
|------------------------|-----------|------------------|
| .: Missing | 250,300 | 3.07% |
| 1: Large Central Metro | 2,460,368 | 30.16% |
| 2: Large Fringe Metro | 1,822,387 | 22.34% |
| 3: Medium Metro | 1,453,369 | 17.81% |
| 4: Small Metro | 684,602 | 8.39% |
| 5: Micropolitan | 914,930 | 11.21% |
| 6: Noncore | 572,425 | 7.02% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for POINTOFORIGINUB04

| PointOfOriginUB04 | Frequency | Percent of Total |
|---|-----------|------------------|
| Blank/invalid | 3,011,740 | 36.92% |
| 1: Non-health care facility point of origin | 1,831,835 | 22.45% |
| 2: Clinic | 124,567 | 1.53% |
| 4: Transfer from a hospital | 206,644 | 2.53% |
| 5: Transfer from a Skilled Nursing Facility | 607,778 | 7.45% |
| 6: Transfer from another health care facility | 36,357 | 0.45% |
| 7: Emergency Room | 2,307,033 | 28.28% |
| 8: Court/law enforcement | 4,888 | 0.06% |
| B: Transfer from another Home Health Agency | 59 | 0.00% |
| C: Readmission to same Home Health Agency | 41 | 0.00% |
| D: Transfer from one distinct unit to another | 26,217 | 0.32% |
| E: Transfer from Ambulatory Surgery Center | 960 | 0.01% |
| F: Transfer from hospice and under hospice plan | 262 | 0.00% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for PR1

| PR1 | Frequency | Percent of Total |
|------------------------|-----------|------------------|
| Blank | 3,013,801 | 36.94% |
| Valid PR | 5,143,889 | 63.05% |
| Inconsistent PR (incn) | 442 | 0.01% |
| Invalid PR (invl) | 249 | 0.00% |

| PRCCS1 | Frequency | Percent of Total |
|---|-----------|------------------|
| .: Missing | 3,013,801 | 36.94% |
| A: Invalid procedure | 249 | 0.00% |
| C: Inconsistent | 442 | 0.01% |
| 1: Incision and excision of CNS | 21,008 | 0.26% |
| 2: Insertion; replacement; or removal of extracranial ventricular shunt | 5,367 | 0.07% |
| 3: Laminectomy; excision intervertebral disc | 45,256 | 0.55% |
| 4: Diagnostic spinal tap | 47,712 | 0.58% |
| 5: Insertion of catheter or spinal stimulator and injection into spinal canal | 9,011 | 0.11% |
| 6: Decompression peripheral nerve | 698 | 0.01% |
| 7: Other diagnostic nervous system procedures | 2,101 | 0.03% |
| 8: Other non-OR or closed therapeutic nervous system procedures | 2,305 | 0.03% |
| 9: Other OR therapeutic nervous system procedures | 16,899 | 0.21% |
| 10: Thyroidectomy; partial or complete | 13,319 | 0.16% |
| 11: Diagnostic endocrine procedures | 823 | 0.01% |
| 12: Other therapeutic endocrine procedures | 7,984 | 0.10% |
| 13: Corneal transplant | 91 | 0.00% |
| 14: Glaucoma procedures | 91 | 0.00% |
| 15: Lens and cataract procedures | 166 | 0.00% |
| 16: Repair of retinal tear; detachment | 215 | 0.00% |
| 17: Destruction of lesion of retina and choroid | 144 | 0.00% |
| 18: Diagnostic procedures on eye | 119 | 0.00% |
| 19: Other therapeutic procedures on eyelids; conjunctiva; cornea | 2,999 | 0.04% |
| 20: Other intraocular therapeutic procedures | 606 | 0.01% |
| 21: Other extraocular muscle and orbit therapeutic procedures | 1,024 | 0.01% |
| 22: Tympanoplasty | 179 | 0.00% |
| 23: Myringotomy | 1,075 | 0.01% |
| 24: Mastoidectomy | 217 | 0.00% |
| 25: Diagnostic procedures on ear | 69 | 0.00% |
| 26: Other therapeutic ear procedures | 1,829 | 0.02% |
| 27: Control of epistaxis | 4,027 | 0.05% |
| 28: Plastic procedures on nose | 1,424 | 0.02% |
| 29: Dental procedures | 1,413 | 0.02% |
| 30: Tonsillectomy and/or adenoidectomy | 4,169 | 0.05% |
| 31: Diagnostic procedures on nose; mouth and pharynx | 1,719 | 0.02% |
| 32: Other non-OR therapeutic procedures on nose; mouth and pharynx | 3,236 | 0.04% |
| 33: Other OR therapeutic procedures on nose; mouth and pharynx | 10,467 | 0.13% |
| 34: Tracheostomy; temporary and permanent | 14,006 | 0.17% |
| 35: Tracheoscopy and laryngoscopy with biopsy | 3,644 | 0.04% |
| 36: Lobectomy or pneumonectomy | 17,415 | 0.21% |
| 37: Diagnostic bronchoscopy and biopsy of bronchus | 32,281 | 0.40% |
| 38: Other diagnostic procedures on lung and bronchus | 2,229 | 0.03% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| PRCCS1 | Frequency | Percent of Total |
|--|-----------|------------------|
| 39: Incision of pleura; thoracentesis; chest drainage | 42,302 | 0.52% |
| 40: Other diagnostic procedures of respiratory tract and mediastinum | 4,206 | 0.05% |
| 41: Other non-OR therapeutic procedures on respiratory system | 3,307 | 0.04% |
| 42: Other OR Rx procedures on respiratory system and mediastinum | 12,590 | 0.15% |
| 43: Heart valve procedures | 20,899 | 0.26% |
| 44: Coronary artery bypass graft (CABG) | 42,349 | 0.52% |
| 45: Percutaneous transluminal coronary angioplasty (PTCA) | 143,241 | 1.76% |
| 46: Coronary thrombolysis | 14 | 0.00% |
| 47: Diagnostic cardiac catheterization; coronary arteriography | 115,992 | 1.42% |
| 48: Insertion; revision; replacement; removal of cardiac pacemaker or cardioverter/defibrillator | 68,048 | 0.83% |
| 49: Other OR heart procedures | 28,230 | 0.35% |
| 50: Extracorporeal circulation auxiliary to open heart procedures | 426 | 0.01% |
| 51: Endarterectomy; vessel of head and neck | 23,518 | 0.29% |
| 52: Aortic resection; replacement or anastomosis | 15,034 | 0.18% |
| 53: Varicose vein stripping; lower limb | 187 | 0.00% |
| 54: Other vascular catheterization; not heart | 125,157 | 1.53% |
| 55: Peripheral vascular bypass | 12,936 | 0.16% |
| 56: Other vascular bypass and shunt; not heart | 2,182 | 0.03% |
| 57: Creation; revision and removal of arteriovenous fistula or vessel-to-vessel cannula for di a | 8,654 | 0.11% |
| 58: Hemodialysis | 70,641 | 0.87% |
| 59: Other OR procedures on vessels of head and neck | 8,616 | 0.11% |
| 60: Embolectomy and endarterectomy of lower limbs | 3,966 | 0.05% |
| 61: Other OR procedures on vessels other than head and neck | 63,194 | 0.77% |
| 62: Other diagnostic cardiovascular procedures | 4,795 | 0.06% |
| 63: Other non-OR therapeutic cardiovascular procedures | 17,250 | 0.21% |
| 64: Bone marrow transplant | 3,464 | 0.04% |
| 65: Bone marrow biopsy | 9,207 | 0.11% |
| 66: Procedures on spleen | 3,136 | 0.04% |
| 67: Other therapeutic procedures; hemic and lymphatic system | 16,718 | 0.20% |
| 68: Injection or ligation of esophageal varices | 17 | 0.00% |
| 69: Esophageal dilatation | 3,495 | 0.04% |
| 70: Upper gastrointestinal endoscopy; biopsy | 145,202 | 1.78% |
| 71: Gastrostomy; temporary and permanent | 17,645 | 0.22% |
| 72: Colostomy; temporary and permanent | 1,977 | 0.02% |
| 73: Ileostomy and other enterostomy | 1,651 | 0.02% |
| 74: Gastrectomy; partial and total | 4,809 | 0.06% |
| 75: Small bowel resection | 13,508 | 0.17% |
| 76: Colonoscopy and biopsy | 50,739 | 0.62% |
| 77: Proctoscopy and anorectal biopsy | 3,261 | 0.04% |
| 78: Colorectal resection | 60,655 | 0.74% |
| 79: Local excision of large intestine lesion (not endoscopic) | 196 | 0.00% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| PRCCS1 | Frequency | Percent of Total |
|---|-----------|------------------|
| 80: Appendectomy | 62,015 | 0.76% |
| 81: Hemorrhoid procedures | 1,924 | 0.02% |
| 82: Endoscopic retrograde cannulation of pancreas (ERCP) | 3,393 | 0.04% |
| 83: Biopsy of liver | 6,342 | 0.08% |
| 84: Cholecystectomy and common duct exploration | 83,000 | 1.02% |
| 85: Inguinal and femoral hernia repair | 7,442 | 0.09% |
| 86: Other hernia repair | 21,025 | 0.26% |
| 87: Laparoscopy (GI only) | 2,613 | 0.03% |
| 88: Abdominal paracentesis | 27,229 | 0.33% |
| 89: Exploratory laparotomy | 3,102 | 0.04% |
| 90: Excision; lysis peritoneal adhesions | 19,341 | 0.24% |
| 91: Peritoneal dialysis | 2,891 | 0.04% |
| 92: Other bowel diagnostic procedures | 994 | 0.01% |
| 93: Other non-OR upper GI therapeutic procedures | 22,594 | 0.28% |
| 94: Other OR upper GI therapeutic procedures | 41,416 | 0.51% |
| 95: Other non-OR lower GI therapeutic procedures | 17,776 | 0.22% |
| 96: Other OR lower GI therapeutic procedures | 25,599 | 0.31% |
| 97: Other gastrointestinal diagnostic procedures | 3,710 | 0.05% |
| 98: Other non-OR gastrointestinal therapeutic procedures | 19,118 | 0.23% |
| 99: Other OR gastrointestinal therapeutic procedures | 22,122 | 0.27% |
| 100: Endoscopy and endoscopic biopsy of the urinary tract | 5,481 | 0.07% |
| 101: Transurethral excision; drainage; or removal urinary obstruction | 18,236 | 0.22% |
| 102: Ureteral catheterization | 11,786 | 0.14% |
| 103: Nephrotomy and nephrostomy | 8,800 | 0.11% |
| 104: Nephrectomy; partial or complete | 13,686 | 0.17% |
| 105: Kidney transplant | 3,972 | 0.05% |
| 106: Genitourinary incontinence procedures | 4,065 | 0.05% |
| 107: Extracorporeal lithotripsy; urinary | 1,510 | 0.02% |
| 108: Indwelling catheter | 16,702 | 0.20% |
| 109: Procedures on the urethra | 3,205 | 0.04% |
| 110: Other diagnostic procedures of urinary tract | 4,518 | 0.06% |
| 111: Other non-OR therapeutic procedures of urinary tract | 6,612 | 0.08% |
| 112: Other OR therapeutic procedures of urinary tract | 11,212 | 0.14% |
| 113: Transurethral resection of prostate (TURP) | 14,889 | 0.18% |
| 114: Open prostatectomy | 19,578 | 0.24% |
| 115: Circumcision | 225,264 | 2.76% |
| 116: Diagnostic procedures; male genital | 400 | 0.00% |
| 117: Other non-OR therapeutic procedures; male genital | 1,609 | 0.02% |
| 118: Other OR therapeutic procedures; male genital | 3,936 | 0.05% |
| 119: Oophorectomy; unilateral and bilateral | 12,518 | 0.15% |
| 120: Other operations on ovary | 4,619 | 0.06% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| PRCCS1 | Frequency | Percent of Total |
|--|-----------|------------------|
| 121: Ligation or occlusion of fallopian tubes | 11,878 | 0.15% |
| 122: Removal of ectopic pregnancy | 3,651 | 0.04% |
| 123: Other operations on fallopian tubes | 1,337 | 0.02% |
| 124: Hysterectomy; abdominal and vaginal | 100,444 | 1.23% |
| 125: Other excision of cervix and uterus | 6,510 | 0.08% |
| 126: Abortion (termination of pregnancy) | 331 | 0.00% |
| 127: Dilatation and curettage (D&C); aspiration after delivery or abortion | 6,304 | 0.08% |
| 128: Diagnostic dilatation and curettage (D&C) | 2,006 | 0.02% |
| 129: Repair of cystocele and rectocele; obliteration of vaginal vault | 7,357 | 0.09% |
| 130: Other diagnostic procedures; female organs | 1,671 | 0.02% |
| 131: Other non-OR therapeutic procedures; female organs | 984 | 0.01% |
| 132: Other OR therapeutic procedures; female organs | 10,917 | 0.13% |
| 133: Episiotomy | 45,773 | 0.56% |
| 134: Cesarean section | 283,579 | 3.48% |
| 135: Forceps; vacuum; and breech delivery | 37,833 | 0.46% |
| 136: Artificial rupture of membranes to assist delivery | 13,973 | 0.17% |
| 137: Other procedures to assist delivery | 324,663 | 3.98% |
| 138: Diagnostic amniocentesis | 567 | 0.01% |
| 139: Fetal monitoring | 11,395 | 0.14% |
| 140: Repair of current obstetric laceration | 137,484 | 1.69% |
| 141: Other therapeutic obstetrical procedures | 2,787 | 0.03% |
| 142: Partial excision bone | 9,196 | 0.11% |
| 143: Bunionectomy or repair of toe deformities | 306 | 0.00% |
| 144: Treatment; facial fracture or dislocation | 4,703 | 0.06% |
| 145: Treatment; fracture or dislocation of radius and ulna | 11,213 | 0.14% |
| 146: Treatment; fracture or dislocation of hip and femur | 55,589 | 0.68% |
| 147: Treatment; fracture or dislocation of lower extremity (other than hip or femur) | 37,594 | 0.46% |
| 148: Other fracture and dislocation procedure | 18,658 | 0.23% |
| 149: Arthroscopy | 331 | 0.00% |
| 150: Division of joint capsule; ligament or cartilage | 741 | 0.01% |
| 151: Excision of semilunar cartilage of knee | 869 | 0.01% |
| 152: Arthroplasty knee | 139,236 | 1.71% |
| 153: Hip replacement; total and partial | 89,280 | 1.09% |
| 154: Arthroplasty other than hip or knee | 12,780 | 0.16% |
| 155: Arthrocentesis | 7,688 | 0.09% |
| 156: Injections and aspirations of muscles; tendons; bursa; joints and soft tissue | 1,324 | 0.02% |
| 157: Amputation of lower extremity | 21,825 | 0.27% |
| 158: Spinal fusion | 84,337 | 1.03% |
| 159: Other diagnostic procedures on musculoskeletal system | 11,200 | 0.14% |
| 160: Other therapeutic procedures on muscles and tendons | 24,257 | 0.30% |
| 161: Other OR therapeutic procedures on bone | 14,567 | 0.18% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| PRCCS1 | Frequency | Percent of Total |
|--|-----------|------------------|
| 162: Other OR therapeutic procedures on joints | 16,303 | 0.20% |
| 163: Other non-OR therapeutic procedures on musculoskeletal system | 3,943 | 0.05% |
| 164: Other OR therapeutic procedures on musculoskeletal system | 5,295 | 0.06% |
| 165: Breast biopsy and other diagnostic procedures on breast | 848 | 0.01% |
| 166: Lumpectomy; quadrantectomy of breast | 1,326 | 0.02% |
| 167: Mastectomy | 10,499 | 0.13% |
| 168: Incision and drainage; skin and subcutaneous tissue | 35,011 | 0.43% |
| 169: Debridement of wound; infection or burn | 40,120 | 0.49% |
| 170: Excision of skin lesion | 3,740 | 0.05% |
| 171: Suture of skin and subcutaneous tissue | 16,939 | 0.21% |
| 172: Skin graft | 9,871 | 0.12% |
| 173: Other diagnostic procedures on skin and subcutaneous tissue | 2,994 | 0.04% |
| 174: Other non-OR therapeutic procedures on skin and breast | 23,624 | 0.29% |
| 175: Other OR therapeutic procedures on skin and breast | 8,605 | 0.11% |
| 176: Other organ transplantation | 2,752 | 0.03% |
| 177: Computerized axial tomography (CT) scan head | 28,141 | 0.34% |
| 178: CT scan chest | 10,701 | 0.13% |
| 179: CT scan abdomen | 15,958 | 0.20% |
| 180: Other CT scan | 2,711 | 0.03% |
| 181: Myelogram | 663 | 0.01% |
| 182: Mammography | 20 | 0.00% |
| 183: Routine chest X-ray | 686 | 0.01% |
| 184: Intraoperative cholangiogram | 116 | 0.00% |
| 185: Upper gastrointestinal X-ray | 619 | 0.01% |
| 186: Lower gastrointestinal X-ray | 81 | 0.00% |
| 187: Intravenous pyelogram | 293 | 0.00% |
| 188: Cerebral arteriogram | 9,067 | 0.11% |
| 189: Contrast aortogram | 2,298 | 0.03% |
| 190: Contrast arteriogram of femoral and lower extremity arteries | 1,846 | 0.02% |
| 191: Arterio- or venogram (not heart and head) | 6,993 | 0.09% |
| 192: Diagnostic ultrasound of head and neck | 1,797 | 0.02% |
| 193: Diagnostic ultrasound of heart (echocardiogram) | 55,819 | 0.68% |
| 194: Diagnostic ultrasound of gastrointestinal tract | 338 | 0.00% |
| 195: Diagnostic ultrasound of urinary tract | 1,894 | 0.02% |
| 196: Diagnostic ultrasound of abdomen or retroperitoneum | 3,688 | 0.05% |
| 197: Other diagnostic ultrasound | 6,390 | 0.08% |
| 198: Magnetic resonance imaging | 23,648 | 0.29% |
| 199: Electroencephalogram (EEG) | 5,028 | 0.06% |
| 200: Nonoperative urinary system measurements | 242 | 0.00% |
| 201: Cardiac stress tests | 10,796 | 0.13% |
| 202: Electrocardiogram | 5,139 | 0.06% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| PRCCS1 | Frequency | Percent of Total |
|--|-----------|------------------|
| 203: Electrographic cardiac monitoring | 6,869 | 0.08% |
| 204: Swan-Ganz catheterization for monitoring | 500 | 0.01% |
| 205: Arterial blood gases | 3,932 | 0.05% |
| 206: Microscopic examination (bacterial smear; culture; toxicology) | 479 | 0.01% |
| 207: Radioisotope bone scan | 666 | 0.01% |
| 208: Radioisotope pulmonary scan | 1,433 | 0.02% |
| 209: Radioisotope scan and function studies | 2,706 | 0.03% |
| 210: Other radioisotope scan | 225 | 0.00% |
| 211: Therapeutic radiology for cancer treatment | 9,547 | 0.12% |
| 212: Diagnostic physical therapy | 2,907 | 0.04% |
| 213: Physical therapy exercises; manipulation; and other procedures | 27,018 | 0.33% |
| 214: Traction; splints; and other wound care | 7,847 | 0.10% |
| 215: Other physical therapy and rehabilitation | 5,394 | 0.07% |
| 216: Respiratory intubation and mechanical ventilation | 164,870 | 2.02% |
| 217: Other respiratory therapy | 16,981 | 0.21% |
| 218: Psychological and psychiatric evaluation and therapy | 23,020 | 0.28% |
| 219: Alcohol and drug rehabilitation/detoxification | 68,893 | 0.84% |
| 220: Ophthalmologic and otologic diagnosis and treatment | 49,010 | 0.60% |
| 221: Nasogastric tube | 9,080 | 0.11% |
| 222: Blood transfusion | 147,643 | 1.81% |
| 223: Enteral and parenteral nutrition | 21,266 | 0.26% |
| 224: Cancer chemotherapy | 37,175 | 0.46% |
| 225: Conversion of cardiac rhythm | 16,887 | 0.21% |
| 226: Other diagnostic radiology and related techniques | 8,609 | 0.11% |
| 227: Other diagnostic procedures (interview; evaluation; consultation) | 20,892 | 0.26% |
| 228: Prophylactic vaccinations and inoculations | 206,700 | 2.53% |
| 229: Nonoperative removal of foreign body | 1,169 | 0.01% |
| 230: Extracorporeal shock wave other than urinary | 33 | 0.00% |
| 231: Other therapeutic procedures | 111,163 | 1.36% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for PRDAY1

| PRDAY1 | Frequency | Percent of Total |
|------------------|-----------|------------------|
| .: Missing | 3,670,504 | 44.99% |
| .C: Inconsistent | 773 | 0.01% |
| -4 days | 138 | 0.00% |
| -3 days | 1,172 | 0.01% |
| -2 days | 4,394 | 0.05% |
| -1 day | 36,889 | 0.45% |
| 0 days | 2,492,388 | 30.55% |
| 1 day | 924,203 | 11.33% |
| 2 days | 401,734 | 4.92% |
| 3 days | 200,029 | 2.45% |
| 4 days | 120,094 | 1.47% |
| 5 days | 77,292 | 0.95% |
| 6 - 30 days | 221,607 | 2.72% |
| 31 - 60 days | 5,744 | 0.07% |
| 61 - 90 days | 915 | 0.01% |
| 91 - 210 days | 437 | 0.01% |
| 211 - 330 days | 36 | 0.00% |
| 331 - 368 days | 32 | 0.00% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for RACE

| RACE | Frequency | Percent of Total |
|---------------------------|-----------|------------------|
| .: Missing | 1,636,014 | 20.05% |
| .A: Invalid | 1,906 | 0.02% |
| 1: White | 4,420,612 | 54.18% |
| 2: Black | 860,550 | 10.55% |
| 3: Hispanic | 768,633 | 9.42% |
| 4: Asian/Pacific Islander | 190,953 | 2.34% |
| 5: Native American | 44,601 | 0.55% |
| 6: Other | 235,112 | 2.88% |

HCUP Summary Statistics Report: NIS 2008 - Core File
 Frequency Distribution for TOTCHG

| TOTCHG | Frequency | Percent of Total |
|-----------------------|-----------|------------------|
| .: Missing | 171,819 | 2.11% |
| .A: Invalid | 1,999 | 0.02% |
| .C: Inconsistent | 2,214 | 0.03% |
| \$100- \$1,000 | 58,981 | 0.72% |
| \$1,001- \$5,000 | 1,199,823 | 14.71% |
| \$5,001- \$10,000 | 1,466,828 | 17.98% |
| \$10,001- \$50,000 | 4,159,257 | 50.98% |
| \$50,001- \$100,000 | 735,381 | 9.01% |
| \$100,001- \$200,000 | 262,330 | 3.22% |
| \$200,001- \$300,000 | 56,110 | 0.69% |
| \$300,001- \$400,000 | 20,100 | 0.25% |
| \$400,001- \$500,000 | 9,382 | 0.11% |
| \$500,001-\$1,000,000 | 12,149 | 0.15% |
| Over \$1,000,000 | 2,008 | 0.02% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for TRAN_IN

| TRAN_IN | Frequency | Percent of Total |
|--|-----------|------------------|
| .: ASOURCE and POO missing or invalid | 23,559 | 0.29% |
| 0: Not a transfer | 7,704,876 | 94.44% |
| 1: Transferred in from a different acute care hospital [ATYPE NE 4 & (ASOURCE=2 or POO=4)] | 305,045 | 3.74% |
| 2: Transferred in from another type of health facility [ATYPE NE 4 & (ASOURCE=3 or POO=5,6)] | 124,901 | 1.53% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for YEAR

| YEAR | Frequency | Percent of Total |
|------|-----------|------------------|
| 2008 | 8,158,381 | 100.0% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Frequency Distribution for ZIPINC_QRTL

| ZIPINC_QRTL | Frequency | Percent of Total |
|--------------------|-----------|------------------|
| A | 495 | 0.01% |
| .: Missing | 167,807 | 2.06% |
| 1: First quartile | 2,267,455 | 27.79% |
| 2: Second quartile | 2,191,812 | 26.87% |
| 3: Third quartile | 1,824,924 | 22.37% |
| 4: Fourth quartile | 1,705,888 | 20.91% |

HCUP Summary Statistics Report: NIS 2008 - Core File
Univariates of Selected Continuous Data Elements

Variable: AGE (Age in years at admission)

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 8148298 | Sum Weights | 8148298 |
| Mean | 48.39409 | Sum Observations | 394329467 |
| Std Deviation | 27.909196 | Variance | 778.923221 |
| Skewness | -0.3283302 | Kurtosis | -1.0053432 |
| Uncorrected SS | 2.54301E10 | Corrected SS | 6346897746 |
| Coeff Variation | 57.6706701 | Std Error Mean | 0.00977719 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|-----------|
| Location | | Variability | |
| Mean | 48.39409 | Std Deviation | 27.90920 |
| Median | 52.00000 | Variance | 778.92322 |
| Mode | 0.00000 | Range | 120.00000 |
| | | Interquartile Range | 45.00000 |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 4949.695 | Pr > t | <.0001 |
| Sign | M | 3581965 | Pr >= M | <.0001 |
| Signed Rank | S | 1.283E13 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 100% Max | 120 |
| 99% | 93 |
| 95% | 87 |
| 90% | 83 |
| 75% Q3 | 72 |
| 50% Median | 52 |
| 25% Q1 | 27 |
| 10% | 0 |
| 5% | 0 |
| 1% | 0 |
| 0% Min | 0 |

HCUP Summary Statistics Report: NIS 2008 - Core File
 Univariates of Selected Continuous Data Elements

Variable: AGE (Age in years at admission)

| Missing Values | | | |
|----------------|-------|------------|-------------|
| Missing Value | Count | Percent Of | |
| | | All Obs | Missing Obs |
| . | 9178 | 0.11 | 91.02 |
| A | 42 | 0.00 | 0.42 |
| C | 863 | 0.01 | 8.56 |
| Total | 10083 | 0.12 | 100.00 |

HCUP Summary Statistics Report: NIS 2008 - Core File
Univariates of Selected Continuous Data Elements

Variable: LOS (Length of stay (cleaned))

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 8157924 | Sum Weights | 8157924 |
| Mean | 4.60044749 | Sum Observations | 37530101 |
| Std Deviation | 6.82667818 | Variance | 46.603535 |
| Skewness | 10.902524 | Kurtosis | 262.819501 |
| Uncorrected SS | 552843309 | Corrected SS | 380188050 |
| Coeff Variation | 148.391612 | Std Error Mean | 0.00239012 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|-----------|
| Location | | Variability | |
| Mean | 4.600447 | Std Deviation | 6.82668 |
| Median | 3.000000 | Variance | 46.60353 |
| Mode | 2.000000 | Range | 364.00000 |
| | | Interquartile Range | 3.00000 |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 1924.777 | Pr > t | <.0001 |
| Sign | M | 4000380 | Pr >= M | <.0001 |
| Signed Rank | S | 1.6E13 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 100% Max | 364 |
| 99% | 30 |
| 95% | 14 |
| 90% | 9 |
| 75% Q3 | 5 |
| 50% Median | 3 |
| 25% Q1 | 2 |
| 10% | 1 |
| 5% | 1 |
| 1% | 0 |
| 0% Min | 0 |

| Missing Values | | | |
|----------------|-------|------------|-------------|
| Missing Value | Count | Percent Of | |
| | | All Obs | Missing Obs |
| . | 9 | 0.00 | 1.97 |
| C | 448 | 0.01 | 98.03 |
| Total | 457 | 0.01 | 100.00 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Univariates of Selected Continuous Data Elements

Variable: LOS_X (Length of stay (as received from source))

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 8139491 | Sum Weights | 8139491 |
| Mean | 4.64954713 | Sum Observations | 37844947 |
| Std Deviation | 11.5429931 | Variance | 133.24069 |
| Skewness | 195.756676 | Kurtosis | 82274.5711 |
| Uncorrected SS | 1260473127 | Corrected SS | 1084511262 |
| Coeff Variation | 248.260589 | Std Error Mean | 0.00404594 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|-----------|
| Location | | Variability | |
| Mean | 4.649547 | Std Deviation | 11.54299 |
| Median | 3.000000 | Variance | 133.24069 |
| Mode | 2.000000 | Range | 7096 |
| | | Interquartile Range | 3.00000 |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 1149.187 | Pr > t | <.0001 |
| Sign | M | 3991373 | Pr >= M | <.0001 |
| Signed Rank | S | 1.593E13 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 100% Max | 7095 |
| 99% | 30 |
| 95% | 14 |
| 90% | 9 |
| 75% Q3 | 5 |
| 50% Median | 3 |
| 25% Q1 | 2 |
| 10% | 1 |
| 5% | 1 |
| 1% | 0 |
| 0% Min | -1 |

| Missing Values | | | |
|----------------|-------|------------|-------------|
| Missing Value | Count | Percent Of | |
| | | All Obs | Missing Obs |
| . | 18890 | 0.23 | 100.00 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Univariates of Selected Continuous Data Elements

Variable: TOTCHG (Total charges (cleaned))

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 7982349 | Sum Weights | 7982349 |
| Mean | 28970.8374 | Sum Observations | 2.31255E11 |
| Std Deviation | 50803.7839 | Variance | 2581024456 |
| Skewness | 8.69170661 | Kurtosis | 132.510509 |
| Uncorrected SS | 2.73023E16 | Corrected SS | 2.06026E16 |
| Coeff Variation | 175.361806 | Std Error Mean | 17.9816982 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|------------|
| Location | | Variability | |
| Mean | 28970.84 | Std Deviation | 50804 |
| Median | 15422.00 | Variance | 2581024456 |
| Mode | 1526.00 | Range | 1499452 |
| | | Interquartile Range | 24337 |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 1611.129 | Pr > t | <.0001 |
| Sign | M | 3991175 | Pr >= M | <.0001 |
| Signed Rank | S | 1.593E13 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 100% Max | 1499552 |
| 99% | 223854 |
| 95% | 94529 |
| 90% | 61804 |
| 75% Q3 | 31813 |
| 50% Median | 15422 |
| 25% Q1 | 7476 |
| 10% | 3323 |
| 5% | 2056 |
| 1% | 1095 |
| 0% Min | 100 |

HCUP Summary Statistics Report: NIS 2008 - Core File
Univariates of Selected Continuous Data Elements

Variable: TOTCHG (Total charges (cleaned))

| Missing Values | | | |
|----------------|--------|------------|-------------|
| Missing Value | Count | Percent Of | |
| | | All Obs | Missing Obs |
| . | 171819 | 2.11 | 97.61 |
| A | 1999 | 0.02 | 1.14 |
| C | 2214 | 0.03 | 1.26 |
| Total | 176032 | 2.16 | 100.00 |

HCUP Summary Statistics Report: NIS 2008 - Core File
Univariates of Selected Continuous Data Elements

Variable: TOTCHG_X (Total charges (as received from source))

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 7965893 | Sum Weights | 7965893 |
| Mean | 29323.8807 | Sum Observations | 2.33591E11 |
| Std Deviation | 59243.5379 | Variance | 3509796782 |
| Skewness | 23.9061062 | Kurtosis | 2220.97103 |
| Uncorrected SS | 3.48085E16 | Corrected SS | 2.79587E16 |
| Coeff Variation | 202.031711 | Std Error Mean | 20.9905468 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|------------|
| Location | | Variability | |
| Mean | 29323.88 | Std Deviation | 59244 |
| Median | 15437.29 | Variance | 3509796782 |
| Mode | 1526.38 | Range | 18180520 |
| | | Interquartile Range | 24374 |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 1397.004 | Pr > t | <.0001 |
| Sign | M | 3982936 | Pr >= M | <.0001 |
| Signed Rank | S | 1.586E13 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|-------------|
| Quantile | Estimate |
| 100% Max | 17370114.48 |
| 99% | 225798.00 |
| 95% | 94781.00 |
| 90% | 61920.00 |
| 75% Q3 | 31853.00 |
| 50% Median | 15437.29 |
| 25% Q1 | 7479.00 |
| 10% | 3321.00 |
| 5% | 2052.80 |
| 1% | 1089.25 |
| 0% Min | -810406.00 |

| Missing Values | | | |
|----------------|--------|------------|-------------|
| Missing Value | Count | Percent Of | |
| | | All Obs | Missing Obs |
| . | 190701 | 2.34 | 99.07 |
| A | 1787 | 0.02 | 0.93 |
| Total | 192488 | 2.36 | 100.00 |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

HCUP Summary Statistics Report: NIS 2008 - Core File
Univariates of Selected Continuous Data Elements

Variable: DISCWT (Weight to discharges in AHA universe)

| Moments | | | |
|-----------------|------------|------------------|------------|
| N | 8158381 | Sum Weights | 8158381 |
| Mean | 4.88885233 | Sum Observations | 39885120 |
| Std Deviation | 0.5296888 | Variance | 0.28057022 |
| Skewness | 5.55476602 | Kurtosis | 151.043542 |
| Uncorrected SS | 197281461 | Corrected SS | 2288998.47 |
| Coeff Variation | 10.8346246 | Std Error Mean | 0.00018545 |

| Basic Statistical Measures | | | |
|----------------------------|----------|---------------------|----------|
| Location | | Variability | |
| Mean | 4.888852 | Std Deviation | 0.52969 |
| Median | 4.900263 | Variance | 0.28057 |
| Mode | 4.691794 | Range | 17.39790 |
| | | Interquartile Range | 0.42965 |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|-----------|----------|----------|--------|
| Test | Statistic | | p Value | |
| Student's t | t | 26362.59 | Pr > t | <.0001 |
| Sign | M | 4079191 | Pr >= M | <.0001 |
| Signed Rank | S | 1.664E13 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 100% Max | 20.92836 |
| 99% | 6.37928 |
| 95% | 5.44492 |
| 90% | 5.39191 |
| 75% Q3 | 5.12144 |
| 50% Median | 4.90026 |
| 25% Q1 | 4.69179 |
| 10% | 4.28735 |
| 5% | 4.04766 |
| 1% | 3.53046 |
| 0% Min | 3.53046 |