



**Suicidal Ideation, Suicide Attempt, or Self-Inflicted Harm:
Pediatric Emergency Department Visits,
2010–2014 and 2016**

Updated: November 5, 2019

Recommended Citation: Suicidal Ideation, Suicide Attempt, or Self-Inflicted Harm: Pediatric Emergency Department Visits, 2010–2014 and 2016. Healthcare Cost and Utilization Project. ONLINE. November 5, 2019. Agency for Healthcare Research and Quality. Available: www.hcup-us.ahrq.gov/reports/atagance/findingsatagance.jsp.

Suicidal Ideation, Suicide Attempt, or Self-Inflicted Harm: Pediatric Emergency Department Visits, 2010–2014 and 2016

Suicide is a major preventable health concern for in the United States, especially in the pediatric population. While suicide is preventable, it does require intervention. Emergency departments (EDs) have been identified as an important site of care to identify individuals at risk, to provide timely support and intervention, and to facilitate entry into more intensive treatment, if appropriate.¹ Information on trends in ED utilization related to suicidal ideation, suicide attempt, or self-inflicted harm help inform resource needs.

The following tables show trends in ED visits for patients aged 5–14 years old related to suicidal ideation, suicide attempt, or self-inflicted harm using the Healthcare Cost and Utilization Project (HCUP) Nationwide Emergency Department Sample (NEDS). ED visits include those for patients who were treated in the ED and subsequently discharged home, admitted to the same hospital for care, transferred, or died. The first table shows trends in pediatric ED utilization related to suicidal ideation, suicide attempt, or self-inflicted harm by patient characteristics: age, sex, urban/rural location of patient's residence, and community-level income. The second table shows trends in the distribution of pediatric ED visits related to suicidal ideation, suicide attempt, or self-inflicted harm, by expected primary payer and discharge disposition.

In Fiscal Year 2016, the United States transitioned from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)* to a modified version of the World Health Organization *International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS)*. ED visits from 2010–2014 were identified using *ICD-9-CM*-coded diagnoses; and ED visits for 2016 were identified using *ICD-10-CM* diagnosis codes. Information for data year 2015 was not included because of the transition between coding schemes.² Under both *ICD-9-CM* and *ICD-10-CM* coding schemes, there were diagnosis codes related to suicidal ideation and self-inflicted harm. Diagnosis codes specific to suicide attempt were only available under *ICD-10-CM*. As a result of the transition and resultant change in identification of cases, comparisons of trends from *ICD-9-CM* estimates and *ICD-10-CM* estimates are not recommended.

The HCUP Partner organizations are listed in Appendix A. Background on the NEDS is provided in Appendix B. The *ICD-9-CM* and *ICD-10-CM* coding criteria for suicidal ideation, suicide attempt, and self-inflicted harm are provided in Appendix C.

If you know someone in crisis, call the toll-free National Suicide Prevention Lifeline³ at 1-800- 273-TALK (8255), 24 hours a day, 7 days a week. The service is available to everyone. All calls are confidential. You can also visit the Lifeline's website at <http://www.suicidepreventionlifeline.org>.

¹ Office of the Surgeon General (US); National Action Alliance for Suicide Prevention (US). 2012 National Strategy for Suicide Prevention: Goals and Objectives for Action: A Report of the U.S. Surgeon General and of the National Action Alliance for Suicide Prevention. Washington, DC: U.S. Department of Health & Human Services; September 2012. <http://www.surgeongeneral.gov/library/reports/national-strategy-suicide-prevention/>.

² In October 2015, the United States transitioned coding systems for reporting diagnoses and inpatient procedures from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)* to *International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS)*.

³ The National Suicide Prevention Lifeline is funded by the U.S. Department of Health and Human Services Substance Abuse and Mental Health Services Administration (DHHS / SAMHSA).

Table 1. Rate per 100,000 Population of Pediatric Emergency Department Visits for Suicidal Ideation, Suicide Attempt, or Self-Inflicted Harm by age, sex, urban/rural location, and community-level income, 2010–2014 and 2016

Patient Characteristics	Rate per 100,000 population					
	ICD-9-CM Coding					ICD-10-CM Coding
	2010	2011	2012	2013	2014	2016
Total	128.6	143.3	173.7	206.5	235.1	262.5
Age in years						
5-9	21.7	25.0	28.4	31.8	32.3	43.1
10-14	236.6	264.8	323.2	378.9	435.0	477.6
Sex						
Male	102.1	113.0	126.4	133.2	146.7	164.4
Female	156.4	175.0	223.3	283.0	327.6	365.0
Location of patient residence						
Metropolitan, Large Central	105.0	127.0	142.0	176.8	187.8	259.6*
Metropolitan, Large Fringe	111.9	133.4	160.6	204.0	205.5	232.4*
Metropolitan, Medium	145.9	153.7	225.7	234.7	313.1	269.8*
Metropolitan, Small	148.6	156.7	182.9	211.2	276.4	286.7*
Micropolitan	173.5	176.4	190.0	228.5	248.6	320.1*
Noncore	152.2	151.3	162.8	204.4	233.7	259.6*
Community-level income						
First quartile (lowest)	125.1	144.9	177.9	200.6	238.4	272.0
Second quartile	148.5	156.5	184.0	231.7	265.5	277.2
Third quartile	128.6	142.9	177.5	209.3	233.5	257.9
Fourth quartile (highest)	103.5	120.0	147.0	169.1	189.5	230.7

* The September 30, 2019 version of this document had incorrect estimates for 2016 by location of patient residence. They are corrected in this version.

Abbreviations: ICD-9-CM, International Classification of Diseases, Ninth Revision, Clinical Modification; ICD-10-CM, International Classification of Diseases, Tenth Revision, Clinical Modification

Notes: No records were missing information on age or sex. Less than 0.6 percent of records were missing information on location and less than 2 percent of records were missing information on community-level income.

Source: Agency for Healthcare Research and Quality (AHRQ), Healthcare Cost and Utilization Project (HCUP), Nationwide Emergency Department Sample (NEDS), ICD-9-CM Diagnoses from 2010–2014 and ICD-10-CM Diagnoses in 2016

Table 2. Distribution of Pediatric Emergency Department Visits for Suicidal Ideation, Suicide Attempt, or Self-Inflicted Harm, by expected primary payer and discharge disposition, 2010–2014 and 2016

Characteristics	ICD-9-CM Coding					ICD-10-CM Coding
	2010	2011	2012	2013	2014	2016
Number of ED visits	52,307	58,900	72,177	84,691	96,437	108,208
Expected primary payer, %						
Medicare	0.3	0.5	0.6	0.3	0.4	0.5
Medicaid	47.3	50.5	51.2	48.9	54.0	54.3
Private insurance	41.2	38.7	38.5	40.6	37.2	37.9
Self-pay	5.9	5.4	5.2	4.9	4.5	3.7
Other	5.0	4.7	4.3	5.2	3.7	3.5
Discharge disposition from the ED						
Admitted to as an inpatient	20.5	18.5	21.1	19.6	23.2	16.2
Transferred to an acute care Hospital	12.4	11.3	10.7	11.1	9.1	9.7
Transferred to other health care Facility	22.7	26.5	27.0	27.0	27.4	28.6
Died	0.1	0.1	0.1	0.1	0.1	0.1
Routine discharge home	43.0	42.3	40.3	40.8	38.9	44.2
Other nonadmission dispositions, including left against medical advice	1.2	1.3	0.9	1.4	1.3	1.2

Abbreviations: ICD-9-CM, International Classification of Diseases, Ninth Revision, Clinical Modification; ICD-10-CM, International Classification of Diseases, Tenth Revision, Clinical Modification

Notes: Less than 0.4 percent of records were missing information on expected primary payer and less than 0.1 percent of records were missing information on discharge disposition.

Source: Agency for Healthcare Research and Quality (AHRQ), Healthcare Cost and Utilization Project (HCUP), Nationwide Emergency Department Sample (NEDS), ICD-9-CM Diagnoses from 2010–2014 and ICD-10-CM Diagnoses in 2016

Appendix A. HCUP Partner Organizations Participating in the NEDS, 2016

Arizona Department of Health Services
Arkansas Department of Health
California Office of Statewide Health Planning and Development
Connecticut Hospital Association
District of Columbia Hospital Association
Florida Agency for Health Care Administration
Georgia Hospital Association
Hawaii Health Information Corporation
Illinois Department of Public Health
Indiana Hospital Association
Iowa Hospital Association
Kansas Hospital Association
Kentucky Cabinet for Health and Family Services
Maine Health Data Organization
Maryland Health Services Cost Review Commission
Massachusetts Center for Health Information and Analysis
Minnesota Hospital Association (provides data for Minnesota and North Dakota)
Mississippi State Department of Health
Missouri Hospital Industry Data Institute
Montana Hospital Association
Nebraska Hospital Association
Nevada Department of Health and Human Services
New Hampshire Department of Health & Human Services
New Jersey Department of Health
New York State Department of Health
North Carolina Department of Health and Human Services
North Dakota (data provided by the Minnesota Hospital Association)
Ohio Hospital Association
Oregon Association of Hospitals and Health Systems
Oregon Office of Health Analytics
Rhode Island Department of Health
South Carolina Revenue and Fiscal Affairs Office
South Dakota Association of Healthcare Organizations
Tennessee Hospital Association
Texas Department of State Health Services
Utah Department of Health
Vermont Association of Hospitals and Health Systems
Wisconsin Department of Health Services
Wyoming Hospital Association

Appendix B. Healthcare Cost and Utilization Project (HCUP) Nationwide Emergency Department Sample (NEDS)

The Healthcare Cost and Utilization Project (HCUP) is a family of health care databases and related software tools and products developed through a Federal-State-Industry partnership and sponsored by the Agency for Healthcare Research and Quality (AHRQ). The Nationwide Emergency Department Sample (NEDS) was created to enable analyses of emergency department (ED) utilization patterns and to support research, public health professionals, administrators, policymakers, and clinicians in their decision-making regarding this critical source of care. The ED serves a dual role in the U.S. healthcare system infrastructure, as a point of entry for approximately 50 percent of inpatient hospital admissions and as a setting for treat-and-release outpatient visits.⁴

The NEDS are 20-percent stratified samples of hospital-owned EDs from the HCUP State Inpatient Databases (SID) and State Emergency Department Databases (SEDD). The SID contain information on patients initially seen in the ED and then admitted to the same hospital. The SEDD capture information on ED visits that do not result in an admission (i.e., treat-and-release visits and transfers to another hospital). The NEDS are available from 2006 through 2016, which allows researchers to analyze trends over time. Key features of the 2016 NEDS include:

- Information on ED visits from 953 hospitals located in 36 States and the District of Columbia, approximating a 20-percent stratified sample of U.S. hospital-based EDs
- Patient demographics characteristics (e.g., sex, age, urban-rural designation of residence, national quartile of median household income for patient's ZIP Code)
- Expected payment source (e.g., Medicare, Medicaid, private insurance, self-pay, no charge, and other)
- Total ED charges (for ED visits) and total hospital charges (for inpatient stays for ED visits that result in admission)
- Hospital characteristics (e.g., trauma center indicator, region, urban-rural location, teaching status).

⁴ Merrill, C. T. and Owens, P. L. (2007). Hospital Admissions That Began in the Emergency Department for Children and Adolescents, 2004. HCUP Statistical Brief #32. June 2007. Agency for Healthcare Research and Quality, Rockville, MD. Retrieved June 9, 2008 from www.hcup-us.ahrq.gov/reports/statbriefs/sb32.pdf

Appendix C. Coding Criteria for Suicidal Ideation, Suicide Attempt, and Self-Inflicted Harm

ED visits related to suicidal ideation, suicide attempt, or self-inflicted harm were identified using any diagnosis. For data years 2010–2014, ED visits were identified using *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)* diagnoses. For data year 2016, ED visits were identified using *International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)* diagnoses.

Table C.1 Clinical Coding Criteria for Suicidal Ideation, Suicide Attempt, and Self-Inflicted Harm

Category	ICD-9-CM Codes	ICD-10-CM Codes
Suicidal ideation	V62.84 "Suicidal ideation"	R45.851 "Suicidal ideations"
Suicide attempt	No codes	T14.91 "Suicide attempt"
Self-inflicted harm	<p>E950-E958.9 "Suicide and self-inflicted injury". See Table C.2 for the list of individual codes.</p> <p>Excluded: E959 "Late effects of self-inflicted injury" was excluded because it is intended to account for sequelae.</p>	<p>All T and X specific to intentional self-harm codes with a 7th character of A indicating "initial encounter". See Table C.3 for the list of individual codes.</p> <p>Excluded T and X codes for intentional self-harm: Subsequent codes (ending in D) are used for encounters after the patient has completed active treatment of the condition and is receiving routine care for the condition during the healing and recovery phase. Sequela codes (ending in S) are used for any report of late effect or sequela resulting from a previous injury; it should never be used with a related current nature of injury code.</p>

Table C.2. ICD-9-CM Diagnosis Codes for Self-Inflicted Harm

ICD-9-CM Diagnosis Codes	Description
E950.0	Suicide and self-inflicted poisoning by analgesics, antipyretics, and antirheumatics
E950.1	Suicide and self-inflicted poisoning by barbiturates
E950.2	Suicide and self-inflicted poisoning by other sedatives and hypnotics
E950.3	Suicide and self-inflicted poisoning by tranquilizers and other psychotropic agents
E950.4	Suicide and self-inflicted poisoning by other specified drugs and medicinal substances
E950.5	Suicide and self-inflicted poisoning by unspecified drug or medicinal substance
E950.6	Suicide and self-inflicted poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers
E950.7	Suicide and self-inflicted poisoning by corrosive and caustic substances
E950.8	Suicide and self-inflicted poisoning by arsenic and its compounds
E950.9	Suicide and self-inflicted poisoning by other and unspecified solid and liquid substances
E951.0	Suicide and self-inflicted poisoning by gas distributed by pipeline
E951.1	Suicide and self-inflicted poisoning by liquefied petroleum gas distributed in mobile containers
E951.8	Suicide and self-inflicted poisoning by other utility gas
E952.0	Suicide and self-inflicted poisoning by motor vehicle exhaust gas
E952.1	Suicide and self-inflicted poisoning by other carbon monoxide
E952.8	Suicide and self-inflicted poisoning by other specified gases and vapors
E952.9	Suicide and self-inflicted poisoning by unspecified gases and vapors
E953.0	Suicide and self-inflicted injury by hanging
E953.1	Suicide and self-inflicted injury by suffocation by plastic bag
E953.8	Suicide and self-inflicted injury by other specified means
E953.9	Suicide and self-inflicted injury by unspecified means
E954	Suicide and self-inflicted injury by submersion [drowning]
E955.0	Suicide and self-inflicted injury by handgun
E955.1	Suicide and self-inflicted injury by shotgun
E955.2	Suicide and self-inflicted injury by hunting rifle
E955.3	Suicide and self-inflicted injury by military firearms
E955.4	Suicide and self-inflicted injury by other and unspecified firearm
E955.5	Suicide and self-inflicted injury by explosives
E955.6	Suicide and self-inflicted injury by air gun
E955.7	Suicide and self-inflicted injury by paintball gun
E955.9	Suicide and self-inflicted injury by firearms and explosives, unspecified
E956	Suicide and self-inflicted injury by cutting and piercing instrument
E957.0	Suicide and self-inflicted injuries by jumping from residential premises

ICD-9-CM Diagnosis Codes	Description
E957.1	Suicide and self-inflicted injuries by jumping from other man-made structures
E957.2	Suicide and self-inflicted injuries by jumping from natural sites
E957.9	Suicide and self-inflicted injuries by jumping from unspecified site
E958.0	Suicide and self-inflicted injury by jumping or lying before moving object
E958.1	Suicide and self-inflicted injury by burns, fire
E958.2	Suicide and self-inflicted injury by scald
E958.3	Suicide and self-inflicted injury by extremes of cold
E958.4	Suicide and self-inflicted injury by electrocution
E958.5	Suicide and self-inflicted injury by crashing of motor vehicle
E958.6	Suicide and self-inflicted injury by crashing of aircraft
E958.7	Suicide and self-inflicted injury by caustic substances, except poisoning
E958.8	Suicide and self-inflicted injury by other specified means
E958.9	Suicide and self-inflicted injury by unspecified means

Table C.3. ICD-10-CM Diagnosis Codes for Self-Inflicted Harm

ICD-10-CM Diagnosis	Description
T36.0X2A	Poisoning by penicillins, intentional self-harm, initial encounter
T36.1X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter
T36.2X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter
T36.3X2A	Poisoning by macrolides, intentional self-harm, initial encounter
T36.4X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter
T36.5X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter
T36.6X2A	Poisoning by rifampicins, intentional self-harm, initial encounter
T36.7X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter
T36.8X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter
T36.92XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter
T37.0X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter
T37.1X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter
T37.2X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter
T37.3X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter
T37.4X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter
T37.5X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter
T37.8X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter
T37.92XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter
T38.0X2A	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter
T38.1X2A	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter
T38.2X2A	Poisoning by antithyroid drugs, intentional self-harm, initial encounter
T38.3X2A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter
T38.4X2A	Poisoning by oral contraceptives, intentional self-harm, initial encounter
T38.5X2A	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter
T38.6X2A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter
T38.7X2A	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter
T38.802A	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T38.812A	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter
T38.892A	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter
T38.902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter
T38.992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter
T39.4X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter
T39.8X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter
T39.92XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter
T41.0X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter
T41.1X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T41.202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter
T41.292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter
T41.3X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter
T41.42XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter
T41.5X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter
T42.1X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter
T42.2X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter
T42.5X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter
T42.8X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter
T44.0X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter
T44.1X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter
T44.2X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter
T44.3X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter
T44.4X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter
T44.5X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter
T44.6X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter
T44.7X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter
T44.8X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter
T44.902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter
T44.992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter
T45.1X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter
T45.2X2A	Poisoning by vitamins, intentional self-harm, initial encounter
T45.3X2A	Poisoning by enzymes, intentional self-harm, initial encounter
T45.4X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter
T45.512A	Poisoning by anticoagulants, intentional self-harm, initial encounter
T45.522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter
T45.602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter
T45.612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter
T45.622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T45.692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter
T45.7X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter
T45.8X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter
T45.92XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter
T46.1X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter
T46.2X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter
T46.3X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter
T46.4X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter
T46.5X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter
T46.6X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter
T46.7X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter
T46.8X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter
T46.902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter
T46.992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter
T47.0X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter
T47.1X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter
T47.2X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter
T47.3X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter
T47.4X2A	Poisoning by other laxatives, intentional self-harm, initial encounter
T47.5X2A	Poisoning by digestants, intentional self-harm, initial encounter
T47.6X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter
T47.7X2A	Poisoning by emetics, intentional self-harm, initial encounter
T47.8X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter
T47.92XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter
T48.0X2A	Poisoning by oxytocic drugs, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T48.1X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter
T48.202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter
T48.292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter
T48.3X2A	Poisoning by antitussives, intentional self-harm, initial encounter
T48.4X2A	Poisoning by expectorants, intentional self-harm, initial encounter
T48.5X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter
T48.6X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter
T48.902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter
T48.992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter
T49.0X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter
T49.1X2A	Poisoning by antipruritics, intentional self-harm, initial encounter
T49.2X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter
T49.3X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter
T49.4X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter
T49.5X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter
T49.6X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter
T49.7X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter
T49.8X2A	Poisoning by other topical agents, intentional self-harm, initial encounter
T49.92XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter
T50.0X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter
T50.1X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter
T50.2X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter
T50.3X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter
T50.4X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter
T50.5X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T50.6X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter
T50.7X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter
T50.8X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter
T50.A12A	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter
T50.A22A	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter
T50.A92A	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter
T50.B12A	Poisoning by smallpox vaccines, intentional self-harm, initial encounter
T50.B92A	Poisoning by other viral vaccines, intentional self-harm, initial encounter
T50.Z12A	Poisoning by immunoglobulin, intentional self-harm, initial encounter
T50.Z92A	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter
T51.1X2A	Toxic effect of methanol, intentional self-harm, initial encounter
T51.2X2A	Toxic effect of 2-Propanol, intentional self-harm, initial encounter
T51.3X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter
T51.8X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter
T51.92XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter
T52.0X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter
T52.1X2A	Toxic effect of benzene, intentional self-harm, initial encounter
T52.2X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter
T52.3X2A	Toxic effect of glycols, intentional self-harm, initial encounter
T52.4X2A	Toxic effect of ketones, intentional self-harm, initial encounter
T52.8X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter
T52.92XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter
T53.0X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter
T53.1X2A	Toxic effect of chloroform, intentional self-harm, initial encounter
T53.2X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter
T53.3X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter
T53.4X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T53.5X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter
T53.6X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter
T53.7X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter
T53.92XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter
T54.0X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter
T54.1X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter
T54.2X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter
T54.3X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter
T54.92XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter
T55.0X2A	Toxic effect of soaps, intentional self-harm, initial encounter
T55.1X2A	Toxic effect of detergents, intentional self-harm, initial encounter
T56.0X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter
T56.1X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter
T56.2X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter
T56.3X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter
T56.4X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter
T56.5X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter
T56.6X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter
T56.7X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter
T56.812A	Toxic effect of thallium, intentional self-harm, initial encounter
T56.892A	Toxic effect of other metals, intentional self-harm, initial encounter
T56.92XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter
T57.0X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter
T57.1X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter
T57.2X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter
T57.3X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T57.8X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter
T57.92XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter
T58.02XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter
T58.12XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter
T58.2X2A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter
T58.8X2A	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter
T58.92XA	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter
T59.0X2A	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter
T59.1X2A	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter
T59.2X2A	Toxic effect of formaldehyde, intentional self-harm, initial encounter
T59.3X2A	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter
T59.4X2A	Toxic effect of chlorine gas, intentional self-harm, initial encounter
T59.5X2A	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter
T59.6X2A	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter
T59.7X2A	Toxic effect of carbon dioxide, intentional self-harm, initial encounter
T59.812A	Toxic effect of smoke, intentional self-harm, initial encounter
T59.892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter
T59.92XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter
T60.0X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter
T60.1X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter
T60.2X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter
T60.3X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter
T60.4X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter
T60.8X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter
T60.92XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter
T61.02XA	Ciguatera fish poisoning, intentional self-harm, initial encounter
T61.12XA	Scombroid fish poisoning, intentional self-harm, initial encounter
T61.772A	Other fish poisoning, intentional self-harm, initial encounter
T61.782A	Other shellfish poisoning, intentional self-harm, initial encounter
T61.8X2A	Toxic effect of other seafood, intentional self-harm, initial encounter
T61.92XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T62.0X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter
T62.1X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter
T62.2X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter
T62.8X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter
T62.92XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter
T63.002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter
T63.012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter
T63.022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter
T63.032A	Toxic effect of taipan venom, intentional self-harm, initial encounter
T63.042A	Toxic effect of cobra venom, intentional self-harm, initial encounter
T63.062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter
T63.072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter
T63.082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter
T63.092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter
T63.112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter
T63.122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter
T63.192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter
T63.2X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter
T63.302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter
T63.312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter
T63.322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter
T63.332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter
T63.392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter
T63.412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter
T63.422A	Toxic effect of venom of ants, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T63.432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter
T63.442A	Toxic effect of venom of bees, intentional self-harm, initial encounter
T63.452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter
T63.462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter
T63.482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter
T63.512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter
T63.592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter
T63.612A	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial encounter
T63.622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter
T63.632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter
T63.692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter
T63.712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter
T63.792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter
T63.812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter
T63.822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter
T63.832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter
T63.892A	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter
T63.92XA	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter
T64.02XA	Toxic effect of aflatoxin, intentional self-harm, initial encounter
T64.82XA	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter
T65.0X2A	Toxic effect of cyanides, intentional self-harm, initial encounter
T65.1X2A	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter
T65.3X2A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter
T65.4X2A	Toxic effect of carbon disulfide, intentional self-harm, initial encounter

ICD-10-CM Diagnosis	Description
T65.5X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter
T65.6X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter
T65.812A	Toxic effect of latex, intentional self-harm, initial encounter
T65.822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter
T65.832A	Toxic effect of fiberglass, intentional self-harm, initial encounter
T65.892A	Toxic effect of other specified substances, intentional self-harm, initial encounter
T65.92XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter
T71.112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter
T71.122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter
T71.132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter
T71.152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter
T71.162A	Asphyxiation due to hanging, intentional self-harm, initial encounter
T71.192A	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter
T71.222A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter
T71.232A	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter
X71.0XXA	Intentional self-harm by drowning and submersion while in bathtub, initial encounter
X71.1XXA	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter
X71.2XXA	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter
X71.3XXA	Intentional self-harm by drowning and submersion in natural water, initial encounter
X71.8XXA	Other intentional self-harm by drowning and submersion, initial encounter
X71.9XXA	Intentional self-harm by drowning and submersion, unspecified, initial encounter
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter
X74.01XA	Intentional self-harm by airgun, initial encounter

ICD-10-CM Diagnosis	Description
X74.02XA	Intentional self-harm by paintball gun, initial encounter
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter
X75.XXXA	Intentional self-harm by explosive material, initial encounter
X76.XXXA	Intentional self-harm by smoke, fire and flames, initial encounter
X77.0XXA	Intentional self-harm by steam or hot vapors, initial encounter
X77.1XXA	Intentional self-harm by hot tap water, initial encounter
X77.2XXA	Intentional self-harm by other hot fluids, initial encounter
X77.3XXA	Intentional self-harm by hot household appliances, initial encounter
X77.8XXA	Intentional self-harm by other hot objects, initial encounter
X77.9XXA	Intentional self-harm by unspecified hot objects, initial encounter
X78.0XXA	Intentional self-harm by sharp glass, initial encounter
X78.1XXA	Intentional self-harm by knife, initial encounter
X78.2XXA	Intentional self-harm by sword or dagger, initial encounter
X78.8XXA	Intentional self-harm by other sharp object, initial encounter
X78.9XXA	Intentional self-harm by unspecified sharp object, initial encounter
X79.XXXA	Intentional self-harm by blunt object, initial encounter
X80.XXXA	Intentional self-harm by jumping from a high place, initial encounter
X81.0XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter
X81.1XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter
X81.8XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter
X82.0XXA	Intentional collision of motor vehicle with other motor vehicle, initial
X82.1XXA	Intentional collision of motor vehicle with train, initial encounter
X82.2XXA	Intentional collision of motor vehicle with tree, initial encounter
X82.8XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter
X83.0XXA	Intentional self-harm by crashing of aircraft, initial encounter
X83.1XXA	Intentional self-harm by electrocution, initial encounter
X83.2XXA	Intentional self-harm by exposure to extremes of cold, initial encounter
X83.8XXA	Intentional self-harm by other specified means, initial encounter