

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
1. Congestive Heart Failure¹	398.91, 402.01, 402.11, 402.91, 404.01, 404.03, 404.11, 404.13, 404.91, 404.93, 428.0-428.9	Cardiac: 103-112, 115-118, 121-127, 129, 132, 133, 135-143, 514-518, 525-527, 535-536, 547-558	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 280-293, 296-298, 302-303, 306-313	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313	Cardiac: 001-002, 215-238, 242-252, 253-254, 258-262, 265-267, 280-293, 296-298, 302-303, 306-313
Changes from 3.3 to 3.4				Added 265			
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7							Added 252,266,267
2. Valvular disease	093.20-093.24, 394.0-397.1, 397.9, 424.0- 424.99, 746.3- 746.6, V42.2, V43.3	Cardiac: 103-112, 115-118, 121-127, 129, 132, 133, 135-143, 514-518, 525-527, 535-536, 547-558	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 280-293, 296-298, 302-303, 306-313	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313	Cardiac: 001-002, 215-238, 242-252, 253-254, 258-262, 265-267, 280-293, 296-298, 302-303, 306-313
Changes from 3.3 to 3.4				Added 265			
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7							Added 252,266,267
3. Pulmonary Circulation disorders	415.11-415.19, 416.0-416.9, 417.9	Cardiac: 103-112, 115-118, 121-127, 129, 132,133, 135- 143, 514-518, 525- 527, 535-536, 547- 558 or COPD asthma: 88, 96-98	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 280-293, 296-298, 302-303, 306-313 or COPD asthma 190-192, 202-203	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313 or COPD asthma 190-192, 202-203	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313 or COPD asthma 190-192, 202-203	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 265, 280-293, 296- 298, 302-303, 306- 313 or COPD asthma 190-192, 202-203	Cardiac: 001-002, 215-238, 242-252, 253-254, 258-262, 265-267, 280-293, 296-298, 302-303, 306-313 or COPD asthma 190-192, 202-203
Changes from 3.3 to 3.4				Added 265			

¹ The comorbidity category Congestive Heart Failure shares diagnosis codes with Hypertension (402.01,402.11,402.91,404.01,404.11,404.91) and Renal Failure (404.03,404.13,404.93).

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
No changes from 3.4 to 3.5	NOTE: fy2010 code 416.2 included in range above						
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7	Note fy2012 415.13 included in range						Added 252,266,267
4. Peripheral vascular disease	440-440.9, 441.00- 441.9, 442.0- 442.9, 443.1- 443.9, 444.21- 444.22, 447.1,449, 557.1, 557.9, V43.4	Peripheral vascular: 130, 131	Peripheral vascular: 299-301	Peripheral vascular: 299-301	Peripheral vascular: 299-301	Peripheral vascular: 299-301	Peripheral vascular: 299-301
Changes from 3.4 to 3.5							
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
5. Hypertension (combine uncomplicated and complicated) ²	Hypertension, uncomplicated: 401.1, 401.9, 642.00-642.04	Hypertension: 22, 134	Hypertension: 077- 079, 304-305	Hypertension: 077- 079, 304-305	Hypertension: 077- 079, 304-305	Hypertension: 077- 079, 304-305	Hypertension: 077- 079, 304-305
	Hypertension, complicated: 401.0, 402.00- 405.99, 437.2, 642.10-642.24, 642.70-642.94	Cardiac:103-122, 115-118, 121-127, 129, 132,133,135- 143, 518, 525-527, 535-536, 549-558 or Renal 302-305, 315-333, or Hypertension 22, 134	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 280-293, 296-298, 302-303, 306-313 or Renal: 652, 656- 661, 673-675, 682- 700 or Hypertension: 077- 079, 304-305	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 280-293, 296-298, 302-303, 306-313 or Renal: 652, 656- 661, 673-675, 682- 700 or Hypertension: 077- 079, 304-305	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 280-293, 296-298, 302-303, 306-313 or Renal: 652, 656- 661, 673-675, 682- 700 or Hypertension: 077- 079, 304-305	Cardiac: 001-002, 215-238, 242-251, 253-254, 258-262, 280-293, 296-298, 302-303, 306-313 or Renal: 652, 656- 661, 673-675, 682- 700 or Hypertension: 077- 079, 304-305	Cardiac: 001-002, 215-238, 242-252, 253-254, 258-262, 265-267,280-293, 296-298, 302-303, 306-313 or Renal: 652, 656-661, 673- 675, 682-700 or Hypertension: 077- 079, 304-305

² The comorbidity category Hypertension shares diagnosis codes with Renal Failure (403.01,403.11,403.91,404.02,404.12,404.92,404.03,404.13,404.93) and Congestive Heart Failure (402.01,402.11,402.91,404.01,404.11,404.91,404.03,404.13,404.93).

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
Changes from 3.3 to 3.4				Added 265			
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7							Added 252,266,267
6. Paralysis	342.0-344.9, 438.20-438.53, 780.72	Cerebrovascular: 5, 14-17, 524, 528, 533-534, 577	Cerebrovascular: 020-022, 034-038, 064-072	Cerebrovascular: 020-022, 034-038, 064-072	Cerebrovascular: 020-022, 034-038, 064-072	Cerebrovascular: 020-022, 034-038, 064-072	Cerebrovascular: 020-022, 034-039, 064-072
Changes from 3.4 to 3.4	Added 780.72						
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7							Added 039
7. Other neurological disorders	330.1-331.9, 332.0, 333.4, 333.5, 333.71, 333.72, 333.79, 333.85, 333.94, 334.0-335.9, 338.0, 340, 341.1-341.9, 345.00-345.11, 345.2-345.3, 345.40-345.91, 347.00-347.01, 347.10-347.11, 649.40-649.44, 768.7, 768.70, 768.71, 768.72, 780.3, 780.31, 780.32, 780.33, 780.39, 780.97, 784.3	Nervous system: 1-35, 524, 528-534, 543, 559-564, 577	Nervous system: 020-042, 052-103	Nervous system: 020-042, 052-103	Nervous system: 020-042, 052-103	Nervous system: 020-042, 052-103	Nervous system: 020-042, 052-103
Changes from 3.4 to 3.5	Added 768.70, 768.71, 768.72, 768.73						
Changes from 3.5 to 3.6	Added 780.33						

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
No changes from 3.6 to 3.7							
8. Chronic pulmonary disease	490-492.8, 493.00- 493.92, 494-494.1, 495.0-505, 506.4,	COPD asthma: 88, 96-98	COPD asthma: 190-192, 202-203	COPD asthma: 190-192, 202-203	COPD asthma: 190-192, 202-203	COPD asthma: 190-192, 202-203	COPD asthma: 190-192, 202-203
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
9. Diabetes without chronic complications	249.00-249.31, 250.00-250.33, 648.00-648.04	Diabetes: 294, 295	Diabetes: 637-639	Diabetes: 637-639	Diabetes: 637-639	Diabetes: 637-639	Diabetes: 637-639
Changes from 3.3 to 3.4	Added 249.00- 249.31						
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
10. Diabetes with chronic complications	249.40-249.91, 250.40-250.93, 775.1	Diabetes: 294, 295	Diabetes: 637-639	Diabetes: 637-639	Diabetes: 637-639	Diabetes: 637-639	Diabetes: 637-639
Changes from 3.3 to 3.4	Added 249.40-249.91						
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
11. Hypothyroidism	243-244.2, 244.8, 244.9	Thyroid endocrine: 290, 300, 301	Thyroid endocrine: 625-627, 643-645	Thyroid endocrine: 625-627, 643-645	Thyroid endocrine: 625-627, 643-645	Thyroid endocrine: 625-627, 643-645	Thyroid endocrine: 625-627, 643-645
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
12. Renal failure ³	403.01, 403.11, 403.91, 404.02, 404.03, 404.12, 404.13, 404.92, 404.93, 585.3, 585.4, 585.5, 585.6, 585.9, 586, V42.0, V45.1, V45.11, V45.12, V56.0-V56.32, V56.8	Kidney transplant, Renal failure/dialysis: 302, 316, 317	Kidney transplant, Renal failure/dialysis: 652, 656-661, 673- 675, 682-700	Kidney transplant, Renal failure/dialysis: 652, 656-661, 673- 675, 682-700	Kidney transplant, Renal failure/dialysis: 652, 656-661, 673- 675, 682-700	Kidney transplant, Renal failure/dialysis: 652, 656-661, 673- 675, 682-700	Kidney transplant, Renal failure/dialysis: 652, 656-661, 673- 675, 682-700
Changes from 3.3 to 3.4	Added V45.11, V45.12						
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7	Added 403.90						
13. Liver disease	070.22, 070.23, 070.32, 070.33 , 070.44, 070.54, 456.0, 456.1, 456.20, 456.21, 571.0, 571.2, 571.3, 571.40- 571.49, 571.5, 571.6, 571.8, 571.9, 572.3, 572.8, 573.5, V42.7	Liver: 199-202, 205-208	Liver: 420-425, 432-434, 441-446	Liver: 420-425, 432-434, 441-446	Liver: 420-425, 432-434, 441-446	Liver: 420-425, 432-434, 441-446	Liver: 420-425, 432-434, 441-446
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7	Added 573.5						

³ The comorbidity category Renal Failure shares diagnosis codes with Hypertension (403.01,403.11,403.91,404.02,404.12,404.92) and Congestive Heart Failure (404.03,404.13,404.93).

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
14. Chronic Peptic ulcer disease (includes bleeding only if obstruction is also present)	531.41, 531.51, 531.61, 531.70, 531.71, 531.91, 532.41, 532.51, 532.61, 532.70, 532.71, 532.91, 533.41, 533.51, 533.61, 533.70, 533.71, 533.91, 534.41, 534.51, 534.61, 534.70, 534.71, 534.91	GI Hemorrhage or ulcer: 174-178	GI Hemorrhage or ulcer: 377-384	GI Hemorrhage or ulcer: 377-384	GI Hemorrhage or ulcer: 377-384	GI Hemorrhage or ulcer: 377-384	GI Hemorrhage or ulcer: 377-384
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
15. HIV and AIDS (Acquired immune deficiency syndrome)	042-044.9	HIV: 488, 489, 490	HIV: 969-970, 974-977	HIV: 969-970, 974-977	HIV: 969-970, 974-977	HIV: 969-970, 974-977	HIV: 969-970, 974-977
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7							
16. Lymphoma	200.00-202.38, 202.50-203.01, 203.02-203.82, 203.8-203.81, 238.6, 273.3	Leukemia/lymphoma: 400-414, 473, 492, 539-540	Leukemia/lymphoma: 820-830, 834-849	Leukemia/lymphoma: 820-830, 834-849	Leukemia/lymphoma: 820-830, 834-849	Leukemia/lymphoma: 820-830, 834-849	Leukemia/lymphoma: 820-830, 834-849
Changes from 3.3 to 3.4	Added 203.02, 203.82						
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
17. Metastatic cancer	196.0-199.1, 209.70, 209.71, 209.72, 209.73, 209.74, 209.75, 209.79, 789.51	Cancer, Lymphoma: 10, 11, 64, 82, 172, 173, 199, 203, 239, 257-260, 274, 275, 303, 318, 319, 338, 344, 346, 347, 354, 355, 357, 363, 366, 367, 406-414	Cancer, Lymphoma: 054, 055, 146-148, 180- 182, 374-376, 435- 437, 542-544, 582- 585, 597-599, 656- 658, 686-688, 715- 716, 722-724, 736- 741, 754-756, 826- 830, 843-849	Cancer, Lymphoma: 054, 055, 146-148, 180- 182, 374-376, 435- 437, 542-544, 582- 585, 597-599, 656- 658, 686-688, 715- 716, 722-724, 736- 741, 754-756, 826- 830, 843-849	Cancer, Lymphoma: 054, 055, 146-148, 180- 182, 374-376, 435- 437, 542-544, 582- 585, 597-599, 656- 658, 686-688, 715- 716, 722-724, 736- 741, 754-756, 826- 830, 843-849	Cancer, Lymphoma: 054, 055, 146-148, 180- 182, 374-376, 435- 437, 542-544, 582- 585, 597-599, 656- 658, 686-688, 715- 716, 722-724, 736- 741, 754-756, 826- 830, 843-849	Cancer, Lymphoma: 054, 055, 146-148, 180- 182, 374-376, 435- 437, 542-544, 582- 585, 597-599, 656- 658, 686-688, 715- 716, 722-724, 736- 741, 754-756, 826- 830, 843-849
Changes from 3.4 to 3.5	Added 209.70, 209.71, 209.72, 209.73, 209.74, 209.75, 209.79						
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
18. Solid tumor without metastasis	140.0-172.9, 174.0-175.9, 179- 195.8, 209.00- 209.24, 209.25- 209.3, 209.30- 209.36, 258.01- 258.03	Cancer, Lymphoma: 10, 11, 64, 82, 172, 173, 199, 203, 239, 257-260, 274, 275, 303, 318, 319, 338, 344, 346, 347, 354, 355, 357, 363, 366, 367, 406-414	Cancer, Lymphoma: 054, 055, 146-148, 180-182, 374-376, 435-437, 542-544, 582-585, 597-599, 656-658, 686-688, 715-716, 722-724, 736-741, 754-756, 826-830, 843-849	Cancer, Lymphoma: 054, 055, 146-148, 180-182, 374-376, 435-437, 542-544, 582-585, 597-599, 656-658, 686-688, 715-716, 722-724, 736-741, 754-756, 826-830, 843-849	Cancer, Lymphoma: 054, 055, 146-148, 180-182, 374-376, 435-437, 542-544, 582-585, 597-599, 656-658, 686-688, 715-716, 722-724, 736-741, 754-756, 826-830, 843-849	Cancer, Lymphoma: 054, 055, 146-148, 180-182, 374-376, 435-437, 542-544, 582-585, 597-599, 656-658, 686-688, 715-716, 722-724, 736-741, 754-756, 826-830, 843-849	Cancer, Lymphoma: 054, 055, 146-148, 180-182, 374-376, 435-437, 542-544, 582-585, 597-599, 656-658, 686-688, 715-716, 722-724, 736-741, 754-756, 826-830, 843-849
Changes from 3.3 to 3.4	Added 209.00- 209.24, 209.25- 209.3						
Changes from 3.4 to 3.5	Added 209.31- 209.36						
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
19. Rheumatoid arthritis/collagen vascular diseases	701.0, 710.0- 710.9, 714.0- 714.9, 720.0- 720.9, 725	Connective tissue: 240, 241	Connective tissue: 545-547	Connective tissue: 545-547	Connective tissue: 545-547	Connective tissue: 545-547	Connective tissue: 545-547
No changes from 3.4 to 3.5							

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
20. Coagulation deficiency	286.0-286.9, 287.1, 287.3-287.5, 289.84, 649.30-649.34	Coagulation disorders: 397	Coagulation disorders: 813	Coagulation disorders: 813	Coagulation disorders: 813	Coagulation disorders: 813	Coagulation disorders: 813
Changes from 3.3 to 3.4	Added 289.84						
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
Changes from 3.6 to 3.7	Added 286.52, 286.53, 286.59 These are included in the range 286.0-286.9 above						
21. Obesity	278.0, 278.00, 278.01, 278.03, 649.10-649.14, 793.91, V85.30-V85.39, V85.41-V85.45, V85.54	Nutrition/metabolic: 296-298 or Obesity Proc: 288	Nutrition/metabolic: 619-621, 640-641	Nutrition/metabolic: 619-621, 640-641	Nutrition/metabolic: 619-621, 640-641	Nutrition/metabolic: 619-621, 640-641	Nutrition/metabolic: 619-621, 640-641
No changes from 3.4 to 3.5							
Changes from 3.5 to 3.6	Added 278.03, V85.41-V85.45						
Changes from 3.6 to 3.7							
22. Weight loss	260-263.9, 783.21, 783.22	Nutrition/metabolic: 296-298	Nutrition/metabolic: 640-641	Nutrition/metabolic: 640-641	Nutrition/metabolic: 640-641	Nutrition/metabolic: 640-641	Nutrition/metabolic: 640-641
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
23. Fluid and electrolyte disorders	276.0-276.9	Nutrition/metabolic: 296-298	Nutrition/metabolic: 640-641	Nutrition/metabolic: 640-641	Nutrition/metabolic: 640-641	Nutrition/metabolic: 640-641	Nutrition/metabolic: 640-641
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
24. Blood loss anemia	280.0, 648.20- 648.24	Anemia: 395, 396, 574	Anemia: 808-812	Anemia: 808-812	Anemia: 808-812	Anemia: 808-812	Anemia: 808-812
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
25. Deficiency anemias	280.1-281.9, 285.21-285.29, 285.9	Anemia: 395, 396, 574	Anemia: 808-812	Anemia: 808-812	Anemia: 808-812	Anemia: 808-812	Anemia: 808-812
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
26. Alcohol abuse	291.0-291.3, 291.5, 291.8, 291.81, 291.82, 291.89, 291.9, 303.00-303.93, 305.00-305.03	Alcohol or drug: 433-437, 521-523,	Alcohol or drug: 894-897	Alcohol or drug: 894-897	Alcohol or drug: 894-897	Alcohol or drug: 894-897	Alcohol or drug: 894-897
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
27. Drug abuse	292.0, 292.82- 292.89, 292.9, 304.00-304.93, 305.20-305.93, 648.30-648.34	Alcohol or drug: 433-437, 521-523	Alcohol or drug: 894-897	Alcohol or drug: 894-897	Alcohol or drug: 894-897	Alcohol or drug: 894-897	Alcohol or drug: 894-897

Table 2 Definitions of Comorbidities, Elixhauser Comorbidity Software version 3.7/ 2012	ICD9 CM Diagnosis Codes:	Discharge does not have these Pre-v25 DRGs:	V25 DRGs	V26 DRGs	V27 DRGs ; no new DRGs or description changes	V28 DRGs	V29 DRGs
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
28. Psychoses	295.00-298.9, 299.10, 299.11	Psychoses: 430	Psychoses: 885	Psychoses: 885	Psychoses: 885	Psychoses: 885	Psychoses: 885
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
29. Depression	300.4, 301.12, 309.0, 309.1, 311	Depressive neuroses: 426	Depressive neurosis: 881	Depressive neurosis: 881	Depressive neurosis: 881	Depressive neurosis: 881	Depressive neurosis: 881
No changes from 3.4 to 3.5							
No changes from 3.5 to 3.6							
No changes from 3.6 to 3.7							
Comments: The following DRGs had been deleted prior to 2007 and renumbered to a different DRG; they did not have a corresponding V25 MS DRG value, but the renumbered DRGs were included in the 2007 update and is represented by the equivalent v25 MS DRGs: 004-005, 020, 024-025, 107, 109, 112, 115,-116, 298, 363, 400, 414, 434-437, 514, 516-517, 522, 526-527							

