

**HEALTHCARE COST AND UTILIZATION PROJECT — HCUP**  
**A FEDERAL-STATE-INDUSTRY PARTNERSHIP IN HEALTH DATA**  
Sponsored by the Agency for Healthcare Research and Quality

**INTRODUCTION TO**  
**THE HCUP NATIONWIDE INPATIENT SAMPLE (NIS)**  
**2005**

**These pages provide only an introduction to the NIS package.**

**For full documentation and notification of changes,  
visit the HCUP User Support Website at <http://www.hcup-us.ahrq.gov>.**

Issued June 2007  
*Updated November 2015*

Agency for Healthcare Research and Quality  
Healthcare Cost and Utilization Project (HCUP)

Phone: (301) 427-1410  
E-mail: [hcup@ahrq.gov](mailto:hcup@ahrq.gov)  
Website: <http://www.hcup-us.ahrq.gov>

**NIS Data and Documentation Distributed by:**  
HCUP Central Distributor

Phone: (866) 556-4287 (toll-free)  
Fax: (866) 792-5313  
E-mail: [HCUPDistributor@ahrq.gov](mailto:HCUPDistributor@ahrq.gov)



## Table of Contents

<b>SUMMARY OF DATA USE LIMITATIONS</b> .....	<b>1</b>
<b>HCUP CONTACT INFORMATION</b> .....	<b>2</b>
<b>WHAT'S NEW IN THE 2005 NATIONWIDE INPATIENT SAMPLE (NIS)?</b> .....	<b>2</b>
<b>ABSTRACT</b> .....	<b>4</b>
<b>INTRODUCTION TO THE HCUP NATIONWIDE INPATIENT SAMPLE (NIS)</b> .....	<b>5</b>
<b>OVERVIEW OF NIS DATA</b> .....	<b>5</b>
NIS Data Sources, Hospitals, and Inpatient Stays .....	7
State-Specific Restrictions .....	8
Contents of CD-ROM Set.....	9
NIS Data Elements.....	9
<b>SAMPLING OF HOSPITALS INCLUDED IN THE NIS</b> .....	<b>23</b>
Stratification Variables .....	23
<b>GETTING STARTED</b> .....	<b>25</b>
NIS Data Files .....	25
NIS Documentation .....	25
<b>HOW TO USE THE NIS</b> .....	<b>27</b>
Calculating National Estimates .....	27
Why the NIS Should Not Be Used to Make State-Level Estimates .....	28
Studying Trends .....	28
Choosing Data Elements for Analysis.....	29
ICD-9-CM Diagnosis and Procedure Codes .....	29
<b>OTHER HCUP PRODUCTS</b> .....	<b>31</b>
<b>DATABASES</b> .....	<b>31</b>
<b>HCUP CENTRAL DISTRIBUTOR</b> .....	<b>31</b>
<b>HCUP USER SUPPORT</b> .....	<b>32</b>
<b>HCUPnet</b> .....	<b>32</b>
<b>TOOLS</b> .....	<b>32</b>
<b>PUBLICATIONS</b> .....	<b>33</b>

## Index of Tables

Table 1. Summary of NIS Releases.....	6
Table 2. Summary of NIS Data Sources, Hospitals, and Inpatient Stays, 1988-2005.....	7
Table 3. Data Elements in the NIS Inpatient Core Files .....	10
Table 4. Data Elements in the NIS Hospital Weights Files .....	17
Table 5. Data Elements in the NIS Disease Severity Measures Files .....	20
Table 6. Data Elements in the NIS Diagnosis and Procedure Groups Files .....	22
Table 7. Bed Size Categories, by Region .....	24
Table 8. NIS Related Reports and Database Documentation Available on HCUP-US.....	26

## HCUP NATIONWIDE INPATIENT SAMPLE (NIS) SUMMARY OF DATA USE LIMITATIONS

\*\*\*\*\* REMINDER \*\*\*\*\*

**All users of the NIS must take the on-line HCUP Data Use Agreement (DUA) training course, and read and sign a Data Use Agreement.<sup>†</sup>**

Authorized users of HCUP data agree to the following restrictions:<sup>‡</sup>

- Will not use the data for any purpose other than research or aggregate statistical reporting.
- Will not re-release any data to unauthorized users.
- Will not redistribute HCUP data by posting on any Web site or publicly-accessible online repository.
- Will not identify or attempt to identify any individual, including by the use of vulnerability analysis or penetration testing. Methods that could be used to identify individuals directly or indirectly shall not be disclosed or published.
- Will not publish information that could identify individual establishments (e.g., hospitals) and will not contact establishments.
- Will not use the data concerning individual establishments for commercial or competitive purposes involving those establishments and will not use the data to determine rights, benefits, or privileges of individual establishments.
- Will not use data elements from the proprietary severity adjustment software packages (3M APR-DRGs, HSS APS-DRGs, and Truven Health Analytics Disease Staging) for any commercial purpose or to disassemble, decompile, or otherwise reverse engineer the proprietary software.
- Will acknowledge in reports that data from the "Healthcare Cost and Utilization Project (HCUP)," were used, including names of the specific databases used for analysis.
- Will acknowledge that risk of individual identification of persons is increased when observations (i.e., individual discharge records) in any given cell of tabulated data is less than or equal to 10.

Any violation of the limitations in the Data Use Agreement is punishable under Federal law by a fine of up to \$10,000 and up to 5 years in prison. Violations may also be subject to penalties under State statutes.

<sup>†</sup> The on-line Data Use Agreement training session and the Data Use Agreement are available on the HCUP User Support (HCUP-US) Website at <http://www.hcup-us.ahrq.gov>.

<sup>‡</sup> Specific provisions are detailed in the Data Use Agreement for Nationwide Databases.

## HCUP CONTACT INFORMATION

**All HCUP data users, including data purchasers and collaborators, must complete the online HCUP Data Use Agreement (DUA) Training Tool, and read and sign the HCUP Data Use Agreement. Proof of training completion and signed Data Use Agreements must be submitted to the HCUP Central Distributor as described below.**

The on-line DUA training course is available at: [http://www.hcup-us.ahrq.gov/tech\\_assist/dua.jsp](http://www.hcup-us.ahrq.gov/tech_assist/dua.jsp)

The HCUP Nationwide Data Use Agreement is available on the AHRQ-sponsored HCUP User Support (HCUP-US) Web site at: <http://www.hcup-us.ahrq.gov>

### **HCUP Central Distributor**

Data purchasers will be required to provide their DUA training completion code and will execute their DUAs electronically as a part of the online ordering process. The DUAs and training certificates for collaborators and others with access to HCUP data should be submitted directly to the HCUP Central Distributor using the contact information below.

The HCUP Central Distributor can also help with questions concerning HCUP database purchases, your current order, training certificate codes, or invoices, if your questions are not covered in the Purchasing FAQs on the HCUP Central Distributor Web site.

Purchasing FAQs:

<https://www.distributor.hcup-us.ahrq.gov/Purchasing-Frequently-Asked-Questions.aspx>

Phone: (866) 290-HCUP (4287)

Email: [HCUPDistributor@AHRQ.gov](mailto:HCUPDistributor@AHRQ.gov)

Fax: 866-792-5313 (toll free in the United States)

Mailing address:

HCUP Central Distributor  
Social & Scientific Systems, Inc.  
8757 Georgia Ave, 12th Floor  
Silver Spring, MD 20910

### **HCUP User Support:**

Information about the content of the HCUP databases is available on the HCUP User Support (HCUP-US) Web site (<http://www.hcup-us.ahrq.gov>). If you have questions about using the HCUP databases, software tools, supplemental files, and other HCUP products, please review the HCUP Frequently Asked Questions or contact HCUP User Support:

HCUP FAQs: [http://www.hcup-us.ahrq.gov/tech\\_assist/faq.jsp](http://www.hcup-us.ahrq.gov/tech_assist/faq.jsp)

Phone: 866-290-HCUP (4287) (toll free)

Email: [hcup@ahrq.gov](mailto:hcup@ahrq.gov)



## WHAT'S NEW IN THE 2005 NATIONWIDE INPATIENT SAMPLE (NIS)?

- Oklahoma was added to the NIS in 2005. Data from Virginia were not available for inclusion in the 2005 NIS.
- 2005 NIS Documentation is available exclusively on the HCUP User Support Website (<http://www.hcup-us.ahrq.gov>) and is no longer included on the NIS CD-ROMs. This ensures that documentation for your data will always be the most recent and up-to-date version.
- The 10% subsample files are no longer available beginning with the 2005 NIS. The associated data element DISCWT10 was also discontinued.
- Users must complete an on-line Data Use Agreement training tool prior to receiving the data.





**HEALTHCARE COST AND UTILIZATION PROJECT — HCUP**  
**A FEDERAL-STATE-INDUSTRY PARTNERSHIP IN HEALTH DATA**  
Sponsored by the Agency for Healthcare Research and Quality

---

**The Agency for Healthcare Research and Quality and  
the staff of the Healthcare Cost and Utilization Project (HCUP) thank you for  
purchasing the HCUP Nationwide Inpatient Sample (NIS).**

**HCUP Nationwide Inpatient Sample (NIS)**

**ABSTRACT**

The Nationwide Inpatient Sample (NIS) is part of the Healthcare Cost and Utilization Project (HCUP), sponsored by the Agency for Healthcare Research and Quality (AHRQ), formerly the Agency for Health Care Policy and Research.

The NIS is a database of hospital inpatient stays. Researchers and policy makers use the NIS to identify, track, and analyze national trends in health care utilization, access, charges, quality, and outcomes.

The NIS is the largest all-payer inpatient care database that is publicly available in the United States, containing data from 5 to 8 million hospital stays from about 1,000 hospitals sampled to approximate a 20-percent stratified sample of U.S. community hospitals. The NIS is available for an 18-year time period, from 1988 to 2005, allowing analysis of trends over time. (Analyses of time trends are recommended from 1993 forward. See the report, *Using the HCUP Nationwide Inpatient Sample to Estimate Trends*, available on the HCUP User Support (HCUP-US) Website for details.)

The NIS is the only national hospital database with charge information on all patients, regardless of payer, including persons covered by Medicare, Medicaid, private insurance, and the uninsured. The NIS' large sample size enables analyses of rare conditions, such as congenital anomalies; uncommon treatments, such as organ transplantation; and special patient populations, such as the uninsured.

Inpatient stay records in the NIS include clinical and resource use information typically available from discharge abstracts. Hospital and discharge weights are provided for producing national estimates. The NIS can be linked to hospital-level data from the American Hospital Association's Annual Survey Database and county-level data from the Bureau of Health Professions' Area Resource File, except in those states that do not allow the release of hospital identifiers.

Beginning in 1998, the NIS differs from previous NIS releases: some data elements were dropped; some were added; for some data elements, the coding was changed; and the sampling and weighting strategy was revised to improve the representativeness of the data. (See the report, *Changes in the NIS Sampling and Weighting Strategy for 1998*, which describes these changes, available on the HCUP-US Website.)

Access to the NIS is open to users who sign data use agreements. Uses are limited to research and aggregate statistical reporting.

For more information on the NIS, please visit the AHRQ-sponsored HCUP-US Website at <http://www.hcup-us.ahrq.gov>.

# INTRODUCTION TO THE HCUP NATIONWIDE INPATIENT SAMPLE (NIS)

## OVERVIEW OF NIS DATA

The Nationwide Inpatient Sample (NIS) contains all-payer data on hospital inpatient stays from states participating in the Healthcare Cost and Utilization Project (HCUP). Each year of the NIS provides information on approximately 5 million to 8 million inpatient stays from about 1,000 hospitals. All discharges from sampled hospitals are included in the NIS database.

The NIS contains patient-level clinical and resource use information included in a typical discharge abstract. The NIS can be linked directly to hospital-level data from the American Hospital Association (AHA) Annual Survey Database and to county-level data from the Health Resources and Services Administration Bureau of Health Professions' Area Resource File (ARF), except in those states that do not allow the release of hospital identifiers.

The NIS is designed to approximate a 20-percent sample of U.S. community hospitals, defined by the AHA to be "all non-Federal, short-term, general, and other specialty hospitals, excluding hospital units of institutions." Included among community hospitals are specialty hospitals such as obstetrics-gynecology, ear-nose-throat, short-term rehabilitation, orthopedic, and pediatric institutions. Also included are public hospitals and academic medical centers. Excluded are short-term rehabilitation hospitals (beginning with 1998 data), long-term hospitals, psychiatric hospitals, and alcoholism/chemical dependency treatment facilities.

This universe of U.S. community hospitals is divided into strata using five hospital characteristics: ownership/control, bed size, teaching status, urban/rural location, and U.S. region.

The NIS is a stratified probability sample of hospitals in the frame, with sampling probabilities proportional to the number of U.S. community hospitals in each stratum. The frame is limited by the availability of inpatient data from the data sources.

In order to improve the representativeness of the NIS, the sampling and weighting strategy was modified beginning with the 1998 data. The full description of this process can be found in the special report on *Changes in NIS Sampling and Weighting Strategy for 1998*. This report is available on the AHRQ-sponsored HCUP-US Website at <http://www.hcup-us.ahrq.gov>. To facilitate the production of national estimates, both hospital and discharge weights are provided, along with information necessary to calculate the variance of estimates. Detailed information on the design of the NIS is available in the year-specific special reports on *Design of the Nationwide Inpatient Sample* found on the HCUP-US Website.

NIS data sets are currently available for multiple years, as shown in Table 1. Each release of the NIS includes:

- Data in fixed-width ASCII format on CD-ROM.
- Patient-level hospital discharge abstract data for 100 percent of discharges from a sample of hospitals in participating states.
- 5 million to 8 million inpatient records per year.
- 800-1,100 hospitals per year.
- Two 10% subsamples of discharges from all NIS hospitals (only available prior to the 2005 NIS).
- Discharge-level weights to calculate national estimates for discharges.
- Hospital Weights File to produce national estimates for hospitals and to link the NIS to data from the American Hospital Association Annual Survey Database.
- NIS Documentation and tools – including file specifications, programming source code for loading ASCII data into SAS and SPSS, and value labels.

**Table 1. Summary of NIS Releases**

<b>Data from</b>	<b>Media/format options</b>	<b>Structure of Releases</b>
1988-1992	On CD-ROM, in ASCII format	5 years of data in a 6-CD set, compressed files
<ul style="list-style-type: none"> <li>• 8 States in 1988</li> <li>• 11 States in 1989-1992</li> </ul>		Two 10% subsamples of discharges for each year
<ul style="list-style-type: none"> <li>• 1993</li> <li>• 17 states</li> </ul>		
<ul style="list-style-type: none"> <li>• 1994</li> <li>• 17 states</li> </ul>		
<ul style="list-style-type: none"> <li>• 1995</li> <li>• 19 states</li> </ul>		
<ul style="list-style-type: none"> <li>• 1996</li> <li>• 19 states</li> </ul>		1 year of data in a 2-CD set, compressed files
<ul style="list-style-type: none"> <li>• 1997</li> <li>• 22 states</li> </ul>	On CD-ROM, in ASCII format	Two 10% subsamples of discharges for each year
<ul style="list-style-type: none"> <li>• 1998</li> <li>• 22 states</li> </ul>		
<ul style="list-style-type: none"> <li>• 1999</li> <li>• 24 states</li> </ul>		
<ul style="list-style-type: none"> <li>• 2000</li> <li>• 28 states</li> </ul>		
<ul style="list-style-type: none"> <li>• 2001</li> <li>• 33 states</li> </ul>		
<ul style="list-style-type: none"> <li>• 2002</li> <li>• 35 states</li> </ul>		1 year of data in a 2-CD set, compressed files
<ul style="list-style-type: none"> <li>• 2003</li> <li>• 37 states</li> </ul>	On CD-ROM, in ASCII format	Two 10% subsamples of discharges for each year
<ul style="list-style-type: none"> <li>• 2004</li> <li>• 37 states</li> </ul>		A companion file with four different sets of severity measures
<ul style="list-style-type: none"> <li>• 2005</li> <li>• 37 states</li> </ul>	On CD-ROM, in ASCII format	1 year of data in a 2-CD set, compressed files
		A companion file with four different sets of severity measures

## NIS Data Sources, Hospitals, and Inpatient Stays

Table 2 summarizes the data sources, number of hospitals, and number of unweighted and weighted inpatient stays in NIS data.

**Table 2. Summary of NIS Data Sources, Hospitals, and Inpatient Stays, 1988-2005**

Year	Data sources	Number of hospitals	Number of discharges in the NIS, unweighted	Number of discharges in the NIS, weighted for national estimates
1988	CA CO FL IL IA MA NJ WA	759	5,265,756	35,171,448
1989	AZ CA CO FL IL IA MA NJ PA WA WI <i>(Added AZ, PA, WI)</i>	882	6,110,064	35,104,645
1990	AZ CA CO FL IL IA MA NJ PA WA WI <i>(No change)</i>	871	6,268,515	35,215,397
1991	AZ CA CO FL IL IA MA NJ PA WA WI <i>(No change)</i>	859	6,156,188	35,036,492
1992	AZ CA CO FL IL IA MA NJ PA WA WI <i>(No change)</i>	856	6,195,744	35,011,385
1993	AZ CA CO CT FL IL IA KS MD MA NJ NY OR PA SC WA WI <i>(Added CT, KS, MD, NY, OR, SC)</i>	913	6,538,976	34,714,530
1994	AZ CA CO CT FL IL IA KS MD MA NJ NY OR PA SC WA WI <i>(No change)</i>	904	6,385,011	34,622,203
1995	AZ CA CO CT FL IL IA KS MD MA MO NJ NY OR PA SC TN WA WI <i>(Added MO, TN)</i>	938	6,714,935	34,791,998
1996	AZ CA CO CT FL IL IA KS MD MA MO NJ NY OR PA SC TN WA WI <i>(No change)</i>	906	6,542,069	34,874,386
1997	AZ CA CO CT FL GA HI IL IA KS MD MA MO NJ NY OR PA SC TN UT WA WI <i>(Added GA, HI, UT)</i>	1,012	7,148,420	35,408,207
1998	AZ CA CO CT FL GA HI IL IA KS MD MA MO NJ NY OR PA SC TN UT WA WI <i>(No change)</i>	984	6,827,350	34,874,001
1999	AZ CA CO CT FL GA HI IL IA KS MD MA ME MO NJ NY OR PA SC TN UT VA WA WI <i>(Added ME, VA)</i>	984	7,198,929	35,467,673

Year	Data sources	Number of hospitals	Number of discharges in the NIS, unweighted	Number of discharges in the NIS, weighted for national estimates
2000	AZ CA CO CT FL GA HI IL IA KS KY MD MA ME MO NC NJ NY OR PA SC TN TX UT VA WA WI WV (Added KY, NC, TX, WV)	994	7,450,992	36,417,565
2001	AZ CA CO CT FL GA HI IL IA KS KY MD MA ME MI MN MO NC NE NJ NY OR PA RI SC TN TX UT VA VT WA WI WV (Added MI, MN, NE, RI, VT)	986	7,452,727	37,187,641
2002	CA CO CT FL GA HI IL IA KS KY MD MA ME MI MN MO NC NE NJ NY NV OH OR PA RI SC SD TN TX UT VA VT WA WI WV (Added NV, OH, SD; AZ data were not available)	995	7,853,982	37,804,021
2003	AZ CA CO CT FL GA HI IL IN IA KS KY MD MA MI MN MO NC NE NH NJ NY NV OH OR PA RI SC SD TN TX UT VA VT WA WI WV (Added AZ, IN, NH; ME data were not available)	994	7,977,728	38,220,659
2004	AR AZ CA CO CT FL GA HI IL IN IA KS KY MD MA MI MN MO NC NE NH NJ NY NV OH OR RI SC SD TN TX UT VA VT WA WI WV (Added AR; PA data were not available)	1,004	8,004,571	38,661,786
2005	AR AZ CA CO CT FL GA HI IL IN IA KS KY MD MA MI MN MO NC NE NH NJ NY NV OH OK OR RI SC SD TN TX UT VT WA WI WV (Added OK; VA data were not available)	1,054	7,995,048	39,163,834

### State-Specific Restrictions

Some data sources that contributed data to the NIS imposed restrictions on the release of certain data elements or on the number and types of hospitals that could be included in the database. Because of confidentiality laws, some data sources were prohibited from providing HCUP with discharge records that indicated specific medical conditions, such as HIV/AIDS or behavioral health. Detailed information on these state-specific restrictions is available in the report, *Sources of NIS Data and State-Specific Restrictions*, located on the HCUP-US Website (<http://www.hcup-us.ahrq.gov>).

## Contents of CD-ROM Set

The CD-ROM set contains two CD-ROMs that include fixed-width ASCII formatted data files and a README.TXT file describing how to access related NIS documentation on the HCUP-US Website (<http://www.hcup-us.ahrq.gov>).

CD-ROM #1 contains:

**Inpatient Core File:** This inpatient discharge-level file contains data for 100% of the discharges from a sample of hospitals in participating states. The unit of observation is an *inpatient stay record*. See Table 3 for a list of data elements in the Inpatient Core File. This file is available in all years of the NIS.

**Hospital Weights File:** This hospital-level file contains one observation for each hospital included in the NIS and contains weights and variance estimation data elements, as well as linkage data elements. The unit of observation is the *hospital*. The HCUP hospital identifier (HOSPID) provides the linkage between the NIS Inpatient Core files and the Hospital Weights file. See Table 4 for a list of data elements in the Hospital Weights File. This file is available in all years of the NIS.

CD-ROM #2 contains:

**Disease Severity Measures Files:** These discharge-level files contain information from four different sets of disease severity measures. Information from these severity files is to be used in conjunction with the Inpatient Core files. The unit of observation is an *inpatient stay record*. The HCUP unique record identifier (KEY) provides the linkage between the Core files and the Disease Severity Measures files. See Table 5 for a list of data elements in the Severity Measures files. These files are available beginning with the 2002 NIS.

**Diagnosis and Procedure Groups Files:** These discharge-level files contain data elements from AHRQ software tools designed to facilitate the use of the ICD-9-CM diagnostic and procedure information in the HCUP databases. The unit of observation is an *inpatient stay record*. The HCUP unique record identifier (KEY) provides the linkage between the Core files and the Diagnosis and Procedure Groups files. See Table 6 for a list of data elements in the Diagnosis and Procedure Groups files. These files are available beginning with the 2005 NIS.

On the HCUP-US Website (<http://www.hcup-us.ahrq.gov>), NIS purchasers can access complete file documentation, including variable notes, file layouts, summary statistics, and related technical reports. Similarly, purchasers can also download SAS, SPSS, and Stata load programs. Available online documentation and supporting files are detailed in Table 8.

## NIS Data Elements

All releases of the NIS contain two types of data: inpatient stay records and hospital information with weights. Table 3 and Table 4 (on the following pages) identify the data elements that can be found in the Inpatient Core and Hospital Weights files, respectively. Table 5 identifies the data elements in the Disease Severity Measures files. Table 6 identifies the data elements in the Diagnosis and Procedure Groups files.

Not all data elements in the NIS are uniformly coded or available across all states. The following tables are not complete documentation for the data. Please refer to the NIS documentation located on the HCUP-US Website (<http://www.hcup-us.ahrq.gov>) for comprehensive information about data elements and the files.

**Table 3. Data Elements in the NIS Inpatient Core Files**

Data elements that are *italicized* are not included in the 2005 NIS Inpatient Core files, but are only available in previous years' files.

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
Admission day of week or weekend	AWEEKEND	1998-2005	Admission on weekend: (0) admission on Monday-Friday, (1) admission on Saturday-Sunday	
	<i>ADAYWK</i>	<i>1988-1997</i>	<i>Admission day of week: (1) Sunday, (2) Monday, (3) Tuesday, (4) Wednesday, etc.</i>	
Admission month	AMONTH	1988-2005	Admission month coded from (1) January to (12) December	FL
Admission source	ASOURCE	1988-2005	Admission source, uniform coding: (1) ER, (2) another hospital, (3) another facility including long-term care, (4) court/law enforcement, (5) routine/birth/other	
	ASOURCE_X	1998-2005	Admission source, as received from data source using State-specific coding	
	ASOURCEUB92	2003-2005	Admission source (UB-92 standard coding). For newborn admissions (ATYPE = 4): (1) normal delivery, (2) premature delivery, (3) sick baby, (4) extramural birth; For non-newborn admissions (ATYPE NE 4): (1) physician referral, (2) clinic referral, (3) HMO referral, (4) transfer from a hospital, (5) transfer from a skilled nursing facility, (6) transfer from a another health care facility, (7) emergency room, (8) court/law enforcement, (A) transfer from a critical access hospital	
Admission type	ATYPE	1988-2005	Admission type, uniform coding: (1) emergency, (2) urgent, (3) elective, (4) newborn, (5) trauma center beginning in 2003 data, (6) other	CA
	ELECTIVE	2002-2005	Indicates elective admission: (1) elective, (0) non-elective admission	
Age at admission	AGE	1988-2005	Age in years coded 0-124 years	
	AGEDAY	1988-2005	Age in days coded 0-365 only when the age in years is less than 1	FL, MA, NH, SC
Clinical Classifications Software (CCS) category	DXCCS1 - DXCCS15	1998-2005	CCS category for all diagnoses for NIS beginning in 1998	
	<i>DCCHPR1</i>	<i>1988-1997</i>	<i>CCS category for principal diagnosis for NIS prior to 1998. CCS was formerly called the Clinical Classifications for Health Policy Research (CCHPR).</i>	



Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
	PRCCS1 - PRCCS15	1998-2005	CCS category for all procedures for NIS beginning in 1998	
	PCCHPR1	1988-1997	CCS category for principal procedure for NIS prior to 1998. CCS was formerly called the Clinical Classifications for Health Policy Research (CCHPR).	
Data source information	DSNUM	1988-1997	Data source number	
	DSTYPE	1988-1997	Data source type: (1) State data organization, (2) Hospital association, (3) Consortia	
Diagnosis information	DX1 - DX15	1988-2005	Diagnoses, principal and secondary (ICD-9-CM). Beginning in 2003, the diagnosis array does not include any external cause of injury codes. These codes have been stored in a separate array ECODEn.	
	NDX	1988-2005	Number of diagnoses coded on the original record	
	DSNDX	1988-1997	Number of diagnosis fields provided by the data source	
	DXSYS	1988-1997	Diagnosis system (ICD-9-CM)	
	DXV1 - DXV15	1988-1997	Diagnosis validity flags	
Diagnosis Related Group (DRG)	DRG	1988-2005	DRG in use on discharge date	
	DRGVER	1988-2005	Grouper version in use on discharge date	
	DRG10	1988-1999	DRG Version 10 (effective October 1992 - September 1993)	
	DRG18	1998-2005	DRG Version 18 (effective October 2000 - September 2001)	
Discharge quarter	DQTR	1988-2005	Coded: (1) Jan - Mar, (2) Apr - Jun, (3) Jul - Sep, (4) Oct - Dec	
Discharge weights (Weights for 1988-1993 are on Hospital Weights file)	DISCWT	1998-2005	Discharge weight on Core file and Hospital Weights file for NIS beginning in 1998. In all data years except 2000, this weight is used to create national estimates for all analyses. In 2000 only, this weight is used to create national estimates for all analyses, excluding those that involve total charges.	
	DISCWT_U	1993-1997	Discharge weight on Core file and Hospital Weights file for NIS prior to 1998	
	DISCWTcharge	2000	Discharge weight for national estimates of total charges. In 2000 only, this weight is used to create national estimates for analyses that involve total charges.	

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
	DISCWT10	1998-2004	Discharge weight on 10% subsample Core file for NIS from 1998 to 2004. In all data years except 2000, this weight is used to create national estimates for all analyses. In 2000 only, this weight is used to create national estimates for all analyses, excluding those that involve total charges.	
	D10CWT_U	1993-1997	Discharge weight on 10% subsample Core file for NIS prior to 1998	
	DISCWTcharge10 2000		Discharge weight for national estimates of total charges on 10% subsample file. In 2000 only, this weight is used to create national estimates for analyses that involve total charges.	
Discharge year	YEAR	1988-2005		
Disposition of patient (discharge status)	DISP	1988-1997	Disposition of patient, uniform coding used prior to 1998: (1) routine, (2) short-term hospital, (3) skilled nursing facility, (4) intermediate care facility, (5) another type of facility, (6) home health care, (7) against medical advice, (20) died	
	DIED	1988-2005	Indicates in-hospital death: (0) did not die during hospitalization, (1) died during hospitalization	
	DISPUB92	1998-2005	Disposition of patient, UB-92 coding: (1) routine, (2) short-term hospital, (3) skilled nursing facility, (4) intermediate care, (5) another type of facility, (6) home health care, (7) against medical advice, (8) home IV provider, (20) died in hospital, (40) died at home, (41) died in a medical facility, (42) died, place unknown, (43) alive, Federal health facility, (50) Hospice, home, (51) Hospice, medical facility, (61) hospital-based Medicare approved swing bed, (62) another rehabilitation facility, (63) long-term care hospital, (64) certified nursing facility, (65) psychiatric hospital, (66) critical access hospital (71) another institution for outpatient services, (72) this institution for outpatient services, (99) discharged alive, destination unknown	CA, IN, MD

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
	DISPUNIFORM	1998-2005	Disposition of patient, uniform coding used beginning in 1998: (1) routine, (2) transfer to short-term hospital, (5) other transfers, including skilled nursing facility, intermediate care, and another type of facility, (6) home health care, (7) against medical advice, (20) died in hospital, (99) discharged alive, destination unknown	
External causes of injury and poisoning	ECODE1 - ECODE4	2003-2005	External cause of injury and poisoning code, primary and secondary (ICD-9-CM). Beginning in 2003, external cause of injury codes are stored in a separate array ECODEn from the diagnosis codes in the array DXn. Prior to 2003, these codes are contained in the diagnosis array (DXn).	
	E_CCS1 - E_CCS4	2003-2005	CCS category for the external cause of injury and poisoning codes	
	NECODE	2003-2005	Number of external cause of injury codes on the original record. A maximum of 4 codes are retained on the NIS.	
Gender of patient	FEMALE	1998-2005	Indicates gender for NIS beginning in 1998: (0) male, (1) female	
	SEX	1988-1997	<i>Indicates gender for NIS prior to 1998: (1) male, (2) female</i>	
Hospital information	DSHOSPID	1988-2005	Hospital number as received from the data source	GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
	HOSPID	1988-2005	HCUP hospital number (links to Hospital Weights file)	
	HOSPST	1988-2005	State postal code for the hospital (e.g., AZ for Arizona)	
	HOSPSTCO	1988-2002	<i>Modified Federal Information Processing Standards (FIPS) State/county code for the hospital links to Area Resource File (available from the Bureau of Health Professions, Health Resources and Services Administration). Beginning in 2003, this data element is available only on the Hospital Weights file.</i>	
	NIS_STRATUM	1998-2005	Stratum used to sample hospitals, based on geographic region, control, location/teaching status, and bed size. Stratum information is also contained in the Hospital Weights file.	

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
Length of stay	LOS	1988-2005	Length of stay, edited	
	LOS_X	1988-2005	Length of stay, as received from data source	
Location of the patient	PL_UR_CAT4	2003-2005	Urban–rural designation for patient’s county of residence: (1) large metropolitan, (2) small metropolitan, (3) micropolitan, (4) non-core	
Major Diagnosis Category (MDC)	MDC	1988-2005	MDC in use on discharge date	
	MDC10	1988-1999	MDC Version 10 (effective October 1992 - September 1993)	
	MDC18	1998-2005	MDC Version 18 (effective October 2000 - September 2001)	
Median household income for patient's ZIP Code	ZIPINC_QRTL	2003-2005	Median household income quartiles for patient's ZIP Code. For 2005, the median income quartiles are defined as: (1) \$1 - \$36,999; (2) \$37,000 - \$45,999; (3) \$46,000 - \$60,999; and (4) \$61,000 or more.	
	ZIPINC	1998-2002	Median household income category in files beginning in 1998: (1) \$1-\$24,999, (2) \$25,000-\$34,999, (3) \$35,000-\$44,999, (4) \$45,000 and above	
	ZIPINC4	1988-1997	Median household income category in files prior to 1998: (1) \$1-\$25,000, (2) \$25,001-\$30,000, (3) \$30,001-\$35,000, (4) \$35,001 and above	
	ZIPINC8	1988-1997	Median household income category in files prior to 1998: (1) \$1-\$15,000, (2) \$15,001-\$20,000, (3) \$20,001-\$25,000, (4) \$25,001-\$30,000, (5) \$30,001-\$35,000, (6) \$35,001-\$40,000, (7) \$40,001-\$45,000, (8) \$45,001 or more	
Neonatal/ maternal flag	NEOMAT	1988-2005	Assigned from diagnoses and procedure codes: (0) not maternal or neonatal, (1) maternal diagnosis or procedure, (2) neonatal diagnosis, (3) maternal and neonatal on same record	
Payer information	PAY1	1988-2005	Expected primary payer, uniform: (1) Medicare, (2) Medicaid, (3) private including HMO, (4) self-pay, (5) no charge, (6) other	
	PAY1_N	1988-1997	Expected primary payer, nonuniform: (1) Medicare, (2) Medicaid, (3) Blue Cross, Blue Cross PPO, (4) commercial, PPO, (5) HMO, PHP, etc., (6) self-pay, (7) no charge, (8) Title V, (9) Worker's Compensation, (10) CHAMPUS, CHAMPVA, (11) other government, (12) other	

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
	PAY1_X	1998-2005	Expected primary payer, as received from the data source	
	PAY2	1988-2005	Expected secondary payer, uniform: (1) Medicare, (2) Medicaid, (3) private including HMO, (4) self-pay, (5) no charge, (6) other	AZ, CA, CO, FL, HI, IA, NH, OH, OK, RI, SD,
	PAY2_N	1988-1997	<i>Expected secondary payer, nonuniform: (1) Medicare, (2) Medicaid, (3) Blue Cross, Blue Cross PPO, (4) commercial, PPO, (5) HMO, PHP, etc., (6) self-pay, (7) no charge, (8) Title V, (9) Worker's Compensation, (10) CHAMPUS, CHAMPVA, (11) other government, (12) other</i>	
	PAY2_X	1998-2005	Expected secondary payer, as received from the data source	AZ, CA, CO, FL, HI, IA, NH, OH, OK, RI, SD
Physician identifiers, synthetic	MDID_S	1988-2000	<i>Synthetic attending physician number in files prior to 2001</i>	
	MDNUM1_R	2003-2005	Re-identified attending physician number in files starting in 2003	CA, CT, GA, HI, IL, IN, MA, NC, OH, OK, UT, VT, WI, WV
	MDNUM1_S	2001-2002	<i>Synthetic attending physician number in files beginning in 2001 and discontinued in 2003</i>	
	SURGID_S	1988-2000	<i>Synthetic secondary physician number in files prior to 2001</i>	
	MDNUM2_R	2003-2005	Re-identified secondary physician number in files starting in 2003	CA, CT, GA, HI, IL, IN, MA, NC, OH, OK, UT, VT, WI, WV
	MDNUM2_S	2001-2002	<i>Synthetic secondary physician number in files beginning in 2001 and discontinued in 2003</i>	
	Procedure information	PR1 - PR15	1988-2005	Procedures, principal and secondary (ICD-9-CM)
NPR		1988-2005	Number of procedures coded on the original record	
DSNPR		1988-1997	<i>Number of procedure fields in this data source</i>	
PRSYS		1988-1997	<i>Procedure system (ICD-9-CM)</i>	

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
	<i>PRV1 -PRV15</i>	<i>1988-1997</i>	<i>Procedure validity flag</i>	
	PRDAY1	1988-2005	Number of days from admission to principal procedure.	IL, OH, OK, UT, WA, WV
	PRDAY2 - PRDAY15	1998-2005	Number of days from admission to secondary procedures.	IL, OH, OK, UT, WA, WV
Race of patient	RACE	1988-2005	Race, uniform coding: (1) white, (2) black, (3) Hispanic, (4) Asian or Pacific Islander, (5) Native American, (6) other	GA, IL, KY, MN, NV, OH, OR, WA, WV
Record identifier, synthetic	KEY	1998-2005	Unique record number for file beginning in 1998	
	<i>SEQ</i>	<i>1988-1997</i>	<i>Unique record number for NIS prior to 1998</i>	
	<i>SEQ_SID</i>	<i>1988-1997</i>	<i>Unique record number for NIS prior to 1998</i>	
	<i>PROCESS</i>	<i>1988-1997</i>	<i>Processing number for NIS prior to 1998</i>	
Total charges	TOTCHG	1988-2005	Total charges, edited	
	TOTCHG_X	1988-2005	Total charges, as received from data source	

**Table 4. Data Elements in the NIS Hospital Weights Files**

Data elements that are *italicized* are not included in the 2005 NIS Hospital Weights File, but are only available in previous years' files.

<b>Type of Data Element</b>	<b>HCUP Variable Name</b>	<b>Years Available</b>	<b>Coding Notes</b>	<b>Unavailable in 2005 for:</b>
Discharge counts	N_DISC_U	1988-2005	Number of AHA universe discharges in the stratum	
	S_DISC_U	1988-2005	Number of sampled discharges in the sampling stratum (NIS_STRATUM or STRATUM)	
	<i>S_DISC_S</i>	<i>1988-1997</i>	<i>Number of sampled discharges in the stratum STRAT_ST</i>	
	<i>N_DISC_F</i>	<i>1988-1997</i>	<i>Number of frame discharges in the stratum</i>	
	<i>N_DISC_S</i>	<i>1988-1997</i>	<i>Number of State's discharges in the stratum</i>	
	TOTAL_DISC	1998-2005	Total number of discharges from this hospital in the NIS	
	<i>TOTDSCHG</i>	<i>1988-1997</i>	<i>Total number of discharges from this hospital in the NIS</i>	
Discharge weights	DISCWT	1998-2005	Discharge weight used in the NIS beginning in 1998. In all data years except 2000, this weight is used to create national estimates for all analyses. In 2000 only, this weight is used to create national estimates for all analyses, excluding those that involve total charges.	
	<i>DISCWT_U</i>	<i>1988-1997</i>	<i>Discharge weights used in the NIS prior to 1998.</i>	
	<i>DISCWT_F</i>	<i>1988-1997</i>	<i>Discharge weights to the sample frame are available only in 1988-1997</i>	
	<i>DISCWT_S</i>	<i>1988-1997</i>	<i>Discharge weights to the State are available only in 1988-1997</i>	
	<i>DISCWTcharge</i>	<i>2000</i>	<i>Discharge weight for national estimates of total charges for 2000 only.</i>	
Discharge Year	YEAR	1988-2005	Discharge year	
Hospital counts	<i>N_HOSP_F</i>	<i>1988-1997</i>	<i>Number of frame hospitals in the stratum</i>	
	<i>N_HOSP_S</i>	<i>1988-1997</i>	<i>Number of State's hospitals in the stratum</i>	
	N_HOSP_U	1988-2005	Number of AHA universe hospitals in the stratum	
	<i>S_HOSP_S</i>	<i>1988-1997</i>	<i>Number of sampled hospitals in STRAT_ST</i>	
	S_HOSP_U	1988-2005	Number of sampled hospitals in the stratum (NIS_STRATUM or STRATUM)	
Hospital identifiers	HOSPID	1988-2005	HCUP hospital number (links to Inpatient Core files)	

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
	AHAID	1988-2005	AHA hospital identifier that matches AHA Annual Survey Database (not available for all states)	GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
	IDNUMBER	1988-2005	AHA hospital identifier without the leading 6 (not available for all states)	GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
	HOSPNAME	1993-2005	Hospital name from AHA Annual Survey Database (not available for all states)	AR, GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
Hospital location	HOSPADDR	1993-2005	Hospital address from AHA Annual Survey Database (not available for all states)	AR, GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
	HOSPCITY	1993-2005	Hospital city from AHA Annual Survey Database (not available for all states)	AR, GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
	HOSPST	1988-2005	Hospital state postal code for hospital (e.g., AZ for Arizona)	
	HOSPSTCO	2002-2005	Modified Federal Information Processing Standards (FIPS) State/county code	GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
	HFIPSSTCO	2005	Unmodified Federal Information Processing Standards (FIPS) State/county code for the hospital. Links to the Area Resource File (available from the Bureau of Health Professions, Health Resources and Services Administration)	GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
	HOSPZIP	1993-2005	Hospital ZIP Code from AHA Annual Survey Database (not available for all states)	AR, GA, HI, IN, KS, MI, NE, OH, OK, SC, SD, TN, TX
Hospital characteristics	HOSP_BEDSIZE	1998-2005	Bed size of hospital: (1) small, (2) medium, (3) large	
	<i>H_BEDSZ</i>	1993-1997	<i>Bed size of hospital: (1) small, (2) medium, (3) large</i>	
	<i>ST_BEDSZ</i>	1988-1992	<i>Bed size of hospital: (1) small, (2) medium, (3) large</i>	



Type of Data Element	HCUP Variable Name	Years Available	Coding Notes	Unavailable in 2005 for:
	HOSP_CONTROL	1998-2005	Control/ownership of hospital: (0) government or private, collapsed category, (1) government, nonfederal, public, (2) private, non-profit, voluntary, (3) private, invest-own, (4) private, collapsed category	
	<i>H_CONTRL</i>	<i>1993-1997</i>	<i>Control/ownership of hospital: (1) government, nonfederal (2) private, non-profit (3) private, investor-own</i>	
	ST_OWNER	1988-1992	Control/ownership of hospital: (1) public (2) private, non-profit (3) private for profit	
	HOSP_LOCATION	1998-2005	Location: (0) rural, (1) urban	
	<i>H_LOC</i>	<i>1993-1997</i>	<i>Location: (0) rural, (1) urban</i>	
	HOSP_LOCTEACH	1998-2005	Location/teaching status of hospital: (1) rural, (2) urban non-teaching, (3) urban teaching	
	<i>H_LOCTCH</i>	<i>1993-1997</i>	<i>Location/teaching status of hospital: (1) rural, (2) urban non-teaching, (3) urban teaching</i>	
	LOCTEACH	1988-1992	Location/teaching status of hospital: (1) rural, (2) urban non-teaching, (3) urban teaching	
	HOSP_REGION	1998-2005	Region of hospital: (1) Northeast, (2) Midwest, (3) South, (4) West	
	<i>H_REGION</i>	<i>1993-1997</i>	<i>Region of hospital: (1) Northeast, (2) Midwest, (3) South, (4) West</i>	
	ST_REG	1988-1992	Region of hospital: (1) Northeast, (2) Midwest, (3) South, (4) West	
	HOSP_TEACH	1998-2005	Teaching status of hospital: (0) non-teaching, (1) teaching	
	<i>H_TCH</i>	<i>1993-1997</i>	<i>Teaching status of hospital: (0) non-teaching, (1) teaching</i>	
	NIS_STRATUM	1998-2005	Stratum used to sample hospitals beginning in 1998; includes geographic region, control, location/teaching status, and bed size	
	<i>STRATUM</i>	<i>1988-1997</i>	<i>Stratum used to sample hospitals prior to 1998; includes geographic region, control, location/teaching status, and bed size</i>	
	<i>STRAT_ST</i>	<i>1988-1997</i>	<i>Stratum for State-specific weights</i>	
Hospital weights	HOSPWT	1998-2005	Weight to hospitals in AHA universe (i.e., total U.S.) beginning in 1998	
	<i>HOSPWT_U</i>	<i>1988-1997</i>	<i>Weight to hospitals in AHA universe (i.e., total U.S.) prior to 1998</i>	
	<i>HOSPWT_F</i>	<i>1988-1997</i>	<i>Weight to hospitals in the sample frame</i>	
	<i>HOSPWT_S</i>	<i>1988-1997</i>	<i>Weight to hospitals in the State</i>	

**Table 5. Data Elements in the NIS Disease Severity Measures Files**

All data elements listed below are available for all states in the 2005 NIS Disease Severity Measures files.

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes
AHRQ Comorbidity Software (AHRQ)	CM_AIDS	2002-2005	AHRQ comorbidity measure: Acquired immune deficiency syndrome
	CM_ALCOHOL	2002-2005	AHRQ comorbidity measure: Alcohol abuse
	CM_ANEMDEF	2002-2005	AHRQ comorbidity measure: Deficiency anemias
	CM_ARTH	2002-2005	AHRQ comorbidity measure: Rheumatoid arthritis/collagen vascular diseases
	CM_BLDLOSS	2002-2005	AHRQ comorbidity measure: Chronic blood loss anemia
	CM_CHF	2002-2005	AHRQ comorbidity measure: Congestive heart failure
	CM_CHRNLUNG	2002-2005	AHRQ comorbidity measure: Chronic pulmonary disease
	CM_COAG	2002-2005	AHRQ comorbidity measure: Coagulopathy
	CM_DEPRESS	2002-2005	AHRQ comorbidity measure: Depression
	CM_DM	2002-2005	AHRQ comorbidity measure: Diabetes, uncomplicated
	CM_DMCX	2002-2005	AHRQ comorbidity measure: Diabetes with chronic complications
	CM_DRUG	2002-2005	AHRQ comorbidity measure: Drug abuse
	CM_HTN_C	2002-2005	AHRQ comorbidity measure: Hypertension, uncomplicated and complicated
	CM_HYPOTHY	2002-2005	AHRQ comorbidity measure: Hypothyroidism
	CM_LIVER	2002-2005	AHRQ comorbidity measure: Liver disease
	CM_LYMPH	2002-2005	AHRQ comorbidity measure: Lymphoma
	CM_LYTES	2002-2005	AHRQ comorbidity measure: Fluid and electrolyte disorders
	CM_METS	2002-2005	AHRQ comorbidity measure: Metastatic cancer
	CM_NEURO	2002-2005	AHRQ comorbidity measure: Other neurological disorders
	CM_OBESE	2002-2005	AHRQ comorbidity measure: Obesity
	CM_PARA	2002-2005	AHRQ comorbidity measure: Paralysis
	CM_PERIVASC	2002-2005	AHRQ comorbidity measure: Peripheral vascular disorders
	CM_PSYCH	2002-2005	AHRQ comorbidity measure: Psychoses
	CM_PULMCIRC	2002-2005	AHRQ comorbidity measure: Pulmonary circulation disorders
	CM_RENLFAIL	2002-2005	AHRQ comorbidity measure: Renal failure
	CM_TUMOR	2002-2005	AHRQ comorbidity measure: Solid tumor without metastasis
CM_ULCER	2002-2005	AHRQ comorbidity measure: Peptic ulcer disease excluding bleeding	
CM_VALVE	2002-2005	AHRQ comorbidity measure: Valvular disease	
CM_WGHTLOSS	2002-2005	AHRQ comorbidity measure: Weight loss	

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes
All Patient	APRDRG	2002-2005	All Patient Refined DRG
Refined DRG (3M)	APRDRG_Risk_Mortality	2002-2005	All Patient Refined DRG: Risk of Mortality Subclass
	APRDRG_Severity	2002-2005	All Patient Refined DRG: Severity of Illness Subclass
All-Payer Severity-adjusted DRG (HSS, Inc.)	APSDRG	2002-2005	All-Payer Severity-adjusted DRG
	APSDRG_Mortality_Weight	2002-2005	All-Payer Severity-adjusted DRG: Mortality Weight
	APSDRG_LOS_Weight	2002-2005	All-Payer Severity-adjusted DRG: Length of Stay Weight
	APSDRG_Charge_Weight	2002-2005	All-Payer Severity-adjusted DRG: Charge Weight
Disease Staging (Medstat)	DS_DX_Category1	2002-2005	Disease Staging: Principal Disease Category
	DS_Stage1	2002-2005	Disease Staging: Stage of Principal Disease Category
	DS_LOS_Level	2002-2005	Disease Staging: Length of Stay Level
	DS_LOS_Scale	2002-2005	Disease Staging: Length of Stay Scale
	DS_Mrt_Level	2002-2005	Disease Staging: Mortality Level
	DS_Mrt_Scale	2002-2005	Disease Staging: Mortality Scale
	DS_RD_Level	2002-2005	Disease Staging: Resource Demand Level
	DS_RD_Scale	2002-2005	Disease Staging: Resource Demand Scale
Linkage Variables	HOSPID	2002-2005	HCUP hospital identification number
	KEY	2002-2005	HCUP record identifier

**Table 6. Data Elements in the NIS Diagnosis and Procedure Groups Files**

All data elements listed below are available for all states in the 2005 NIS Diagnosis and Procedure Groups files.

Type of Data Element	HCUP Variable Name	Years Available	Coding Notes
Clinical Classifications	CCSMGN1 – CCSMGN15	2005	CCS-MHSA general category for all diagnoses
Software category for	CCSMSP1 – CCSMSP15	2005	CCS-MHSA specific category for all diagnoses
Mental Health and Substance Abuse (CCS-MHSA)	ECCSMGN1 – ECCSMGN4	2005	CCS-MHSA general category for all external cause of injury codes
Chronic Condition Indicator	CHRON1 – CHRON15	2005	Chronic condition indicator for all diagnoses: (0) non-chronic condition, (1) chronic condition
	CHRONB1 – CHRONB15	2005	Chronic condition indicator body system for all diagnoses: (1) Infectious and parasitic disease, (2) Neoplasms, (3) Endocrine, nutritional, and metabolic diseases and immunity disorders, (4) Diseases of blood and blood-forming organs, (5) Mental disorders, (6) Diseases of the nervous system and sense organs, (7) Diseases of the circulatory system, (8) Diseases of the respiratory system, (9) Diseases of the digestive system, (10) Diseases of the genitourinary system, (11) Complications of pregnancy, childbirth, and the puerperium, (12) Diseases of the skin and subcutaneous tissue, (13) Diseases of the musculoskeletal system, (14) Congenital anomalies, (15) Certain conditions originating in the perinatal period, (16) Symptoms, signs, and ill-defined conditions, (17) Injury and poisoning, (18) Factors influencing health status and contact with health services
Procedure Class	PCLASS1 – PCLASS15	2005	Procedure Class for all procedures: (1) Minor Diagnostic, (2) Minor Therapeutic, (3) Major Diagnostic, (4) Major Therapeutic
Linkage Variables	HOSPID	2002-2005	HCUP hospital identification number
	KEY	2002-2005	HCUP record identifier

## SAMPLING OF HOSPITALS INCLUDED IN THE NIS

The hospital universe is defined by all hospitals that were open during any part of each calendar year and were designated as community hospitals in the AHA Annual Survey Database.

For more information on how hospitals in the data set were mapped to hospitals as defined by the AHA, refer to the special report, *HCUP Hospital Identifiers*. For a list of all data sources, refer to *Sources of NIS Data and State-Specific Restrictions*. For more detailed descriptions of the sampling design, refer to the year-specific special reports, *Design of the HCUP Nationwide Inpatient Sample*. All reports can be found on the NIS Database Documentation portion of the HCUP-US Website.

### Stratification Variables

To help ensure generalizability, five hospital sampling strata were defined based on hospital characteristics contained in the AHA Annual Survey Database. The stratification variables are:

- 1) *Geographic Region – Northeast, Midwest, West, or South*. This is based on the U.S. Census regions.
- 2) *Location – urban or rural*. A metropolitan statistical area is considered urban.
- 3) *Teaching Status – teaching or non-teaching*. A hospital is considered to be a teaching hospital if it has residency training approval by the Accreditation Council for Graduate Medical Education (ACGME), is a member of the Council of Teaching Hospitals (COTH), or has a ratio of full-time equivalent interns and residents to beds of .25 or higher.
- 4) *Control – government nonfederal (public), private not-for-profit (voluntary) or private investor-owned (proprietary)*. When there were enough hospitals of each type to allow it (southern rural, southern urban non-teaching, and western urban non-teaching), hospitals were stratified as public, voluntary, and proprietary. For smaller strata (north central rural and western rural hospitals), a collapsed stratification of public versus private was used, with the voluntary and proprietary hospitals combined to form a single 'private' category. For all other combinations of region, location, and teaching status, no stratification based on control was advisable, given the number of hospitals in these cells.
- 5) *Bed size – small, medium, or large*. Bed size categories are based on hospital beds, and are specific to the hospital's location and teaching status, as shown in Table 6 (on the following page). Bed size cutpoints were chosen so that approximately one-third of the hospitals in a given region and location/teaching combination would appear in each bed size category (small, medium, or large). Rural hospitals were not split according to teaching status, because rural teaching hospitals were rare.

**Table 7. Bed Size Categories, by Region**

Location and Teaching Status	Hospital Bed size		
	Small	Medium	Large
<b>NORTHEAST</b>			
Rural	1-49	50-99	100+
Urban, non-teaching	1-124	125-199	200+
Urban, teaching	1-249	250-424	425+
<b>MIDWEST</b>			
Rural	1-29	30-49	50+
Urban, non-teaching	1-74	75-174	175+
Urban, teaching	1-249	250-374	375+
<b>SOUTH</b>			
Rural	1-39	40-74	75+
Urban, non-teaching	1-99	100-199	200+
Urban, teaching	1-249	250-449	450+
<b>WEST</b>			
Rural	1-24	25-44	45+
Urban, non-teaching	1-99	100-174	175+
Urban, teaching	1-199	200-324	325+

To further ensure geographic representativeness, implicit stratification variables included state and three-digit ZIP Code (the first three digits of the hospital's five-digit ZIP Code). The hospitals were sorted according to these variables prior to systematic random sampling. For more detailed descriptions of the stratification and sample design, refer to the year-specific special reports, *Design of the HCUP Nationwide Inpatient Sample*, which can be found on the HCUP-US Website.

## GETTING STARTED

The NIS data files are provided on CD-ROMs. The NIS Inpatient Core and Hospital Weights files are on CD-ROM #1, while the Disease Severity Measures and Diagnosis and Procedure Groups files are on CD-ROM #2. Comprehensive documentation for the NIS files is available on the HCUP User Support (HCUP-US) Website (<http://www.hcup-us.ahrq.gov>).

### NIS Data Files

In order to load and analyze the NIS data onto your PC, you will need 12 gigabytes of space available. Because of the size of the files, the data are distributed as self-extracting PKZIP compressed files. To decompress the data, you should follow these steps:

1. Create a directory for the 2005 NIS on your hard drive.
2. Copy the self-extracting data files from the NIS CD-ROMs into the new directory.
3. Unzip each file by running the corresponding \*.exe file.
  - Type the file name within DOS or click on the name within Windows Explorer.
  - Edit the name of the "Unzip To Folder" in the WinZip Self-Extractor dialog to select the desired destination directory for the extracted file.
  - Click on the "Unzip" button.

The ASCII data files will then be uncompressed into this directory. After the files are uncompressed, the \*.exe files can be deleted.

### NIS Documentation

NIS documentation files on the HCUP-US Website (<http://www.hcup-us.ahrq.gov>) provide important resources for the user. Refer to these resources to understand the structure and content of the NIS and to aid in using the database.

- To locate the NIS documentation on HCUP-US, choose "Databases" from the home page (<http://www.hcup-us.ahrq.gov>). The first section under Nationwide HCUP Databases is specific to the NIS.

Table 8 details both the NIS related reports and the comprehensive NIS database documentation available on HCUP-US.

**Table 8. NIS Related Reports and Database Documentation Available on HCUP-US**

<p><b>Restrictions on the Use of the NIS</b></p> <ul style="list-style-type: none"> <li>• Data Use Agreement for the NIS</li> </ul>	<p><b>Corrections to the NIS</b></p> <ul style="list-style-type: none"> <li>• Information on corrections to the NIS data sets</li> <li>• Link to NIS Trends Supplemental Files</li> </ul>
<p><b>Description of the NIS Files</b></p> <ul style="list-style-type: none"> <li>• Introduction to the NIS, 2005 – <i>this document</i></li> <li>• HCUP Quality Control Procedures – describes procedures used to assess data quality</li> <li>• File Specifications – details data file names, number of records, record length, and record layout</li> <li>• Sources of NIS Data and State-Specific Restrictions – identifies the NIS data sources and restrictions on sampling and the release of data elements</li> </ul>	<p><b>Load Programs</b> Programs to load the ASCII data files into statistical software:</p> <ul style="list-style-type: none"> <li>• SAS</li> <li>• SPSS</li> <li>• Stata</li> </ul>
<p><b>Availability of Data Elements</b></p> <ul style="list-style-type: none"> <li>• Availability of NIS data elements from 1988-2005</li> </ul>	<p><b>HCUP Tools: Labels and Formats</b></p> <ul style="list-style-type: none"> <li>• Overview of Clinical Classifications Software (CCS), a categorization scheme that groups ICD-9-CM diagnosis and procedure codes into mutually exclusive categories</li> <li>• Label file for CCS categories</li> <li>• Label file for multiple versions of Diagnosis Related Groups (DRGs)</li> <li>• NIS SAS format library program to create a value labels</li> <li>• NIS ICD-9-CM formats to label ICD-9-CM diagnoses and procedures</li> <li>• NIS Severity formats to label severity data elements</li> </ul>
<p><b>Description of Data Elements in the NIS</b></p> <ul style="list-style-type: none"> <li>• Description of Data Elements – details uniform coding and state-specific idiosyncrasies</li> <li>• Summary Statistics – lists means and frequencies on nearly all data elements</li> <li>• NIS Severity Measures – provides detailed documentation on the different types of measures</li> <li>• HCUP Coding Practices – describes how HCUP data elements are coded</li> <li>• HCUP Hospital Identifiers – explains data elements that characterize individual hospitals</li> </ul>	<p><b>NIS Related Reports</b> Links to HCUP-US page with various NIS-related reports such as the following:</p> <ul style="list-style-type: none"> <li>• Design of the Nationwide Inpatient Sample for 1988 to 2005</li> <li>• Changes in NIS Sampling and Weighting Strategy for 1998</li> <li>• Calculating Nationwide Inpatient Sample Variances</li> <li>• Using the HCUP Nationwide Inpatient Sample to Estimate Trends</li> <li>• NIS Comparison Reports (available for years in which the NIS sample changed)</li> <li>• HCUP Data Quality Reports for 1988-2005</li> </ul>
	<p><b>HCUP Supplemental Files</b></p> <ul style="list-style-type: none"> <li>• Cost-to-Charge Ratio files</li> <li>• Hospital Market Structure files</li> <li>• NIS Trends Supplemental files</li> </ul>



## HOW TO USE THE NIS

This section provides a brief synopsis of special considerations when using the NIS. For more details, refer to the comprehensive documentation on the HCUP-US Website (<http://www.hcup-us.ahrq.gov>).

- If anyone other than the original purchaser uses the NIS data, be sure to have them read and sign a Data Use Agreement, after viewing the on-line Data Use Agreement Training Tool available on the HCUP-US Website (<http://www.hcup-us.ahrq.gov>). A copy of the signed Data Use Agreements must be sent to AHRQ. See page 2 for the mailing address.
- The NIS contains discharge-level records, not patient-level records. This means that individual patients who are hospitalized multiple times in one year may be present in the NIS multiple times. There is no uniform patient identifier available that allows a patient-level analysis with the NIS. This will be especially important to remember for certain conditions for which patients may be hospitalized multiple times in a single year.

### Calculating National Estimates

- To produce national estimates, use one of the following discharge weights to weight discharges in the NIS Core files to the discharges from all U.S. community, non-rehabilitation hospitals. The name of the discharge weight data element depends on the year of data and the type of analysis.

NIS Year	Name of Discharge Weight on the <b>Core File</b> to Use for Creating Nationwide Estimates	Name of Discharge Weight on the <b>10% Subsample Core File</b> to Use for Creating Nationwide Estimates
2005	<ul style="list-style-type: none"> <li>• DISCWT for all analyses</li> </ul>	<ul style="list-style-type: none"> <li>• <i>The 10% Subsample Core File was discontinued with the 2005 NIS.</i></li> </ul>
2001 - 2004	<ul style="list-style-type: none"> <li>• DISCWT for all analyses</li> </ul>	<ul style="list-style-type: none"> <li>• DISCWT10 for all analyses</li> </ul>
2000	<ul style="list-style-type: none"> <li>• DISCWT to create nationwide estimates for all analyses <u>except</u> those that involve total charges.</li> <li>• DISCWTCHARGE to create nationwide estimates of total charges.</li> </ul>	<ul style="list-style-type: none"> <li>• DISCWT10 to create nationwide estimates for all analyses, <u>except</u> those that involve total charges.</li> <li>• DISCWTCHARGE10 to create nationwide estimates of total charges.</li> </ul>
1998-1999	<ul style="list-style-type: none"> <li>• DISCWT for all analyses</li> </ul>	<ul style="list-style-type: none"> <li>• DISCWT10 for all analyses</li> </ul>
1988-1997	<ul style="list-style-type: none"> <li>• DISCWT_U for all analyses</li> </ul>	<ul style="list-style-type: none"> <li>• D10CWT_U for all analyses</li> </ul>

- Because the NIS is a stratified sample, proper statistical techniques must be used to calculate standard errors and confidence intervals. For detailed instructions, refer to the special report *Calculating Nationwide Inpatient Sample Variances* on the HCUP-US Website.
- The NIS Comparison Report assesses the accuracy of NIS estimates. The updated report for the current NIS will be posted on the HCUP-US Website ([www.hcup-us.ahrq.gov](http://www.hcup-us.ahrq.gov)) as soon as it is completed.

- When creating national estimates, it is a good idea to check your estimates against other data sources, if available. For example, the National Hospital Discharge Survey (<http://www.cdc.gov/nchs/products/pubs/pubd/series/sr13/ser13.htm>) can provide benchmarks against which to check your national estimates for hospitalizations with more than 5,000 discharges.
- To ensure that you are using the weights appropriately and calculating estimates and variances accurately, you can also use HCUPnet, the free online query system (<http://www.hcupnet.ahrq.gov>).

### **Why the NIS Should Not Be Used to Make State-Level Estimates**

AHRQ strongly advises researchers against using the NIS to estimate State-specific statistics. Prior to 2012, State is available as a NIS data element. However, these NIS samples were not designed to yield a representative sample of hospitals at the State level. AHRQ recommends that researchers employ the SID for State-level estimates.

Each NIS sample is drawn from the sampling frame consisting of discharge data submitted by HCUP Partners-statewide data organizations that agree to participate in the NIS. Data from non-Partner States are missing completely from the sampling frame, and data from Partner States are sometimes incomplete because of different State reporting requirements, different State restrictions, or other data omissions. The NIS is designed to represent hospitals and discharges nationally, including those outside the sampling frame.

To accomplish this, within each hospital sampling stratum the NIS draws a number of hospitals from the sampling frame required to net a total of 20 percent of hospitals nationally. The sampling strata are defined by census region (4 regions), hospital ownership (3 categories), urban-rural location, teaching status, and bed size (3 categories). As a result, the proportion of NIS hospitals in a stratum that are from a given State is unlikely to equal the State's actual proportion of hospitals in that stratum. Consequently, the sample of NIS hospitals is unlikely to be representative of hospitals in the State, and the NIS sample weights will not be appropriate at the State level.

The level of this “misrepresentation” varies across the States in any given year of the NIS, which further confounds State-to-State comparisons on the basis of State-specific estimates from the NIS. Moreover, for a given State the level of misrepresentation changes from year to year as States (and hospitals) enter and exit the sampling frame over time. This further confounds State-specific trends on the basis of State-specific estimates from the NIS.

Finally, because the NIS was not designed to be representative at the State level, design-based estimates of standard errors are not possible, which severely hampers State-level inferences. Moreover, the NIS is composed of all discharges from a sample of hospitals (a cluster sample). The hospital-to-hospital variation and the small number of hospitals available in the NIS for many States make Statelevel estimates very imprecise at best and biased at worst.

### **Studying Trends**

- When studying trends over time using the NIS, be aware that the sampling frame for the NIS changes almost annually (i.e., more states have been added over time). Estimates from earlier years of the NIS may be subject to more sampling bias than later years of the NIS. In order to facilitate analysis of trends using multiple years of NIS data, an alternate set of NIS discharge and hospital weights for

the 1988-1997 HCUP NIS were developed. These alternative weights were calculated in the same way as the weights for the 1998 and later years of the NIS. The *NIS Trends Report* includes details regarding the alternate weights and other recommendations for trends analysis. Both the NIS Trends Report and the alternate weights are available on the HCUP-US Website under Methods Series (<http://www.hcup-us.ahrq.gov/reports/methods.jsp>).

- To ease the burden on researchers conducting analyses that span multiple years, NIS trends supplemental files (NIS-Trends) are available through the HCUP Central Distributor. The NIS-Trends annual files contain the alternate trend weights for data prior to 1997, in addition to renamed, recoded, and new data elements consistent with the later years of the NIS. More information on these files is available on the HCUP-US Website under NIS database documentation (<http://www.hcup-us.ahrq.gov/db/nation/nis/nisdbdocumentation.jsp>).
- Short-term rehabilitation hospitals are included in the 1988-1997 NIS, but are excluded from the NIS beginning in 1998. Patients treated in short-term rehabilitation hospitals tend to have lower mortality rates and longer lengths of stay than patients in other community hospitals. The elimination of rehabilitation hospitals may impact trends but the effect is likely small since only about 3 percent of community hospitals are short-term rehabilitation hospitals and not all state data sources included these hospitals. The NIS-Trends weights account for this change in NIS sampling.

### Choosing Data Elements for Analysis

- For all data elements you plan to use in your analysis, first perform descriptive statistics and examine the range of values, including the number of missing cases. Summary statistics for the entire NIS are provided on the Summary Statistics page of the HCUP-US Website (<http://www.hcup-us.ahrq.gov/db/nation/nis/nissummstats.jsp>). When you detect anomalies (such as large numbers of missing cases), perform descriptive statistics by state for that variable to detect if there are state-specific differences. Sometimes performing descriptive statistics by hospital can be helpful in detecting hospital-specific data anomalies.
- Not all data elements in the NIS are provided by each state data source. These data elements are provided on the NIS because they can be valuable for research purposes but they should be used cautiously. For example, RACE is missing for a number of states; thus, national estimates using RACE should be interpreted and reported with caveats. Check the documentation and run frequencies by state to identify if a data element is not available in one or more states.
- Differences exist across the state data sources in the collection of information that could not be accounted for during HCUP processing to make the data uniform. Be sure to read state-specific notes for each data element that you use in your analysis – this information can be found on the Description of Data Elements page on the HCUP-US Website (<http://www.hcup-us.ahrq.gov/db/nation/nis/nisdde.jsp>).
- Data elements with "\_X" suffixes contain state-specific coding (i.e., these data elements are provided by the data sources and have not been altered in any way). For some data elements (e.g., LOS\_X and TOTCHG\_X) this means that no edit checks have been applied. For other data elements (e.g., PAY1\_X), the coding is specific to each state and may not be comparable to any other state.

### ICD-9-CM Diagnosis and Procedure Codes

- ICD-9-CM diagnosis and procedure codes provide valuable insights into the reasons for hospitalization and what procedures patients receive, but these codes need to be carefully used and interpreted. ICD-9-CM codes change every October as new codes are introduced and some codes are retired.

- Although the NIS contains up to 15 diagnoses and 15 procedures, the number of diagnoses and procedures varies by state. Some states provide as many as 30 diagnoses and 21 procedures, while other states provide as few as 10 diagnoses and 6 procedures. Because very few cases have more than 15 diagnoses or procedures, the diagnosis and procedure vectors were truncated to save space in the NIS data files. Two variables are provided which tell you exactly how many diagnoses and procedures were on the original records (NDX and NPR).

The collection and reporting of external cause of injury (E codes) varies greatly across states. Some states have laws or mandates for the collection of E codes; others do not. Some states do not require hospitals to report E codes in the range E870-E879 - "misadventures to patients during surgical and medical care" - which means that these occurrences will be underreported. Be sure to read the state-specific notes on diagnoses for more details; this information can be found on the Description of Data Elements page on the HCUP-US Website (<http://www.hcup-us.ahrq.gov/db/nation/nis/nisdde.jsp>).

## OTHER HCUP PRODUCTS

Information on HCUP products and services is available on the AHRQ-sponsored HCUP User Support Website at <http://www.hcup-us.ahrq.gov>.

## DATABASES

For more information on all HCUP databases, visit the HCUP-US Website at <http://www.hcup-us.ahrq.gov> or contact the HCUP Central Distributor (detailed below).

**Nationwide Inpatient Sample (NIS)** is a nationwide database of hospital inpatient stays. The NIS is the largest all-payer inpatient care database that is publicly available in the United States, containing data from 5 to 8 million hospital stays from about 1,000 hospitals sampled to approximate a 20-percent stratified sample of U.S. community hospitals. The NIS has been available since 1988. For trends analysis, it is recommended that analyses begin with the 1993 data year.

**State Inpatient Databases (SID)** are hospital inpatient databases from Data Organizations participating in HCUP. The SID contain the universe of the inpatient discharge abstracts in the participating HCUP states, translated into a uniform format to facilitate multi-State comparisons and analyses.

**State Ambulatory Surgery Databases (SASD)** are outpatient databases from Data Organizations in participating HCUP States; these databases capture surgeries performed on the same day in which patients are admitted and released. The SASD contain the ambulatory surgery encounter abstracts in participating States, translated into a uniform format to facilitate multi-state comparisons and analyses. All of the databases include abstracts from hospital-affiliated ambulatory surgery sites. Some contain the universe of ambulatory surgery encounter abstracts for that state, including records from both hospital-affiliated and freestanding surgery centers. Composition and completeness of data files may vary from state to state.

**The State Emergency Department Databases (SEDD)** include data on all emergency department visits that do not result in an admission from Data Organizations in participating HCUP states that provide ED data. Information on patients initially seen in the emergency room and then admitted to the hospital is included in the SID. All of the databases include abstracts from hospital-affiliated emergency department sites. Composition and completeness of data files may vary from state to state.

**Kids' Inpatient Database (KID)** is a unique database of hospital inpatient stays for children. The KID has been produced every three years since 1997 and was specifically designed to permit researchers to study a broad range of conditions and procedures related to child health issues.

## HCUP CENTRAL DISTRIBUTOR

HCUP databases are available for purchase through the AHRQ-sponsored HCUP Central Distributor. All years of the NIS and KID are released through the HCUP Central Distributor. In addition, many of the HCUP State Partners allow the public release of the HCUP SID, SASD, and SEDD through the HCUP Central Distributor. Application Kits for purchasing the HCUP databases are available online at <http://www.hcup-us.ahrq.gov> or by contacting the HCUP Central Distributor directly. Information on how to obtain uniformly-formatted HCUP files from states not participating in the HCUP Central Distributor is also available from the HCUP Central Distributor:

HCUP Central Distributor  
Phone: (866) 556-4287 (toll-free)  
FAX: (866) 792-5313  
E-mail: [HCUPDistributor@ahrq.gov](mailto:HCUPDistributor@ahrq.gov)

## HCUP USER SUPPORT

HCUP User Support (HCUP-US) provides technical assistance to all HCUP users and is designed to facilitate the use of HCUP data, software tools, and products. The goals of this service are to increase awareness of the strengths and uses of HCUP data and to enhance the skills of individuals using the data for research, education, and policy analysis. A user-friendly Website for HCUP-US is located at <http://www.hcup-us.ahrq.gov>. This site includes links to information on how to purchase and understand the HCUP databases, as well as links to HCUP User Support Services and an index of HCUP topics. For further information, consultants are available via both telephone and e-mail to help in planning analytic research and to offer advice about appropriate uses of HCUP data.

## HCUPnet

HCUPnet is a Web-based query tool for identifying, tracking, analyzing, and comparing statistics on hospitals at the national, regional, and state level. HCUPnet offers easy access to national statistics and trends and selected state statistics about hospital stays. This tool provides step-by-step guidance, helping researchers to quickly obtain the statistics they need. HCUPnet generates statistics using the NIS, KID, and SID for those states that have agreed to participate. In addition, HCUPnet provides Quick Statistics – ready-to-use tables on commonly requested information – as well as national statistics based on the AHRQ Quality Indicators. HCUPnet can be found at: <http://hcupnet.ahrq.gov/>.

## TOOLS

**AHRQ Quality Indicators (QIs)** are clinical performance measures for use with readily available inpatient data. Methods and software for the AHRQ Quality Indicators can be downloaded from <http://www.qualityindicators.ahrq.gov>.

The following tools can all be found at the HCUP User Support Website, Tools and Software page, at [http://www.hcup-us.ahrq.gov/tools\\_software.jsp](http://www.hcup-us.ahrq.gov/tools_software.jsp). Methods and software related to these products can be downloaded from the same Web page.

**Clinical Classifications Software (CCS)**, formerly known as the Clinical Classifications for Health Policy Research (CCHPRs), are classification systems that group ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) diagnoses and procedures into a limited number of clinically meaningful categories. CCS is also available for ICD-10 diagnoses, Current Procedural Terminology (CPT) and HCPCS procedures, in addition to mental health and substance abuse-related ICD-9-CM diagnoses.

**Comorbidity Software** assigns variables that identify comorbidities in hospital discharge records using ICD-9-CM diagnosis codes.

**Procedure Classes** identify whether a procedure is (a) diagnostic or therapeutic, and (b) minor or major in terms of invasiveness and/or resource use.

**Cost-to-Charge Ratio (CCR) Files** are hospital-level files designed to supplement the data elements in the NIS and SID databases.

**Chronic Condition Indicator** provides users an easy way to categorize ICD-9-CM diagnosis codes into one of two categories: chronic or not chronic. The tool can also assign ICD-9-CM diagnosis codes into 1 of 18 body system categories.

**Utilization Flags** reveal additional information about use of health care services by combining information from UB-92 revenue codes and ICD-9-CM procedure codes to create flags, or indicators, of utilization. Use of procedures and services such as ICU, CCU, NICU, and specific diagnostic tests and therapies can be assessed with these Utilization Flags.

## PUBLICATIONS

Publications using HCUP data or describing methods for using HCUP data can be found at: <http://www.hcup-us.ahrq.gov/reports.jsp>.

**HCUP Fact Books** report aggregate statistics and detailed analyses using HCUP data. The Fact Books can be viewed online or can be requested from the AHRQ Publications Clearinghouse at (800) 358-9295. You can also send a postcard requesting these reports by writing to: AHRQ Publications Clearinghouse, P.O. Box 8547, Silver Spring, MD 20907.

**HCUP Statistical Briefs** are Web-based reports that present simple, descriptive statistics on a variety of focused topics such as hospital admissions through the emergency department, hospitalizations among the uninsured, women and heart disease, hospital stays associated with alcohol abuse, and racial and ethnic disparities in potentially preventable hospitalizations.

**HCUP Methods Series** features a broad array of methodological reports on the HCUP databases and software tools. Topics range from how to use the NIS for reporting trends, how to properly calculate variance estimates using the NIS, an evaluation of linking patients across hospital stays in the SID, evaluations of HCUP emergency department and ambulatory surgery data, an evaluation of E code reporting across the HCUP States, and creation of utilization flags based on UB-92 revenue codes.

**HCUP Database Reports** are specific to the design and use of the HCUP databases. These reports include descriptions of the design of each database, comparisons of HCUP data with other data sources, evaluations of data quality, and descriptions of database composition.

**New Findings and Publications** based on HCUP data are available at the AHRQ Website at <http://www.ahrq.gov/data/hcup/hcupref.htm>. Publications are listed by author and information includes title, publication, data, and often access to an abstract.