### AZ Arizona Department of Health Services

No restrictions

### CA Office of Statewide Health Planning & Development

Confidentiality of Records

 To meet California confidentiality requirements, admission month (AMONTH), age in days, (AGEDAY), age in years (AGE), gender (FEMALE), and race (RACE), are suppressed for some records. In some cases, AGE was suppressed, but an age category was available. In these cases, we set AGE to the midpoint of the best available age category.

#### CO Colorado Health & Hospital Association

No restrictions

#### CT CHIME, Inc.

Confidentiality of Hospitals

CHIME will be notified if more than 50% of their hospitals appear in any year of the NIS data.

• Twenty-nine percent (29%) of the hospitals were sampled in the 2003 NIS; there was no need to notify the data source.

#### Confidentiality of Physicians

CHIME does not allow the release of physician identifiers. Beginning with 2000 data, CHIME did not supply physician identifiers to HCUP.

### FL Florida Agency for Health Care Administration

#### Confidentiality of Records

- Florida does not allow the release of admission month (AMONTH).
   In 2003, Florida did not supply admission month to HCUP.
- Florida requested that age in days at admission (AGEDAY) be set to missing in the NIS.

#### GA GHA: An Association of Hospitals & Health Systems

#### Confidentiality of Hospitals

To meet Georgia confidentiality requirements, hospitals were dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum.

• In the 2003 NIS, one hospital needed to be dropped from the sampling frame.

Georgia requested that hospitals not be identified in the NIS. The following data elements are set to missing for all Georgia hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP CONTROL, control/ownership of hospital
- HOSP LOCATION, location (urban/rural) of hospital
- HOSP TEACH, teaching status of hospital
- HOSP\_BEDSIZE, bed size of hospital
- HOSP\_LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of Georgia hospitals.

#### Confidentiality of Records

Georgia requested that the patient's race (RACE) be set to missing in the NIS.

Confidentiality of Physicians

Georgia requested that the following data elements be set to missing in the NIS:

- First synthetic physician identifier (MDNUM1\_R beginning in 2003, MDNUM1\_S, from 2001 to 2002, or MDID\_S, prior to 2001) and
- Second synthetic physician identifier (MDNUM2\_R beginning in 2003, MDNUM2\_S, from 2001 to 2002, or SURGID\_S, prior to 2001).

#### HI Hawaii Health Information Corporation

Confidentiality of Hospitals

Some Hawaii hospitals were dropped from the sampling frame to meet confidentiality requirements. Hospitals were dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum.

• In the 2003 NIS, 4 out of 20 hospitals needed to be dropped from the sampling frame.

Hawaii requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all Hawaii hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP\_CONTROL, control/ownership of hospital
- HOSP LOCATION, location (urban/rural) of hospital
- HOSP TEACH, teaching status of hospital
- HOSP BEDSIZE, bed size of hospital
- HOSP LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of Hawaii hospitals.

#### IA Iowa Hospital Association

#### Missing Discharges

Beginning in data year 2001, the Iowa Hospital Association prohibits the release of two types of discharges:

- HIV Infections (defined by MDC of 25) and
- Behavioral Health including chemical dependency care or psychiatric care (defined by a service code of BHV).

These discharges were not included in the source file provided to HCUP and are therefore not included in the NIS.

## IL Illinois Department of Public Health (beginning in 2002) Illinois Health Care Cost Containment Council (prior to 2002)

Confidentiality of Hospitals

Illinois Health Care Cost Containment Council requested that no more than 40% of Illinois discharges appear in any discharge quarter of NIS data.

 Twenty-three percent (23%) of the discharges in Illinois were sampled in the 2003 NIS. No hospitals were dropped from the sampling frame.

Confidentiality of Physicians

Illinois does not allow the release of physician identifiers. Beginning with 1995 data, Illinois did not supply physician identifiers to HCUP.

### IN Indiana Hospital & Health Association

Confidentiality of Hospitals

To meet Indiana confidentiality requirements, hospitals were dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum.

• In the 2003 NIS, one out of 107 hospitals needed to be dropped from the sampling frame.

Indiana requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all Indiana hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP\_CONTROL, control/ownership of hospital
- HOSP LOCATION, location (urban/rural) of hospital
- HOSP\_TEACH, teaching status of hospital
- HOSP\_BEDSIZE, bed size of hospital
- HOSP\_LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of Indiana hospitals.

### KS Kansas Hospital Association

Confidentiality of Hospitals

Kansas requested that hospitals not be identified in the NIS. The following data elements are set to missing for all Kansas hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- · AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

### KY Kentucky Department for Public Health

No restrictions

#### MA Division of Health Care Finance and Policy

Confidentiality of Records

Massachusetts requested that age in days at admission (AGEDAY) be set to missing in the NIS.

Confidentiality of Physicians

Massachusetts requested that the following data elements be set to missing in the NIS:

- First synthetic physician identifier (MDNUM1\_R beginning in 2003, MDNUM1\_S, from 2001 to 2002, or MDID\_S, prior to 2001) and
- Second synthetic physician identifier (MDNUM2\_R beginning in 2003, MDNUM2\_S, from 2001 to 2002, or SURGID\_S, prior to 2001).

#### MD Health Services Cost Review Commission

No restrictions

ME Maine Health Data Organization (Data not available in the 2003 NIS)

No restrictions

#### MI Michigan Health & Hospital Association

Confidentiality of Hospitals

Some Michigan hospitals were dropped from the sampling frame for two reasons:

- To meet Michigan confidentiality requirements, hospitals were to be dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum. In the 2003 NIS, no hospitals needed to be dropped from the sampling frame.
- 33 out of 132 hospitals were dropped from the sampling frame because they did not report total charges. These hospitals were fairly evenly distributed by hospital type. There were no sampling strata in the state containing only hospitals without total charges.

Michigan requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all Michigan hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP\_CONTROL, control/ownership of hospital
- HOSP LOCATION, location (urban/rural) of hospital
- HOSP TEACH, teaching status of hospital
- HOSP BEDSIZE, bedsize of hospital
- HOSP\_LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of Michigan hospitals.

MN Minnesota Hospital Association

No restrictions

#### MO Hospital Industry Data Institute

Confidentiality of Hospitals

Missouri hospitals were dropped from the sampling frame if they did not give their permission to be included.

• In the 2003 NIS, no hospitals needed to be dropped from the sampling frame because they did not give permission to be included.

### NC North Carolina Department of Health and Human Services

Confidentiality of Physicians

North Carolina requested that the following data elements be set to missing in the NIS:

- First synthetic physician identifier, MDNUM1\_S, from 2001 to 2002, and MDNUM1\_R, beginning in 2003
- Second synthetic physician identifier, MDNUM2\_S, from 2001 to 2002, and MDNUM2\_R, beginning in 2003.

### NE Nebraska Hospital Association

Confidentiality of Hospitals

Some Nebraska hospitals were dropped from the sampling frame for two reasons:

- To meet Nebraska confidentiality requirements, hospitals were dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum. In the 2003 NIS, one out of 83 hospitals needed to be dropped from the sampling frame.
- Three out of 83 hospitals were dropped from the sampling frame because they had incomplete data and were missing a high percentage of Medicare Discharges.

Nebraska requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all Nebraska hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP CONTROL, control/ownership of hospital
- HOSP LOCATION, location (urban/rural) of hospital
- HOSP\_TEACH, teaching status of hospital
- HOSP BEDSIZE, bedsize of hospital
- HOSP\_LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of Nebraska hospitals.

#### Missing Discharges

The Nebraska Hospital Association prohibits the release of discharge records for patients with HIV diagnoses. These discharges were not included in the source file provided to HCUP and are therefore not included in the NIS.

NH	New Hampshire Department of Health & Human Services			
	Confidentiality of Records			
	New Hampshire requested that age in days at admission (AGEDAY) be set to missing in the NIS.			
NJ	New Jersey Department of Health & Senior Services			
	No restrictions			
NV	Nevada Department of Human Resources			
	No restrictions			
NY	New York State Department of Health			
	No restrictions			

### OH Ohio Hospital Association

Confidentiality of Hospitals

To meet Ohio confidentiality requirements, hospitals were to be dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum.

• In the 2003 NIS, no hospitals needed to be dropped from the sampling frame.

Ohio requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all Ohio hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP CONTROL, control/ownership of hospital
- HOSP LOCATION, location (urban/rural) of hospital
- HOSP\_TEACH, teaching status of hospital
- HOSP\_BEDSIZE, bedsize of hospital
- HOSP\_LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of Ohio hospitals.

### OR Oregon Association of Hospitals & Health Systems

No restrictions

#### PA Pennsylvania Health Care Cost Containment Council

Confidentiality of Records

Pennsylvania requested that patient age (AGE) be set to the midpoint of 5-year intervals for records in the NIS with the following sensitive conditions: abortion, AIDS, mental illness, substance abuse and venereal disease. For cases with age in days (AGEDAY) greater than or equal to 0, AGEDAY will be set to missing. These sensitive conditions are defined by DRG, diagnoses, or procedure codes as specified in the table below:

Pennsylvania Restriction on AGE for Records with Sensitive Conditions			
Condition	DRGs or	Diagnoses or	Procedures
Abortion	380-381	635-6399 V617	6901-6902 6951-6959 7491 750
AIDS/HIV	488-490	042 79571 V08 V6544	N/A
Psychiatric	424-432	290-3029 306-319 E950-E9590 E980-E9899 V110-V119 V790 V798 V799	9421-9429 9431-9439 9441-9444 9451-9452 9459
Substance Abuse	433-437 521-523	303-30593 9800 V6542 V791	9445-9446 9453-9454 9461-9469
Venereal Disease	N/A	0900-0999 V027 V028	N/A

Pennsylvania Restriction on Disease Severity Measures

No disease severity adjustment data elements are included for Pennsylvania discharges in the 2003 NIS.

Pennsylvania Health Care Cost Containment Council Publishing Disclaimer Requirement

The Pennsylvania Health Care Cost Containment Council requires that the following three paragraphs are listed in any publication that includes results derived from Pennsylvania data:

The Pennsylvania Health Care Cost Containment Council (PHC4) is an independent state agency responsible for addressing the problem of escalating health costs, ensuring the quality of health care, and increasing access to health care for all citizens regardless of ability to pay. PHC4 has provided data to this entity in an effort to further PHC4's mission of educating the public and containing health care costs in Pennsylvania.

PHC4, its agents and staff, have made no representation, guarantee, or warranty, express or implied, that the data: financial, patient, payor, and physician specific information provided to this entity, are error-free, or that the use of the data will avoid differences of opinion or interpretation.

This analysis was not prepared by PHC4. This analysis was done by [Entity Name]. PHC4, its agents and staff, bear no responsibility or liability for the results of the analysis, which are solely the opinion of this entity.

### RI Rhode Island Department of Health

No restrictions

### SC South Carolina State Budget & Control Board

Confidentiality of Hospitals

Some South Carolina hospitals were dropped from the sampling frame to meet confidentiality requirements. Hospitals were dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum.

 In the 2003 NIS, seven out of 57 hospitals needed to be dropped from the sampling frame in order to protect the confidentiality of the hospitals.

South Carolina requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all South Carolina hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP\_CONTROL, control/ownership of hospital
- HOSP LOCATION, location (urban/rural) of hospital
- HOSP\_TEACH, teaching status of hospital
- HOSP BEDSIZE, bed size of hospital
- HOSP\_LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of South Carolina hospitals.

#### Confidentiality of Records

South Carolina requested that age in days at admission (AGEDAY) be set to missing in the NIS.

### SD South Dakota Association of Healthcare Organizations

Confidentiality of Hospitals

Some South Dakota hospitals were dropped from the sampling frame to meet confidentiality requirements. Hospitals were dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum.

 In the 2003 NIS, two out of 47 hospitals needed to be dropped from the sampling frame in order to protect the confidentiality of the hospitals.

South Dakota requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all South Dakota hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP\_CONTROL, control/ownership of hospital
- HOSP LOCATION, location (urban/rural) of hospital
- HOSP\_TEACH, teaching status of hospital
- HOSP BEDSIZE, bed size of hospital
- HOSP\_LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of South Dakota hospitals.

15

### TN Tennessee Hospital Association

Confidentiality of Hospitals

- Some Tennessee hospitals were dropped from the sampling frame to meet confidentiality requirements. Hospitals were dropped from the sampling frame whenever there were fewer than two hospitals in a sampling stratum.
- In the 2003 NIS, no hospitals needed to be dropped from the sampling frame in order to protect the confidentiality of the hospitals.

Tennessee requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all Tennessee hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

In order to further ensure the confidentiality of hospitals, stratifier data elements were set to missing if the cell, as defined by

- HOSP\_CONTROL, control/ownership of hospital
- HOSP\_LOCATION, location (urban/rural) of hospital
- HOSP\_TEACH, teaching status of hospital
- HOSP\_BEDSIZE, bed size of hospital
- HOSP\_LOCTEACH, location/teaching status of hospital

had fewer than two hospitals in the universe of Tennessee hospitals.

### TX Texas Department of State Health Services (2003) Texas Health Care Information Council (prior to 2003)

Confidentiality of Hospitals

Texas requested that hospitals not be identified in the NIS database. The following data elements are set to missing for all Texas hospitals:

- DSHOSPID, data source hospital identifier
- HOSPSTCO, hospital state, county FIPS code
- IDNUMBER, AHA hospital identifier without leading 6
- AHAID, AHA hospital identifier with leading 6
- HOSPNAME, hospital name
- HOSPCITY, hospital city
- HOSPADDR, hospital address
- HOSPZIP, hospital zip code

#### Confidentiality of Records

- Texas requested that age in days at admission (AGEDAY) be set to missing in the NIS.
- Texas requested that age in years (AGE) be set to the midpoints of age ranges defined by THCIC. There are 22 age groups for the general patient population and 5 age groups for the HIV or alcohol/drug use patients. The age groups are shown below:

Texas Restriction on AGE for other than HIV or Drug.	
Age Range	New value of AGE
0	0
1-4	2
5-9	7
10-14	12
15-17	16
18-19	19
20-24	22
25-29	27
30-34	32
35-39	37
40-44	42
45-49	47
50-54	52
55-59	57
60-64	62
65-69	67
70-74	72
75-79	77
80-84	82
85-89	87

Texas Restriction on AGE for General Patient Population other than HIV or Drug/Alcohol Use Patients	
Age Range	New value of AGE
90 and above	90

	Texas Restriction on AGE for HIV or Drug/Alcohol Use Patients	
Age Range	New value of AGE	
0	0	
1-17	8	
18-44	31	
45-64	54	
65-74	69	
75 and above	75	

The HIV or drug/alcohol use patients are identified by any principal or secondary diagnosis code on the record having the first four characters equal to one of the values in the following list: '2910', '2911', '2912', '2913', '2914', '2915', '2918', '2919', '2920', '2921', '2922', '2928', '2929', '3030', '3039', '3040', '3041', '3042', '3043', '3044', '3045', '3046', '3047', '3048', '3049', '3050', '3052', '3053', '3054', '3055', '3056', '3057', '3058', '3059', '7903', and '042'.

### UT Utah Department of Health

Confidentiality of Physicians

Utah requested that the following data elements be set to missing in the NIS:

- First synthetic physician identifier (MDNUM1\_R, beginning in 2003, MDNUM1\_S, from 2001 to 2002, or MDID\_S, prior to 2001) and
- Second synthetic physician identifier (MDNUM1\_R, beginning in 2003, MDNUM2\_S, from 2001 to 2002, or SURGID\_S, prior to 2001).

### VA Virginia Health Information

Confidentiality of Hospitals

The Nationwide Inpatient Sample may not include more than 50% of the hospitals in Virginia.

 Twenty-six percent (26%) of the hospitals in Virginia were sampled for the 2003 NIS.

# VT Vermont Association of Hospitals and Health Systems Confidentiality of Physicians Vermont requested that the following data elements be set to missing in

the NIS:

- First synthetic physician identifier: MDNUM1\_R, beginning in 2003, and MDNUM1\_S, from 2001 to 2002, and
- Second synthetic physician identifier: MDNUM2\_R, beginning in 2003, and MDNUM2\_S, from 2001 to 2002.

WA	Washington State Department of Health	
	No restrictions	
WI	Wisconsin Department of Health & Family Services	
	No restrictions	
WV	West Virginia Health Care Authority	
	No restrictions	